

Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681,

CIN: U85110DL2003PLC308206



Patient Name : Mr.ABHISHEK PAL Registered On : 06/Jan/2022 10:59:10 Age/Gender : 25 Y O M O D /M Collected : 06/Jan/2022 11:06:32 UHID/MR NO : CALI.0000031843 Received : 06/Jan/2022 12:48:43 Visit ID Reported : CALI0093032122 : 06/Jan/2022 15:12:50

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

Blood Group (ABO & Rh typing) **, Blood

Blood Group A
Rh (Anti-D) POSITIVE

COMPLETE BLOOD COUNT (CBC) **, Blood

Haemoglobin	14.40	g/dl	Male- 13.5-17.5 g/dl Female-12.0-15.5 g/	
TLC (WBC)	7,500.00	/Cu mm	4000-10000	ELECTRONIC IMPEDANCE
DLC				
Polymorphs (Neutrophils)	67.00	%	55-70	ELECTRONIC IMPEDANCE
Lymphocytes	28.00	%	25-40	ELECTRONIC IMPEDANCE
Monocytes	3.00	%	3-5	ELECTRONIC IMPEDANCE
Eosinophils	2.00	%	1-6	ELECTRONIC IMPEDANCE
Basophils	0.00	%	<1 / / /	ELECTRONIC IMPEDANCE
ESR				
Observed	6.00	Mm for 1st hr.		
Corrected	0.00	Mm for 1st hr.	< 9	
PCV (HCT)	45.00	cc %	40-54	
Platelet count				
Platelet Count	2.0	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	16.10	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	29.10	%	35-60	ELECTRONIC IMPEDANCE
PCT (Platelet Hematocrit)	0.21	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	10.30	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	4.67	Mill./cu mm	4.2-5.5	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	88.40	fl	80-100	CALCULATED PARAMETER
MCH	30.90	pg	28-35	CALCULATED PARAMETER
1868 ASSETTED	35.00	%	30-38	CALCULATED DADAMETED
	13.90	%	11-16	ELECTRC
	44.90	fL	35-60	ELECTRC "
utrophils Count	5,025.00	/cu mm	3000-7000	Dr. Anupam Singh
sinophils Count (AEC)	150.00	/cu mm	40-440	M.B.B.S,M.D.(Pathology







Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681,

CIN: U85110DL2003PLC308206



Patient Name : Mr.ABHISHEK PAL : 06/Jan/2022 10:59:11 Registered On Age/Gender : 25 Y O M O D /M Collected : 06/Jan/2022 11:06:32 UHID/MR NO : CALI.0000031843 Received : 06/Jan/2022 13:09:03 Visit ID : CALI0093032122 Reported : 06/Jan/2022 14:03:34

Ref Doctor : Dr. Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

rest name Result Unit Bio. Ref. Interval Method	Test Name	Result	Unit	Bio. Ref. Interval	Method	
-------------------------------------------------	-----------	--------	------	--------------------	--------	--

GLUCOSE FASTING ** , Plasma

Glucose Fasting 104.50 mg/dl < 100 Normal GOD POD

100-125 Pre-diabetes ≥ 126 Diabetes

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.

b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.

c) I.G.T = Impared Glucose Tolerance.

Glucose PP ** 119.50 mg/dl <140 Normal GOD POD Sample:Plasma After Meal 140-199 Pre-diabetes

140-199 Pre-diabetes >200 Diabetes

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.

b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.

c) I.G.T = Impared Glucose Tolerance.

GLYCOSYLATED HAEMOGLOBIN (HBA1C) **, EDTA BLOOD

Glycosylated Haemoglobin (HbA1c)	5.70	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (Hb-A1c)	39.00	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	117	mg/dl	

Interpretation:

NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.







Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681,

CIN: U85110DL2003PLC308206



Patient Name : Mr.ABHISHEK PAL Registered On : 06/Jan/2022 10:59:11 Age/Gender : 25 Y O M O D /M Collected : 06/Jan/2022 11:06:32 UHID/MR NO : CALI.0000031843 Received : 06/Jan/2022 13:09:03 Visit ID : CALI0093032122 Reported : 06/Jan/2022 14:03:34 Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
-----------	--------	------	--------------------	--------	--

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

^{*}High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

N.B.: Test carried out on Automated G8 90 SL TOSOH HPLC Analyser.

Clinical Implications:

- *Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.
- *With optimal control, the HbA 1c moves toward normal levels.
- *A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy
- c. Alcohol toxicity d. Lead toxicity
- *Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss
- *Pregnancy d. chronic renal failure. Interfering Factors:
- *Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.



Home Sample Collection 1800-419-0002

^{**}Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.



Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681,

CIN: U85110DL2003PLC308206



Patient Name : Mr.ABHISHEK PAL Registered On : 06/Jan/2022 10:59:11 Age/Gender Collected : 25 Y O M O D /M : 06/Jan/2022 11:06:32 UHID/MR NO : CALI.0000031843 Received : 06/Jan/2022 13:09:03 Visit ID Reported : CALI0093032122 : 06/Jan/2022 14:03:34

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Un	it Bio. Ref. Inter	val Method
BUN (Blood Urea Nitrogen) ** Sample:Serum	10.00	mg/dL	7.0-23.0	CALCULATED
Creatinine ** Sample:Serum	0.94	mg/dl	0.7-1.3	MODIFIED JAFFES
e-GFR (Estimated Glomerular Filtration Rate) ** Sample:Serum	97.80	ml/min/1,73m	2 - 90-120 Normal - 60-89 Near Normal	CALCULATED
Uric Acid ** Sample:Serum	5.24	mg/dl	3.4-7.0	URICASE
L.F.T.(WITH GAMMA GT) ** , Serum				
SGOT / Aspartate Aminotransferase (AST)	26.30	U/L	< 35	IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	32.30	U/L	< 40	IFCC WITHOUT P5P
Gamma GT (GGT)	15.10	IU/L	11-50	OPTIMIZED SZAZING
Protein	6.88	gm/dl	6.2-8.0	BIRUET
Albumin	4.50	gm/dl	3.8-5.4	B.C.G.
Globulin	2.38	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	1.89		1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	121.00	U/L	42.0-165.0	IFCC METHOD
Bilirubin (Total)	0.90	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.19	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.71	mg/dl	< 0.8	JENDRASSIK & GROF
LIPID PROFILE (MINI) ** , Serum				
Cholesterol (Total)	181.00	mg/dl	<200 Desirable 200-239 Borderline Hiç > 240 High	CHOD-PAP gh
HDL Cholesterol (Good Cholesterol)	41.10	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	131	mg/dl	< 100 Optimal 100-129 Nr. Optimal/Above Optimal	
			130-159 Borderline Hig 160-189 High > 190 Very High	JII
	12.04	mg/dl	10-33	CALCULATED New
	60.20	mg/dl	< 150 Normal 150-199 Borderline Hig	GPO-PAP
			200-499 High >500 Very High	Dr. Anupam Singh M.B.B.S,M.D.(Patholog







Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681,

CIN: U85110DL2003PLC308206



Patient Name : Mr.ABHISHEK PAL Registered On : 06/Jan/2022 10:59:10 Age/Gender : 25 Y O M O D /M Collected : 06/Jan/2022 15:26:28 UHID/MR NO : CALI.0000031843 Received : 06/Jan/2022 17:37:14 Visit ID : CALI0093032122 Reported : 06/Jan/2022 18:16:16

Ref Doctor : Dr. Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
URINE EXAMINATION, ROUTINE *	* , Urine			
Color	PALE YELLOW			
Specific Gravity	1.015			
Reaction PH	Acidic (6.0)			DIPSTICK
Protein	ABSENT	mg %	< 10 Absent	DIPSTICK
		, 3	10-40 (+)	
			40-200 (++)	
			200-500 (+++)	
			> 500 (++++)	
Sugar	ABSENT	gms%	< 0.5 (+)	DIPSTICK
			0.5-1.0 (++)	
			1-2 (+++)	
	ADCENT		> 2 (++++)	DIO OLIEN MCTDV
Ketone	ABSENT	mg/dl	0.2-2.81	BIOCHEMISTRY
Bile Salts	ABSENT			
Bile Pigments	ABSENT			
Urobilinogen(1:20 dilution)	ABSENT			
Microscopic Examination:				
Epithelial cells	0-1/h.p.f			MICROSCOPIC
				EXAMINATION
Pus cells ·	ABSENT			MICROSCOPIC
				EXAMINATION
RBCs	ABSENT			MICROSCOPIC
	ADOENT			EXAMINATION
Cast	ABSENT			Managana
Crystals	ABSENT			MICROSCOPIC
Othors	ADCENT			EXAMINATION
Others	ABSENT			
SUGAR, FASTING STAGE ** , Urine				
Sugar, Fasting stage	ABSENT	gms%		
Intermedations				

Interpretation:

(+) < 0.5

(++) 0.5-1.0

(+++) 1-2

(++++) > 2







Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681,

CIN: U85110DL2003PLC308206



Patient Name : Mr.ABHISHEK PAL Registered On : 06/Jan/2022 10:59:10 Collected Age/Gender : 25 Y O M O D /M : 06/Jan/2022 15:26:28 UHID/MR NO : CALI.0000031843 Received : 06/Jan/2022 17:37:14 Visit ID : CALI0093032122 Reported : 06/Jan/2022 18:16:16

Ref Doctor : Dr. Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

SUGAR, PP STAGE **, Urine

Sugar, PP Stage

ABSENT

Interpretation:

(+) < 0.5 gms%

(++) 0.5-1.0 gms%

(+++) 1-2 gms%

(++++) > 2 gms%









Page 6 of 10



Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681,

CIN: U85110DL2003PLC308206



Patient Name : Mr.ABHISHEK PAL : 06/Jan/2022 10:59:11 Registered On Age/Gender : 25 Y O M O D /M Collected : 06/Jan/2022 11:06:32 UHID/MR NO : CALI.0000031843 Received : 06/Jan/2022 12:42:41 Visit ID : CALI0093032122 Reported : 06/Jan/2022 13:35:07 : Dr.Mediwheel - Arcofemi Health Care Ltd. Status Ref Doctor : Final Report

1

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interva	l Method
THYROID PROFILE - TOTAL **, Serum				
T3, Total (tri-iodothyronine)	126.38	ng/dl	84.61-201.7	CLIA
T4, Total (Thyroxine)	9.57	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	2.21	μIŪ/mL	0.27 - 5.5	CLIA
Interpretation:				
. •		0.3-4.5 μIU/s	mL First Trimes	ster
		0.5-4.6 μIU/	mL Second Trin	nester
		0.8-5.2 μIU/1	mL Third Trime	ester
		0.5-8.9 µIU/1	mL Adults	55-87 Years
		0.7-27 μIU/	mL Premature	28-36 Week
		2.3-13.2 μIU/1	nL Cord Blood	> 37Week
		0.7-64 μIU/1		c - 20 Yrs.)
		1-39 μΙ	J/mL Child	0-4 Days
		1.7-9.1 μIU/		2-20 Week
		r , " , 3 " 3		

- 1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.
- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- **4)** Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- 5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.
- **6)** In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- **8**) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.











Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681,

CIN: U85110DL2003PLC308206



Patient Name : Mr.ABHISHEK PAL Registered On : 06/Jan/2022 10:59:12

 Age/Gender
 : 25 Y 0 M 0 D /M
 Collected
 : N/A

 UHID/MR NO
 : CALI.0000031843
 Received
 : N/A

Visit ID : CALI0093032122 Reported : 06/Jan/2022 12:10:38

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF X-RAY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

X-RAY DIGITAL CHEST PA *
(500 mA COMPUTERISED UNIT SPOT FILM DEVICE)

DIGITAL CHEST P-A VIEW

- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Pulmonary vascularity & distribution are normal.
- Pulmonary parenchyma did not reveal any significant lesion.

IMPRESSION: NO SIGNIFICANT DIAGNOSTIC ABNORMALITY SEEN.



Dr. Pankaj Kumar Gupta (M.B.B.S D.M.R.D)







Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681,

CIN: U85110DL2003PLC308206



Patient Name : Mr.ABHISHEK PAL Registered On : 06/Jan/2022 10:59:12

 Age/Gender
 : 25 Y 0 M 0 D /M
 Collected
 : N/A

 UHID/MR NO
 : CALI.0000031843
 Received
 : N/A

Visit ID : CALI0093032122 Reported : 06/Jan/2022 11:48:48

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) *

WHOLE ABDOMEN ULTRASONOGRAPHY REPORT

LIVER

 The liver is normal in size measures 12.6 cm and has a normal homogenous echotexture. No focal lesion is seen.

PORTAL SYSTEM

- The intra hepatic portal channels are normal.
- The portal vein is not dilated.
- Porta hepatis is normal.

BILIARY SYSTEM

- The intra-hepatic biliary radicles are normal.
- · Common duct is not dilated.
- The gall bladder is normal in size and has regular walls. Lumen of the gall bladder is anechoic.

PANCREAS

The pancreas is normal in size and shape and has a normal homogenous echotexture.
 Pancreatic duct is not dilated.

KIDNEYS

- Right kidney is normal in size, position and cortical echotexture. Cortico-medullary demarcation is maintained.
- Left kidney is normal in size, position and cortical echotexture. Cortico-medullary demarcation is maintained.
- The collecting system of both the kidneys are not dilated.

SPLEEN

The spleen is normal in size and has a normal homogenous echo-texture.

ILIAC FOSSAE & PERITONEUM

- Scan over the iliac fossae does not reveal any fluid collection or mass.
- No free fluid is noted in peritoneal cavity.

URINARY BLADDER

• The urinary bladder is normal. Bladder wall is normal in thickness and is regular. No calculus is seen.

PROSTATE

• The prostate gland is normal in texture with smooth outline.







Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681,

CIN: U85110DL2003PLC308206



Patient Name : Mr.ABHISHEK PAL Registered On : 06/Jan/2022 10:59:12

 Age/Gender
 : 25 Y 0 M 0 D /M
 Collected
 : N/A

 UHID/MR NO
 : CALI.0000031843
 Received
 : N/A

Visit ID : CALI0093032122 Reported : 06/Jan/2022 11:48:48

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

FINAL IMPRESSION

NO SIGNIFICANT ABNORMALITY SEEN IN PRESENT STUDY.

Adv: Clinico-pathological correlation and follow-up.

*** End Of Report ***

(**) Test Performed at Chandan Speciality Lab.

Result/s to Follow:

STOOL, ROUTINE EXAMINATION, ECG/EKG



Dr. Pankaj Kumar Gupta (M.B.B.S D.M.R.D)

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing *

*Facilities Available at Select Location





