| Patient Name UHID | Mrs. NEHA JOJAN 40001513 | Lab No Collection Date | 4001966 14/04/2023 9:33AM |
|----------------------|-----------------------------|---------------------------|------------------------------|
| Age/Gender | 34 Yrs/Female | Receiving Date | 14/04/2023 9:35AM |
| IP/OP Location | O-OPD | Report Date | 14/04/2023 3:31PM |
| Referred By | Dr. DIWANSHU KHATANA | Report Status | Final |
| Mobile No. | 8003613253 | | |

BIOCHEMISTRY

| Test Name | Result | Unit | Biological Ref. Range | |
|--------------------------------|-------------------|----------------------|------------------------------------|--------------------|
| BLOOD GLUCOSE (FASTING) | | | | Sample: Fl. Plasma |
| BLOOD GLUCOSE (FASTING) | 111.9 H | mg/dl | 74 - 106 | |
| Method: Hexokinase assay. | of troatmont in d | ishotog mollitug and | avaluation of carbohydrate metabol | icm in |

Interpretation:-Diagnosis and monitoring of treatment in diabetes mellitus and evaluation of carbohydrate metabolism in various diseases.

| BLOOD GLUCOSE (PP) | | | | Sample: PLASMA |
|---------------------|-------|-------|---|----------------|
| BLOOD GLUCOSE (PP) | 111.2 | mg/dl | Non – Diabetic: - < 140 mg/dl Pre – Diabetic: - 140-199 mg/dl Diabetic: - >=200 mg/dl | |

Method: Hexokinase assay. Interpretation:-Diagnosis and monitoring of treatment in diabetes mellitus and evaluation of carbohydrate metabolism in various diseases.

| THYROID T3 T4 TSH | | | | Sample: Serum |
|-------------------|--------|--------|---------------|---------------|
| ТЗ | 1.140 | ng/mL | 0.970 - 1.690 | |
| Τ4 | 6.52 | ug/dl | 5.53 - 11.00 | |
| тѕн | 4.97 H | μIU/mL | 0.40 - 4.05 | |

RESULT ENTERED BY : SUNIL EHS

Concerted to

Dr. MUDITA SHARMA

| Patient Name | Mrs. NEHA JOJAN |
|----------------|----------------------|
| UHID | 40001513 |
| Age/Gender | 34 Yrs/Female |
| IP/OP Location | O-OPD |
| Referred By | Dr. DIWANSHU KHATANA |
| Mobile No. | 8003613253 |

Lab No Collection Date Receiving Date Report Date Report Status 4001966 14/04/2023 9:33AM 14/04/2023 9:35AM 14/04/2023 3:31PM Final

BIOCHEMISTRY

T3:- Method: ElectroChemiLuminescence ImmunoAssay - ECLIA

Interpretation:-The determination of T3 is utilized in the diagnosis of T3-hyperthyroidism the detection of early stages of hyperthyroidism and for indicating a diagnosis of thyrotoxicosis factitia.

T4:- Method: ElectroChemiLuminescence ImmunoAssay - ECLIA

Interpretation:-The determination of T4 assay employs acompetitive test principle with an antibody specifically directed against T4.

TSH - THYROID STIMULATING HORMONE :- ElectroChemiLuminescenceImmunoAssay - ECLIA

Interpretation:-The determination of TSH serves as theinitial test in thyroid diagnostics. Even very slight changes in theconcentrations of the free thyroid hormones bring about much greater oppositechanges in the TSH levels.

LFT (LIVER FUNCTION TEST)

| BILIRUBIN TOTAL | 0.66 | mg/dl | 0.00 - 1.20 |
|----------------------|-------|-------|-------------|
| BILIRUBIN INDIRECT | 0.54 | mg/dl | 0.20 - 1.00 |
| BILIRUBIN DIRECT | 0.12 | mg/dl | 0.00 - 0.40 |
| SGOT | 24.9 | U/L | 0.0 - 40.0 |
| SGPT | 26.5 | U/L | 0.0 - 40.0 |
| TOTAL PROTEIN | 7.67 | g/dl | 6.6 - 8.7 |
| ALBUMIN | 4.38 | g/dl | 3.5 - 5.2 |
| GLOBULIN | 3.3 | | 1.8 - 3.6 |
| ALKALINE PHOSPHATASE | 47 | U/L | 42 - 98 |
| A/G RATIO | 1.3 L | Ratio | 1.5 - 2.5 |
| GGTP | 15.8 | U/L | 6.0 - 38.0 |
| | | | |

Sample: Serum

RESULT ENTERED BY : SUNIL EHS

Concerto.

Dr. MUDITA SHARMA

| Patient Name | Mrs. NEHA JOJAN | Lab No | 4001966 |
|----------------|----------------------|-------------------------------|-------------------|
| UHID | 40001513 | Collection Date | 14/04/2023 9:33AM |
| Age/Gender | 34 Yrs/Female | Receiving Date Report Date | 14/04/2023 9:35AM |
| IP/OP Location | O-OPD | Report Status | 14/04/2023 3:31PM |
| Referred By | Dr. DIWANSHU KHATANA | | Final |
| Mobile No. | 8003613253 | | |

BIOCHEMISTRY

BILIRUBIN TOTAL :- Method: DPD assay. Interpretation:-Total Bilirubin measurements are used in the diagnosis and treatment of various liver diseases, and of haemolytic and metabolic disorders in adults and newborns. Both obstruction damage to hepatocellular structive.

BILIRUBIN DIRECT :- Method: Diazo method Interpretation:-Determinations of direct bilirubin measure mainly conjugated, water soluble bilirubin.

SGOT - AST :- Method: IFCC without pyridoxal phosphate activation. Interpretation:-SGOT(AST) measurements are used in the diagnosis and treatment of certain types of liver and heart disease.

SGPT - ALT :- Method: IFCC without pyridoxal phosphate activation. Interpretation:-SGPT(ALT) Ratio Is Used For Differential Diagnosis In Liver Diseases.

TOTAL PROTEINS :- Method: Biuret colorimetric assay. Interpretation:-Total protein measurements are used in the diagnosis and treatment of a variety of liver and kidney diseases and bone marrow as well as metabolic and nutritional disorder. ALBUMIN :- Method: Colorimetric (BCP) assay. Interpretation:-For Diagnosis and monitoring of liver diseases, e.g. liver cirrhosis, nutritional status. ALKALINE PHOSPHATASE :- Method: Colorimetric assay according to IFCC. Interpretation:-Elevated serum ALT is found in

ALKALINE PHOSPHATASE :- Method: Colorimetric assay according to IFCC. Interpretation:-Elevated serum ALT is found in hepatitis, cirrhosis, obstructive jaundice, carcinoma of the liver, and chronic alcohol abuse. ALT is only slightly elevated in patients who have an uncomplicated myocardial infarction. GGTP-GAMMA GLUTAMYL TRANSPEPTIDASE :- Method: Enzymetic colorimetric assay. Interpretation:-y-glutamyltransferase is used in the diagnosis and monitoring of hepatobiliary disease. Enzymatic activity of GGT is often the only parameter with increased values when testing for such diseases and is one of the most sensitive indicator known.

LIPID PROFILE

| TOTAL CHOLESTEROL | 177 | | <200 mg/dl :- Desirable 200-240 mg/dl :- Borderline >240 mg/dl :- High |
|-----------------------|-------|-------|--|
| HDL CHOLESTEROL | 58.4 | | High Risk :-<40 mg/dl (Male), <40 mg/dl (Female) Low Risk :->=60 mg/dl (Male), >=60 mg/dl (Female) |
| LDL CHOLESTEROL | 136.2 | | Optimal :- <100 mg/dl Near or Above Optimal :- 100-129 mg/dl Borderline :- 130-159 mg/dl High :- 160-189 mg/dl Very High :- >190 mg/dl |
| CHOLESTERO VLDL | 14 | mg/dl | 10 - 50 |
| TRIGLYCERIDES | 69.4 | | Normal :- <150 mg/dl Border Line:- 150 - 199 mg/dl High :- 200 - 499 mg/dl Very high :- > 500 mg/dl |
| CHOLESTEROL/HDL RATIO | 3.0 | % | |

RESULT ENTERED BY : SUNIL EHS

Concerto.

Dr. MUDITA SHARMA

| Patient Name UHID | Mrs. NEHA JOJAN 40001513 | Lab No Collection Date | 4001966 14/04/2023 9:33AM |
|-------------------------------|-------------------------------|-------------------------------|------------------------------|
| Age/Gender | 34 Yrs/Female | Receiving Date Report Date | 14/04/2023 9:35AM |
| IP/OP Location Referred By | O-OPD Dr. DIWANSHU KHATANA | Report Status | 14/04/2023 3:31PM Final |
| , Mobile No. | 8003613253 | | |

BIOCHEMISTRY

CHOLESTEROL TOTAL :- Method: CHOD-PAP enzymatic colorimetric assay.

interpretation:-The determination of the individual total cholesterol (TC) level is used for screening purposes while for a better risk assessment it is necessary to measure additionally lipid & lipoprotein metabolic disorders. HDL CHOLESTEROL :- Method:-Homogenous enzymetic colorimetric method.

Interpretation:-HDL-cholesterol has a protective against coronary heart disease, while reduced HDL-cholesterol concentrations, particularly in conjunction with elevated triglycerides, increase the cardiovascular disease.

LDL CHOLESTEROL :- Method: Homogenous enzymatic colorimetric assay.

Interpretation:-LDL play a key role in causing and influencing the progression of atherosclerosis and in particular coronary sclerosis. The LDL are derived form VLDL rich in TG by the action of various lipolytic enzymes and are synthesized in the liver. CHOLESTEROL VLDL :- Method: VLDL Calculative

Interpretation:-High triglycerde levels also occur in various diseases of liver, kidneys and pancreas.

DM, nephrosis, liver obstruction.

CHOLESTEROL/HDL RATIO :- Method: Cholesterol/HDL Ratio Calculative

RENAL PROFILE TEST

| UREA | 7.5 L | mg/dl | 16.60 - 48.50 |
|------------|--------|--------|---------------|
| BUN | 3.5 L | mg/dl | 6 - 20 |
| CREATININE | 0.57 | mg/dl | 0.50 - 0.90 |
| SODIUM | 140.1 | mmol/L | 136 - 145 |
| POTASSIUM | 4.48 | mmol/L | 3.50 - 5.50 |
| CHLORIDE | 101.9 | mmol/L | 98 - 107 |
| URIC ACID | 2.91 | mg/dl | 2.6 - 6.0 |
| CALCIUM | 8.10 L | mg/dl | 8.60 - 10.30 |

RESULT ENTERED BY : SUNIL EHS

Dr. MUDITA SHARMA

MBBS | MD | PATHOLOGY

Sample: Serum

| Patient Name | Mrs. NEHA JOJAN | Lab No | 4001966 |
|----------------|----------------------|-----------------|-------------------|
| UHID | 40001513 | Collection Date | 14/04/2023 9:33AM |
| Age/Gender | 34 Yrs/Female | Receiving Date | 14/04/2023 9:35AM |
| IP/OP Location | O-OPD | Report Date | 14/04/2023 3:31PM |
| Referred By | Dr. DIWANSHU KHATANA | Report Status | Final |
| Mobile No. | 8003613253 | | |

BIOCHEMISTRY

CREATININE - SERUM :- Method:-Jaffe method, Interpretation:-To differentiate acute and chronic kidneydisease. URIC ACID :- Method: Enzymatic colorimetric assay. Interpretation:- Elevated blood concentrations of uricacid are renal diseases with decreased excretion of waste products, starvation, drug abuse and increased alcohol consume. SODIUM: - Method: ISE electrode. Interpretation: -Decrease: Prolonged vomiting or diarrhea, diminished reabsorption in the

kidney and excessive fluid retention. Increase: excessive fluid loss, high salt intake andkidney reabsorption. POTASSIUM :- Method: ISE electrode. Intrpretation:-Low level: Intake excessive loss formbodydue to diarrhea, vomiting

renal failure, High level: Dehydration, shock severe burns, DKA, renalfailure. CHLORIDE - SERUM :- Method: ISE electrode. Interpretation:-Decrease: reduced dietary intake, prolonged vomiting and reduced renal reabsorption as well as forms of acidosisand alkalosis.

Increase: dehydration, kidney failure, some form ofacidosis, high dietary or parenteral chloride intake, and salicylate poisoning.

UREA: - Method: Urease/GLDH kinetic assay. Interpretation:-Elevations in blood urea nitrogenconcentration are seen in inadequate renal perfusion, shock, diminished bloodvolume, chronic nephritis, nephrosclerosis, tubular necrosis, glomerularnephritis and UTI.

CALCIUM TOTAL :- Method: O-Cresolphthaleine complexone. Interpretation:-Increase in serum PTH or vit-D are usuallyassociated with hypercalcemia. Increased serum calcium levels may also beobserved in multiple myeloma and other

neoplastic diseases. Hypocalcemia may

beobserved in hypoparathyroidism, nephrosis, and pancreatitis.

HBA1C

5.6

%

< 5.7% Nondiabetic 5.7-6.4% Pre-diabetic > 6 4% Indicate Diabetes

Known Diabetic Patients

< 7 % Excellent Control

7 - 8 % Good Control > 8 % Poor Control

Method : - High - performance liquid chromatography HPLC Interpretation:-Monitoring long term glycemic control, testing every 3 to 4 months is generally sufficient. The approximate relationship between HbAlC and mean blood glucose values during the preceding 2 to 3 months.

RESULT ENTERED BY : SUNIL EHS

and the top

Dr. MUDITA SHARMA

MBBS | MD | PATHOLOGY

Sample: WHOLE BLOOD EDTA

| Patient Name | Mrs. NEHA JOJAN | Lab No | 4001966 |
|-----------------------|----------------------|-----------------|-------------------|
| UHID | 40001513 | Collection Date | 14/04/2023 9:33AM |
| Age/Gender | 34 Yrs/Female | Receiving Date | 14/04/2023 9:35AM |
| IP/OP Location | O-OPD | Report Date | 14/04/2023 3:31PM |
| Referred By | Dr. DIWANSHU KHATANA | Report Status | Final |
| Mobile No. | 8003613253 | | |

BLOOD BANK INVESTIGATION

| Test Name | Result | Unit | Biological Ref. Range |
|----------------|-----------------|------|-----------------------|
| BLOOD GROUPING | "O" Rh Positive | | |

BLOOD GROUPING

Note :

Both forward and reverse grouping performed.
Test conducted on EDTA whole blood.

RESULT ENTERED BY : SUNIL EHS

and the top

Dr. MUDITA SHARMA

MBBS | MD | PATHOLOGY

Page: 6 Of 14

| Patient Name | Mrs. NEHA JOJAN | Lab No | 4001966 |
|----------------|----------------------|-----------------------|-------------------|
| UHID | 40001513 | Collection Date | 14/04/2023 9:33AM |
| Age/Gender | 34 Yrs/Female | Receiving Date | 14/04/2023 9:35AM |
| IP/OP Location | O-OPD | Report Date | 14/04/2023 3:31PM |
| Referred By | Dr. DIWANSHU KHATANA | Report Status | Final |
| Mobile No. | 8003613253 | | |

CLINICAL PATHOLOGY

| Test Name | Result | Unit | Biological Ref. Range | | |
|------------------------------------|-------------|------|-----------------------|---------------|--|
| URINE SUGAR (POST PRANDIAL) | | | | Sample: Urine | |
| URINE SUGAR (POST PRANDIAL) | NEGATIVE | | | | |
| | | | | | |
| URINE SUGAR (RANDOM) | | | | Sample: Urine | |
| URINE SUGAR (RANDOM) | NEGATIVE | | | | |
| | | | | | |
| ROUTINE EXAMINATION - URINE | | | | Sample: Urine | |
| PHYSICAL EXAMINATION | | | | | |
| VOLUME | 20 | ml | | | |
| COLOUR | PALE YELLOW | | P YELLOW | | |
| APPEARANCE | CLEAR | | CLEAR | | |
| CHEMICAL EXAMINATION | | | | | |
| PH | 7.0 | | 5.5 - 7.0 | | |
| SPECIFIC GRAVITY | 1.020 | | 1.016-1.022 | | |
| PROTEIN | NEGATIVE | | NEGATIVE | | |
| SUGAR | NEGATIVE | | NEGATIVE | | |
| BILIRUBIN | NEGATIVE | | NEGATIVE | | |
| BLOOD | NEGATIVE | | | | |
| KETONES | NEGATIVE | | NEGATIVE | | |
| NITRITE | NEGATIVE | | NEGATIVE | | |
| UROBILINOGEN | NEGATIVE | | NEGATIVE | | |
| LEUCOCYTE | NEGATIVE | | NEGATIVE | | |
| MICROSCOPIC EXAMINATION | | | | | |
| WBCS/HPF | 1-2 | /hpf | 0 - 3 | | |
| RBCS/HPF | 0-0 | /hpf | 0 - 2 | | |
| EPITHELIAL CELLS/HPF | 6-8 | /hpf | 0 - 1 | | |
| CASTS | NIL | | NIL | | |
| CRYSTALS | NIL | | NIL | | |
| | | | | | |

RESULT ENTERED BY : SUNIL EHS

and the top

Dr. MUDITA SHARMA

| Patient Name | Mrs. NEHA JOJAN | Lab No | 4001966 |
|----------------|----------------------|-----------------|-------------------|
| UHID | 40001513 | Collection Date | 14/04/2023 9:33AM |
| Age/Gender | 34 Yrs/Female | Receiving Date | 14/04/2023 9:35AM |
| IP/OP Location | O-OPD | Report Date | 14/04/2023 3:31PM |
| Referred By | Dr. DIWANSHU KHATANA | Report Status | Final |
| Mobile No. | 8003613253 | | |

CLINICAL PATHOLOGY

| BACTERIA | NIL | NIL |
|----------|-----|-----|
| OHTERS | NIL | NIL |

Methodology:-Glucose: GOD-POD, Bilirubin: Diazo-Azo-coupling reaction with a diazonium, Ketone: Nitro Pruside reaction, Specific Gravity: Proton re;ease from ions, Blood: Psuedo-Peroxidase activity oh Haem moiety, pH: Methye Red-Bromothymol Blue (Double indicator system), Protein: H+ Release by buffer, microscopic & chemical method. interpretation: Diagnosis of Kidney function, UTI, Presence of Protein, Glucoses, Blood. Vocubulary syntax: Kit insert

RESULT ENTERED BY : SUNIL EHS

Concerted to

Dr. MUDITA SHARMA

| Patient Name | Mrs. NEHA JOJAN | Lab No | 4001966 |
|----------------|----------------------|-----------------|----------------------------|
| UHID | 40001513 | Collection Date | 14/04/2023 9:33AM |
| Age/Gender | 34 Yrs/Female | Receiving Date | 14/04/2023 9:35AM |
| IP/OP Location | O-OPD | Report Date | 14/04/2023 3:31PM |
| Referred By | Dr. DIWANSHU KHATANA | Report Status | 14/04/2023 3.31PM Final |
| Mobile No. | 8003613253 | | |

HEMATOLOGY

| Test Name | Result | Unit | Biological Ref. Rai | nge |
|------------------------------|--------|----------------|---------------------|--------------------------|
| CBC (COMPLETE BLOOD COUNT) | | | | Sample: WHOLE BLOOD EDTA |
| HAEMOGLOBIN | 13.0 | g/dl | 12.0 - 15.0 | |
| PACKED CELL VOLUME(PCV) | 41.1 | % | 36.0 - 46.0 | |
| MCV | 82.0 | fl | 82 - 92 | |
| МСН | 25.9 L | pg | 27 - 32 | |
| МСНС | 31.6 L | g/dl | 32 - 36 | |
| RBC COUNT | 5.01 H | millions/cu.mm | 3.80 - 4.80 | |
| TLC (TOTAL WBC COUNT) | 7.44 | 10^3/ uL | 4 - 10 | |
| DIFFERENTIAL LEUCOCYTE COUNT | | | | |
| NEUTROPHILS | 64.5 | % | 40 - 80 | |
| LYMPHOCYTE | 24.2 | % | 20 - 40 | |
| EOSINOPHILS | 5.0 | % | 1 - 6 | |
| MONOCYTES | 5.9 | % | 2 - 10 | |
| BASOPHIL | 0.4 L | % | 1 - 2 | |
| PLATELET COUNT | 3.23 | lakh/cumm | 1.500 - 4.500 | |

HAEMOGLOBIN :- Method:-SLS HemoglobinMethodology by Cell Counter.Interpretation:-Low-Anemia, High-Polycythemia. MCV :- Method:- Calculation bysysmex. MCH :- Method:- Calculation bysysmex. MCHC :- Method:- Calculation bysysmex. MCHC :- Method:- Calculation bysysmex. RBC COUNT :- Method:-Hydrodynamicfocusing.Interpretation:-Low-Anemia,High-Polycythemia.

TLC (TOTAL WBC COUNT) :- Method:-Optical Detectorblock based on Flowcytometry.Interpretation:-High-Leucocytosis, Low-Leucopenia.

NEUTROPHILS :- Method: Optical detectorblock based on Flowcytometry

LYMPHOCYTS :- Method: Optical detectorblock based on Flowcytometry

EOSINOPHILS :- Method: Optical detectorblock based on Flowcytometry MONOCYTES :- Method: Optical detectorblock based on Flowcytometry

BASOPHIL :- Method: Optical detectorblock based on Flowcytometry

PLATELET COUNT :- Method:-Hydrodynamicfocusing method.Interpretation:-Low-Thrombocytopenia, High-Thrombocytosis.

HCT: Method:- Pulse Height Detection. Interpretation:-Low-Anemia, High-Polycythemia. NOTE: CH- CRITICAL HIGH, CL: CRITICAL LOW, L: LOW, H: HIGH

ESR (ERYTHROCYTE SEDIMENTATION RATE)

15

mm/1st hr 0 - 15

RESULT ENTERED BY : SUNIL EHS

Come .

Dr. MUDITA SHARMA

| Patient Name | Mrs. NEHA JOJAN | Lab No | 4001966 |
|----------------|----------------------|-----------------|-------------------|
| UHID | 40001513 | Collection Date | 14/04/2023 9:33AM |
| Age/Gender | 34 Yrs/Female | Receiving Date | 14/04/2023 9:35AM |
| IP/OP Location | O-OPD | Report Date | 14/04/2023 3:31PM |
| Referred By | Dr. DIWANSHU KHATANA | Report Status | Final |
| Mobile No. | 8003613253 | | |

Method:-Modified Westergrens. Interpretation:-Increased in infections, sepsis, and malignancy.

RESULT ENTERED BY : SUNIL EHS

| Patient Name | Mrs. NEHA JOJAN | Lab No | 4001966 |
|----------------|----------------------|-----------------|-------------------|
| UHID | 40001513 | Collection Date | 14/04/2023 9:33AM |
| Age/Gender | 34 Yrs/Female | Receiving Date | 14/04/2023 9:35AM |
| IP/OP Location | O-OPD | Report Date | 14/04/2023 3:31PM |
| Referred By | Dr. DIWANSHU KHATANA | Report Status | Final |
| Mobile No. | 8003613253 | | |

Test Name

Result

Unit

Biological Ref. Range

USG REPORT - ABDOMEN AND PELVIS

LIVER:

Is enlarged in size measure 164 mm and diffuse increased echogenicity.

No obvious focal lesion seen. No intra -Hepatic biliary radical dilatation seen.

GALL BLADDER:

Adequately distended with no obvious wall thickening/pericholecystic fat stranding/fluid. No obvious calculus/polyp/mass seen within.

PANCREAS:

Appears normal in size and it shows uniform echo texture.

SPLEEN:

Is normal in size 97 mm and shows uniform echogenicity.

RIGHTKIDNEY:

Right kidney measures 97 x 50 mm.

The shape, size and contour of the right kidney appear normal.

Corticomedullary differentiation is maintained. No evidence of pelvicalyceal dilatation.

No calculi seen.

RESULT ENTERED BY : SUNIL EHS

| Patient Name | Mrs. NEHA JOJAN | Lab No | 4001966 |
|----------------|----------------------|-----------------|-------------------|
| UHID | 40001513 | Collection Date | 14/04/2023 9:33AM |
| Age/Gender | 34 Yrs/Female | Receiving Date | 14/04/2023 9:35AM |
| IP/OP Location | O-OPD | Report Date | 14/04/2023 3:31PM |
| Referred By | Dr. DIWANSHU KHATANA | Report Status | Final |
| Mobile No. | 8003613253 | | |

LEFTKIDNEY:

Left kidney measures 106 x 54 mm.

The shape, size and contour of the left kidney appear normal.

Corticomedullary differentiation is maintained. No evidence of pelvicalyceal dilatation.

No calculi seen.

BLADDER:

Is normal contour. No intra luminal echoes are seen.

UTERUS:

Uterus measures \sim 37 x 53 x 80, anteverted.

Endometrial thickness measures ~ 9.1 mm.

No focal lesion noted.

OVARIES:

Both ovaries are normal in size and echoes.

Right ovary measures \sim 25 x 16 mm.

Left ovary measures \sim 20 x 26 mm.

RIGHT ILIAC FOSSA:

No focal fluid collections seen.

IMPRESSION:

Mild hepatomegaly with diffuse grade I fatty liver.

RESULT ENTERED BY : SUNIL EHS

| Patient Name | Mrs. NEHA JOJAN | Lab No | 4001966 |
|----------------|----------------------|-----------------|-------------------|
| UHID | 40001513 | Collection Date | 14/04/2023 9:33AM |
| Age/Gender | 34 Yrs/Female | Receiving Date | 14/04/2023 9:35AM |
| IP/OP Location | O-OPD | Report Date | 14/04/2023 3:31PM |
| Referred By | Dr. DIWANSHU KHATANA | Report Status | Final |
| Mobile No. | 8003613253 | | |

USG

RESULT ENTERED BY : SUNIL EHS

Rendered

Dr. RENU JADIYA MBBS, DNB RADIOLOGIST

| Patient Name UHID | Mrs. NEHA JOJAN 40001513 | Lab No Collection Date | 4001966 14/04/2023 9:33AM |
|----------------------|-----------------------------|---------------------------|------------------------------|
| Age/Gender | 34 Yrs/Female | Receiving Date | 14/04/2023 9:35AM |
| IP/OP Location | O-OPD | Report Date | 14/04/2023 3:31PM |
| Referred By | Dr. DIWANSHU KHATANA | Report Status | Final |
| Mobile No. | 8003613253 | | |

X Ray

Unit

Test Name

Result

Biological Ref. Range

X-RAY - CHEST PA VIEW

OBSERVATION:

The trachea is central.

The mediastinal and cardiac silhouette are normal.

Cardiothoracic ratio is normal.

Cardiophrenic and costophrenic angles are normal.

Both hila are normal.

The lung fields are clear.

Bones of the thoracic cage are normal.

Soft tissues of the chest wall are normal.

IMPRESSION:

No significant abnormality seen.

End Of Report

RESULT ENTERED BY : SUNIL EHS

Rundad

Dr. RENU JADIYA MBBS, DNB RADIOLOGIST

Page: 14 Of 14