30-Nov-23 9:44:24 AM YODA LIFELINE DIAGNOSTICS Sinus rhythm.....normalities......T/QRS ratio < 1/20 or flat T 75 74 Unconfirmed Diagnosis - BORDERLINE ECG -Λ2 5 MKS.MATHUR SAPNA Female аVI aVR P 67
QRS -12
T 1
12 Lead; Standard Placement 61 165 98 424 56 Years --AXIS--Rate PR ORSD OTC Ħ

다. 100B CL F 50~ 0.15-100 Hz 94 Chest: 10.0 mm/mV ξ Limb: 10 mm/mV Speed: 25 mm/sec aVF Device: Ш ΙI







: YOD.0000541128 Visit ID : YOD560731 UHID/MR No

Patient Name : Mrs. MATHUR SAPNA Client Code : 1409

Age/Gender : 56 Y 10 M 22 D /F Barcode No : 10822902 DOB : 08/Jan/1967 Registration : 30/Nov/2023 09:17AM

Ref Doctor : SELF : 30/Nov/2023 09:30AM Collected : MEDI WHEELS Client Name Received : 30/Nov/2023 09:50AM

Client Add : F-701, Lado Sarai, Mehravli, N Reported : 30/Nov/2023 10:15AM

Hospital Name

DEPARTMENT OF HAEMATOLOGY				
Test Name	Result	Unit	Biological Ref. Range	Method

ESR (ERYTHROCYTE SEDIMENTATION RATE)					
Sample Type : WHOLE BLOOD EDTA					
ERYTHROCYTE SEDIMENTATION RATE	54	mm/1st hr	0 - 15		Capillary
			97		Photometry

COMMENTS:

ESR is an acute phase reactant which indicates presence and intensity of an inflammatory process. It is never diagnostic of a specific disease. It is used to monitor the course or response to treatment of certain diseases. Extremely high levels are found in cases of malignancy, hematologic diseases, collagen disorders and renal diseases.

Increased levels may indicate: Chronic renal failure (e.g., nephritis, nephrosis), malignant diseases (e.g., multiple myeloma, Hodgkin disease, advanced Carcinomas), bacterial infections (e.g., abdominal infections, acute pelvic inflammatory disease, syphilis, pneumonia), inflammatory diseases (e.g. temporal arteritis, polymyalgia rheumatic, rheumatoid arthritis, rheumatic fever, systemic lupus erythematosus [SLE]), necrotic diseases (e.g., acute myocardial infarction, necrotic tumor, gangrene of an extremity), diseases associated with increased proteins (e.g., hyperfibrinogenemia, macroglobulinemia), and severe anemias (e.g., iron deficiency or B12 deficiency).

Falsely decreased levels may indicate: Sickle cell anemia, spherocytosis, hypofibrinogenemia, or polycythemia vera.

Verified By: S MD ISMAIL

Approved By:

DR PRANITHA ANAPINDI







 Patient Name
 : Mrs. MATHUR SAPNA
 Client Code
 : 1409

 Age/Gender
 : 56 Y 10 M 22 D /F
 Barcode No
 : 10822902

DOB : 30/Nov/2023 09:17AM : 08/Jan/1967 Registration Ref Doctor : SELF Collected : 30/Nov/2023 09:30AM : MEDI WHEELS Client Name Received : 30/Nov/2023 09:50AM Client Add : F-701, Lado Sarai, Mehravli, N Reported : 30/Nov/2023 10:19AM

Hospital Name :

DEPARTMENT OF HAEMATOLOGY				
Test Name	Result	Unit	Biological Ref. Range	Method

BLOOD GROUP ABO & RH Typing				
Sample Type : WHOLE BLOOD EDTA				
ABO	В			
Rh Typing	POSITIVE			

Method: Hemagglutination Tube method by forward and reverse grouping

COMMENTS:

The test will detect common blood grouping system A, B, O, AB and Rhesus (RhD). Unusual blood groups or rare subtypes will not be detected by this method. Further investigation by a blood transfusion laboratory, will be necessary to identify such groups.

Disclaimer: There is no trackable record of previous ABO & RH test for this patient in this lab. Please correlate with previous blood group findings. Advsied cross matching before transfusion

Verified By : S MD ISMAIL Approved By:

DR PRANITHA ANAPINDI MD , CONSULTANT PATHOLOGIST







 Patient Name
 : Mrs. MATHUR SAPNA
 Client Code
 : 1409

 Age/Gender
 : 56 Y 10 M 22 D /F
 Barcode No
 : 10822902

DOB : 08/Jan/1967 Registration : 30/Nov/2023 09:17AM Ref Doctor : SELF Collected : 30/Nov/2023 09:30AM : MEDI WHEELS Client Name Received : 30/Nov/2023 09:50AM : F-701, Lado Sarai, Mehravli, N Reported : 30/Nov/2023 10:15AM Client Add

Hospital Name :

DEPARTMENT OF HAEMATOLOGY				
Test Name	Result	Unit	Biological Ref. Range	Method

СВ	C(COMPLE	TE BLOOD CO	OUNT)	
Sample Type : WHOLE BLOOD EDTA				
HAEMOGLOBIN (HB)	12.6	g/dl	12.0 - 15.0	Cyanide-free SLS method
RBC COUNT(RED BLOOD CELL COUNT)	4.21	million/cmm	3.80 - 4.80	Impedance
PCV/HAEMATOCRIT	40.6	%	36.0 - 46.0	RBC pulse height detection
MCV	96.4	fL	83 - 101	Automated/Calculated
MCH	29.9	pg	27 - 32	Automated/Calculated
MCHC	31.0	g/dl	31.5 - 34.5	Automated/Calculated
RDW - CV	13.5	%	11.0-16.0	Automated Calculated
RDW - SD	48.3	fl	35.0-56.0	Calculated
MPV	10.8	fL	6.5 - 10.0	Calculated
PDW	13.3	fL	8.30-25.00	Calculated
PCT	0.28	%	0.15-0.62	Calculated
TOTAL LEUCOCYTE COUNT	10,510	cells/ml	4000 - 11000	Flow Cytometry
DLC (by Flow cytometry/Microscopy)				
NEUTROPHIL	63.4	%	40 - 80	Impedance
LYMPHOCYTE	27.7	%	20 - 40	Impedance
EOSINOPHIL	1	%	01 - 06	Impedance
MONOCYTE	7.4	%	02 - 10	Impedance
BASOPHIL	0.5	%	0 - 1	Impedance
PLATELET COUNT	2.57	Lakhs/cumm	1.50 - 4.10	Impedance

Verified By:
S MD ISMAIL



Approved By:

DR PRANITHA ANAPINDI MD , CONSULTANT PATHOLOGIST

Page 3 of 18







Patient Name: Mrs. MATHUR SAPNAClient Code: 1409Age/Gender: 56 Y 10 M 22 D /FBarcode No: 10822902

DOB : 08/Jan/1967 Registration : 30/Nov/2023 09:17AM Ref Doctor : 30/Nov/2023 09:30AM : SELF Collected : MEDI WHEELS Client Name Received : 30/Nov/2023 10:04AM Client Add : F-701, Lado Sarai, Mehravli, N Reported : 30/Nov/2023 11:33AM

Hospital Name :

DEPARTMENT OF BIOCHEMISTRY				
Test Name	Result	Unit	Biological Ref. Range	Method

THYROID PROFILE (T3,T4,TSH)					
Sample Type : SERUM					
T3	0.98	ng/ml	0.60 - 1.78	CLIA	
T4	10.70	ug/dl	4.82-15.65	CLIA	
TSH	3.55	ulU/mL	0.30 - 5.60	CLIA	

INTERPRETATION:

- 1. Serum T3, T4 and TSH are the measurements form three components of thyroid screening panel and are useful in diagnosing various disorders of thyroid gland function.
- 2. Primary hyperthyroidism is accompanied by elevated serum T3 and T4 values along with depressed TSH levels.
- 3. Primary hypothyroidism is accompanied by depressed serum T3 and T4 values and elevated serum TSH levels.
- 4. Normal T4 levels accompanied by high T3 levels are seen in patients with T3 thyrotoxicosis. Slightly elevated T3 levels may be found in pregnancy and in estrogen therapy while depressed levels may be encountered in severe illness, malnutrition, renal failure and during therapy with drugs like propanolol and propylthiouracil.
- 5. Although elevated TSH levels are nearly always indicative of primary hypothyroidism, rarely they can result from TSH secreting pituitary tumors (secondary hyperthyroidism).
- 6. Low levels of Thyroid hormones (T3, T4 & FT3, FT4) are seen in cases of primary, secondary and tertiary hypothyroidism and sometimes
- in non-thyroidal illness also.
 7. Increased levels are found in Grave's disease, hyperthyroidism and thyroid hormone resistance.
- 8. TSH levels are raised in primary hypothyroidism and are low in hyperthyroidism and secondary hypothyroidism.
- 9. REFERENCE RANGE

PREGNANCY	TSH in uIU/ mL
1st Trimester	0.60 - 3.40
2nd Trimester	0.37 - 3.60
3rd Trimester	0.38 - 4.04

(References range recommended by the American Thyroid Association)

Comments:

- 1. During pregnancy, Free thyroid profile (FT3, FT4 & TSH) is recommended.
- 2. TSH levels are subject to circadian variation, reaches peak levels between 2-4 AM and at a minimum between 6-10 PM. The variation of the day has influence on the measured serum TSH concentrations.

Verified By:
S MD ISMAIL











 Patient Name
 : Mrs. MATHUR SAPNA
 Client Code
 : 1409

 Age/Gender
 : 56 Y 10 M 22 D /F
 Barcode No
 : 10822902

DOB : 08/Jan/1967 Registration : 30/Nov/2023 09:17AM Ref Doctor : SELF Collected : 30/Nov/2023 09:30AM : MEDI WHEELS Client Name Received : 30/Nov/2023 10:04AM Client Add : F-701, Lado Sarai, Mehravli, N Reported : 30/Nov/2023 11:04AM

Hospital Name :

DEPARTMENT OF BIOCHEMISTRY				
Test Name	Result	Unit	Biological Ref. Range	Method

LIVER FUNCTION TEST(LFT)				
Sample Type : SERUM				
TOTAL BILIRUBIN	0.63	mg/dl	0.3 - 1.2	JENDRASSIK & GROFF
CONJUGATED BILIRUBIN	0.14	mg/dl	0 - 0.2	DPD
UNCONJUGATED BILIRUBIN	0.49	mg/dl		Calculated
S.G.O.T	20	U/L	<35	KINETIC WITHOUT P5P- IFCC
S.G.P.T	19	U/L	<35	KINETIC WITHOUT P5P- IFCC
ALKALINE PHOSPHATASE	132	U/L	30 - 120	IFCC-AMP BUFFER
TOTAL PROTEINS	7.0	gm/dl	6.6 - 8.3	Biuret
ALBUMIN	3.6	gm/dl	3.5 - 5.2	BCG
GLOBULIN	3.4	gm/dl	2.0 - 3.5	Calculated
A/G RATIO	1.06			Calculated

Verified By : S MD ISMAIL











 Patient Name
 : Mrs. MATHUR SAPNA
 Client Code
 : 1409

 Age/Gender
 : 56 Y 10 M 22 D /F
 Barcode No
 : 10822902

DOB : 30/Nov/2023 09:17AM : 08/Jan/1967 Registration Ref Doctor : SELF Collected : 30/Nov/2023 09:30AM : MEDI WHEELS Client Name Received : 30/Nov/2023 10:04AM Client Add : F-701, Lado Sarai, Mehravli, N Reported : 30/Nov/2023 11:04AM

Hospital Name :

DEPARTMENT OF BIOCHEMISTRY				
Test Name	Result	Unit	Biological Ref. Range	Method

LIPID PROFILE				
Sample Type : SERUM				
TOTAL CHOLESTEROL	176	mg/dl	Refere Table Below	Cholesterol oxidase/peroxidase
H D L CHOLESTEROL	37	mg/dl	> 40	Enzymatic/ Immunoinhibiton
L D L CHOLESTEROL	122.4	mg/dl	Refere Table Below	Enzymatic Selective Protein
TRIGLYCERIDES	83	mg/dl	See Table	GPO
VLDL	16.6	mg/dl	15 - 30	Calculated
T. CHOLESTEROL/ HDL RATIO	4.76		Refere Table Below	Calculated
TRIGLYCEIDES/ HDL RATIO	2.24	Ratio	< 2.0	Calculated
NON HDL CHOLESTEROL	139	mg/dl	< 130	Calculated

Interpretation				
NATIONAL LIPID ASSOCIATION	TOTAL	TRI GLYCERI DE	LDL	NON HDL
RECOMMENDATIONS (NLA-2014)	CHOLESTEROL	CHOLESTEROL TRIGLYCERIDE		CHOLESTEROL
Optimal	<200	<150	<100	<130
Above Optimal	1	-	100-129	130 - 159
Borderline High	200-239	150-199	130-159	160 - 189
High	>=240	200-499	160-189	190 - 219
Very High	-	>=500	>=190	>=220

REMARKS	Cholesterol : HDL Ratio
Low risk	3.3-4.4
Average risk	4.5-7.1
Moderate risk	7.2-11.0
High risk	>11.0

Note

- 1.Measurements in the same patient can show physiological& analytical variations. Three serial samples 1 week apart are recommended for Total Cholesterol, Triglycerides, HDL& LDL Cholesterol
- 2. NLA-2014 identifies Non HDL Cholesterol(an indicator of all atherogenic lipoproteins such as LDL , VLDL, IDL, Lpa, Chylomicron remnants)along with LDL-cholesterol as co- primary target for cholesterol lowering therapy. Note that major risk factors can modify treatment goals for LDL &Non HDL.
- 3.Apolipoprotein B is an optional, secondary lipid target for treatment once LDL & Non HDL goals have been achieved
- 4. Additional testing for Apolipoprotein B, hsCRP, Lp(a) & LP-PLA2 should be considered among patients with moderate risk for ASCVD for risk refinement

Verified By : S MD ISMAIL

S MD ISMA









Patient Name : Mrs. MATHUR SAPNA Client Code : 1409 Age/Gender : 56 Y 10 M 22 D /F Barcode No : 10822902

DOB : 08/Jan/1967 Registration : 30/Nov/2023 09:17AM Ref Doctor : SELF : 30/Nov/2023 09:30AM Collected : MEDI WHEELS Client Name Received : 30/Nov/2023 10:04AM

Client Add : F-701, Lado Sarai, Mehravli, N Reported : 30/Nov/2023 11:33AM

Hospital Name

DEPARTMENT OF BIOCHEMISTRY						
Test Name	Test Name Result Unit Biological Ref. Range Method					

HBA1C					
Sample Type : WHOLE BLOOD EDTA					
HBA1c RESULT	6.9	%	Normal Glucose tolerance (non-diabetic): <5.7% Pre-diabetic: 5.7-6.4% Diabetic Mellitus: >6.5%	HPLC	
ESTIMATED AVG. GLUCOSE	151	mg/dl			

1. Since HbA1c reflects long term fluctuations in the blood glucose concentration, a diabetic patient who is recently under good control may still have a high concentration of HbA1c. Converse is true for a diabetic previously under good control but now poorly controlled

2. Target goals of < 7.0 % may be beneficial in patients with short duration of diabetes, long life expectancy and no significant cardiovascular disease. In patients with significant complications of diabetes, limited life expectancy or extensive

co-morbid conditions, targeting a goal of < 7.0 % may not be appropriate. HbA1c provides an index of average blood glucose levels over the past 8 - 12 weeks and is a much better indicator of long

Verified By: S MD ISMAIL





 Patient Name
 : Mrs. MATHUR SAPNA
 Client Code
 : 1409

 Age/Gender
 : 56 Y 10 M 22 D /F
 Barcode No
 : 10822902

DOB : 08/Jan/1967 Registration : 30/Nov/2023 09:17AM Ref Doctor : SELF Collected : 30/Nov/2023 09:30AM : MEDI WHEELS Client Name Received : 30/Nov/2023 10:04AM Client Add : F-701, Lado Sarai, Mehravli, N Reported : 30/Nov/2023 11:04AM

Hospital Name :

DEPARTMENT OF BIOCHEMISTRY				
Test Name	Result	Unit	Biological Ref. Range	Method

BLOOD UREA NITROGEN (BUN)					
Sample Type : Serum					
SERUM UREA	22	mg/dL	13 - 43	Urease GLDH	
Blood Urea Nitrogen (BUN)	10.3	mg/dl	5 - 25	GLDH-UV	

Increased In:

Impaired kidney function, Reduced renal blood flow {CHF, Salt and water depletion, (vomiting, diarrhea, diuresis, sweating), Shock}, Any obstruction of urinary tract, Increased protein catabolism, AMI, Stress

Decreased In:

Diuresis (e.g. with over hydration), Severe liver damage, Late pregnancy, Infancy, Malnutrition, Diet (e.g., low-protein and high-carbohydrate, IV feedings only), Inherited hyperammonemias (urea is virtually absent in blood)

Limitations:

Urea levels increase with age and protein content of the diet.

Verified By:
S MD ISMAIL









 Patient Name
 : Mrs. MATHUR SAPNA
 Client Code
 : 1409

 Age/Gender
 : 56 Y 10 M 22 D /F
 Barcode No
 : 10822902

DOB : 08/Jan/1967 Registration : 30/Nov/2023 09:17AM Ref Doctor : SELF Collected : 30/Nov/2023 09:30AM Client Name : MEDI WHEELS Received : 30/Nov/2023 10:04AM Client Add : F-701, Lado Sarai, Mehravli, N Reported : 30/Nov/2023 11:04AM

Hospital Name :

DEPARTMENT OF BIOCHEMISTRY					
Test Name	Result	Unit	Biological Ref. Range	Method	

FBS (GLUCOSE FASTING)					
Sample Type : FLOURIDE PLASMA					
FASTING PLASMA GLUCOSE	123	mg/dl	70 - 100	HEXOKINASE	

INTERPRETATION:

Increased In

- Diabetes Mellitus
- Stress (e.g., emotion, burns, shock, anesthesia)
- Acute pancreatitis
- Chronic pancreatitis
- Wernicke encephalopathy (vitamin B1 deficiency)
- Effect of drugs (e.g. corticosteroids, estrogens, alcohol, phenytoin, thiazides)

Decreased In

- Pancreatic disorders
- Extrapancreatic tumors
- Endocrine disorders
- Malnutrition
- Hypothalamic lesions
- Alcoholism
- Endocrine disorders

Verified By : S MD ISMAIL









 Patient Name
 : Mrs. MATHUR SAPNA
 Client Code
 : 1409

 Age/Gender
 : 56 Y 10 M 22 D /F
 Barcode No
 : 10822902

DOB : 08/Jan/1967 Registration : 30/Nov/2023 09:17AM Ref Doctor : SELF Collected : 30/Nov/2023 01:03PM Client Name : MEDI WHEELS Received : 30/Nov/2023 01:51PM Client Add : F-701, Lado Sarai, Mehravli, N Reported : 30/Nov/2023 03:52PM

Hospital Name :

DEPARTMENT OF BIOCHEMISTRY						
Test Name	Test Name Result Unit Biological Ref. Range Method					

PPBS (POST PRANDIAL GLUCOSE)					
Sample Type : FLOURIDE PLASMA					
POST PRANDIAL PLASMA GLUCOSE	134	mg/dl	<140	HEXOKINASE	

INTERPRETATION:

<u>Increased In</u>

- Diabetes Mellitus
- Stress (e.g., emotion, burns, shock, anesthesia)
- Acute pancreatitis
- Chronic pancreatitis
- Wernicke encephalopathy (vitamin B1 deficiency)
- Effect of drugs (e.g. corticosteroids, estrogens, alcohol, phenytoin, thiazides)

Decreased In

- Pancreatic disorders
- Extrapancreatic tumors
- Endocrine disorders
- Malnutrition
- Hypothalamic lesions
- Alcoholism
- Endocrine disorders

Verified By : S MD ISMAIL









Patient Name : Mrs. MATHUR SAPNA Client Code : 1409 Age/Gender : 56 Y 10 M 22 D /F Barcode No : 10822902

DOB : 08/Jan/1967 : 30/Nov/2023 09:17AM Registration Ref Doctor : SELF Collected : 30/Nov/2023 09:30AM Client Name : MEDI WHEELS Received : 30/Nov/2023 10:04AM Client Add : F-701, Lado Sarai, Mehravli, N Reported : 30/Nov/2023 11:04AM

Hospital Name

DEPARTMENT OF BIOCHEMISTRY					
Test Name	Result	Unit	Biological Ref. Range	Method	

SERUM CREATININE					
Sample Type : SERUM					
SERUM CREATININE		0.65	mg/dl	0.51 - 0.95	KINETIC-JAFFE

Increased In:

- Diet: ingestion of creatinine (roast meat), Muscle disease: gigantism, acromegaly,
- Impaired kidney function.

Decreased In:

- Pregnancy: Normal value is 0.4-0.6 mg/dL. A value >0.8 mg/dL is abnormal and should alert the clinician to further diagnostic evaluation.
- Creatinine secretion is inhibited by certain drugs (e.g., cimetidine, trimethoprim).

Verified By: S MD ISMAIL

SURYADEEP PRATAF









Reported



: 30/Nov/2023 11:04AM

Visit ID : **YOD560731** UHID/MR No : YOD.0000541128

Patient Name: Mrs. MATHUR SAPNAClient Code: 1409Age/Gender: 56 Y 10 M 22 D /FBarcode No: 10822900

 Age/Gender
 : 56 Y 10 M 22 D /F
 Barcode No
 : 10822902

 DOB
 : 08/Jan/1967
 Registration
 : 30/Nov/2023 09:17AM

Ref Doctor: SELFCollected: 30/Nov/2023 09:30AMClient Name: MEDI WHEELSReceived: 30/Nov/2023 10:04AM

Client Add : F-701, Lado Sarai, Mehravli, N

Hospital Name :

DEPARTMENT OF BIOCHEMISTRY				
Test Name Result Unit Biological Ref. Range Method				

GGT (GAMMA GLUTAMYL TRANSPEPTIDASE)					
Sample Type : SERUM					
GGT		29	U/L	0 - 55.0	KINETIC-IFCC

INTERPRETATION:

GGT functions in the body as a transport molecule, helping to move other molecules around the body. It plays a significant role in helping the liver metabolize drugs and other toxins. Increased GGT include overuse of alcohol, chronic viral hepatitis, lack of blood flow to the liver, liver tumor, cirrhosis, or scarred liver, overuse of certain drugs or other toxins, heart failure, diabetes, pancreatitis, fatty liver disease.

Verified By : S MD ISMAIL









 Patient Name
 : Mrs. MATHUR SAPNA
 Client Code
 : 1409

 Age/Gender
 : 56 Y 10 M 22 D /F
 Barcode No
 : 10822902

DOB : 08/Jan/1967 Registration : 30/Nov/2023 09:17AM Ref Doctor : SELF Collected : 30/Nov/2023 09:30AM : MEDI WHEELS Received : 30/Nov/2023 10:04AM Client Name Client Add : F-701, Lado Sarai, Mehravli, N Reported : 30/Nov/2023 11:04AM

Hospital Name :

DEPARTMENT OF BIOCHEMISTRY					
Test Name Result Unit Biological Ref. Range Method					

URIC ACID -SERUM				
Sample Type : SERUM				
SERUM URIC ACID	6.4	mg/dl	2.6 - 6.0	URICASE - PAP

Uric acid is the final product of purine metabolism in the human organism. Uric acid measurements are used in the diagnosis and treatment of numerous renal and metabolic disorders, including renal failure, gout, leukemia, psoriasis, starvation or other wasting conditions, and of patients receiving cytotoxic drugs.

Verified By : S MD ISMAIL





 Patient Name
 : Mrs. MATHUR SAPNA
 Client Code
 : 1409

 Age/Gender
 : 56 Y 10 M 22 D /F
 Barcode No
 : 10822902

DOB : 08/Jan/1967 Registration : 30/Nov/2023 09:17AM Ref Doctor : SELF Collected : 30/Nov/2023 09:30AM : MEDI WHEELS Client Name Received : 30/Nov/2023 10:04AM Client Add : F-701, Lado Sarai, Mehravli, N Reported : 30/Nov/2023 11:04AM

Hospital Name :

DEPARTMENT OF BIOCHEMISTRY					
Test Name Result Unit Biological Ref. Range Method					

BUN/CREATININE RATIO					
Sample Type : SERUM					
Blood Urea Nitrogen (BUN)	10.3	mg/dl	5 - 25	GLDH-UV	
SERUM CREATININE	0.65	mg/dl	0.51 - 0.95	KINETIC-JAFFE	
BUN/CREATININE RATIO	15.81	Ratio	6 - 25	Calculated	

Verified By:
S MD ISMAIL





 Patient Name
 : Mrs. MATHUR SAPNA
 Client Code
 : 1409

 Age/Gender
 : 56 Y 10 M 22 D /F
 Barcode No
 : 10822902

 DOB
 : 08/Jan/1967
 Registration
 : 30/Nov/2023 09:17AM

 Ref Doctor
 : SELF
 Collected
 : 30/Nov/2023 09:17AM

Client Name : MEDI WHEELS Received

Client Add : F-701, Lado Sarai, Mehravli, N Reported : 30/Nov/2023 10:09AM

Hospital Name :

DEPARTMENT OF RADIOLOGY

2D ECHO DOPPLER STUDY

MITRAL VALVE : Normal

AORTIC VALVE : SCLEROTIC

TRICUSPID VALVE : Normal

PULMONARY VALVE : Normal

RIGHT ATRIUM : Normal

RIGHT VENTRICLE : Normal

LEFT ATRIUM : 3.1 cms

LEFT VENTRICLE :

EDD: 4.7 cm IVS(d):1.2 cm LVEF:66 % ESD: 2.8 cm PW (d):1.2 cm FS :33 %

No RWMA

IAS : Intact

IVS : Intact

AORTA : 2.4cms

PULMONARY ARTERY : Normal

PERICARDIUM : Normal

IVS/ SVC/ CS : Normal

Verified By:
S MD ISMAIL







 Patient Name
 : Mrs. MATHUR SAPNA
 Client Code
 : 1409

 Age/Gender
 : 56 Y 10 M 22 D /F
 Barcode No
 : 10822902

 DOB
 : 08/Jan/1967
 Registration
 : 30/Nov/2023 09:17AM

 Ref Doctor
 : SELF
 Collected
 : 30/Nov/2023 09:17AM

Client Name : MEDI WHEELS Received :

Client Add : F-701, Lado Sarai, Mehravli, N Reported : 30/Nov/2023 10:09AM

Hospital Name :

DEPARTMENT OF RADIOLOGY

PULMONARY VEINS : Normal

INTRA CARDIAC MASSES: No

DOPPLER STUDY:

MITRAL FLOW : E 0.9 m/sec, A 0.7 m/sec.

AORTIC FLOW : 1.8m/sec

PULMONARY FLOW : 0.6m/sec

TRICUSPID FLOW : NORMAL

COLOUR FLOW MAPPING: TRIVIAL AR / TR

IMPRESSION:

- * MILD CONCENTRIC LVH+
- * NO RWMA OF LV
- * NORMAL LV SYSTOLIC FUNCTION
- * NORMAL LV FILLING PATTERN
- * TRIVIAL AR / TR
- * NO PE / CLOT / PAH

Verified By:
S MD ISMAIL









 Patient Name
 : Mrs. MATHUR SAPNA
 Client Code
 : 1409

 Age/Gender
 : 56 Y 10 M 22 D /F
 Barcode No
 : 10822902

DOB : 08/Jan/1967 Registration : 30/Nov/2023 09:17AM Ref Doctor : SELF Collected : 30/Nov/2023 09:30AM : MEDI WHEELS Client Name Received : 30/Nov/2023 11:26AM Client Add : F-701, Lado Sarai, Mehravli, N Reported : 30/Nov/2023 02:03PM

Hospital Name :

DEPARTMENT OF CLINICAL PATHOLOGY					
Test Name Result Unit Biological Ref. Range Method					

C	UE (COMPLETE U	RINE EXAMIN	NATION)	
Sample Type : SPOT URINE				
PHYSICAL EXAMINATION				
TOTAL VOLUME	25	ml		
COLOUR	PALE YELLOW	Λ		
APPEARANCE	CLEAR			
SPECIFIC GRAVITY	1.025	\ \ \	1.003 - 1.035	Bromothymol Blue
CHEMICAL EXAMINATION				
pН	5.5		4.6 - 8.0	Double Indicator
PROTEIN	NEGATIVE		NEGATIVE	Protein - error of Indicators
GLUCOSE(U)	NEGATIVE		NEGATIVE	Glucose Oxidase
UROBILINOGEN	0.1	mg/dl	< 1.0	Ehrlichs Reaction
KETONE BODIES	NEGATIVE	1/2	NEGATIVE	Nitroprasside
BILIRUBIN - TOTAL	NEGATIVE		Negative	Azocoupling Reaction
BLOOD	NEGATIVE		NEGATIVE	Tetramethylbenzidine
LEUCOCYTE	NEGATIVE		Negative	Azocoupling reaction
NITRITE	NEGATIVE		NEGATIVE	Diazotization Reaction
MICROSCOPIC EXAMINATION	·			
PUS CELLS	2-3	cells/HPF	0-5	
EPITHELIAL CELLS	1-2	/hpf	0 - 15	
RBCs	NIL	Cells/HPF	Nil	
CRYSTALS	NIL	Nil	Nil	
CASTS	NIL	/HPF	Nil	
BUDDING YEAST	NIL		Nil	
BACTERIA	NIL		Nil	
OTHER	NIL			

Verified By:
S MD ISMAIL



Approved By:

DR PRANITHA ANAPINDI MD , CONSULTANT PATHOLOGIST







 Patient Name
 : Mrs. MATHUR SAPNA
 Client Code
 : 1409

 Age/Gender
 : 56 Y 10 M 22 D /F
 Barcode No
 : 10822902

DOB : 08/Jan/1967 Registration : 30/Nov/2023 09:17AM Ref Doctor : SELF Collected : 30/Nov/2023 09:30AM : MEDI WHEELS Client Name Received : 30/Nov/2023 11:26AM : F-701, Lado Sarai, Mehravli, N Reported : 30/Nov/2023 02:03PM Client Add

Hospital Name :

DEPARTMENT OF CLINICAL PATHOLOGY					
Test Name Result Unit Biological Ref. Range Method					

*** End Of Report ***

Verified By:
S MD ISMAIL

Approved By:

DR PRANITHA ANAPINDI MD , CONSULTANT PATHOLOGIST



DEPARTMENT OF RADIOLOGY								
Patient Name	Mrs. MATHUR SAPNA	Visit ID	YOD560731	Registration Date	30-11-2023 09:17 AM			
Age / Gender	56/FEMALE	UHID	YOD.0000541128	Collection Date	30-11-2023 09:17 AM			
Ref Doctor	SELF	Hospital Name		Received Date				
Barcode	10822902	Sample Type		Reported Date	30-11-2023 10:29 AM			

X-RAY CHEST PA VIEW

FINDINGS:

Trachea is midline.

Mediastinal outline, and cardiac silhouette are normal.

Bilateral lung fields show normal vascular pattern with no focal lesion.

Bilateral hila are normal in density.

Bilateral costo-phrenic angles and domes of diaphragms are normal.

The rib cage and visualized bones appear normal.

IMPRESSION:

· No significant abnormality detected.

*** End Of Report ***

Suggested clinical correlation & follow up



Approved by

Dr. ANNAREDDY SIVAKALA MBBS, DNB , CONSULTANT RADIOLOGIST



Yoda Diagnostics Pvt Ltd,