Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-2548257 CIN : U85110DL2003PLC308206

Patient Name	: Mr.MAN CHANDRA -90584	Registered On	: 09/Sep/2023 10:43:44
Age/Gender	: 36 Y 6 M 5 D /M	Collected	: N/A
UHID/MR NO	: ALDP.0000095489	Received	: N/A
Visit ID	: ALDP0173962324	Reported	: 09/Sep/2023 14:08:21
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report
	Age/Gender UHID/MR NO Visit ID	Age/Gender: 36 Y 6 M 5 D /MUHID/MR NO: ALDP.0000095489Visit ID: ALDP0173962324Ref Doctor: Dr. MEDIWHEEL-ARCOFEMI HEALTH	Age/Gender: 36 Y 6 M 5 D /MCollectedUHID/MR NO: ALDP.0000095489ReceivedVisit ID: ALDP0173962324ReportedRef Doctor: Dr. MEDIWHEEL-ARCOFEMI HEALTHStatus

DEPARTMENT OF CARDIOLOGY-ECG MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

ECG / EKG *

	1. Machnism, Rhythm	Sinus, Regular	
	2. Atrial Rate	59	/mt
	3. Ventricular Rate	59	/mt
	4. P - Wave	Normal	
	5. P R Interval	Normal	
	6. Q R S Axis : R/S Ratio : Configuration :	Normal Normal Normal	
	7. Q T c Interval	Normal	
	8. S - T Segment	Normal	
FINAL IMPRES	9. T – Wave <u>SSION</u>	Normal	

Abnormal: Sinus Bradycardia. Please correlate clinically.



Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-2548257 CIN : U85110DL2003PLC308206

Patient Name	: Mr.MAN CHANDRA -90584	Registered On	: 09/Sep/2023 10:43:42
Age/Gender	: 36 Y 6 M 5 D /M	Collected	: 09/Sep/2023 11:24:06
UHID/MR NO	: ALDP.0000095489	Received	: 09/Sep/2023 13:01:41
Visit ID	: ALDP0173962324	Reported	: 09/Sep/2023 16:01:00
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group (ABO & Rh typing) * , Blo	ood			
Blood Group	В			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Rh (Anti-D)	POSITIVE			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Complete Blood Count (CBC) * , Whole	e Blood			
Haemoglobin TLC (WBC) <u>DLC</u> Polymorphs (Neutrophils) Lymphocytes Monocytes Eosinophils	13.70 5,700.00 53.00 39.00 5.00 3.00	g/dl /Cu mm % % %	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl 4000-10000 55-70 25-40 3-5 1-6	
Eosinophils Basophils	3.00	%		ELECTRONIC IMPEDANCE
Basophils ESR	0.00	70	<1	
Observed	8.00	Mm for 1st hr		
Corrected	-	Mm for 1st hr	. <9	
PCV (HCT) Platelet count	43.00	%	40-54	
Platelet Count	1.45	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	16.50	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	60.50	%	35-60	ELECTRONIC IMPEDANCE

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-2548257 CIN : U85110DL2003PLC308206

Patient Name	: Mr.MAN CHANDRA -90584	Registered On	: 09/Sep/2023 10:43:42
Age/Gender	: 36 Y 6 M 5 D /M	Collected	: 09/Sep/2023 11:24:06
UHID/MR NO	: ALDP.0000095489	Received	: 09/Sep/2023 13:01:41
Visit ID	: ALDP0173962324	Reported	: 09/Sep/2023 16:01:00
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
PCT (Platelet Hematocrit)	0.19	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	15.10	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	4.48	Mill./cu mm	4.2-5.5	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	95.90	fl	80-100	CALCULATED PARAMETER
MCH	30.50	pg	28-35	CALCULATED PARAMETER
MCHC	31.80	%	30-38	CALCULATED PARAMETER
RDW-CV	13.30	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	48.00	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	3,021.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	171.00	/cu mm	40-440	

AS

Dr.Akanksha Singh (MD Pathology)

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-2548257 CIN : U85110DL2003PLC308206

Patient Name	: Mr.MAN CHANDRA -90584	Registered On	: 09/Sep/2023 10:43:43
Age/Gender	: 36 Y 6 M 5 D /M	Collected	: 09/Sep/2023 11:24:06
UHID/MR NO	: ALDP.0000095489	Received	: 09/Sep/2023 13:01:41
Visit ID	: ALDP0173962324	Reported	: 09/Sep/2023 14:15:26
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Un	nit I	Bio. Ref. Interva	al	Method
GLUCOSE FASTING * , <i>Plasma</i> Glucose Fasting	94.70	mg/dl	< 100 N 100-125 ≥ 126 D	5 Pre-diabetes	GOD PO	D

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.c) I.G.T = Impared Glucose Tolerance.

Glucose PP *	105.50	mg/dl	<140 Normal	GOD POD
Sample:Plasma After Meal		-	140-199 Pre-diabetes	
			>200 Diabetes	

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.c) I.G.T = Impared Glucose Tolerance.

GLYCOSYLATED HAEMOGLOBIN	(HBA1C)	* , EDTA BLOOD
---------------------------------	---------	----------------

Glycosylated Haemoglobin (HbA1c)	6.10	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	43.10	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	128	mg/dl	

Interpretation:

<u>NOTE</u>:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-2548257 CIN : U85110DL2003PLC308206

Patient Name	: Mr.MAN CHANDRA -90584	Registered On	: 09/Sep/2023 10:43:43
Age/Gender	: 36 Y 6 M 5 D /M	Collected	: 09/Sep/2023 11:24:06
UHID/MR NO	: ALDP.0000095489	Received	: 09/Sep/2023 13:01:41
Visit ID	: ALDP0173962324	Reported	: 09/Sep/2023 14:15:26
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

*High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc. **Some danger of hypoglycemic reaction in Type 1 diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

<u>Clinical Implications:</u>

*Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.

*With optimal control, the HbA 1c moves toward normal levels.

*A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy

c. Alcohol toxicity d. Lead toxicity

*Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

*Pregnancy d. chronic renal failure. Interfering Factors:

*Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen) * Sample:Serum	16.63	mg/dL	7.0-23.0	CALCULATED
Creatinine * Sample:Serum	1.00	mg/dl	Serum 0.7-1.3 Spot Urine-Male- 2 Female-20-320	MODIFIED JAFFES 0-275
Uric Acid * Sample:Serum	6.78	mg/dl	3.4-7.0	URICASE

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-2548257 CIN : U85110DL2003PLC308206

Patient Name	: Mr.MAN CHANDRA -90584	Registered On	: 09/Sep/2023 10:43:43
Age/Gender	: 36 Y 6 M 5 D /M	Collected	: 09/Sep/2023 11:24:06
UHID/MR NO	: ALDP.0000095489	Received	: 09/Sep/2023 13:01:41
Visit ID	: ALDP0173962324	Reported	: 09/Sep/2023 14:15:26
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	U	Init Bio. Ref. Interva	al Method
LFT (WITH GAMMA GT) * , Serum				
SGOT / Aspartate Aminotransferase (AST)	23.50	U/L	< 35	IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	11.90	U/L	< 40	IFCC WITHOUT P5P
Gamma GT (GGT)	17.10	IU/L	11-50	OPTIMIZED SZAZING
Protein	7.40	gm/dl	6.2-8.0	BIURET
Albumin	4.20	gm/dl	3.4-5.4	B.C.G.
Globulin	3.20	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	1.31	5	1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	168.90	U/L	42.0-165.0	IFCC METHOD
Bilirubin (Total)	0.60	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.30	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.30	mg/dl	< 0.8	JENDRASSIK & GROF
LIPID PROFILE (MINI) * , Serum				
Cholesterol (Total)	107.00	mg/dl	<200 Desirable 200-239 Borderline High > 240 High	CHOD-PAP
HDL Cholesterol (Good Cholesterol)	43.30	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	43	mg/dl	< 100 Optimal 100-129 Nr. Optimal/Above Optimal 130-159 Borderline High 160-189 High > 190 Very High	
VLDL Triglycerides	20.26 101.30	mg/dl mg/dl	10-33 < 150 Normal 150-199 Borderline High 200-499 High >500 Very High	CALCULATED GPO-PAP

AS

Dr.Akanksha Singh (MD Pathology)

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-2548257 CIN : U85110DL2003PLC308206

Patient Name	: Mr.MAN CHANDRA -90584	Registered On	: 09/Sep/2023 10:43:43
Age/Gender	: 36 Y 6 M 5 D /M	Collected	: 09/Sep/2023 14:56:27
UHID/MR NO	: ALDP.0000095489	Received	: 09/Sep/2023 15:01:44
Visit ID	: ALDP0173962324	Reported	: 09/Sep/2023 17:33:28
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
URINE EXAMINATION, ROUTINE * , U	rine			
Color	PALE YELLOW			
Specific Gravity	1.025			
Reaction PH	Acidic (6.0)			DIPSTICK
Protein	PRESENT (+)	mg %	< 10 Absent 10-40 (+) 40-200 (++) 200-500 (+++) > 500 (++++)	DIPSTICK
Sugar	ABSENT	gms%	< 0.5 (+) 0.5-1.0 (++) 1-2 (+++) > 2 (++++)	DIPSTICK
Ketone	ABSENT	mg/dl	0.1-3.0	BIOCHEMISTRY
Bile Salts	ABSENT			
Bile Pigments	ABSENT			
Urobilinogen(1:20 dilution)	ABSENT			
Microscopic Examination:				
Epithelial cells	0-2/h.p.f			MICROSCOPIC EXAMINATION
Pus cells	0-2/h.p.f			
RBCs	ABSENT			MICROSCOPIC EXAMINATION
Cast	ABSENT			
Crystals	ABSENT			MICROSCOPIC EXAMINATION
Others	ABSENT			
Urine Microscopy is done on centrifuged u	rine sediment.			

Urine Microscopy is done on centrifuged urine sediment.

SUGAR, FASTING STAGE * , Urine

Sugar, Fasting stage	ABSENT	gms%
Interpretation:		
(+) < 0.5		
(++) 0.5-1.0		
(+++) 1-2		

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-2548257 CIN : U85110DL2003PLC308206

Patient Name	: Mr.MAN CHANDRA -90584	Registered On	: 09/Sep/2023 10:43:43
Age/Gender	: 36 Y 6 M 5 D /M	Collected	: 09/Sep/2023 14:56:27
UHID/MR NO	: ALDP.0000095489	Received	: 09/Sep/2023 15:01:44
Visit ID	: ALDP0173962324	Reported	: 09/Sep/2023 17:33:28
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
(++++) > 2				

SUGAR, PP STAGE * , Urine

Sugar, PP Stage

ABSENT

Interpretation:

(+)	< 0.5 gms%
(++)	0.5-1.0 gms%
(+++)	1-2 gms%
(++++)	> 2 gms%

AS

Dr.Akanksha Singh (MD Pathology)

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-2548257 CIN : U85110DL2003PLC308206

Patient Name	: Mr.MAN CHANDRA -90584	Registered On	: 09/Sep/2023 10:43:43
Age/Gender	: 36 Y 6 M 5 D /M	Collected	: 09/Sep/2023 11:24:06
UHID/MR NO	: ALDP.0000095489	Received	: 09/Sep/2023 13:01:41
Visit ID	: ALDP0173962324	Reported	: 09/Sep/2023 15:35:17
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
THYROID PROFILE - TOTAL * , Serum				
T3, Total (tri-iodothyronine)	142.00	ng/dl	84.61–201.7	CLIA
T4, Total (Thyroxine)	8.00	ug/dl :	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	1.50	μIU/mL (0.27 - 5.5	CLIA
Interpretation:		0.3-4.5 μIU/mI 0.5-4.6 μIU/mI 0.8-5.2 μIU/mI 0.5-8.9 μIU/mI 0.7-27 μIU/mI 0.3-13.2 μIU/mI 0.7-64 μIU/mI 1-39 μIU/mI 1.7-9.1 μIU/mI	 Second Trimes Third Trimes Adults Premature Cord Blood Child(21 wk - hL Child 	ester ter 55-87 Years 28-36 Week > 37Week

1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.

2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.

3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.

4) Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.

5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.

6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.

7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.

8) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

Dr.Akanksha Singh (MD Pathology)

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-2548257 CIN : U85110DL2003PLC308206

Patient Name	: Mr.MAN CHANDRA -90584	Registered On	: 09/Sep/2023 10:43:45
Age/Gender	: 36 Y 6 M 5 D /M	Collected	: N/A
UHID/MR NO	: ALDP.0000095489	Received	: N/A
Visit ID	: ALDP0173962324	Reported	: 09/Sep/2023 14:21:46
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF X-RAY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

X-RAY DIGITAL CHEST PA *

<u>X-RAY REPORT</u> (300 mA COMPUTERISED UNIT SPOT FILM DEVICE) <u>CHEST P-A VIEW</u>

- Both lung field did not reveal any significant lesion.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Soft tissue shadow appears normal.
- Bony cage is normal.

Please correlare clinically.

Icrohilh

DR K N SINGH (MBBS, DMRE)

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-2548257 CIN : U85110DL2003PLC308206

Patient Name	: Mr.MAN CHANDRA -90584	Registered On	: 09/Sep/2023 10:43:45
Age/Gender	: 36 Y 6 M 5 D /M	Collected	: N/A
UHID/MR NO	: ALDP.0000095489	Received	: N/A
Visit ID	: ALDP0173962324	Reported	: 10/Sep/2023 10:34:09
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) *

LIVER: - Normal in size (12.6 cm), shape and echogenicity. No focal lesion is seen. No intra hepatic biliary radicle dilation seen.

GALL BLADDER :- Well distended, walls are normal. No e/o calculus / focal mass lesion/ pericholecystic fluid.

CBD :- Normal in calibre at porta.

PORTAL VEIN: - Normal in calibre and colour uptake at porta.

PANCREAS: - Head is visualised, normal in size & echopattern. No e/o ductal dilatation or calcification. Rest of pancreas is obscured by bowel gas.

SPLEEN: - Normal in size, shape and echogenicity.

RIGHT KIDNEY: - Normal in size (9.2 cm), shape and echogenicity. No focal lesion or calculus seen. Pelvicalyceal system is not dilated.

LEFT KIDNEY: - Normal in size (9.1cm), shape and echogenicity. No focal lesion or calculus seen. Pelvicalyceal system is not dilated.

URINARY BLADDER :- Normal in shape, outline and distension. No e/o wall thickening / calculus.

PROSTATE :- Normal in size (3.3 x 3.8 x 2.8 cm vol - 19.0 cc), shape and echo pattern.

Visualized bowel loops are normal in caliber. No para-aortic lymphadenopathy

No free fluid is seen in the abdomen/pelvis.

IMPRESSION : No significant abnormality seen.

Please correlate clinically

*** End Of Report ***

Result/s to Follow: STOOL, ROUTINE EXAMINATION



Contil

DR K N SINGH (MBBS, DMRE)

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing * 365 Days Open *Facilities Available at Select Location