PID No. : MED121670107 **Register On** : 11/02/2023 10:18 AM : 522302157 **Collection On** : 11/02/2023 1:21 PM SID No.

Report On : 11/02/2023 6:42 PM



Type

: OP : 21/02/2023 11:44 AM **Printed On**

Ref. Dr : MediWheel

Age / Sex : 37 Year(s) / Male

Investigation HAEMATOLOGY	Observed Value	<u>Unit</u>	Biological Reference Interval
<u>HAEWATOLOGI</u>			
Complete Blood Count With - ESR			
Haemoglobin (EDTA Blood/Spectrophotometry)	14.63	g/dL	13.5 - 18.0
Packed Cell Volume(PCV)/Haematocrit (EDTA Blood)	44.5	%	42 - 52
RBC Count (EDTA Blood)	5.14	mill/cu.mm	4.7 - 6.0
Mean Corpuscular Volume(MCV) (EDTA Blood)	86.6	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (EDTA Blood)	28.5	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (EDTA Blood)	32.9	g/dL	32 - 36
RDW-CV	13.6	%	11.5 - 16.0
RDW-SD	41.22	fL	39 - 46
Total Leukocyte Count (TC) (EDTA Blood)	5470	cells/cu.mm	4000 - 11000
Neutrophils (Blood)	50.16	%	40 - 75
Lymphocytes (Blood)	34.05	%	20 - 45
Eosinophils (Blood)	9.36	%	01 - 06
Monocytes (Blood)	6.24	%	01 - 10



 PID No.
 : MED121670107
 Register On
 : 11/02/2023 10:18 AM

 SID No.
 : 522302157
 Collection On
 : 11/02/2023 1:21 PM

 Age / Sex
 : 37 Year(s) / Male
 Report On
 : 11/02/2023 6:42 PM

Printed On



< 15

Type : OP

Ref. Dr : MediWheel

Investigation	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Basophils (Blood)	0.19	%	00 - 02
INTERPRETATION: Tests done on Automated Five Pa	art cell counter. All a	abnormal results are	e reviewed and confirmed microscopically.
Absolute Neutrophil count (EDTA Blood)	2.74	10^3 / μl	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood)	1.86	10^3 / μl	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood)	0.51	10^3 / μl	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood)	0.34	10^3 / μl	< 1.0
Absolute Basophil count (EDTA Blood)	0.01	10^3 / μl	< 0.2
Platelet Count (EDTA Blood)	270.8	10^3 / μl	150 - 450
MPV (Blood)	7.34	fL	7.9 - 13.7
PCT (Automated Blood cell Counter)	0.20	%	0.18 - 0.28

10

: 21/02/2023 11:44 AM



mm/hr

ESR (Erythrocyte Sedimentation Rate)

(Citrated Blood)

 PID No.
 : MED121670107
 Register On
 : 11/02/2023 10:18 AM

 SID No.
 : 522302157
 Collection On
 : 11/02/2023 1:21 PM

(*) MEDALI

Type : OP

Printed On : 21/02/2023 11:44 AM

Report On

: 11/02/2023 6:42 PM

Ref. Dr : MediWheel

Age / Sex : 37 Year(s) / Male

Investigation	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
BIOCHEMISTRY			
Liver Function Test			
Bilirubin(Total) (Serum/DCA with ATCS)	0.93	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.39	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.54	mg/dL	0.1 - 1.0
SGOT/AST (Aspartate Aminotransferase) (Serum/Modified IFCC)	21.51	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/Modified IFCC)	26.69	U/L	5 - 41
GGT(Gamma Glutamyl Transpeptidase) (Serum/IFCC / Kinetic)	26.35	U/L	< 55
Alkaline Phosphatase (SAP) (Serum/Modified IFCC)	76.7	U/L	53 - 128
Total Protein (Serum/Biuret)	7.12	gm/dl	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.74	gm/dl	3.5 - 5.2
Globulin (Serum/Derived)	2.38	gm/dL	2.3 - 3.6
A : G RATIO (Serum/Derived)	1.99		1.1 - 2.2



VERIFIED BY



 PID No.
 : MED121670107
 Register On
 : 11/02/2023 10:18 AM

 SID No.
 : 522302157
 Collection On
 : 11/02/2023 1:21 PM

Age / Sex : 37 Year(s) / Male Report On : 11/02/2023 6:42 PM

Printed On

Type : OP

Ref. Dr : MediWheel



Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
<u>Lipid Profile</u>			
Cholesterol Total (Serum/CHOD-PAP with ATCS)	140.09	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/GPO-PAP with ATCS)	66.29	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

: 21/02/2023 11:44 AM

INTERPRETATION: The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the `usual_circulating level of triglycerides during most part of the day.

First or any			
HDL Cholesterol (Serum/Immunoinhibition)	48.56	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 40 - 59 High Risk: < 40
LDL Cholesterol (Serum/Calculated)	78.2	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL Cholesterol (Serum/Calculated)	13.3	mg/dL	< 30
Non HDL Cholesterol (Serum/Calculated)	91.5	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220



VERIFIED BY



 PID No.
 : MED121670107
 Register On
 : 11/02/2023 10:18 AM

 SID No.
 : 522302157
 Collection On
 : 11/02/2023 1:21 PM

Age / Sex : 37 Year(s) / Male Report On : 11/02/2023 6:42 PM

Type : OP

Printed On : 21/02/2023 11:44 AM

Ref. Dr : MediWheel

InvestigationObservedUnitBiologicalValueReference Interval

INTERPRETATION: 1. Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol. 2. It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.

Total Cholesterol/HDL Cholesterol Ratio 2.9

(Serum/Calculated)

Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0

Triglyceride/HDL Cholesterol Ratio 1.4

(TG/HDL)

(Serum/Calculated)

LDL/HDL Cholesterol Ratio 1.6

(Serum/Calculated)

Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0

Optimal: < 2.5

Mild to moderate risk: 2.5 - 5.0

High Risk: > 5.0



VERIFIED BY



Type : OP

Ref. Dr : MediWheel



Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Glycosylated Haemoglobin (HbA1c)			
HbA1C (Whole Blood/ <i>HPLC</i>)	6.6	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5

: 21/02/2023 11:44 AM

INTERPRETATION: If Diabetes - Good control: 6.1 - 7.0 %, Fair control: 7.1 - 8.0 %, Poor control >= 8.1 %

Printed On

Estimated Average Glucose 142.72 mg/dL

(Whole Blood)

INTERPRETATION: Comments

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency,

hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbAlC values.

Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.



VERIFIED BY



Printed On

Type : OP

Ref. Dr

: MediWheel



<u>Investigation</u>	<u>Observed</u> <u>U</u>	<u>nit</u> <u>Biological</u>
-	Value	Reference Interval

: 21/02/2023 11:44 AM

IMMUNOASSAY

THYROID PROFILE / TFT

T3 (Triiodothyronine) - Total 1.80 ng/ml 0.7 - 2.04

(Serum/ECLIA)

INTERPRETATION:

Comment:

Total T3 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T3 is recommended as it is

Metabolically active.

T4 (Tyroxine) - Total 11.83 µg/dl 4.2 - 12.0

(Serum/ECLIA)

INTERPRETATION:

Comment:

Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active.

TSH (Thyroid Stimulating Hormone) 1.59 µIU/mL 0.35 - 5.50

(Serum/ECLIA)

INTERPRETATION:

Reference range for cord blood - upto 20

1 st trimester: 0.1-2.5 2 nd trimester 0.2-3.0 3 rd trimester : 0.3-3.0

(Indian Thyroid Society Guidelines)

Comment:

1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI.

2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM. The variation can be of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations.

3. Values & amplt 0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.



VERIFIED BY



 PID No.
 : MED121670107
 Register On
 : 11/02/2023 10:18 AM

 SID No.
 : 522302157
 Collection On
 : 11/02/2023 1:21 PM

Report On : 11/02/2023 6:42 PM

Printed On : 21/02/2023 11:44 AM

Ref. Dr : MediWheel

Type

Age / Sex : 37 Year(s) / Male

: OP



<u>Investigation</u>	<u>Observed</u>	<u>Unit</u>	<u>Biological</u>
	Value		Reference Interval

CLINICAL PATHOLOGY

<u>PHYSICAL EXAMINATION (URINE COMPLETE)</u>

Colour Pale yellow Yellow to Amber

(Urine)

Appearance Clear Clear

(Urine)

Volume(CLU) 20

(Urine)

CHEMICAL EXAMINATION (URINE

COMPLETE)

pH 5.5 4.5 - 8.0

(Urine)

Specific Gravity 1.008 1.002 - 1.035

(Urine)

Ketone Negative Negative

(Urine)

Urobilinogen Normal Normal

(Urine)

Blood Negative Negative

(Urine)

Nitrite Negative Negative

(Urine)

Bilirubin Negative Negative

(Urine)

Protein Negative Negative

(Urine)



PID No. : MED121670107 **Register On** : 11/02/2023 10:18 AM : 522302157 SID No. Collection On : 11/02/2023 1:21 PM

: 11/02/2023 6:42 PM **Type** : OP **Printed On** : 21/02/2023 11:44 AM

Report On

Ref. Dr : MediWheel

Age / Sex : 37 Year(s) / Male

<u>Investigation</u>	<u>Observed</u> <u>Unit</u>	<u>Biological</u>
	<u>Value</u>	Reference Interval
Glucose	Negative	Negative

(Urine/GOD - POD)

Leukocytes(CP) Negative

MICROSCOPIC EXAMINATION (URINE COMPLETE)

NIL 0-1 /hpf Pus Cells (Urine) /hpf NIL **Epithelial Cells** 0-1(Urine)

RBCs NIL /HPF **NIL**

(Urine)

NIL Others

(Urine)

INTERPRETATION: Note: Done with Automated Urine Analyser & Automated urine sedimentation analyser. All abnormal reports are reviewed and confirmed microscopically.



 PID No.
 : MED121670107
 Register On
 : 11/02/2023 10:18 AM

 SID No.
 : 522302157
 Collection On
 : 11/02/2023 1:21 PM

Age / Sex : 37 Year(s) / Male Report On : 11/02/2023 6:42 PM

Type : OP

Printed On : 21/02/2023 11:44 AM

Ref. Dr : MediWheel



NIL

Investigation PHYSICAL EXAMINATION(STOOL COMPLETE)	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> Reference Interval
Mucus (Stool)	Absent		Absent
Consistency (Stool)	Semi Solid		Semi Solid to Solid
Colour (Stool)	Yellow		Brown
Blood (Stool)	Absent		Absent
MICROSCOPIC EXAMINATION(STOOL COMPLETE)			
Ova (Stool)	NIL		NIL
Cysts (Stool)	NIL		NIL
Trophozoites (Stool)	NIL		NIL
RBCs (Stool)	NIL	/hpf	Nil

<u>CHEMICAL EXAMINATION(STOOL</u> <u>ROUTINE)</u>

Pus Cells (Stool)

Reaction Acidic Alkaline (Stool)

1-2



APPROVED BY

/hpf

Type : OP **Printed On** : 21/02/2023 11:44 AM

Ref. Dr : MediWheel

PID No.



InvestigationObservedUnitBiologicalValueReference Interval

IMMUNOHAEMATOLOGY

BLOOD GROUPING AND Rh TYPING 'O' 'Positive'

(EDTA Blood/Agglutination)

INTERPRETATION: Note: Slide method is screening method. Kindly confirm with Tube method for transfusion.



 PID No.
 : MED121670107
 Register On
 : 11/02/2023 10:18 AM

 SID No.
 : 522302157
 Collection On
 : 11/02/2023 1:21 PM

Age / Sex : 37 Year(s) / Male Report On : 11/02/2023 6:42 PM

Printed On

Type : OP

Ref. Dr : MediWheel



Investigation	Observed Value	<u>Unit</u>	<u>Biological</u> Reference Interval
BIOCHEMISTRY			
BUN / Creatinine Ratio	14.6		6.0 - 22.0
Glucose Fasting (FBS) (Plasma - F/GOD-PAP)	101.69	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

: 21/02/2023 11:44 AM

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose, Fasting (Urine)	Negative		Negative
(Urine - F/GOD - POD)			
Glucose Postprandial (PPBS)	117.82	mg/dL	70 - 140
(Plasma - PP/GOD-PAP)			

INTERPRETATION:

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Urine Glucose(PP-2 hours) (Urine - PP)	Negative		Negative
Blood Urea Nitrogen (BUN) (Serum/Urease UV / derived)	10.7	mg/dL	7.0 - 21
Creatinine (Serum/Modified Jaffe)	0.73	mg/dL	0.9 - 1.3

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin, cefazolin, ACE inhibitors, angiotensin II receptor antagonists, N-acetylcyteine, chemotherapeutic agent such as flucytosine etc.

Uric Acid 4.74 mg/dL 3.5 - 7.2

(Serum/Enzymatic)



APPROVED BY

DR SHAMIM JAVED

MD PATHOLOGY KMC 88902

-- End of Report --

> > Printed On

: 21/02/2023 11:44 AM

Age / Sex : 37 Year(s) / Male **Report On** : 11/02/2023 6:42 PM

Type : OP

SID No.

Ref. Dr : MediWheel





Name	Mr.PINNINTI RAMA MURTHY	ID	MED121670107
Age & Gender	37/MALE	Visit Date	11/02/2023
Ref Doctor Name	MediWheel		

ABDOMINO-PELVIC ULTRASONOGRAPHY

LIVER is normal in shape, size and has uniform echopattern. No evidence of focal lesion or intrahepatic biliary ductal dilatation. Hepatic and portal vein radicals are normal.

GALL BLADDER is partially distended and shows two calculi in the neck region, largest measuring 7.4 x 6.6mm. Wall is of normal thickness. No pericholecystic collection. CBD is not dilated.

PANCREAS Head appears normal. Rest of the pancreas is obscured by bowel gas shadows. No evidence of ductal dilatation or calcification.

SPLEEN shows normal shape, size and echopattern.

BOTH KIDNEYS

Right kidney: Normal in shape, size and echopattern. Cortico-medullary differentiation is well madeout. No evidence of calculus or hydronephrosis.

Left kidney: Normal in shape, size and echopattern. Cortico-medullary differentiation is well madeout. No evidence of calculus or hydronephrosis.

The kidney measures as follows:

·	Bipolar length (cms)	Parenchymal thickness (cms)
Right Kidney	9.5	1.3
Left Kidney	10.5	1.4

URINARY BLADDER shows normal shape and wall thickness. It has clear contents. No evidence of diverticula.

PROSTATE shows normal shape, size and echopattern.

No evidence of ascites.

IMPRESSION:

• Cholelithiasis. No features of cholecystitis.

REPORT DISCLAIMER

- 1.This is only a radiologincal imperssion.Like other investigations, radiological investication also have limitation. Therefore radiologincal reports should be interpreted in correlation with clinical and pathological findings.
- 2. The results reported here in are subject to interpretation by qualified medical professionals only.
- 3. Customer identities are accepted provided by the customer or their representative.
- 4.information about the customer's condition at the time of sample collection such as fasting, food consumption, medication, etc are accepted as provided by the customer or representative and shall not be investigated for its truthfulness.
- 5.If any specimen/sample is received from any others laboratory/hospital,its is presumed that the sample belongs to the patient identified or named.
- 6.Test results should be interpreted in context of clinical and other findings if any. In case of any clarification /doubt, the refrering doctor/patient can contact the respective section head of the laboratory.
- 7.Results of the test are influenced by the various factors such as sensitivity, specificity of the procedures of the tests, quality of the samples and drug interactions etc.,
- 8.If the test results are found not to be correlating clinically can contact the lab in charge for clarification or retesting where practicable within 24 hours from the time of issue of results.
- 9.Liability is limited to the extend of amount billed.
- $10. \\ Reports are subject to interpretation in their entirety, partial or selective interpretation may lead to false opinion.$
- 11.Disputes, if any , with regard to the report findings are subject to the exclusive jurisdiction of the competent courts chennai only.



Name	Mr.PINNINTI RAMA MURTHY	ID	MED121670107
Age & Gender	37/MALE	Visit Date	11/02/2023
Ref Doctor Name	MediWheel		

• No other significant abnormality detected.

DR.KAMESH G CONSULTANT RADIOLOGIST Kg/an

REPORT DISCLAIMER

^{1.}This is only a radiologincal imperssion.Like other investigations, radiological investication also have limitation. Therefore radiologincal reports should be interpreted in correlation with clinical and pathological findings.

^{2.} The results reported here in are subject to interpretation by qualified medical professionals only.

^{3.}Customer identities are accepted provided by the customer or their representative.

^{4.}information about the customer's condition at the time of sample collection such as fasting, food consumption, medication, etc are accepted as provided by the customer or representative and shall not be investigated for its truthfulness.

^{5.}If any specimen/sample is received from any others laboratory/hospital,its is presumed that the sample belongs to the patient identified or named.

^{6.}Test results should be interpreted in context of clinical and other findings if any.In case of any clarification /doubt , the refrering doctor/patient can contact the respective section head of the laboratory.

^{7.}Results of the test are influenced by the various factors such as sensitivity, specificity of the procedures of the tests, quality of the samples and drug interactions etc.,

^{8.}If the test results are found not to be correlating clinically can contact the lab in charge for clarification or retesting where practicable within 24 hours from the time of issue of results.

^{9.}Liability is limited to the extend of amount billed.

^{10.}Reports are subject to interpretation in their entirety.partial or selective interpretation may lead to false opinion.

^{11.}Disputes,if any , with regard to the report findings are subject to the exclusive jurisdiction of the competent courts chennai only.