: MediWheel

PID No. : MED111034753 Register On : 26/03/2022 10:21 AM : 422024596 SID No. Collection On : 26/03/2022 12:07 PM Age / Sex : 38 Year(s) / Female Report On : 27/03/2022 3:35 PM



Ref. Dr

Cytometry)

Cytometry)

Lymphocytes

Type : OP **Printed On** : 02/04/2022 11:51 AM

Investigation HAEMATOLOGY	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Complete Blood Count With - ESR			
Haemoglobin (EDTA Blood/Spectrophotometry)	10.9	g/dL	12.5 - 16.0
Packed Cell Volume(PCV)/Haematocrit (EDTA Blood/Derived from Impedance)	34.4	%	37 - 47
RBC Count (EDTA Blood/Impedance Variation)	4.28	mill/cu.mm	4.2 - 5.4
Mean Corpuscular Volume(MCV) (EDTA Blood/Derived from Impedance)	80.0	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (EDTA Blood/Derived from Impedance)	25.5	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (EDTA Blood/Derived from Impedance)	31.7	g/dL	32 - 36
RDW-CV (EDTA Blood/Derived from Impedance)	15.8	%	11.5 - 16.0
RDW-SD (EDTA Blood/Derived from Impedance)	44.24	fL	39 - 46
Total Leukocyte Count (TC) (EDTA Blood/Impedance Variation)	9000	cells/cu.mm	4000 - 11000
Neutrophils (EDTA Blood/Impedance Variation & Flow	62.5	%	40 - 75

25.7



%

(EDTA Blood/Impedance Variation & Flow

20 - 45

 PID No.
 : MED111034753
 Register On
 : 26/03/2022 10:21 AM

 SID No.
 : 422024596
 Collection On
 : 26/03/2022 12:07 PM

Printed On

Type : OP

Ref. Dr : MediWheel



Investigation	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Eosinophils (EDTA Blood/Impedance Variation & Flow Cytometry)	3.3	%	01 - 06
Monocytes (EDTA Blood/Impedance Variation & Flow Cytometry)	8.2	%	01 - 10
Basophils (Blood/Impedance Variation & Flow Cytometry)	0.3	%	00 - 02
Absolute Neutrophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	5.63	10^3 / μl	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	2.31	10^3 / μl	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood/Impedance Variation & Flow Cytometry)	0.30	10^3 / μl	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood'Impedance Variation & Flow Cytometry)	0.74	10^3 / μl	< 1.0
Absolute Basophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.03	10^3 / μl	< 0.2
Platelet Count (EDTA Blood/Impedance Variation)	282	10^3 / μl	150 - 450
MPV (EDTA Blood/Derived from Impedance)	9.4	fL	8.0 - 13.3
PCT (EDTA Blood/Automated Blood cell Counter)	0.27	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Citrated Blood/Modified Westergren)	48	mm/hr	< 20

: 02/04/2022 11:51 AM



Page 2 of 11

PID No. : MED111034753 Register On : 26/03/2022 10:21 AM : 422024596 **Collection On** : 26/03/2022 12:07 PM SID No. Age / Sex : 38 Year(s) / Female Report On

Type : OP

Printed On : 02/04/2022 11:51 AM

: 27/03/2022 3:35 PM

Ref. Dr : MediWheel

Investigation	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
BIOCHEMISTRY			
Liver Function Test			
Bilirubin(Total) (Serum/Diazotized Sulfanilic Acid)	0.5	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.2	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.3	mg/dL	0.1 - 1.0
Total Protein (Serum/Biuret)	7.1	gm/dL	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.0	gm/dL	3.5 - 5.2
Globulin (Serum/Derived)	3.1	gm/dL	2.3 - 3.6
A : G Ratio (Serum/Derived)	1.3		1.1 - 2.2
SGOT/AST (Aspartate Aminotransferase) (Serum/IFCC Kinetic)	18	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/IFCC / Kinetic)	22	U/L	5 - 41
Alkaline Phosphatase (SAP) (Serum/IFCC Kinetic)	79	U/L	42 - 98
GGT(Gamma Glutamyl Transpeptidase) (Serum/SZASZ standarised IFCC)	24	U/L	< 38



VERIFIED BY



 PID No.
 : MED111034753
 Register On
 : 26/03/2022 10:21 AM

 SID No.
 : 422024596
 Collection On
 : 26/03/2022 12:07 PM

Printed On

Type : OP

Ref. Dr : MediWheel

MEDALI

Investigation	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
<u>Lipid Profile</u>			
Cholesterol Total (Serum/Cholesterol oxidase/Peroxidase)	205	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/Glycerol phosphate oxidase / peroxidase)	118	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

: 02/04/2022 11:51 AM

INTERPRETATION: The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the "usual" circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immunoinhibition)	51	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 50 - 59 High Risk: < 50
LDL Cholesterol (Serum/Calculated)	130.4	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL Cholesterol (Serum/Calculated)	23.6	mg/dL	< 30
Non HDL Cholesterol (Serum/Calculated)	154.0	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220



VERIFIED BY



PID No. : MED111034753 Register On : 26/03/2022 10:21 AM : 422024596 SID No. Collection On : 26/03/2022 12:07 PM

Age / Sex : 38 Year(s) / Female Report On : 27/03/2022 3:35 PM

Type : OP

Printed On : 02/04/2022 11:51 AM

Ref. Dr : MediWheel

Investigation <u>Observed</u> **Unit Biological Value** Reference Interval

INTERPRETATION: 1. Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol. 2.It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.

Total Cholesterol/HDL Cholesterol Ratio 4

(Serum/Calculated)

Optimal: < 3.3Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0

Triglyceride/HDL Cholesterol Ratio 2.3 Optimal: < 2.5

Mild to moderate risk: 2.5 - 5.0 (TG/HDL) High Risk: > 5.0

(Serum/Calculated)

LDL/HDL Cholesterol Ratio 2.6 Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 (Serum/Calculated)

High Risk: > 6.0



VERIFIED BY



> : MED111034753 Register On : 26/03/2022 10:21 AM

: 422024596 SID No. Collection On : 26/03/2022 12:07 PM

Age / Sex : 38 Year(s) / Female Report On 27/03/2022 3:35 PM

Type : OP

PID No.

Ref. Dr

: MediWheel

Printed On : 02/04/2022 11:51 AM



Investigation	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Glycosylated Haemoglobin (HbA1c)			
HbA1C (Whole Blood/HPLC)	6.0	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5

INTERPRETATION: If Diabetes - Good control: 6.1 - 7.0 %, Fair control: 7.1 - 8.0 %, Poor control >= 8.1 %

Estimated Average Glucose 125.5 mg/dL

(Whole Blood)

INTERPRETATION: Comments

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency,

hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbAlC values.

Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.



VERIFIED BY



PID No. : MED111034753 Register On : 26/03/2022 10:21 AM

Type : OP

Printed On : 02/04/2022 11:51 AM

Ref. Dr : MediWheel



<u>Investigation</u>	<u>Observed</u>	<u>Unit</u>	<u>Biological</u>
	Value		Reference Interval

IMMUNOASSAY

THYROID PROFILE / TFT

T3 (Triiodothyronine) - Total 1.53 ng/mL 0.7 - 2.04

(Serum/CMIA)

INTERPRETATION:

Comment:

Total T3 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T3 is recommended as it is

Metabolically active.

T4 (Thyroxine) - Total 11.56 μg/dL 4.2 - 12.0

(Serum/CMIA)

INTERPRETATION:

Comment:

Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active.

TSH (Thyroid Stimulating Hormone) 2.85 µIU/mL 0.35 - 5.50

(Serum/Chemiluminescent Microparticle

Immuno as say (CMIA))

INTERPRETATION:

Reference range for cord blood - upto 20

1 st trimester: 0.1-2.5 2 nd trimester 0.2-3.0 3 rd trimester : 0.3-3.0

(Indian Thyroid Society Guidelines)

Comment:

- 1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI.
- 2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM. The variation can be of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations.
- 3. Values&lt,0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.



PID No. : MED111034753 Register On : 26/03/2022 10:21 AM : 422024596 SID No. Collection On : 26/03/2022 12:07 PM Age / Sex : 38 Year(s) / Female Report On : 27/03/2022 3:35 PM



Type : OP

Printed On : 02/04/2022 11:51 AM

Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed</u>	<u>Unit</u>	<u>Biological</u>
	Value		Reference Interval

Pale Yellow

CLINICAL PATHOLOGY

PHYSICAL EXAMINATION

(Urine) Appearance Clear Clear (Urine) Volume 25 mL

(Urine)

Colour

CHEMICAL EXAMINATION(Automated-

<u>Urineanalyser)</u>

pH (Urine/AUTOMATED URINANALYSER)	6.0	4.5 - 8.0
Specific Gravity (Urine)	1.020	1.002 - 1.035
Ketones (Urine)	Negative	Negative
Urobilinogen (Urine/AUTOMATED URINANALYSER)	0.2	0.2 - 1.0
Blood (Urine/AUTOMATED URINANALYSER)	Negative	Negative
Nitrite (Urine/AUTOMATED URINANALYSER)	Negative	Negative
Bilirubin (Urine/AUTOMATED URINANALYSER)	Negative	Negative
Protein	Negative	Negative



(Urine)

VERIFIED BY



 PID No.
 : MED111034753
 Register On
 : 26/03/2022 10:21 AM

 SID No.
 : 422024596
 Collection On
 : 26/03/2022 12:07 PM

 Age / Sex
 : 38 Year(s) / Female
 Report On
 : 27/03/2022 3:35 PM

Printed On



Ref. Dr : MediWheel

: OP

Type

<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> Reference Interval
Negative		Negative
Negative	leuco/uL	Negative
3-4	/hpf	3-5
1-2	/hpf	1-2
Nil	/hpf	NIL
Nil		Nil
Nil	/hpf	0 - 1
Nil		NIL
	Negative Negative 3-4 1-2 Nil Nil Nil	Negative Negative leuco/uL 3-4 /hpf 1-2 /hpf Nil /hpf Nil /hpf Nil /hpf

: 02/04/2022 11:51 AM



VERIFIED BY



Printed On

Type : OP

Ref. Dr : MediWheel



InvestigationObservedUnitBiologicalValueReference Interval

: 02/04/2022 11:51 AM

IMMUNOHAEMATOLOGY

BLOOD GROUPING AND Rh TYPING 'B' 'Positive'

(EDTA Blood/Agglutination)





 PID No.
 : MED111034753
 Register On
 : 26/03/2022 10:21 AM

 SID No.
 : 422024596
 Collection On
 : 26/03/2022 12:07 PM

Printed On

Type : OP

Ref. Dr : MediWheel



Investigation BIOCHEMISTRY	Observed <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
BUN / Creatinine Ratio	8.6		6 - 22
Glucose Fasting (FBS) (Plasma - F/GOD - POD)	79	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

: 02/04/2022 11:51 AM

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose Fasting - Urine	Negative		Negative
(Urine - F)			
Glucose Postprandial (PPBS)	130	mg/dL	70 - 140

(Plasma - PP/GOD - POD)

INTERPRETATION:

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Glucose Postprandial - Urine (Urine - PP)	Negative		Negative
Blood Urea Nitrogen (BUN) (Serum/Urease-GLDH)	6	mg/dL	7.0 - 21
Creatinine (Serum/Jaffe Kinetic)	0.7	mg/dL	0.6 - 1.1

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin ,cefazolin, ACE inhibitors ,angiotensin II receptor antagonists,N-acetylcyteine, chemotherapeutic agent such as flucytosine etc.

Uric Acid 4.2 mg/dL 2.6 - 6.0

(Serum/Uricase/Peroxidase)



VERIFIED BY



APPROVED BY

-- End of Report --

Name	SHIRISHA REDDY VELURI	ID	MED111034753
Age & Gender	38/FeMale		26-03-2022 00:00:00
Ref Doctor Name	MediWheel		



2 D ECHOCARDIOGRAPHIC STUDY

M mode measurement:

AORTA : 2.5cms

LEFT ATRIUM : 3.1cms

AVS :----

LEFT VENTRICLE (DIASTOLE) : 4.2cms

(SYSTOLE) : 2.8cms

VENTRICULAR SEPTUM (DIASTOLE) : 0.9cms

(SYSTOLE) : 1.2cms

POSTERIOR WALL (DIASTOLE) : 0.9cms

(SYSTOLE) : 1.2cms

EDV : 79ml

ESV : 30ml

FRACTIONAL SHORTENING : 33%

EJECTION FRACTION : 62%

EPSS :---

RVID : 1.8cms

DOPPLER MEASUREMENTS:

MITRAL VALVE : E' 0.90 m/s A' 0.49 m/s NO MR

AORTIC VALVE : 1.45 m/s NO AR

TRICUSPID VALVE : E' 1.92 m/s A' - m/s NO TR

PULMONARY VALVE : 0.90 m/s NO PR

Name	SHIRISHA REDDY VELURI	ID	MED111034753
Age & Gender	38/FeMale		26-03-2022 00:00:00
Ref Doctor Name	MediWheel		



2D ECHOCARDIOGRAPHY FINDINGS:

Left ventricle : Normal size, Normal systolic function.

No regional wall motion abnormalities.

Left Atrium : Normal.

Right Ventricle : Normal.

Right Atrium : Normal.

Mitral valve : Normal, No mitral valve prolapsed.

Aortic valve : Normal, Trileaflet.

Tricuspid valve : Normal.

Pulmonary valve : Normal.

IAS : Intact.

IVS : Intact.

Pericardium : No pericardial effusion.

IMPRESSION:

- > NORMAL SIZED CARDIAC CHAMBERS.
- > NORMAL LV SYSTOLIC FUNCTION. EF:62 %.
- > NO REGIONAL WALL MOTION ABNORMALITIES.
- > NORMAL VALVES.
- > NO CLOTS / PERICARDIAL EFFUSION / VEGETATION.

DR. K.S. SUBRAMANI. MBBS, MD, DM (CARDIOLOGY) FESC SENIOR CONSULTANT INTERVENTIONAL CARDIOLOGIST Kss/da

Name	SHIRISHA REDDY VELURI	ID	MED111034753
Age & Gender	38/FeMale	Visit Date	26-03-2022 00:00:00
Ref Doctor Name	MediWheel		



- Note:

 * Report to be interpreted by qualified medical professional.

 * To be correlated with other clinical findings.

 * Parameters may be subjected to inter and intra observer variations.

Name	SHIRISHA REDDY VELURI	ID	MED111034753
Age & Gender	38/FeMale		26-03-2022 00:00:00
Ref Doctor Name	MediWheel		



ABDOMINO-PELVIC ULTRASONOGRAPHY

LIVER shows normal in shape, size and has uniform echopattern. No evidence of focal lesion or intrahepatic biliary ductal dilatation. Hepatic and portal vein radicals are normal.

GALL BLADDER shows normal shape and has clear contents. Gall bladder wall is of normal thickness. CBD is of normal calibre.

PANCREAS has normal shape, size and uniform echopattern. No evidence of ductal dilatation or calcification.

SPLEEN shows normal shape, size and echopattern.

No demonstrable Para -aortic lymphadenopathy.

KIDNEYS move well with respiration and have normal shape, size and echopattern. Cortico- medullary differentiations are well madeout. No evidence of calculus or hydronephrosis.

The kidney measures as follows:

	Bipolar length (cms)	Parenchymal thickness (cms)
Right Kidney	8.9	1.4
Left Kidney	9.4	1.4

URINARY BLADDER shows normal shape and wall thickness. It has clear contents. No evidence of diverticula.

UTERUS is anteverted and slightly bulky. It has uniform myometrial echopattern.

Endometrial thickness measures 9mm

Uterus measures as follows: LS: 9.0cms AP: 3.7cms TS: 4.8cms.

OVARIES are normal in size, shape and echotexture. No focal lesion seen.

Ovaries measure as follows: **Right ovary**: 3.6 x 2.6cms **Left ovary**: 2.4 x 1.7cms

POD & adnexae are free.

No evidence of ascites/pleural effusion.

IMPRESSION:

> NO SIGNIFICANT ABNORMALITY DETECTED.

DR. H.K. ANAND

DR. APARNA

Name	SHIRISHA REDDY VELURI	ID	MED111034753
Age & Gender	38/FeMale	Visit Date	26-03-2022 00:00:00
Ref Doctor Name	MediWheel		



CONSULTANT RADIOLOGISTS:

A/vp

Name	SHIRISHA REDDY VELURI	ID	MED111034753
Age & Gender	38/FeMale		26-03-2022 00:00:00
Ref Doctor Name	MediWheel		



X - RAY CHEST PA VIEW

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

IMPRESSION:

No significant abnormality detected.