Add: 24/22, Vrindawan Bhawan, Karachi Khana, Kanpur

Ph: 9235432757,

CIN: U85110DL2003LC308206

Patient Name : Mr.AMIT BANSAL - 53608 Registered On : 26/Nov/2022 09:31:08 Age/Gender Collected : 43 Y 0 M 14 D /M : 26/Nov/2022 10:43:07 UHID/MR NO : IKNP.0000022068 Received : 26/Nov/2022 10:43:45 Visit ID : IKNP0051872223 Reported : 26/Nov/2022 17:35:39 Ref Doctor : Dr.MediWheel Knp Status : Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group (ABO & Rh typing) *, Bloo	d			
Blood Group	О			
Rh (Anti-D)	POSITIVE			
Complete Blood Count (CBC) * , Whole B	Blood			
Haemoglobin	14.30	g/dl	1 Day- 14.5-22.5 g/dl	
			1 Wk- 13.5-19.5 g/dl	
			1 Mo- 10.0-18.0 g/dl	
			3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5	
			g/dl	
			2-6 Yr- 11.5-15.5 g/dl	
			6-12 Yr- 11.5-15.5 g/dl	
			12-18 Yr 13.0-16.0	
			g/dl	
			Male- 13.5-17.5 g/dl	
		4-	Female- 12.0-15.5 g/dl	
TLC (WBC)	9,300.00	/Cu mm	4000-10000	ELECTRONIC IMPEDANCE
DLC				
Polymorphs (Neutrophils)	70.00	%	55-70	ELECTRONIC IMPEDANCE
Lymphocytes	20.00	%	25-40	ELECTRONIC IMPEDANCE
Monocytes	5.00	%	3-5	ELECTRONIC IMPEDANCE
Eosinophils	5.00	%	1-6	ELECTRONIC IMPEDANCE
Basophils	0.00	%	<1	ELECTRONIC IMPEDANCE
ESR				
Observed	16.00	Mm for 1st hr.		
Corrected	12.00	Mm for 1st hr.	< 9	
PCV (HCT)	44.00	%	40-54	
Platelet count				
Platelet Count	2.18	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	16.30	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	34.00	%	35-60	ELECTRONIC IMPEDANCE
PCT (Platelet Hematocrit)	0.24	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	10.80	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	4.72	Mill./cu mm	4.2-5.5	ELECTRONIC IMPEDANCE

Add: 24/22, Vrindawan Bhawan, Karachi Khana, Kanpur

Ph: 9235432757,

CIN: U85110DL2003LC308206

Patient Name	: Mr.AMIT BANSAL - 53608	Registered On	: 26/Nov/2022 09:31:08
Age/Gender	: 43 Y 0 M 14 D /M	Collected	: 26/Nov/2022 10:43:07
UHID/MR NO	: IKNP.0000022068	Received	: 26/Nov/2022 10:43:45
Visit ID	: IKNP0051872223	Reported	: 26/Nov/2022 17:35:39
Ref Doctor	: Dr.MediWheel Knp	Status	: Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Indices (MCV, MCH, MCHC)				
MCV	94.60	fl	80-100	CALCULATED PARAMETER
MCH	30.30	pg	28-35	CALCULATED PARAMETER
MCHC	32.00	%	30-38	CALCULATED PARAMETER
RDW-CV	15.40	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	54.20	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	6,510.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	465.00	/cu mm	40-440	



Dr. Seema Nagar(MD Path)

Page 2 of 9

Add: 24/22, Vrindawan Bhawan, Karachi Khana, Kanpur

Ph: 9235432757,

CIN: U85110DL2003LC308206

Patient Name	: Mr.AMIT BANSAL - 53608	Registered On	: 26/Nov/2022 09:31:08
Age/Gender	: 43 Y 0 M 14 D /M	Collected	: 26/Nov/2022 10:43:07
UHID/MR NO	: IKNP.0000022068	Received	: 26/Nov/2022 10:43:45
Visit ID	: IKNP0051872223	Reported	: 26/Nov/2022 12:45:33
Ref Doctor	: Dr.MediWheel Knp	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method

GLUCOSE FASTING, Plasma

97.20 **GOD POD Glucose Fasting** mg/dl < 100 Normal

100-125 Pre-diabetes ≥ 126 Diabetes

Interpretation:

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.

c) I.G.T = Impared Glucose Tolerance.

GOD POD Glucose PP 127.30 mg/dl <140 Normal

Sample:Plasma After Meal 140-199 Pre-diabetes

>200 Diabetes

Interpretation:

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impared Glucose Tolerance.

GLYCOSYLATED HAEMOGLOBIN (HBA1C) *, EDTA BLOOD

Glycosylated Haemoglobin (HbA1c)	5.00	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	31.00	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	97	mg/dl	

Interpretation:

NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

Add: 24/22, Vrindawan Bhawan, Karachi Khana, Kanpur

Ph: 9235432757,

CIN: U85110DL2003LC308206

Patient Name	: Mr.AMIT BANSAL - 53608	Registered On	: 26/Nov/2022 09:31:08
Age/Gender	: 43 Y 0 M 14 D /M	Collected	: 26/Nov/2022 10:43:07
UHID/MR NO	: IKNP.0000022068	Received	: 26/Nov/2022 10:43:45
Visit ID	: IKNP0051872223	Reported	: 26/Nov/2022 12:45:33
Ref Doctor	: Dr.MediWheel Knp	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

^{*}High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

N.B.: Test carried out on Automated G8 90 SL TOSOH HPLC Analyser.

Clinical Implications:

^{*}Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen) * Sample:Serum	12.80	mg/dL	7.0-23.0	CALCULATED
Creatinine Sample:Serum	1.15	mg/dl	Serum 0.7-1.3 Spot Urine-Male- 20- 275 Female-20-320	MODIFIED JAFFES
Uric Acid Sample:Serum	5.14	mg/dl	3.4-7.0	URICASE

^{**}Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

^{*}Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.

^{*}With optimal control, the HbA 1c moves toward normal levels.

^{*}A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy

c. Alcohol toxicity d. Lead toxicity

^{*}Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

^{*}Pregnancy d. chronic renal failure. Interfering Factors:

Add: 24/22, Vrindawan Bhawan, Karachi Khana, Kanpur

Ph: 9235432757,

CIN: U85110DL2003LC308206

Patient Name	: Mr.AMIT BANSAL - 53608	Registered On	: 26/Nov/2022 09:31:08
Age/Gender	: 43 Y 0 M 14 D /M	Collected	: 26/Nov/2022 10:43:07
UHID/MR NO	: IKNP.0000022068	Received	: 26/Nov/2022 10:43:45
Visit ID	: IKNP0051872223	Reported	: 26/Nov/2022 12:45:33
Ref Doctor	: Dr.MediWheel Knp	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	ι	Jnit Bio. Ref. Inter	rval Method
LFT (WITH GAMMA GT) * , Serum				
SGOT / Aspartate Aminotransferase (AST)	20.90	U/L	< 35	IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	33.40	U/L	< 40	IFCC WITHOUT P5P
Gamma GT (GGT)	37.70	IU/L	11-50	OPTIMIZED SZAZING
Protein	6.28	gm/dl	6.2-8.0	BIRUET
Albumin	4.19	gm/dl	3.8-5.4	B.C.G.
Globulin	2.09	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	2.00		1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	107.60	U/L	42.0-165.0	IFCC METHOD
Bilirubin (Total)	0.85	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.34	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.51	mg/dl	< 0.8	JENDRASSIK & GROF
LIPID PROFILE (MINI) , Serum				
Cholesterol (Total)	177.00	mg/dl	<200 Desirable 200-239 Borderline Hi > 240 High	CHOD-PAP igh
HDL Cholesterol (Good Cholesterol)	48.70	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	108	mg/dl	< 100 Optimal 100-129 Nr. Optimal/Above Optim 130-159 Borderline Hi 160-189 High > 190 Very High	
VLDL	20.60	mg/dl	10-33	CALCULATED
Triglycerides	103.00	mg/dl	< 150 Normal 150-199 Borderline Hi 200-499 High >500 Very High	GPO-PAP igh



Dr. Seema Nagar(MD Path)

Add: 24/22, Vrindawan Bhawan, Karachi Khana, Kanpur

Ph: 9235432757,

CIN: U85110DL2003LC308206

: 26/Nov/2022 09:31:08 Patient Name : Mr.AMIT BANSAL - 53608 Registered On Age/Gender Collected : 43 Y 0 M 14 D /M : 26/Nov/2022 13:47:57 UHID/MR NO : IKNP.0000022068 Received : 26/Nov/2022 13:48:18 Visit ID : IKNP0051872223 Reported : 26/Nov/2022 18:30:11 Ref Doctor : Dr.MediWheel Knp Status : Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
URINE EXAMINATION, ROUTINE * , U	rine			
Color	LIGHT YELLOW			
Specific Gravity	1.015			
Reaction PH	Acidic (5.0)			DIPSTICK
Protein	ABSENT	mg %	< 10 Absent 10-40 (+) 40-200 (++) 200-500 (+++) > 500 (++++)	DIPSTICK
Sugar	ABSENT	gms%	< 0.5 (+) 0.5-1.0 (++) 1-2 (+++) > 2 (++++)	DIPSTICK
Ketone	ABSENT	mg/dl	0.2-2.81	BIOCHEMISTRY
Bile Salts	ABSENT			
Bile Pigments	ABSENT			
Urobilinogen(1:20 dilution)	ABSENT			
Microscopic Examination:				
Epithelial cells	1-2/h.p.f			MICROSCOPIC EXAMINATION
Pus cells	1-2/h.p.f			
RBCs	ABSENT			MICROSCOPIC EXAMINATION
Cast	ABSENT			
Crystals	ABSENT			MICROSCOPIC EXAMINATION
Others	ABSENT			
SUGAR, FASTING STAGE * , Urine				
Sugar, Fasting stage	ABSENT	gms%		
Interpretation:				

(+) < 0.5 (++) 0.5-1.0 (+++) 1-2

(++++) > 2

Add: 24/22, Vrindawan Bhawan, Karachi Khana, Kanpur

Ph: 9235432757,

CIN: U85110DL2003LC308206

Patient Name : 26/Nov/2022 09:31:08 : Mr.AMIT BANSAL - 53608 Registered On Age/Gender : 43 Y 0 M 14 D /M Collected : 26/Nov/2022 13:47:57 UHID/MR NO : IKNP.0000022068 Received : 26/Nov/2022 13:48:18 Visit ID : IKNP0051872223 Reported : 26/Nov/2022 18:30:11 Ref Doctor : Dr.MediWheel Knp Status : Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

SUGAR, PP STAGE * , Urine

Sugar, PP Stage ABSENT

Interpretation:

(+) < 0.5 gms%

(++) 0.5-1.0 gms%

(+++) 1-2 gms%

(++++) > 2 gms%

Dr. Seema Nagar(MD Path)

Add: 24/22, Vrindawan Bhawan, Karachi Khana, Kanpur

Ph: 9235432757,

CIN: U85110DL2003LC308206

Patient Name	: Mr.AMIT BANSAL - 53608	Registered On	: 26/Nov/2022 09:31:08
Age/Gender	: 43 Y 0 M 14 D /M	Collected	: 26/Nov/2022 10:43:07
UHID/MR NO	: IKNP.0000022068	Received	: 26/Nov/2022 10:43:45
Visit ID	: IKNP0051872223	Reported	: 26/Nov/2022 17:52:18
Ref Doctor	: Dr.MediWheel Knp	Status	: Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
THYROID PROFILE - TOTAL * , Serum				
T3, Total (tri-iodothyronine)	102.30	ng/dl	84.61-201.7	CLIA
T4, Total (Thyroxine)	6.32	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	5.21	μIU/mL	0.27 - 5.5	CLIA
Interpretation:				
-		0.3-4.5 μ IU/ml	L First Trimest	er
		0.5-4.6 μ IU/ml	L Second Trim	ester
		0.8-5.2 µIU/ml	L Third Trimes	ter
		0.5-8.9 μ IU/ml	L Adults	55-87 Years
		0.7-27 $\mu IU/ml$		28-36 Week
		2.3-13.2 $\mu IU/mI$		
		0.7-64 μ IU/mI	`	· · · · · · · · · · · · · · · · · · ·
		1-39 μIU/r		0-4 Days
		1.7-9.1 μIU/ml	L Child	2-20 Week

- 1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.
- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- 4) Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- 5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.
- 6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- **8**) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.



Dr. Seema Nagar(MD Path)

Add: 24/22, Vrindawan Bhawan, Karachi Khana, Kanpur

Ph: 9235432757,

CIN: U85110DL2003LC308206

Patient Name : Mr.AMIT BANSAL - 53608 Registered On : 26/Nov/2022 09:31:09

 Age/Gender
 : 43 Y 0 M 14 D /M
 Collected
 : N/A

 UHID/MR NO
 : IKNP.0000022068
 Received
 : N/A

Visit ID : IKNP0051872223 Reported : 26/Nov/2022 14:57:54

Ref Doctor : Dr.MediWheel Knp Status : Final Report

DEPARTMENT OF X-RAY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

X-RAY DIGITAL CHEST PA *

X- Ray Digital Chest P.A. View

- Lung fields are clear.
- Pleural spaces are clear.
- Both hilar shadows appear normal.
- Trachea and carina appear normal.
- Heart size within normal limits.
- Both the diaphragms appear normal.
- Soft tissues and Bony cage appear normal.

IMPRESSION

* NO OBVIOUS DETECTABLE ABNORMALITY SEEN

*** End Of Report ***

Result/s to Follow:

STOOL, ROUTINE EXAMINATION, ECG / EKG, ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER)



Dr Raveesh Chandra Roy (MD-Radio)

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing *

*Facilities Available at Select Location



olth Check up Booking Confirmed Request(bobE18996),Package Code-G10000238, Beneficiary Code-53608

ssage

25 November 2022 at 12:04

iwheel <customercare@policywheel.com> Mediwheel CC <customercare@mediwheel.in>, Mediwheel CC <mediwheelwellness@gmail.com>



011-41195959 Email:wellness@mediwheel.in

Diagnostic/Hospital Location :24/22 Vrindavan Bhawan, Karachi Khana, City: Kanpur

We have received the confirmation for the following booking.

Beneficiary Name: PKG10000238

Beneficiary Name: Amit bansal

: 46 Member Age

Member Gender : Male

Member Relation : Employee

Package Name

: Full Body Health Checkup Male Below 40 : KANPUR, Uttar Pradesh-208021

Location Contact Details

: 9369759266

Booking Date

: 31-10-2022

Appointment Date: 26-11-2022

Instructions to undergo Health Check:

- 1. Please ensure you are on complete fasting for 10-To-12-Hours prior to check.
- 2. During fasting time do not take any kind of medication, alcohol, cigarettes, tobacco or any other liquids (except Water) in the morning.
- 3. Bring urine sample in a container if possible (containers are available at the Health Check
- 4. Please bring all your medical prescriptions and previous health medical records with you.
- 5. Kindly inform the health check reception in case if you have a history of diabetes and cardiac problems.

- 1. Pregnant Women or those suspecting are advised not to undergo any X-Ray test.
- 2. It is advisable not to undergo any Health Check during menstrual cycle.

We request you to facilitate the employee on priority.



भारत सरकार

Government of India

अमित बंगल

Amit Bansal

जन्म तिथि/ DOB: 12/11/1979

पुरुष / MALE



7868 3079 9036

मेरा आधार, मेरी पहचान

ur noo repin o dieu

 \bowtie



उन्ह अद्भ = 508053

9806 6408 8984

Address: S/O Krishan Narain Agarwal, 232, Anandpuri, T P Nagar, Kanpur Nagar, Uttar Pradesh - 208023

पताः S/O कृष्ण नारायन अग्रवाल, 232, कानंदपुरी, टी॰ पी॰ नगर, कानपुर ज्यार

Unique Identification Authority of India

TOTABLIR FILESP SAIRIDI PILEMIS





cup Booking Confirmed Request bobb 1000

DR. A.K. GUPTA

M.B.B.S., D.C.P., I.A.P.M., P.M.H.S. Ex Chief Medical Superintendent Senior Consultant ASHMEE CARE

ULTRASOUND

CARDIO CENTRE

2D ECHO * COLOUR DOPPLER * ULTRASOUND * TMT * ECG

NAME OF PATIENT: MR.AMIT BANSAL

AGE: 43 SEX: M

REF.BY: DR. I.D.C

DATE: 26-11-2022

ULTRASOUND REPORT WHOLE ABDOMEN

LIVER : LIVER IS ENLARGED WITH FATTY CHANGES GRADE 2ND NO POCAL LESION

SEEN THE INTRA-HEPATIC BILLIARY RADICALS ARE NORMAL THE HEPATIC

VEINS ARE NORMAL.

PORTAL VIEN : NORMAL IN COURSE & CALIBER

GALL BLADDER : WELL DISTENDED, NORMAL WALL THICKNESS .IT HAS AN ECHO FREE LUMEN &

THERE IS NO EVIDENCE OF GALLSTONES

CBD : NORMAL IN COURSE & CALIBER.

PANCREAS : NORMAL IN SIZE, SHAPE AND ECHO TEXTURE. PANCREATIC DUCT IS NORMAL IN

COURSE & CALIBER. NO FOCAL LESION SEEN.

RT. KIDNEY : NORMAL IN SIZE, POSITION AND AXIS. THE CORTICOMEDULLARY

DIFFERENTIATION IS WELL MAINTAINED. NO CALCULUS/HYDRONEPHROSIS

LESION SEEN.

LT. KIDNEY : NORMAL IN SIZE. POSITION AND AXIS. THE CORTICOMEDULLARY

DIFFERENTIATION IS WELL MAINTAINED. NO CALCULUS/HYDRONEPHROSIS

LESION SEEN.

SPLEEN : SPLEEN IS NORMAL IN SIZE 121. 1MM .SPLENIC VEIN IS NORMAL IN

DIAMETER.

U. BLADDER : NORMAL IN SIZE SHAPE AND OUTLINE, ITS WALL THICKNESS IS NORMAL, NO

INTRALUMINAL MASS LESION/CALCULUS NOTED. RESIDUAL URINE VOLUME 4

ML

PROSTATE : PROSTATE IS NORMAL IN SIZE WEIGHT 14.2GMS

IMPRESSION: HEPATOMEGALY WITH FATTY CHANGES GRADE 2ND

SONOLOGIST

PNDT Registration No- PNDT/REG/94/2012

DR. RACHIT GUPTA

Attending Cardiologist, MD (Physician)
PG Diploma in Clinical Cardiology

SHOP NO.37/54, CAPITAL TOWER, MESTON ROAD, KANPUR NAGAR - 208001 * M.: 9307775184

Note: This report is to help clinician for better patient management. Discrepancies due to technical or typing errors should be reported within three days for correction. No compensation liability stands.







Chandan Diagnostic



Age / Gender: 43/Male


Date and Time: 26th Nov 22 10:14 AM

Patient ID:

IKNP0051872223

Patient Name:

Mr.AMIT BANSAL - 53608



Sinus Rhythm, Normal Axis, Nonspecific T wave Abnormality. Please correlate clinically.


AUTHORIZED BY

amt B

Dr. Charit MD, DM: Cardiology

63382

REPORTED BY



MD, DM: Cardiology

Disclaimer: Analysis in this report is based on ECG alone and should only be used as an adjunct to clinical history, symptoms and results of other invasive and non-invasive tests and must be interpreted by a qualified physician.