PID No.
 : MED111034351
 Register On
 : 26/03/2022 8:19 AM

 SID No.
 : 922018274
 Collection On
 : 26/03/2022 8:36 AM

 Age / Sex
 : 36 Year(s) / Male
 Report On
 : 27/03/2022 10:41 AM

**Printed On** 



Type : OP

Ref. Dr : MediWheel

Investigation  HAEMATOLOGY	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Complete Blood Count With - ESR			
Haemoglobin (EDTA Blood/Spectrophotometry)	14.9	g/dL	13.5 - 18.0
Packed Cell Volume(PCV)/Haematocrit (EDTA Blood/Derived from Impedance)	43.7	%	42 - 52
RBC Count (EDTA Blood/Impedance Variation)	5.11	mill/cu.mm	4.7 - 6.0
Mean Corpuscular Volume(MCV) (EDTA Blood/Derived from Impedance)	86.0	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (EDTA Blood/Derived from Impedance)	29.1	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (EDTA Blood/Derived from Impedance)	34.0	g/dL	32 - 36
RDW-CV (EDTA Blood/Derived from Impedance)	13.3	%	11.5 - 16.0
RDW-SD (EDTA Blood/Derived from Impedance)	40.03	fL	39 - 46
Total Leukocyte Count (TC) (EDTA Blood/Impedance Variation)	6500	cells/cu.mm	4000 - 11000
Neutrophils (EDTA Blood/Impedance Variation & Flow Cytometry)	41.0	%	40 - 75
Lymphocytes (EDTA Blood/Impedance Variation & Flow Cytometry)	49.2	%	20 - 45
Eosinophils (EDTA Blood/Impedance Variation & Flow Cytometry)	2.8	%	01 - 06

: 29/03/2022 6:06 PM



**VERIFIED BY** 



: MediWheel

PID No. : MED111034351 Register On : 26/03/2022 8:19 AM : 922018274 SID No. Collection On : 26/03/2022 8:36 AM Age / Sex : 36 Year(s) / Male Report On : 27/03/2022 10:41 AM

: OP Type

Ref. Dr

**Printed On** : 29/03/2022 6:06 PM

Investigation	Observed <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Monocytes (EDTA Blood/Impedance Variation & Flow Cytometry)	6.4	%	01 - 10
Basophils (EDTA Blood/Impedance Variation & Flow Cytometry)	0.6	%	00 - 02
Absolute Neutrophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	2.67	10^3 / μ1	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	3.20	10^3 / μl	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood/Impedance Variation & Flow Cytometry)	0.18	10^3 / μl	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.42	10^3 / μΙ	< 1.0
Absolute Basophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.04	10^3 / μΙ	< 0.2
Platelet Count (EDTA Blood/Impedance Variation)	271	10^3 / μl	150 - 450
MPV (EDTA Blood/Derived from Impedance)	8.5	fL	7.9 - 13.7
PCT (EDTA Blood/Automated Blood cell Counter)	0.23	%	0.18 - 0.28

10



**VERIFIED BY** 



< 15

mm/hr

**APPROVED BY** 

ESR (Erythrocyte Sedimentation Rate)

(EDTA Blood Modified Westergren)

: MediWheel

 PID No.
 : MED111034351
 Register On
 : 26/03/2022 8:19 AM

 SID No.
 : 922018274
 Collection On
 : 26/03/2022 8:36 AM

 Age / Sex
 : 36 Year(s) / Male
 Report On
 : 27/03/2022 10:41 AM



Type : OP

Ref. Dr

Printed On : 29/03/2022 6:06 PM

Investigation	Observed <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
<b>BIOCHEMISTRY</b>			
Liver Function Test			
Bilirubin(Total) (Serum/Diazotized Sulfanilic Acid)	1.0	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.2	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.8	mg/dL	0.1 - 1.0
Total Protein (Serum/Biuret)	7.7	gm/dL	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.9	gm/dL	3.5 - 5.2
Globulin (Serum/Derived)	2.8	gm/dL	2.3 - 3.6
A : G Ratio (Serum/Derived)	1.8		1.1 - 2.2
SGOT/AST (Aspartate Aminotransferase) (Serum/IFCC Kinetic)	28	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/IFCC / Kinetic)	46	U/L	5 - 41
Alkaline Phosphatase (SAP) (Serum/IFCC Kinetic)	100	U/L	53 - 128
GGT(Gamma Glutamyl Transpeptidase)	39	U/L	< 55



(Serum/SZASZ standarised IFCC)

**VERIFIED BY** 



 PID No.
 : MED111034351
 Register On
 : 26/03/2022 8:19 AM

 SID No.
 : 922018274
 Collection On
 : 26/03/2022 8:36 AM

 Age / Sex
 : 36 Year(s) / Male
 Report On
 : 27/03/2022 10:41 AM



Type : OP

: OP Printed On

Ref. Dr : MediWheel

Investigation	Observed Value	<u>Unit</u>	<u>Biological</u> Reference Interval
<u>Lipid Profile</u>			
Cholesterol Total (Serum/Cholesterol oxidase/Peroxidase)	224	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/Glycerol phosphate oxidase / peroxidase)	176	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

29/03/2022 6:06 PM

**INTERPRETATION:** The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the "usual" circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immunoinhibition)	31	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 40 - 59 High Risk: < 40
LDL Cholesterol (Serum/Calculated)	157.8	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >=190
VLDL Cholesterol (Serum/Calculated)	35.2	mg/dL	< 30
Non HDL Cholesterol (Serum/Calculated)	193.0	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220

**INTERPRETATION:** 1. Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol. 2. It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.



VERIFIED BY



 PID No.
 : MED111034351
 Register On
 : 26/03/2022 8:19 AM

 SID No.
 : 922018274
 Collection On
 : 26/03/2022 8:36 AM

 Age / Sex
 : 36 Year(s) / Male
 Report On
 : 27/03/2022 10:41 AM

**Printed On** 

MEDALL

Ref. Dr : MediWheel

: OP

Type

Investigation	Observed <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Total Cholesterol/HDL Cholesterol Ratio (Serum/Calculated)	7.2		Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/Calculated)	5.7		Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
LDL/HDL Cholesterol Ratio (Serum/Calculated)	5.1		Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0

: 29/03/2022 6:06 PM



**VERIFIED BY** 



 PID No.
 : MED111034351
 Register On
 : 26/03/2022 8:19 AM

 SID No.
 : 922018274
 Collection On
 : 26/03/2022 8:36 AM

 Age / Sex
 : 36 Year(s) / Male
 Report On
 : 27/03/2022 10:41 AM



Type : OP Printed On

Ref. Dr : MediWheel

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Glycosylated Haemoglobin (HbA1c)			
HbA1C (Whole Blood/HPLC)	6.0	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5

: 29/03/2022 6:06 PM

INTERPRETATION: If Diabetes - Good control: 6.1 - 7.0 %, Fair control: 7.1 - 8.0 %, Poor control >= 8.1 %

Estimated Average Glucose 125.5 mg/dL

(Whole Blood)

#### **INTERPRETATION: Comments**

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency,

hypertriglyceridemia,hyperbilirubinemia,Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbAlC values. Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly,Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbAlc.







Age / Sex : 36 Year(s) / Male

 PID No.
 : MED111034351
 Register On
 : 26/03/2022 8:19 AM

 SID No.
 : 922018274
 Collection On
 : 26/03/2022 8:36 AM

**Report On** : 27/03/2022 10:41 AM

Type : OP Printed On : 29/03/2022 6:06 PM

Ref. Dr : MediWheel



<u>Investigation</u>	<u>Observed</u>	<u>Unit</u>	<u>Biological</u>
	Value		Reference Interval

## **IMMUNOASSAY**

#### THYROID PROFILE / TFT

T3 (Triiodothyronine) - Total 1.38 ng/mL 0.7 - 2.04

(Serum/CMIA)

#### INTERPRETATION:

#### **Comment:**

Total T3 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T3 is recommended as it is Metabolically active.

T4 (Thyroxine) - Total 11.01  $\mu g/dL$  4.2 - 12.0

(Serum/CMIA)

#### INTERPRETATION:

#### Comment:

Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active.

TSH (Thyroid Stimulating Hormone) 4.89 µIU/mL 0.35 - 5.50

(Serum/Chemiluminescent Microparticle

Immunoassay(CMIA))

#### INTERPRETATION:

Reference range for cord blood - upto 20

1 st trimester: 0.1-2.5 2 nd trimester 0.2-3.0 3 rd trimester : 0.3-3.0

(Indian Thyroid Society Guidelines)

#### Comment

- 1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI.
- 2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM. The variation can be of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations.
- 3. Values&amplt 0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.



 PID No.
 : MED111034351
 Register On
 : 26/03/2022 8:19 AM

 SID No.
 : 922018274
 Collection On
 : 26/03/2022 8:36 AM

 Age / Sex
 : 36 Year(s) / Male
 Report On
 : 27/03/2022 10:41 AM



Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed</u>	<u>Unit</u>	<u>Biological</u>
	Value		Reference Interval

# **CLINICAL PATHOLOGY**

### **PHYSICAL EXAMINATION**

Colour (Urine)	Pale yellow		
Appearance (Urine)	Clear		Clear
Volume (Urine)	15	mL	
<u>CHEMICAL EXAMINATION(Automated-Urineanalyser)</u>			
pH (Urine/AUTOMATED URINANALYSER)	6.5		4.5 - 8.0
Specific Gravity	1.005		1.002 - 1.03

Specific Gravity (Urine)	1.005	1.002 - 1.035
Ketones	Negative	Negative
(Urine)		
Urobilinogen	0.2	0.2 - 1.0

(Urine/AUTOMATED URINANALYSER)

Blood Negative (Urine/AUTOMATED URINANALYSER)

Nitrite Negative Negative

(Urine/AUTOMATED URINANALYSER)

Bilirubin Negative Negative

(Urine/AUTOMATED URINANALYSER)

Protein Negative Negative

(Urine)

Glucose Negative Negative (Urine)



**VERIFIED BY** 



 PID No.
 : MED111034351
 Register On
 : 26/03/2022 8:19 AM

 SID No.
 : 922018274
 Collection On
 : 26/03/2022 8:36 AM

 Age / Sex
 : 36 Year(s) / Male
 Report On
 : 27/03/2022 10:41 AM



Type : OP

Printed On : 29/03/2022 6:06 PM

Ref. Dr : MediWheel

Investigation	Observed <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Leukocytes (Urine)  MICROSCOPY(URINE DEPOSITS)	Negative	leuco/uL	Negative
Pus Cells (Urine/Flow cytometry)	3-4	/hpf	3-5
Epithelial Cells (Urine)	1-2	/hpf	1-2
RBCs (Urine/Flow cytometry)	Nil	/hpf	NIL
Others (Urine)	Nil		Nil
Casts (Urine/Flow cytometry)	Nil	/hpf	0 - 1
Crystals (Urine)	Nil		NIL



VERIFIED BY



 PID No.
 : MED111034351
 Register On
 : 26/03/2022 8:19 AM

 SID No.
 : 922018274
 Collection On
 : 26/03/2022 8:36 AM

 Age / Sex
 : 36 Year(s) / Male
 Report On
 : 27/03/2022 10:41 AM

MEDALL

Type : OP Printed On : 29/03/2022 6:06 PM

Ref. Dr : MediWheel

Investigation	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
<b>BIOCHEMISTRY</b>			
BUN / Creatinine Ratio	9		6 - 22
Glucose Fasting (FBS) (Plasma - F/GOD - POD)	85	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

**INTERPRETATION:** Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose Fasting - Urine (Urine - F)	Negative		Negative
Glucose Postprandial (PPBS)	85	mg/dL	70 - 140
(Plasma - PP/GOD - POD)			

## INTERPRETATION:

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Glucose Postprandial - Urine (Urine - PP)	Negative		Negative
Blood Urea Nitrogen (BUN) (Serum/Urease-GLDH)	7	mg/dL	7.0 - 21
Creatinine (Serum/Jaffe Kinetic)	0.8	mg/dL	0.9 - 1.3

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin, cefazolin, ACE inhibitors, angiotensin II receptor antagonists, N-acetylcyteine, chemotherapeutic agent such as flucytosine etc.

Uric Acid 6.5 mg/dL 3.5 - 7.2 (Serum/*Uricase/Peroxidase*)



**VERIFIED BY** 



PID No. : MED111034351 Register On : 26/03/2022 8:19 AM : 922018274 SID No. Collection On : 26/03/2022 8:36 AM Age / Sex : 36 Year(s) / Male Report On : 27/03/2022 10:41 AM

: OP **Type** 

**Printed On** : 29/03/2022 6:06 PM

Ref. Dr : MediWheel

Investigation **Observed** <u>Unit</u> **Biological** Value Reference Interval

# **IMMUNOHAEMATOLOGY**

BLOOD GROUPING AND Rh TYPING 'O' 'Positive'

 $({\rm EDTA~Blood} Agglutination)$ 





**APPROVED BY** 

-- End of Report --

Patient MED111034351 Id Patient MR.YALLAPPA C(36Y/MALE) Name





Signature:

# Sign-up & Health Assessment Form

To be filled by Customer					
ame: Mr/Ms/Mrs Y A L L P P A					
ender:	O Male O Female Age:	3 C years DOB: / /			
lobile:		Pincode:			
mail:					
		To be filled by	Customer	Consider a constant	
		Medical Hi			
	3	Have you been previously diagnosed with?	***************************************		
	Bar code	Diabetes (Sugar)	O Yes	O No	
	1	Hypertension (BP)	O Yes	O No	
12 18	i i	Cardiovascular Disease (Heart)	O Yes	O No	
	Vitals	Asthma/Allergies (Dust, Pollen, Food, Animals, etc.)	O Yes	O No	
To	be filled by Technician	Neurological Problems (Nerve)	O Yes	O No	
Height:	166. cms	Are you currently taking medications for?  Diabetes (Sugar)	O Yes	<b>O</b>	
		Hypertension (BP)	O yes	О no О no	
Waist:	35 . in.	Cardiovascular Disease (Heart)	O Yes	. O No	
Hip:	3 <b>g</b> in.	Liver Disease	O Yes	O No	
Weight:	70 . 2 kg	Cancer .	O Yes	O No	
Fat:	27 60	Tuberculosis (TB)	O Yes	O No	
	Fat: 27.6% Family History  Is there a history of below diseases in your family?				
Visc. Fat:	110.5%	Diabetes (Sugar)	O Yes	О No	
RM:	1580 cal	Hypertension (BP)	O Yes	O No	
BMI:	25.5 kg/m²	Cardiovascular Disease (Heart) O Yes O No			
Body Age:	45 years	Cancer O Yes O No  Lifestyle			
		Do you exercise regularly?	O Yes	O No	
Sys. BP:	12 3 mmHg	Do you consume alcohol more than 2 times a week?	O yes	O No	
Dia. BP:	83 mmHg	Do you smoke/chew tobacco?	O Yes	O No	
		Are you vegetarian?	O Yes	O No	
	1	General  Do you see a doctor at least once in 6 months?	O Yes	O	
	*	Do you undergo a health checkup every year?	O Yes	O No O No	
		How would you rate your overall Health?	0 0	0 0	
Excellent Good Normal Poor Very Poor Women's Health					
		Is there a family history of Breast Cancer?	O Yes	O No	
		Is there a family history of Endometrial (Uterus) Cancer?	O Yes	O No	
		Is there a family history of Ovarian Cancer?	O Yes	O No	
		Do you have irregular periods?	O Yes	O No	
		Do you have heavy bleeding during periods?	O Yes	O No	
•	*	Do you have scanty periods?	O Yes	O No	
		Have you attained Menopause?	O Yes	O No	
		Do you have children?	O Yes	O No	
		Was it a normal delivery?	O Yes	O No	
	***************************************	Did you have diabetes/hypertension during delivery?	O Yes	O No	

Customer Name	C. YALLAPPA	Customer ID	111034357
Age & Gender	36- MALE	Visit Date	26:03:2021

Eye Screening

With spectacles / without spectacles (strike out whichever is not applicable)

Right Eye
Near Vision

Near Vision

Near Vision

Near Vision


Normal

Observation / Comments: - W To mal

Sontinue Same Glasser.

Dr. RAVI V. HALAKATTI M.S. (OPHTH)

Regd. No. 11801





Name	YALLAPPA C	Customer ID	MED111034351
Age & Gender	36Y/M	Visit Date	Mar 26 2022 8:18AM
Ref Doctor	MediWheel	-	

## X-RAY CHEST PA VIEW

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

Impression: Essentially normal study.

6×.

DR. H.K. ANAND

DR. SHWETHA S

DR. PRAJNA SHENOY

DR. MAHESH M S

CONSULTANT RADIOLOGISTS



Name	MR.YALLAPPA C	ID	MED111034351
Age & Gender	36Y/MALE	Visit Date	26/03/2022
Ref Doctor	MediWheel		

## ABDOMINO-PELVIC ULTRASONOGRAPHY

LIVER is normal in shape, size and has increased echopattern. No evidence of focal lesion or intrahepatic biliary ductal dilatation. Hepatic and portal vein radicals are normal.

GALL BLADDER show normal shape and has clear contents. Gall bladder wall is of normal thickness. CBD is of normal calibre.

**PANCREAS** has normal shape, size and uniform echopattern. No evidence of ductal dilatation or calcification.

**SPLEEN** show normal shape, size and echopattern.

No demonstrable Para -aortic lymphadenopathy.

KIDNEYS move well with respiration and have normal shape, size and echopattern.

Cortico- medullary differentiations are well madeout.

No evidence of calculus or hydronephrosis.

The kidney measures as follows

	Bipolar length (cms)	Parenchymal thickness (cms)
Right Kidney	10.3	1.7
Left Kidney	9.6	1.9

URINARY BLADDER show normal shape and wall thickness.

It has clear contents. No evidence of diverticula.

**PROSTATE** shows normal shape, size (wt – 17.7gms) and echopattern.

DR. PRAJNA SHENOY

No evidence of ascites.

Impression: Increased hepatic echopattern suggestive of fatty infiltration

CONSULTANT RADIOLOGISTS:

DR. MAHESH. M. S

DR. RADHA KRISHNA. A.

DR. HIMA BINDU.P Ms/pu

DR. H. K. ANAND





Name	MR.YALLAPPA C	ID	MED111034351
Age & Gender	36Y/MALE	Visit Date	26/03/2022
Ref Doctor	MediWheel		

## **2D ECHOCARDIOGRAPHIC STUDY**

## M mode measurement:

AORTA : 2.49 cms

LEFT ATRIUM : 2.69 cms

AVS : 1.35 cms

LEFT VENTRICLE (DIASTOLE) : 3.67 cms

(SYSTOLE) : 2.24 cms

VENTRICULAR SEPTUM (DIASTOLE) : 1.06 cms

(SYSTOLE) : 1.51 cms

POSTERIOR WALL (DIASTOLE) : 0.94 cms

(SYSTOLE) : 2.20 cms

EDV : 57 ml

ESV : 17 ml

FRACTIONAL SHORTENING : 35 %

EJECTION FRACTION : 65 %

EPSS : cms

RVID : 2.04 cms

# **DOPPLER MEASUREMENTS**

MITRAL VALVE : 'E' -0.97 m/s 'A' -0.54m/s TRIVIAL MR

AORTIC VALVE :1.29 m/s NO AR.

TRICUSPID VALVE : PASP : 22 mmHg TRIVIAL TR

PULMONARY VALVE :0.84 m/s NO PR



Name	MR.YALLAPPA C	ID	MED111034351
Age & Gender	36Y/MALE	Visit Date	26/03/2022
Ref Doctor	MediWheel		

:2:

## **2D ECHOCARDIOGRAPHY FINDINGS:**

Left Ventricle : Normal size, Normal systolic function.

No regional wall motion abnormalities

Left Atrium : Normal

Right Ventricle : Normal

Right Atrium : Normal.

Mitral valve : Normal, No mitral valve prolapse.

Aortic valve : Normal, Trileaflet

Tricuspid valve : Normal.

Pulmonary valve : Normal.

IAS : Intact.

IVS : Intact.

Pericardium : No Pericardial effusion.

## **IMPRESSION:**

> TRIVIAL MITRAL REGURGITATION

> TRIVIAL TRICUSPID REGURGITATION. PASP: 22 mmHg

> NORMAL SIZED CARDIAC CHAMBERS.

> NORMAL LV SYSTOLIC FUNCTION. EF: 65 %

> NO REGIONAL WALL MOTION ABNORMALITIES.

NO CLOTS / PERICARDIAL EFFUSION / VEGETATION.

(KINDLY CORRELATE CLINICALLY AND WITH ECG)

DR.SRIDHAR.L MD,DM,FICC. CONSULTANT CARDIOLOGIST Ls/ml

Dr. SRIDHAR .L MD,(Med), DM(Cardio), FICC Interventional Gardiologist K.M.C. No.: 32248

