PID No.
 : MED111034413
 Register On
 : 26/03/2022 8:42 AM

 SID No.
 : 922018285
 Collection On
 : 26/03/2022 10:08 AM

 Age / Sex
 : 29 Year(s) / Male
 Report On
 : 27/03/2022 3:35 PM

Ref. Dr : MediWheel



Investigation HAEMATOLOGY	Observed <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Complete Blood Count With - ESR			
Haemoglobin (EDTA Blood/Spectrophotometry)	14.9	g/dL	13.5 - 18.0
Packed Cell Volume(PCV)/Haematocrit (EDTA Blood/Derived from Impedance)	45.0	%	42 - 52
RBC Count (EDTA Blood/Impedance Variation)	5.00	mill/cu.mm	4.7 - 6.0
Mean Corpuscular Volume(MCV) (EDTA Blood/Derived from Impedance)	90.0	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (EDTA Blood/Derived from Impedance)	29.7	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (EDTA Blood/Derived from Impedance)	33.0	g/dL	32 - 36
RDW-CV (EDTA Blood/Derived from Impedance)	13.7	%	11.5 - 16.0
RDW-SD (EDTA Blood/Derived from Impedance)	43.16	fL	39 - 46
Total Leukocyte Count (TC) (EDTA Blood/Impedance Variation)	5100	cells/cu.mm	4000 - 11000
Neutrophils (EDTA Blood/Impedance Variation & Flow Cytometry)	50.5	%	40 - 75
Lymphocytes (EDTA Blood/Impedance Variation & Flow Cytometry)	35.1	%	20 - 45
Eosinophils (EDTA Blood/Impedance Variation & Flow Cytometry)	7.6	%	01 - 06



VERIFIED BY



 PID No.
 : MED111034413
 Register On
 : 26/03/2022 8:42 AM

 SID No.
 : 922018285
 Collection On
 : 26/03/2022 10:08 AM

 Age / Sex
 : 29 Year(s) / Male
 Report On
 : 27/03/2022 3:35 PM

Type : OP Printed On : 29/03/2022 5:57 PM

Ref. Dr : MediWheel



Investigation	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Monocytes (EDTA Blood/Impedance Variation & Flow Cytometry)	6.1	%	01 - 10
Basophils (EDTA Blood/Impedance Variation & Flow Cytometry)	0.7	%	00 - 02
Absolute Neutrophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	2.58	10^3 / μl	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	1.79	10^3 / μl	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood/Impedance Variation & Flow Cytometry)	0.39	10^3 / μl	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.31	10^3 / μl	< 1.0
Absolute Basophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.04	10^3 / μl	< 0.2
Platelet Count (EDTA Blood/Impedance Variation)	225	10^3 / μl	150 - 450
MPV (EDTA Blood/Derived from Impedance)	10.8	fL	7.9 - 13.7
PCT (EDTA Blood/Automated Blood cell Counter)	0.24	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (EDTA Blood/Modified Westergren)	3	mm/hr	< 15



VERIFIED BY



 PID No.
 : MED111034413
 Register On
 : 26/03/2022 8:42 AM

 SID No.
 : 922018285
 Collection On
 : 26/03/2022 10:08 AM

 Age / Sex
 : 29 Year(s) / Male
 Report On
 : 27/03/2022 3:25 DM

 Age / Sex
 : 29 Year(s) / Male
 Report On
 : 27/03/2022 3:35 PM

 Type
 : OP
 Printed On
 : 29/03/2022 5:57 PM

Ref. Dr : MediWheel



Investigation	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
BIOCHEMISTRY			
Liver Function Test			
Bilirubin(Total) (Serum/Diazotized Sulfanilic Acid)	0.4	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.3	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.1	mg/dL	0.1 - 1.0
Total Protein (Serum/Biuret)	6.9	gm/dL	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.4	gm/dL	3.5 - 5.2
Globulin (Serum/Derived)	2.5	gm/dL	2.3 - 3.6
A : G Ratio (Serum/Derived)	1.8		1.1 - 2.2
SGOT/AST (Aspartate Aminotransferase) (Serum/IFCC Kinetic)	35	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/IFCC / Kinetic)	69	U/L	5 - 41
Alkaline Phosphatase (SAP) (Serum/IFCC Kinetic)	120	U/L	53 - 128
GGT(Gamma Glutamyl Transpeptidase) (Serum/SZASZ standarised IFCC)	36	U/L	< 55



VERIFIED BY



PID No. : MED111034413 Register On : 26/03/2022 8:42 AM : 922018285 SID No. Collection On : 26/03/2022 10:08 AM : 29 Year(s) / Male Report On

27/03/2022 3:35 PM

Type : OP : 29/03/2022 5:57 PM **Printed On**

Ref. Dr : MediWheel

Age / Sex



Investigation	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
<u>Lipid Profile</u>			
Cholesterol Total (Serum/Cholesterol oxidase/Peroxidase)	163	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/Glycerol phosphate oxidase / peroxidase)	92	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

INTERPRETATION: The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the "usual" circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immunoinhibition)	42	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 40 - 59 High Risk: < 40
LDL Cholesterol (Serum/Calculated)	102.6	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL Cholesterol (Serum/Calculated)	18.4	mg/dL	< 30
Non HDL Cholesterol (Serum/Calculated)	121.0	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220

INTERPRETATION: 1. Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol. 2.It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.



VERIFIED BY



 PID No.
 : MED111034413
 Register On
 : 26/03/2022 8:42 AM

 SID No.
 : 922018285
 Collection On
 : 26/03/2022 10:08 AM

 Age / Sex
 : 29 Year(s) / Male
 Report On
 : 27/03/2022 3:35 PM

Type : OP Printed On : 29/03/2022 5:57 PM

Ref. Dr : MediWheel



Investigation	Observed <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Total Cholesterol/HDL Cholesterol Ratio (Serum/Calculated)	3.9		Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/Calculated)	2.2		Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
LDL/HDL Cholesterol Ratio (Serum/Calculated)	2.4		Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0



VERIFIED BY



 PID No.
 : MED111034413
 Register On
 : 26/03/2022 8:42 AM

 SID No.
 : 922018285
 Collection On
 : 26/03/2022 10:08 AM

Age / Sex : 29 Year(s) / Male Report On : 27/03/2022 3:35 PM

Ref. Dr : MediWheel



Investigation Glycosylated Haemoglobin (HbA1c)	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
HbA1C (Whole Blood/HPLC)	6.7	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5

INTERPRETATION: If Diabetes - Good control: 6.1 - 7.0 %, Fair control: 7.1 - 8.0 %, Poor control >= 8.1 %

Estimated Average Glucose 145.59 mg/dL

(Whole Blood)

INTERPRETATION: Comments

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency,

hypertriglyceridemia,hyperbilirubinemia,Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbA1C values. Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly,Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.



VERIFIED BY



Name : Mr. CHINTAPALLI S

VIJAYAKIRAN REDDY

Age / Sex : 29 Year(s) / Male **Report On** : 27/03/2022 3:35 PM

Type : OP Printed On : 29/03/2022 5:57 PM

Ref. Dr : MediWheel

Investigation	<u>Observed</u>	<u>Unit</u>	<u>Biological</u>
	Value		Reference Interval

IMMUNOASSAY

THYROID PROFILE / TFT

T3 (Triiodothyronine) - Total 1.56 ng/mL 0.7 - 2.04

(Serum/CMIA)

INTERPRETATION:

Comment:

Total T3 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T3 is recommended as it is Metabolically active.

T4 (Thyroxine) - Total 9.91 μg/dL 4.2 - 12.0

(Serum/CMIA)

INTERPRETATION:

Comment:

Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active.

TSH (Thyroid Stimulating Hormone) 1.67 µIU/mL 0.35 - 5.50

(Serum/Chemiluminescent Microparticle

Immunoassay(CMIA))

INTERPRETATION:

Reference range for cord blood - upto 20

1 st trimester: 0.1-2.5 2 nd trimester 0.2-3.0 3 rd trimester : 0.3-3.0

(Indian Thyroid Society Guidelines)

Comment

- 1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI.
- 2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM. The variation can be of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations.
- 3. Values&lt 0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.



 PID No.
 : MED111034413
 Register On
 : 26/03/2022 8:42 AM

 SID No.
 : 922018285
 Collection On
 : 26/03/2022 10:08 AM

Ref. Dr : MediWheel



Investigation	Observed <u>Value</u>	<u>Unit</u>	<u>Biological</u> Reference Interval
CLINICAL PATHOLOGY			
PHYSICAL EXAMINATION			
Colour	Pale Yellow		

Appearance Clear Clear (Urine)

Volume 15 mL

(Urine)

Colour (Urine)

<u>CHEMICAL EXAMINATION(Automated-Urineanalyser)</u>

pH	5.0	4.5 - 8.0
(Urine/AUTOMATED URINANALYSER)		

Specific Gravity 1.020 1.002 - 1.035

(Urine)

Ketones Negative Negative

(Urine)

Urobilinogen 0.2 0.2 - 1.0

(Urine/AUTOMATED URINANALYSER)

Blood Negative Negative

(Urine/AUTOMATED URINANALYSER)

Nitrite Negative Negative

(Urine/AUTOMATED URINANALYSER)

Bilirubin Negative Negative

 $(Urine/A\,UTOMATED\,\,URINANALYSER)$

Protein Negative Negative

(Urine)

Glucose Negative Negative

(Urine)



VERIFIED BY



 PID No.
 : MED111034413
 Register On
 : 26/03/2022 8:42 AM

 SID No.
 : 922018285
 Collection On
 : 26/03/2022 10:08 AM

 Age / Sex
 : 29 Year(s) / Male
 Report On
 : 27/03/2022 3:35 PM

Type : OP Printed On : 29/03/2022 5:57 PM

Ref. Dr : MediWheel



Investigation	Observed <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Leukocytes (Urine) MICROSCOPY(URINE DEPOSITS)	Negative	leuco/uL	Negative
Pus Cells (Urine/Flow cytometry)	1-2	/hpf	3-5
Epithelial Cells (Urine)	1-2	/hpf	1-2
RBCs (Urine/Flow cytometry)	Nil	/hpf	NIL
Others (Urine)	Nil		Nil
Casts (Urine/Flow cytometry)	Nil	/hpf	0 - 1
Crystals (Urine)	Nil		NIL



VERIFIED BY



: 29 Year(s) / Male

MED111001110

 PID No.
 : MED111034413
 Register On
 : 26/03/2022 8:42 AM

 SID No.
 : 922018285
 Collection On
 : 26/03/2022 10:08 AM

Report On

Type : OP Printed On : 29/03/2022 5:57 PM

Ref. Dr : MediWheel

Age / Sex



Investigation BIOCHEMISTRY	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
BUN / Creatinine Ratio	10		6 - 22
Glucose Fasting (FBS) (Plasma - F/GOD - POD)	115	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

27/03/2022 3:35 PM

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose Fasting - Urine	Negative		Negative
(Urine - F)			
Glucose Postprandial (PPBS)	144	mg/dL	70 - 140
(Plasma - PP/GOD - POD)			

INTERPRETATION:

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Glucose Postprandial - Urine (Urine - PP)	Negative		Negative
Blood Urea Nitrogen (BUN) (Serum/Urease-GLDH)	8	mg/dL	7.0 - 21
Creatinine (Serum/Jaffe Kinetic)	0.8	mg/dL	0.9 - 1.3

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin, cefazolin, ACE inhibitors, angiotensin II receptor antagonists, N-acetylcyteine, chemotherapeutic agent such as flucytosine etc.

Uric Acid 5.6 mg/dL 3.5 - 7.2 (Serum/*Uricase/Peroxidase*)



VERIFIED BY



Name : Mr. CHINTAPALLI S

VIJAYAKIRAN REDDY

Ref. Dr : MediWheel

MEDALL

InvestigationObservedUnitBiologicalValueReference Interval

IMMUNOHAEMATOLOGY

BLOOD GROUPING AND Rh TYPING 'O' 'Positive'

 $(\hbox{EDTA Blood} Agglutination)$





APPROVED BY

-- End of Report --

Patient MED111034413
Id
Patient MR.CHINTAPALLI S VIJAYAKIRAN REDDY(29Y/MALE)
Name





Signature:

Sign-up & Health Assessment Form

To be filled by Customer					
ame: Mr/I	VIS/Mrs CHINTA	PALLI			recession
ender:	Male O Female Age:	2 9 years DOB: 0 4 / 1	11199	12	SOURCE .
lobile:		Pincode:			
mail:	VIBAYHI	2 AN R E D D Y 2 2 @ G	MA112	- COM	(PANENI)
		To be filled by			-
		Medical I Have you been previously diagnosed with?	History		POPPE
		Diabetes (Sugar)			www.
	Bar code	Hypertension (BP)	O Yes	O No	
		Cardiovascular Disease (Heart)	O Yes	O No	
		Asthma/Allergies (Dust, Pollen, Food, Animals, etc.)	O Yes	O No	
	Vitals	Neurological Problems (Nerve)	O Yes	O No	
To	be filled by Technician	Are you currently taking medications for?	O Yes	О No	rans
Height:	179. cms	Diabetes (Sugar)	O Yes	O No	ateon
		Hypertension (BP)	O Yes	O No	
Waist:	[39] [.] In.	Cardiovascular Disease (Heart)	O Yes	O No	
Hip:	41 . in.	Liver Disease	O Yes	O No	
Weight:	88.6 kg	Cancer	O Yes	O No	
		Tuberculosis (TB)	O yes	O No	
Fat:	27.19%	Family Hi	story		
Visc. Fat:	12. %	Is there a history of below diseases in your family?			~~~
RM:	1 8 8 1 cal	Diabetes (Sugar)	O Yes	O No	
KIVI:	\$	Hypertension (BP)	O Yes	O No	
BMI:	27.7 kg/m²	Cardiovascular Disease (Heart) Cancer	O Yes	O No	
Body Age:	A 8 years	Lifesty	O Yes le	O No	2000000
		Do you exercise regularly?	O Yes	O No	District
Sys. BP:	1002 mmHg	Do you consume alcohol more than 2 times a week?	O Yes	O No	
Dia. BP:	72 mmHg	Do you smoke/chew tobacco?	O Yes	O No	
•	71 0/14	Are you vegetarian?	O Yes	O No	
v	+1 purc	Genera Do you see a doctor at least once in 6 months?	***************************************		2000000
	1	Do you undergo a health checkup every year?	O Yes	O No	
	y .	How would you rate your overall Health?	O Yes O O	O No O O	
		Excell	ent Good Normal		
		Women's H Is there a family history of Breast Cancer?	lealth		2000000
		Is there a family history of Endometrial (Uterus) Cancer?	O Yes	O No	
		Is there a family history of Ovarian Cancer?	O Yes	O No	
		Do you have irregular periods?	O Yes	O No	
		Do you have heavy bleeding during periods?	O Yes	O No	
	* .	Do you have scanty periods?	O Yes O Yes	O No	
	-	Have you attained Menopause?		O No	
	***************************************	Do you have children?	O Yes	O No	
	14 No. 10	Was it a normal delivery?	O Yes	O No	
	30.000	Did you have diabetes/hypertension during delivery?	O Yes	O No	

Customer Name Chintolalli S

Vigerativan Rest Customer ID 4FV111034413

Age & Gender 29, Mare Visit Date 26/11/2022

Eye Screening

With spectacles / without spectacles (strike out whichever is not applicable)

Near Vision

Right Eye

Left Eye

Distance Vision

616.

616

Colour Vision

normal


Noma

Observation / Comments:

molond

Dr. RAVI V. HALAKATTI M.S. (OPHTH)

EYE SURGEON Regd. No. 11801





Name	CHINTAPALLI S VIJAYAKIRAN REDDY	Customer ID	MED111034413
Age & Gender	29Y/M	Visit Date	Mar 26 2022 8:41AM
Ref Doctor	MediWheel		

X - RAY CHEST PA VIEW

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

Impression: Essentially normal study.

DR. H.K. ANAND

DR. SHWETHAS

DR. PRAJNA SHENOY

DR. MAHESH M S

CONSULTANT RADIOLOGISTS





Name	MR.CHINTAPALLI S VIJAYAKIRAN REDDY	ID	MED111034413
Age & Gender	29Y/MALE	Visit Date	26/03/2022
Ref Doctor	MediWheel		

ABDOMINO-PELVIC ULTRASONOGRAPHY

LIVER is normal in shape, size and has increased echopattern. No evidence of focal lesion or intrahepatic biliary ductal dilatation. Hepatic and portal vein radicals are normal.

GALL BLADDER show normal shape and has clear contents. Gall bladder wall is of normal thickness. CBD is of normal calibre.

PANCREAS has normal shape, size and uniform echopattern. No evidence of ductal dilatation or calcification.

SPLEEN show normal shape, size and echopattern.

No demonstrable Para -aortic lymphadenopathy.

KIDNEYS move well with respiration and have normal shape, size and echopattern.

Cortico- medullary differentiations are well madeout.

No evidence of calculus or hydronephrosis.

The kidney measures as follows

0	Bipolar length (cms)	Parenchymal thickness (cms)
Right Kidney	10.6	2.1
Left Kidney	9.7	2.1

URINARY BLADDER show normal shape and wall thickness.

It has clear contents. No evidence of diverticula.

PROSTATE shows normal shape, size (wt – 15.8gms) and echopattern.

No evidence of ascites.

Impression: Increased hepatic echopattern suggestive of fatty infiltration.

CONSULTANT RADIOLOGISTS:

DR. H. K. ANAND DR. PRAJNA SHENOY

DR. MAHESH. M. S

DR. RADHA KRISHNA. A.

DR. HIMA BINDU.P Ms/pu





Name	MR.CHINTAPALLI S VIJAYAKIRAN REDDY	ID	MED111034413
Age & Gender	29Y/MALE	Visit Date	26/03/2022
Ref Doctor	MediWheel	я	

2D ECHOCARDIOGRAPHIC STUDY

M mode measurement:

AORTA : 3.10 cms

LEFT ATRIUM : 2.86 cms

AVS : 1.59 cms

LEFT VENTRICLE (DIASTOLE) : 4.65 cms

(SYSTOLE) : 3.10 cms

VENTRICULAR SEPTUM (DIASTOLE) : 1.02 cms

(SYSTOLE) : 1.39 cms

POSTERIOR WALL (DIASTOLE) : 1.10 cms

(SYSTOLE) : 2.33 cms

EDV : 99 ml

ESV : 37 ml

FRACTIONAL SHORTENING : 33 %

EJECTION FRACTION : 62 %

EPSS : cms

RVID : 2.45 cms

DOPPLER MEASUREMENTS

MITRAL VALVE : 'E' -1.02m/s 'A' -0.71m/s TRIVIAL MR

AORTIC VALVE :1.06 m/s NO AR

TRICUSPID VALVE : 'E' -0.68m/s 'A' - m/s NO TR

PULMONARY VALVE :0.84 m/s NO PR



Name	MR.CHINTAPALLI S VIJAYAKIRAN REDDY	ID	MED111034413
Age & Gender	29Y/MALE	Visit Date	26/03/2022
Ref Doctor	MediWheel		1 = 3/00/1022

:2:

2D ECHOCARDIOGRAPHY FINDINGS:

Left Ventricle

Normal size, Normal systolic function.

No regional wall motion abnormalities

Left Atrium

:

Right Ventricle

Normal

Normal

Right Atrium

Normal.

Mitral valve

-5

Normal, No mitral valve prolapse.

Aortic valve

.

Normal, Trileaflet

Tricuspid valve

Normal.

Pulmonary valve

Normal.

IAS

Intact.

IVS

Intact.

Pericardium

2

No Pericardial effusion.

IMPRESSION:

- > TRIVIAL MITRAL REGURGITATION
- > NORMAL SIZED CARDIAC CHAMBERS.
- > NORMAL LV SYSTOLIC FUNCTION. EF: 62 %
- > NO REGIONAL WALL MOTION ABNORMALITIES.
- > NO CLOTS / PERICARDIAL EFFUSION / VEGETATION.

(KINDLY CORRELATE CLINICALLY AND WITH ECG)

DR.SRIDHAR.L MD,DM,FICC.
CONSULTANT CARDIOLOGIST

MD,(Med), DM(Cardio), FICC Interventional Cardiologist K.M.C: No.: 32248

