

PATIENT NAME : SATYA PRAKASH	REF. DOCTOR :	SELF
CODE/NAME & ADDRESS : C000138376 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156	ACCESSION NO : <b>0062WJ004219</b> РАТІЕNT ID : SATYM20028162 CLIENT PATIENT ID: ABHA NO :	AGE/SEX :42 Years Male DRAWN : RECEIVED :28/10/2023 09:17:27 REPORTED :31/10/2023 15:26:20
Test Report Status <u>Final</u>	Results Biological	Reference Interval Units

### MEDI WHEEL FULL BODY HEALTH CHECK UP ABOVE 40 MALE VDAV OUTOT

XKAY-CHEST			
»»	BOTH THE LUNG FIELDS	ARE CLEAR	
»»	BOTH THE COSTOPHRENIC AND CARIOPHRENIC ANGELS ARE CLEAR		
»»	BOTH THE HILA ARE NO	RMAL	
»»	CARDIAC AND AORTIC S	HADOWS APPEAR NORMAL	
»»	BOTH THE DOMES OF TH	E DIAPHRAM ARE NORMAL	
»»	VISUALIZED BONY THOP	XAX IS NORMAL	
IMPRESSION	NORMAL		
ECG			
ECG	WITHIN NORMAL LIMITS		
MEDICAL HISTORY			
RELEVANT PRESENT HISTORY	NOT SIGNIFICANT		
RELEVANT PAST HISTORY	NOT SIGNIFICANT		
RELEVANT PERSONAL HISTORY	MARRIED, 2 CHILDREN, NON VEG.		
RELEVANT FAMILY HISTORY	FATHER-HIGH BLOOD PRESSURE		
OCCUPATIONAL HISTORY	BANKING		
HISTORY OF MEDICATIONS	NOT SIGNIFICANT		
ANTHROPOMETRIC DATA & BMI			
HEIGHT IN METERS	1.64		mts
WEIGHT IN KGS.	84.85		Kgs
ВМІ	32	BMI & Weight Status as fo Below 18.5: Underweight 18.5 - 24.9: Normal 25.0 - 29.9: Overweight 30.0 and Above: Obese	llo <b>ws</b> /sqmts

## **GENERAL EXAMINATION**

MENTAL / EMOTIONAL STATE NORMAL PHYSICAL ATTITUDE NORMAL **GENERAL APPEARANCE / NUTRITIONAL** HEALTHY STATUS **BUILT / SKELETAL FRAMEWORK** AVERAGE FACIAL APPEARANCE NORMAL SKIN NORMAL

K. 1 100

Dr. Kamlesh I Prajapati **Consultant Pathologist** 

**PERFORMED AT :** Agilus Diagnostics Ltd. Plot No.160, Pocket D-11 Sector 8, Rohini

New Delhi, 110085 New Delhi, India Tel: 9111591115, Fax: CIN - U74899PB1995PLC045956









**Test Report Status** 

<u>Final</u>



Biological Reference Interval Units

### **PATIENT NAME : SATYA PRAKASH REF. DOCTOR : SELF** CODE/NAME & ADDRESS : C000138376 ACCESSION NO : 0062WJ004219 AGE/SEX :42 Years Male ARCOFEMI HEALTHCARE LTD (MEDIWHEEL PATIENT ID DRAWN : SATYM20028162 : F-703, LADO SARAI, MEHRAULISOUTH WEST CLIENT PATIENT ID: RECEIVED : 28/10/2023 09:17:27 DELHI ABHA NO REPORTED :31/10/2023 15:26:20 : NEW DELHI 110030 8800465156

Results

<u></u>		
UPPER LIMB	NORMAL	
LOWER LIMB	NORMAL	
NECK	NORMAL	
NECK LYMPHATICS / SALIVARY GLANDS	NOT ENLARGED OR TENDER	
THYROID GLAND	NOT ENLARGED	
CAROTID PULSATION	NORMAL	
BREAST (FOR FEMALES)	NORMAL	
TEMPERATURE	NORMAL	
PULSE	74/MINUTE REGULAR, ALL PERIPHERAL PULSES WELL FEL BRUIT	T, NO CAROTID
RESPIRATORY RATE	NORMAL	
CARDIOVASCULAR SYSTEM		
BP	130/88 MM HG (SITTING)	mm/Hg
PERICARDIUM	NORMAL	
APEX BEAT	NORMAL	
HEART SOUNDS	S1, S2 HEARD NORMALLY	
MURMURS	ABSENT	
RESPIRATORY SYSTEM		
SIZE AND SHAPE OF CHEST	NORMAL	
MOVEMENTS OF CHEST	SYMMETRICAL	
BREATH SOUNDS INTENSITY	NORMAL	
BREATH SOUNDS QUALITY	VESICULAR (NORMAL)	
ADDED SOUNDS	ABSENT	
PER ABDOMEN		
APPEARANCE	NORMAL	
VENOUS PROMINENCE	ABSENT	
LIVER	NOT PALPABLE	
SPLEEN	NOT PALPABLE	
HERNIA	ABSENT	
ANY OTHER COMMENTS	NIL	
CENTRAL NERVOUS SYSTEM		
HIGHER FUNCTIONS	NORMAL	

K.I. Freit

Dr. Kamlesh I Prajapati Consultant Pathologist

PERFORMED AT : Agilus Diagnostics Ltd. Plot No.160,Pocket D-11 Sector 8, Rohini

New Delhi, 110085 New Delhi, India Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956



View Report







PATIENT NAME : SATYA PRAKASH	REF. DOCTOR : SELF		
CODE/NAME & ADDRESS : C000138376 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL	ACCESSION NO : 0062WJ0042		
F-703, LADO SARAI, MEHRAULISOUTH WEST	PATIENT ID : SATYM200281		
DELHI	CLIENT PATIENT ID: ABHA NO :	RECEIVED :28/10/2023 09:17:27 REPORTED :31/10/2023 15:26:20	
NEW DELHI 110030 8800465156		10/2023 13.20.20	
Test Report Status <u>Final</u>	Results B	iological Reference Interval Units	
CRANIAL NERVES	NORMAL		
CEREBELLAR FUNCTIONS	NORMAL		
SENSORY SYSTEM	NORMAL		
MOTOR SYSTEM	NORMAL		
REFLEXES	NORMAL		
MUSCULOSKELETAL SYSTEM			
SPINE	NORMAL		
JOINTS	NORMAL		
BASIC EYE EXAMINATION			
CONJUNCTIVA	NORMAL		
EYELIDS	NORMAL		
EYE MOVEMENTS	NORMAL		
CORNEA	NORMAL		
DISTANT VISION RIGHT EYE WITHOUT GLASSES	6/18		
DISTANT VISION LEFT EYE WITHOUT GLASSES	6/6		
NEAR VISION RIGHT EYE WITHOUT GLASSES	N/6		
NEAR VISION LEFT EYE WITHOUT GLASSES	N/6		
COLOUR VISION	NORMAL		
BASIC ENT EXAMINATION			
EXTERNAL EAR CANAL	NORMAL		
TYMPANIC MEMBRANE	NORMAL		
NOSE	NO ABNORMALITY DETECTED		
SINUSES	NORMAL		
THROAT	NORMAL		
TONSILS	NOT ENLARGED		
BASIC DENTAL EXAMINATION			
TEETH	CARIES		
GUMS	HEALTHY		
ANY OTHER COMMENTS	MISSING ADVICE PROSTHESIS		
SUMMARY			
RELEVANT HISTORY	NOT SIGNIFICANT		

K.I. Prefipati

Dr. Kamlesh I Prajapati Consultant Pathologist

**PERFORMED AT :** Agilus Diagnostics Ltd. Plot No.160,Pocket D-11 Sector 8, Rohini

New Delhi, 110085 New Delhi, India Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956 Page 3 Of 25





View Report





PATIENT NAME : SATYA PRAKASH	REF. DOCTOR :	SELF
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI	ACCESSION NO: <b>0062WJ004219</b> PATIENT ID :SATYM20028162 CLIENT PATIENT ID: ABHA NO :	AGE/SEX :42 Years Male DRAWN : RECEIVED :28/10/2023 09:17:27 REPORTED :31/10/2023 15:26:20
Test Report Status <u>Final</u>	Results Biological	Reference Interval Units

RELEVANT GP EXAMINATION FINDINGS RELEVANT LAB INVESTIGATIONS	NOT SIGNIFICANT ESR, LIPID PROFILE - ABOVE NORMAL LIMITS
RELEVANT NON PATHOLOGY DIAGNOSTICS	USG ABD - LT RENAL CYST
REMARKS / RECOMMENDATIONS	CURTAIL WEIGHT, FAT INTAKE MONITOR ESR DENTAL TREATMENT OPHTHALMOLOGIST CONSULTATION
FITNESS STATUS	
FITNESS STATUS	FIT (WITH MEDICAL ADVICE) (AS PER REQUESTED PANEL OF TESTS)

K.I. Prejapati

Dr. Kamlesh I Prajapati Consultant Pathologist

**PERFORMED AT :** Agilus Diagnostics Ltd. Plot No.160,Pocket D-11 Sector 8, Rohini

New Delhi, 110085 New Delhi, India Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956 Page 4 Of 25





View Report





PATIENT NAME : SATYA PRAKASH	REF. DOCTOR : S	SELF
CODE/NAME & ADDRESS : C000138376 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156	ACCESSION NO : <b>0062WJ004219</b> PATIENT ID : SATYM20028162 CLIENT PATIENT ID: ABHA NO :	AGE/SEX :42 Years Male DRAWN : RECEIVED :28/10/2023 09:17:27 REPORTED :31/10/2023 15:26:20
Test Report Status Final	Results	Units

# MEDI WHEEL FULL BODY HEALTH CHECK UP ABOVE 40 MALE ULTRASOUND ABDOMEN ULTRASOUND ABDOMEN

# ULTRASOUND WHOLE ABDOMEN

Liver is normal in size, outline and shows grade II fatty changes. No obvious focal parenchymal lesion/biliary dilatation is seen. Hepatic veins and portal venous radicals are normal. Gall bladder well distended and reveals an echo-free lumen. No wall edema is seen. No evidence of any calculus, mass lesion or any other abnormality is seen in gall bladder. Common bile duct is not dilated. Portal vein is normal in course and caliber. Pancreas Pancreas is normal in size, outline and echotexture. No evidence of any focal lesion or calcification is seen. Pancreatic duct is not dilated. Spleen Spleen is normal in size, outline and echotexture .No focal lesion/ calcification is seen. Kidneys Both kidneys are normal in size, outline and echotexture. Corticomedullary differentiation is well maintained. Parenchymal thickness is normal. No calculus or hydronephrosis is seen. A cyst of size ~42mm is noted at upper pole of left kidney. No significant retroperitoneal lymphadenopathy/ascites is seen. Urinary Bladder Urinary bladder is well distended with normal outline. Prostate Prostate is normal in size.

Correlate clinically TMT OR ECHO CLINICAL PROFILE NEGATIVE

Interpretation(s)

Dr. Kamlesh I Prajapati Consultant Pathologist

PERFORMED AT : Agilus Diagnostics Ltd. Plot No.160,Pocket D-11 Sector 8, Rohini Page 5 Of 25





View Details



New Delhi, 110085 New Delhi, India Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956



PATIENT NAME : SATYA PRAKASH	<b>REF. DOCTOR</b> : S	SELF
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI	ACCESSION NO : <b>0062WJ004219</b> PATIENT ID : SATYM20028162 CLIENT PATIENT ID: ABHA NO :	AGE/SEX :42 Years Male DRAWN : RECEIVED :28/10/2023 09:17:27 REPORTED :31/10/2023 15:26:20
Test Report Status <u>Final</u>	Results	Units

MEDICAL

Basis the above, Agilus diagnostic classifies a candidate's Hitness Status into one of the following categories: • Fit (As per requested panel of tests) – AGILUS Limited gives the individual a clean chit to join the organization, on the basis of the General Physical Examination and the specific test panel requested for.

• Fit (with medical advice) (As per requested panel of tests) - This indicates that although the candidate can be declared as FIT to join the job, minimal problems have been detected during the Pre- employment examination. Examples of conditions which could fall in this category could be cases of mild reversible medical abnormalities such as height weight disproportions, borderline raised Blood Pressure readings, mildly raised Blood sugar and Blood Lipid levels, Hematuria, etc. Most of these relate to sedentary lifestyles and come under the broad category of life style disorders. The idea is to caution an individual to bring about certain lifestyle changes as well as seek a Physician"""'s consultation and counseling in order to bring back to normal the mildly deranged parameters. For all purposes the individual is FIT to join the job.

• Fitness on Hold (Temporary Unfit) (As per requested panel of tests) - Candidate's reports are kept on hold when either the diagnostic tests or the physical findings reveal the presence of a medical condition which warrants further tests, counseling and/or specialist opinion, on the basis of which a candidate can either be placed into Fit, Fit (With Medical Advice), or Unfit category. Conditions which may fall into this category could be high blood pressure, abnormal ECG, heart murmurs, abnormal vision, grossly elevated blood sugars, etc.

• Unfit (As per requested panel of tests) - An unfit report by Agilus diagnostic Limited clearly indicates that the individual is not suitable for the respective job profile e.g. total color blindness in color related jobs.

K. 1 100

Dr. Kamlesh I Prajapati Consultant Pathologist

PERFORMED AT : Agilus Diagnostics Ltd. Plot No.160,Pocket D-11 Sector 8, Rohini

New Delhi, 110085 New Delhi, India Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956 Page 6 Of 25

View Report









PATIENT NAME : SATYA PRAKASH	REF. DOCTOR	R: SELF
CODE/NAME & ADDRESS : C000138376 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156	ACCESSION NO : <b>0062WJ004219</b> PATIENT ID : SATYM20028162 CLIENT PATIENT ID: ABHA NO :	AGE/SEX :42 Years Male DRAWN : RECEIVED :28/10/2023 09:17:27 REPORTED :31/10/2023 15:26:20
Test Report Status <u>Final</u>	Results Biologi	cal Reference Interval Units

HAEMATOLOGY - CBC			
MEDI WHEEL FULL BODY HEALTH CHECK UP AB	OVE 40 MALE		
BLOOD COUNTS, EDTA WHOLE BLOOD			
HEMOGLOBIN (HB) METHOD : CYANMETHEMOGLOBIN METHOD	14.0	13.0 - 17.0	g/dL
RED BLOOD CELL (RBC) COUNT METHOD : IMPEDANCE	4.78	4.5 - 5.5	mil/µL
WHITE BLOOD CELL (WBC) COUNT METHOD : IMPEDANCE	7.54	4.0 - 10.0	thou/µL
PLATELET COUNT METHOD : IMPEDANCE	204	150 - 410	thou/µL
RBC AND PLATELET INDICES			
HEMATOCRIT (PCV) METHOD : CALCULATED	44.1	40 - 50	%
MEAN CORPUSCULAR VOLUME (MCV) METHOD : CELL COUNTER	92.1	83 - 101	fL
MEAN CORPUSCULAR HEMOGLOBIN (MCH) METHOD : CALCULATED PARAMETER	29.2	27.0 - 32.0	pg
MEAN CORPUSCULAR HEMOGLOBIN CONCENTRATION (MCHC) METHOD : CALCULATED PARAMETER	31.7	31.5 - 34.5	g/dL
RED CELL DISTRIBUTION WIDTH (RDW) METHOD : CALCULATED	14.9 High	11.6 - 14.0	%
MENTZER INDEX METHOD : CALCULATED PARAMETER	19.3		
MEAN PLATELET VOLUME (MPV) METHOD : CALCULATED PARAMETER	12.8 High	6.8 - 10.9	fL
WBC DIFFERENTIAL COUNT			
NEUTROPHILS METHOD : IMPEDANCE / MICROSCOPY	50	40 - 80	%
LYMPHOCYTES METHOD : IMPEDANCE / MICROSCOPY	40	20 - 40	%
MONOCYTES METHOD : IMPEDANCE / MICROSCOPY	6	2 - 10	%
EOSINOPHILS	4	1 - 6	%

K.I. fred

Dr. Kamlesh I Prajapati Consultant Pathologist

**PERFORMED AT :** Agilus Diagnostics Ltd. Plot No.160, Pocket D-11 Sector 8, Rohini

New Delhi, 110085 New Delhi, India Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956 Page 7 Of 25

View Report









PATIENT NAME : SATYA PRAKASH	REF. DOCTOR : SELF		
CODE/NAME & ADDRESS : C000138376 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156	ACCESSION NO : <b>00</b> PATIENT ID : SAT CLIENT PATIENT ID: ABHA NO :	TYM20028162 DRAWN RECEIV	
Test Report Status <u>Final</u>	Results	Biological Refere	ence Interval Units
METHOD : IMPEDANCE / MICROSCOPY BASOPHILS METHOD : MICROSCOPIC EXAMINATION	0	0 - 2	%
ABSOLUTE NEUTROPHIL COUNT METHOD : CALCULATED PARAMETER	3.77	2.0 - 7.0	thou/µL
ABSOLUTE LYMPHOCYTE COUNT METHOD : CALCULATED PARAMETER	3.02 High	1 - 3	thou/µL
ABSOLUTE MONOCYTE COUNT METHOD : CALCULATED PARAMETER	0.45	0.20 - 1.00	thou/µL
ABSOLUTE EOSINOPHIL COUNT METHOD : CALCULATED PARAMETER	0.30	0.02 - 0.50	thou/µL
ABSOLUTE BASOPHIL COUNT METHOD : CALCULATED PARAMETER	0 Low	0.02 - 0.10	thou/µL

NEUTROPHIL LYMPHOCYTE RATIO (NLR) METHOD : CALCULATED PARAMETER

**Interpretation(s)** BLOOD COUNTS,EDTA WHOLE BLOOD-The cell morphology is well preserved for 24hrs. However after 24-48 hrs a progressive increase in MCV and HCT is observed leading to a decrease in MCHC. A direct smear is recommended for an accurate differential count and for examination of RBC morphology. RBC AND PLATELET INDICES-Mentzer index (MCV/RBC) is an automated cell-counter based calculated screen tool to differentiate cases of Iron deficiency anaemia(>13) from Beta thalassaemia trait

(<13) in patients with microcytic anaemia. This needs to be interpreted in line with clinical correlation and suspicion. Estimation of HbA2 remains the gold standard for diagnosing a case of beta thalassaemia trait.

1.2

WBC DIFFERENTIAL COUNT-The optimal threshold of 3.3 for NLR showed a prognostic possibility of clinical symptoms to change from mild to severe in COVID positive 3.3, COVID-19 patients tend to show mild disease. (Reference to - The diagnostic and predictive role of NLR, d-NLR and PLR in COVID-19 patients A.-P. Yang, et al. International Immunopharmacology 84 (2020) 106504 This ratio element is a calculated parameter and out of NABL scope.

K.I. fre

Dr. Kamlesh I Prajapati **Consultant Pathologist** 

**PERFORMED AT :** Agilus Diagnostics Ltd. Plot No.160, Pocket D-11 Sector 8, Rohini

New Delhi, 110085 New Delhi, India Tel: 9111591115, Fax: CIN - U74899PB1995PLC045956 Page 8 Of 25







<u>View Details</u>






PATIENT NAME : SATYA PRAKASH	REF. DOCTOR : S	SELF
	ACCESSION NO : 0062WJ004219	AGE/SEX : 42 Years Male
F-703, LADO SARAI, MEHRAULISOUTH WEST	5/////20020102	DRAWN : RECEIVED : 28/10/2023 09:17:27
NEW DELHI 110030 8800465156	ABHA NO :	REPORTED :31/10/2023 15:26:20

Results

Test F	Report	Status	<b>Final</b>
--------	--------	--------	--------------

**Biological Reference Interval** Units

[	HAEMATOLOGY				
MEDI WHEEL FULL BODY HEALTH CHECK UP	MEDI WHEEL FULL BODY HEALTH CHECK UP ABOVE 40 MALE				
ERYTHROCYTE SEDIMENTATION RATE (ESR BLOOD	),WHOLE				
E.S.R METHOD : WESTERGREN METHOD	31 High	0 - 14	mm at 1 hr		
GLYCOSYLATED HEMOGLOBIN(HBA1C), EDT BLOOD	TA WHOLE				
HBA1C	5.4	Non-diabetic: < 5.7 Pre-diabetics: 5.7 - 6.4 Diabetics: > or = 6.5 Therapeutic goals: < 7.0 Action suggested : > 8.0 (ADA Guideline 2021)	%		
ESTIMATED AVERAGE GLUCOSE(EAG)	108.3	< 116.0	mg/dL		



Interpretation(s) ERYTHROCYTE SEDIMENTATION RATE (ESR),EDTA BLOOD-TEST DESCRIPTION :-

K.I. Prepati

Dr. Kamlesh I Prajapati **Consultant Pathologist** 

**PERFORMED AT :** Agilus Diagnostics Ltd. Plot No.160, Pocket D-11 Sector 8, Rohini

New Delhi, 110085 New Delhi, India Tel: 9111591115, Fax: CIN - U74899PB1995PLC045956 Page 9 Of 25

View Report









**PATIENT NAME : SATYA PRAKASH REF. DOCTOR : SELF** CODE/NAME & ADDRESS : C000138376 ACCESSION NO : 0062WJ004219 AGE/SEX :42 Years Male ARCOFEMI HEALTHCARE LTD (MEDIWHEEL PATIENT ID : SATYM20028162 DRAWN : F-703, LADO SARAI, MEHRAULISOUTH WEST CLIENT PATIENT ID: RECEIVED : 28/10/2023 09:17:27 DELHI REPORTED :31/10/2023 15:26:20 ABHA NO **NEW DELHI 110030** : 8800465156

Test Report Status Results Biological Reference Interval Units <u>Final</u>

Erythrocyte sedimentation rate (ESR) is a test that indirectly measures the degree of inflammation present in the body. The test actually measures the rate of fall (sedimentation) of erythrocytes in a sample of blood that has been placed into a tail, thin, vertical tube. Results are reported as the millimetres of clear fluid (plasma) that are present at the top portion of the tube after one hour. Nowadays fully automated instruments are available to measure ESR.

ESR is not diagnostic it is a non-specific test that may be elevated in a number of different conditions. It provides general information about the presence of an inflammatory condition.CRP is superior to ESR because it is more sensitive and reflects a more rapid change. **TEST INTERPRETATION** 

Increase in: Infections, Vasculities, Inflammatory arthritis, Renal disease, Anemia, Malignancies and plasma cell dyscrasias, Acute allergy Tissue injury, Pregnancy, Estrogen medication, Aging

Finding a very accelerated ESR(>100 mm/hour) in patients with ill-defined symptoms directs the physician to search for a systemic disease (Paraproteinemias, Disseminated malignancies, connective tissue disease, severe infections such as bacterial endocarditis). In pregnancy BRI in first trimester is 0-48 mm/hr(62 if anemic) and in second trimester (0-70 mm /hr(95 if anemic). ESR returns to normal 4th week post partum.

Decreased in: Polycythermia vera, Sickle cell anemia

### LIMITATIONS

False elevated ESR : Increased fibrinogen, Drugs(Vitamin A, Dextran etc), Hypercholesterolemia False Decreased : Poikilocytosis, (SickleCells, spherocytes), Microcytosis, Low fibrinogen, Very high WBC counts, Drugs(Quinine,

salicylates)

REFERENCE :

1. Nathan and Oski's Haematology of Infancy and Childhood, 5th edition 2. Paediatric reference intervals. AACC Press, 7th edition. Edited by S. Soldin 3. The reference for the adult reference range is "Practical Haematology by Dacie and Lewis,10th edition. GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE BLOOD-Used For:

1. Evaluating the long-term control of blood glucose concentrations in diabetic patients.

Diagnosing diabetes.
Identifying patients at increased risk for diabetes (prediabetes).

The ADA recommends measurement of HbA1c (typically 3-4 times per year for type 1 and poorly controlled type 2 diabetic patients, and 2 times per year for well-controlled type 2 diabetic patients) to determine whether a patients metabolic control has remained continuously within the target range.

1. eAG (Estimated average glucose) converts percentage HbA1c to md/dl, to compare blood glucose levels.

2. eAG gives an evaluation of blood glucose levels for the last couple of months. 3. eAG is calculated as eAG (mg/dl) = 28.7 \* HbA1c - 46.7

### HbA1c Estimation can get affected due to :

1. Shortened Erythrocyte survival : Any condition that shortens erythrocyte survival or decreases mean erythrocyte age (e.g. recovery from acute blood loss, hemolytic anemia) will falsely lower HbA1c test results. Fructosamine is recommended in these patients which indicates diabetes control over 15 days.

2.Vitamin C & E are reported to falsely lower test results. (possibly by inhibiting glycation of hemoglobin.

3. Iron deficiency anemia is reported to increase test results. Hypertriglyceridemia, uremia, hyperbilirubinemia, chronic alcoholism, chronic ingestion of salicylates & opiates addiction are reported to interfere with some assay methods, falsely increasing results.

4. Interference of hemoglobinopathies in HbA1c estimation is seen in

a) Homozygous hemoglobinopathy. Fructosamine is recommended for testing of HbA1c.

b) Heterozygous state detected (D10 is corrected for HbS kHbC trait.) c) HbF > 25% on alternate paltform (Boronate affinity chromatography) is recommended for testing of HbA1c.Abnormal Hemoglobin electrophoresis (HPLC method) is recommended for detecting a hemoglobinopathy

Dr. Kamlesh I Prajapati **Consultant Pathologist** 

**PERFORMED AT :** Agilus Diagnostics Ltd. Plot No.160, Pocket D-11 Sector 8, Rohini

New Delhi, 110085 New Delhi, India Tel: 9111591115, Fax: CIN - U74899PB1995PLC045956 Page 10 Of 25





View Report

Vie<u>w</u> Details





PATIENT NAME : SATYA PRAKASH	<b>REF. DOCTOR</b> : S	SELF
	ACCESSION NO : 0062WJ004219	AGE/SEX : 42 Years Male
F-703, LADO SARAI, MEHRAULISOUTH WEST	5/////20020102	DRAWN :
DELHI		RECEIVED : 28/10/2023 09:17:27
	ABHA NO :	REPORTED :31/10/2023 15:26:20
8800465156		

**Test Report Status Final**  Results

**Biological Reference Interval** Units

# IMMUNOHAEMATOLOGY MEDI WHEEL FULL BODY HEALTH CHECK UP ABOVE 40 MALE ABO GROUP & RH TYPE, EDTA WHOLE BLOOD ABO GROUP TYPE A METHOD : TUBE AGGLUTINATION POSITIVE RH TYPE METHOD : TUBE AGGLUTINATION

Interpretation(s) ABO GROUP & RH TYPE, EDTA WHOLE BLOOD-Blood group is identified by antigens and antibodies present in the blood. Antigens are protein molecules found on the surface of red blood cells. Antibodies are found in plasma. To determine blood group, red cells are mixed with different antibody solutions to give A,B,O or AB.

Disclaimer: "Please note, as the results of previous ABO and Rh group (Blood Group) for pregnant women are not available, please check with the patient records for availability of the same."

The test is performed by both forward as well as reverse grouping methods.

K. 1 10

Dr. Kamlesh I Prajapati **Consultant Pathologist** 

**PERFORMED AT :** Agilus Diagnostics Ltd. Plot No.160, Pocket D-11 Sector 8, Rohini

New Delhi, 110085 New Delhi, India Tel: 9111591115, Fax: CIN - U74899PB1995PLC045956 Page 11 Of 25

View Report









PATIENT NAME : SATYA PRAKASH	<b>REF. DOCTOR :</b>	SELF
CODE/NAME & ADDRESS : C000138376	ACCESSION NO : 0062WJ004219	AGE/SEX : 42 Years Male
	PATIENT ID : SATYM20028162	DRAWN :
F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI	CLIENT PATIENT ID:	RECEIVED : 28/10/2023 09:17:27
NEW DELHI 110030	ABHA NO :	REPORTED :31/10/2023 15:26:20
8800465156		

Test	Report	Status	<u>Fina</u>


Results

Biological Reference Interval Units

	BIOCHEMISTRY			
MEDI WHEEL FULL BODY HEALTH CHECK	UP ABOVE 40 MALE			
GLUCOSE FASTING, FLUORIDE PLASMA				
FBS (FASTING BLOOD SUGAR)	103 High	Normal <100	mg/dL	
		Impaired fasting gluc	ose:100 to	

125 Diabetes mellitus: > = 126 (on more than 1 occassion) (ADA guidelines 2021)

METHOD : HEXOKINASE



K.I. To

Dr. Kamlesh I Prajapati **Consultant Pathologist** 

**PERFORMED AT :** Agilus Diagnostics Ltd. Plot No.160, Pocket D-11 Sector 8, Rohini

New Delhi, 110085 New Delhi, India Tel: 9111591115, Fax: CIN - U74899PB1995PLC045956 Page 12 Of 25



mg/dL

Vie<u>w</u> Details







PATIENT NAME : SATYA PRAKASH	REF. DOCTO	DR: SELF
CODE/NAME & ADDRESS : C000138376 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL	ACCESSION NO : <b>0062WJ004219</b> PATIENT ID : SATYM20028162	AGE/SEX :42 Years Male DRAWN :
F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156	CLIENT PATIENT ID: ABHA NO :	RECEIVED : 28/10/2023 09:17:27 REPORTED :31/10/2023 15:26:20
Test Report Status <u>Final</u>	Results Biolog	jical Reference Interval Units

	PPBS(POST PRANDIAL BLOOD SUGAR)		
160			
128 - 96 - 64 -	96	104 •	
32-			
NormalRange	21-MN-2023 13:19	28-0CT-2023 14:54	
D PROFILE WITH CAL			
LESTEROL, TOTAL	221 High	< 200 Desirable r 200 - 239 Borderline High >/= 240 High	mg/dL
HOD : CHOLESTEROL OXIDASE, I GLYCERIDES HOD : ENZYMATIC, END POINT	144	< 150 Normal 150 - 199 Borderline High 200 - 499 High >/=500 Very High	mg/dL
CHOLESTEROL	35 Low	< 40 Low r >/=60 High	mg/dL
DLESTEROL LDL	157 High	< 100 Optimal 100 - 129 Near optimal/ above optimal 130 - 159 Borderline High 160 - 189 High >/= 190 Very High	mg/dL

K.I. frely

Dr. Kamlesh I Prajapati Consultant Pathologist

**PERFORMED AT :** Agilus Diagnostics Ltd. Plot No.160, Pocket D-11 Sector 8, Rohini

New Delhi, 110085 New Delhi, India Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956 Page 13 Of 25










### **PATIENT NAME : SATYA PRAKASH REF. DOCTOR : SELF** CODE/NAME & ADDRESS : C000138376 ACCESSION NO : 0062WJ004219 AGE/SEX :42 Years Male ARCOFEMI HEALTHCARE LTD (MEDIWHEEL PATIENT ID DRAWN : SATYM20028162 : F-703, LADO SARAI, MEHRAULISOUTH WEST CLIENT PATIENT ID: RECEIVED : 28/10/2023 09:17:27 DELHI ABHA NO REPORTED :31/10/2023 15:26:20 : NEW DELHI 110030 8800465156 Biological Reference Interval **Test Report Status** Results Units <u>Final</u>

NON HDL CHOLESTEROL	186 High	Desirable-Less than 130 mg/dL Above Desirable-130-159 Borderline High-160-189 High-190-219 Very High- >or =220
METHOD : CALCULATED		
VERY LOW DENSITY LIPOPROTEIN	28.8	mg/dL
CHOL/HDL RATIO	6.3 High	3.3 - 4.4: Low Risk 4.5 - 7.0: Average Risk 7.1 - 11.0: Moderate Risk >11.0: High Risk
LDL/HDL RATIO	4.5 High	0.5 - 3.0 Desirable/Low Risk 3.1 - 6.0 Borderline/Moderate Risk >6.0 High Risk



K.I. free

Dr. Kamlesh I Prajapati Consultant Pathologist

PERFORMED AT : Agilus Diagnostics Ltd. Plot No.160,Pocket D-11 Sector 8, Rohini

New Delhi, 110085 New Delhi, India Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956 Page 14 Of 25

View Report












PATIENT NAME : SATYA PRAKASH	REF. DOCTO	R: SELF
CODE/NAME & ADDRESS : C000138376 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST	ACCESSION NO : <b>0062WJ004219</b> PATIENT ID : SATYM20028162	AGE/SEX :42 Years Male DRAWN :
DELHI NEW DELHI 110030 8800465156	CLIENT PATIENT ID: ABHA NO :	RECEIVED :28/10/2023 09:17:27 REPORTED :31/10/2023 15:26:20
Test Report Status <u>Final</u>	Results Biolog	ical Reference Interval Units









Dr. Kamlesh I Prajapati Consultant Pathologist

PERFORMED AT : Agilus Diagnostics Ltd. Plot No.160,Pocket D-11 Sector 8, Rohini

New Delhi, 110085 New Delhi, India Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956 Page 15 Of 25

View Report









PATIENT NAME : SATYA PRAKASH	REF. DOCTOR :	SELF
CODE/NAME & ADDRESS : C000138376 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030	ACCESSION NO : <b>0062WJ004219</b> PATIENT ID : SATYM20028162 CLIENT PATIENT ID: ABHA NO :	AGE/SEX :42 Years Male DRAWN : RECEIVED :28/10/2023 09:17:27 REPORTED :31/10/2023 15:26:20
8800465156	Results Biological	Reference Interval Units

Serum lipid profile is measured for cardiovascular risk prediction. Lipid Association of India recommends LDL-C as primary target and Non HDL-C as co-primary treatment target.

Risk Category			
Extreme risk group	A.CAD with > 1 feature of high risk group		
	B. CAD with > 1 feature of Very high risk g	group or recurrent ACS (within 1 year) despite LDL-C < or =	
	50 mg/dl or polyvascular disease		
Very High Risk	1. Established ASCVD 2. Diabetes with 21	major risk factors or evidence of end organ damage 3.	
	Familial Homozygous Hypercholesterolemi	a	
High Risk	1. Three major ASCVD risk factors. 2. Diabetes with 1 major risk factor or no evidence of end organ		
	damage. 3. CKD stage 3B or 4. 4. LDL >190 mg/dl 5. Extreme of a single risk factor. 6. Coronary		
	Artery Calcium - CAC >300 AU. 7. Lipoprotein a >/= 50mg/dl 8. Non stenotic carotid plaque		
Moderate Risk	2 major ASCVD risk factors		
Low Risk	0-1 major ASCVD risk factors		
Major ASCVD (Ath	erosclerotic cardiovascular disease) Risk Fa	ictors	
1. Age > or = 45 year	s in males and > or = 55 years in females	3. Current Cigarette smoking or tobacco use	
		4. High blood pressure	

5. Low HDL

Newer treatment goals and statin initiation thresholds based on the risk categories proposed by LAI in 2020.

Risk Stratification for ASCVD (Atherosclerotic cardiovascular disease) by Lipid Association of India

Risk Group	Treatment Goals		Consider Drug Therapy	
	LDL-C (mg/dl)	Non-HDL (mg/dl)	LDL-C (mg/dl)	Non-HDL (mg/dl)
Extreme Risk Group Category A	<50 (Optional goal	< 80 (Optional goal	>OR = 50	>OR = 80
	< OR = 30)	<or 60)<="" =="" td=""><td></td><td></td></or>		
Extreme Risk Group Category B	<or 30<="" =="" td=""><td><or 60<="" =="" td=""><td>&gt; 30</td><td>&gt;60</td></or></td></or>	<or 60<="" =="" td=""><td>&gt; 30</td><td>&gt;60</td></or>	> 30	>60
Very High Risk	<50	<80	>OR= 50	>OR= 80
High Risk	<70	<100	>OR= 70	>OR=100
Moderate Risk	<100	<130	>OR=100	>OR=130
Low Risk	<100	<130	>OR=130*	>OR=160

\*After an adequate non-pharmacological intervention for at least 3 months.

References: Management of Dyslipidaemia for the Prevention of Stroke: Clinical Practice Recommendations from the Lipid Association of India. Current Vascular Pharmacology, 2022, 20, 134-155.

# LIVER FUNCTION PROFILE, SERUM

BILIRUBIN, TOTAL METHOD : DIAZONIUM ION, BLANKED (ROCHE)	0.50	Upto 1.2	mg/dL
BILIRUBIN, DIRECT METHOD : DIAZONIUM ION, BLANKED (ROCHE)	0.17	Upto 0.2	mg/dL
BILIRUBIN, INDIRECT	0.33	0.00 - 0.90	mg/dL
TOTAL PROTEIN	7.8	6.4 - 8.3	g/dL
ALBUMIN	4.7	3.97 - 4.94	g/dL

METHOD : BROMOCRESOL PURPLE

k 1.

Dr. Kamlesh I Prajapati **Consultant Pathologist** 

**PERFORMED AT :** Agilus Diagnostics Ltd. Plot No.160, Pocket D-11 Sector 8, Rohini

New Delhi, 110085 New Delhi, India Tel: 9111591115, Fax: CIN - U74899PB1995PLC045956 Page 16 Of 25



Vie<u>w Details</u>



METHOD : IFCC WITH PYRIDOXAL 5 PHOSPHATE

METHOD : UV WITH P5P-IFCC ALKALINE PHOSPHATASE

METHOD : PNPP, AMP BUFFER-IFCC

LACTATE DEHYDROGENASE

METHOD : L TO P, IFCC

ALANINE AMINOTRANSFERASE (ALT/SGPT)

GAMMA GLUTAMYL TRANSFERASE (GGT)

METHOD : G-GLUTAMYL-CARBOXY-NITROANILIDE-IFCC



0 - 41

8 - 61

40 - 129

135 - 225



U/L

U/L

U/L

U/L

PATIENT NAME : SATYA PRAKASH		<b>REF. DOCTOR :</b>	SELF		
CODE/NAME & ADDRESS : C000138376 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156	ACCESSION NO PATIENT ID CLIENT PATIENT ABHA NO	: <b>0062WJ004219</b> : SATYM20028162 ID: :		:42 Years : :28/10/2023 :31/10/2023	
Test Report Status <u>Final</u>	Results	Biological	Reference	e Interval U	nits
GLOBULIN METHOD : CALCULATED PARAMETER	3.1	2.0 - 4.0		g/dl	L
ALBUMIN/GLOBULIN RATIO METHOD : CALCULATED PARAMETER	1.5	1.0 - 2.0		RAT	10
ASPARTATE AMINOTRANSFERASE(AST/SGOT)	35	0 - 40		U/L	


BLOOD UREA NITROGEN (BUN), SERUM			
BLOOD UREA NITROGEN	8	6 - 20	mg/dL
METHOD : UREASE - UV			

54 High

93

41

209



K. 1 10

Dr. Kamlesh I Prajapati **Consultant Pathologist** 

**PERFORMED AT :** Agilus Diagnostics Ltd. Plot No.160, Pocket D-11 Sector 8, Rohini

New Delhi, 110085 New Delhi, India Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956





Vie<u>w Details</u>







		MC-3733	
PATIENT NAME : SATYA PRAKASH		<b>REF. DOCTOR :</b>	
CODE/NAME & ADDRESS : C000138376	ACCESSION NO : 006	52WJ004219	AGE/SEX :42 Years Male
RCOFEMI HEALTHCARE LTD (MEDIWHEEL -703, LADO SARAI, MEHRAULISOUTH WEST		TYM20028162	DRAWN :
DELHI	CLIENT PATIENT ID:		RECEIVED : 28/10/2023 09:17:27
IEW DELHI 110030	ABHA NO :		REPORTED :31/10/2023 15:26:20
3800465156			
Test Report Status <u>Final</u>	Results	Biologica	i al Reference Interval Units
CREATININE, SERUM			
CREATININE	0.71	0.7 - 1.2	2 mg/dL
METHOD : ALKALINE PICRATE			
CREAT	ININE		
2.2			
γ 1.76-			
1.32 -			
0.88 -		671	
		0.71	
및 0.44 - 0.6	3		
0			
21-JAN-20	/23 12:30	28-OCT-2023 10	0:57
Biological Reference Interval: 0.7 - 1.2 mg/dl	Date	~~~>	
BUN/CREAT RATIO			
BUN/CREAT RATIO	11.27	5.00 - 15	5.00
URIC ACID, SERUM			
URIC ACID METHOD : URICASE, COLORIMETRIC	7.0	3.4 - 7.0	) mg/dL
TOTAL PROTEIN, SERUM			
TOTAL PROTEIN METHOD : BIURET	7.8	6.4 - 8.3	g/dL
ALBUMIN, SERUM			
ALBUMIN METHOD : BROMOCRESOL PURPLE (BCP) DYE-BINDING	4.7	3.97 - 4.9	.94 g/dL
GLOBULIN			
K-I- Pregranti			Page 18 Of 25
Dr. Kamlesh I Prajapati Consultant Pathologist			View Details View Report
PERFORMED AT : Agilus Diagnostics Ltd. Plot No.160,Pocket D-11 Sector 8, Rohini			Patient Ref. No. 775000005249515

New Delhi, 110085 New Delhi, India Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956





PATIENT NAME : SATYA PRAKASH		REF. DOCTOR : SE	ilF	
CODE/NAME & ADDRESS : C000138376 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156	ACCESSION NO : <b>OC</b> PATIENT ID : SA CLIENT PATIENT ID: ABHA NO :	.TYM20028162	AGE/SEX :42 Years DRAWN : RECEIVED :28/10/202 REPORTED :31/10/202	
Test Report Status <u>Final</u>	Results	Biological R	eference Interval	Units
GLOBULIN METHOD : CALCULATED PARAMETER	3.1	2.0 - 4.0	g/	/dL
ELECTROLYTES (NA/K/CL), SERUM				
SODIUM, SERUM METHOD : ISE INDIRECT	136	136 - 145	m	imol/L

POTASSIUM, SERUM	4.96	3.3 - 5.1	mmol/L
METHOD : ISE DIRECT			
CHLORIDE, SERUM	100	98 - 106	mmol/L
METHOD : ISE INDIRECT			

## Interpretation(s)

Sodium	Potassium	Chloride
Decreased in:CCF, cirrhosis,	Decreased in: Low potassium	Decreased in: Vomiting, diarrhea,
vomiting, diarrhea, excessive	intake, prolonged vomiting or diarrhea,	renal failure combined with salt
sweating, salt-losing	RTA types I and II,	deprivation, over-treatment with
nephropathy, adrenal insufficiency,	hyperaldosteronism, Cushing's	diuretics, chronic respiratory acidosis,
nephrotic syndrome, water	syndrome,osmotic diuresis (e.g.,	diabetic ketoacidosis, excessive
intoxication, SIADH. Drugs:	hyperglycemia), alkalosis, familial	sweating, SIADH, salt-losing
thiazides, diuretics, ACE inhibitors,	periodic paralysis,trauma	nephropathy, porphyria, expansion of
chlorpropamide,carbamazepine,anti	(transient).Drugs: Adrenergic agents,	extracellular fluid volume,
depressants (SSRI), antipsychotics.	diuretics.	adrenalinsufficiency,
		hyperaldosteronism, metabolic
		alkalosis. Drugs: chronic
		laxative,corticosteroids, diuretics.
Increased in: Dehydration	Increased in: Massive hemolysis,	Increased in: Renal failure, nephrotic
(excessivesweating, severe	severe tissue damage, rhabdomyolysis,	syndrome, RTA, dehydration,
vomiting or diarrhea}, diabetes	acidosis, dehydration, renal failure,	overtreatment with
mellitus, diabetesinsipidus,	Addison's disease, RTA type IV,	saline, hyperparathyroidism, diabetes
hyperaldosteronism, inadequate	hyperkalemic familial periodic	insipidus, metabolic acidosis from
water intake. Drugs: steroids,	paralysis. Drugs: potassium salts,	diarrhea (Loss of HCO3-), respiratory
licorice, oral contraceptives.	potassium- sparing diuretics, NSAIDs,	alkalosis, hyperadrenocorticism.
	beta-blockers, ACE inhibitors, high-	Drugs: acetazolamide, and rogens,
	dose trimethoprim-sulfamethoxazole.	hydrochlorothiazide,salicylates.
Interferences: Severe lipemia or	Interferences: Hemolysis of sample,	Interferences:Test is helpful in
hyperproteinemi, if sodium analysis	delayed separation of serum,	assessing normal and increased anion
involves a dilution step can cause	prolonged fist clenching during blood	gap metabolic acidosis and in
spurious results. The serum sodium	drawing, and prolonged tourniquet	distinguishing hypercalcemia due to
falls about 1.6 mEq/L for each 100	placement. Very high WBC/PLT counts	hyperparathyroidism (high serum
mg/dL increase in blood glucose.	may cause spurious. Plasma potassium	chloride) from that due to malignancy
	levels are normal.	(Normal serum chloride)

Interpretation(s) GLUCOSE FASTING,FLUORIDE PLASMA-TEST DESCRIPTION

Normally, the glucose concentration in extracellular fluid is closely regulated so that a source of energy is readily available to tissues and sothat no glucose is excreted in the urine

Increased in:Diabetes mellitus, Cushing's syndrome (10 – 15%), chronic pancreatitis (30%). Drugs:corticosteroids,phenytoin, estrogen, thiazides. Decreased in :Pancreatic islet cell disease with increased insulin,insulinoma,adrenocortical insufficiency,hypopituitarism,diffuse liver disease,

K.I. Prejapati

Dr. Kamlesh I Prajapati **Consultant Pathologist** 







<u>View Details</u>



**PERFORMED AT :** Agilus Diagnostics Ltd. Plot No.160, Pocket D-11 Sector 8, Rohini

New Delhi, 110085 New Delhi, India Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956





PATIENT NAME : SATYA PRAKASH	REF. DOCTOR :	SELF
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI	ACCESSION NO : <b>0062WJ004219</b> PATIENT ID : SATYM20028162 CLIENT PATIENT ID: ABHA NO :	AGE/SEX :42 Years Male DRAWN : RECEIVED :28/10/2023 09:17:27 REPORTED :31/10/2023 15:26:20
NEW DELHI 110030 8800465156 Test Report Status Final		Reference Interval Units

malignancy(adrenocortical,stomach,fibrosarcoma),infant of a diabetic mother,enzyme deficiency diseases(e.g.galactosemia),Drugs-insulin,ethanol,propranolol

sulforylucas, tolbutamide, and other oral hypoglycemic agents. NOTE: While random serum glucose levels correlate with home glucose monitoring results (weekly mean capillary glucose values), there is wide fluctuation within individuals. Thus, glycosylated hemoglobin (HbA1c) levels are favored to monitor glycemic control.

High fasting glucose level in comparison to post practial directore level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glyosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc.

GLUCOSE, POST-PRANDIAL, PLASMA-High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glyosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc.Additional test HbA1c LIVER FUNCTION PROFILE, SERUM-

Bilirubin is a vellowish pigment found in bile and is a breakdown product of normal heme catabolism. Bilirubin is excreted in bile and urine, and elevated levels may give yellow discoloration in jaundice. Elevated levels results from increased bilirubin production (eg, hemolysis and ineffective erythropoiesis), decreased bilirubin excretion (eg, obstruction and hepatitis), and abnormal bilirubin metabolism (eg, hereditary and neonatal jaundice). Conjugated (direct) bilirubin is elevated more than unconjugated (indirect) bilirubin in Viral hepatitis, Drug reactions, Alcoholic liver disease Conjugated (direct) bilirubin is also elevated more than unconjugated (indirect) bilirubin when there is some kind of blockage of the bile ducts like in Gallstones getting into the bile ducts, tumors & Scarring of the bile ducts. Increased unconjugated (indirect) bilirubin may be a result of Hemolytic or pernicious anemia, Transfusion reaction & a common metabolic condition termed Gilbert syndrome, due to low levels of the enzyme that attaches sugar molecules to bilirubin.

AST is an enzyme found in various parts of the body. AST is found in the liver, heart, skeletal muscle, kidneys, brain, and red blood cells, and it is commonly measured clinically as a marker for liver health. AST levels increase during chronic viral hepatitis, blockage of the bile duct, cirrhosis of the liver, liver cancer, kidney failure, hemolytic anemia, pancreatitis, hemochromatosis. AST levels may also increase after a heart attack or strenuous activity. ALT test measures the amount of this enzyme in the blood. ALT is found mainly in the liver, but also in smaller amounts in the kidneys, heart, muscles, and pancreas. It is commonly measured as a part of a diagnostic evaluation of hepatocellular injury, to determine liver health. AST levels increase during acute hepatitis, sometimes due to a viral infection, ischemia to the liver, chronic hepatitis, obstruction of bile ducts, cirrhosis.

ALP is a protein found in almost all body tissues. Tissues with higher amounts of ALP include the liver, bile ducts and bone. Elevated ALP levels are seen in Biliary obstruction, Osteoblastic bone tumors, osteomalacia, hepatitis, Hyperparathyroidism, Leukemia, Lymphoma, Pagets disease, Rickets, Sarcoidosis etc. Lower-than-normal ALP levels seen in Hypophosphatasia, Malnutrition, Protein deficiency, Wilsons disease

GGT is an enzyme found in cell membranes of many tissues mainly in the liver, kidney and pancreas. It is also found in other tissues including intestine, spleen, heart, brain and seminal vesicles. The highest concentration is in the kidney, but the liver is considered the source of normal enzyme activity. Serum GGT has been widely used as an index of liver dysfunction. Elevated serum GGT activity can be found in diseases of the liver, biliary system and pancreas. Conditions that increase serum GGT are obstructive liver disease, high alcohol consumption and use of enzyme-inducing drugs etc.

Total Protein also known as total protein, is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin. Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstroms disease.Lower-than-normal levels may be due to: Agammaglobulinemia,Bleeding (hemorrhage),Burns,Glomerulonephritis,Liver disease, Malabsorption,Malnutrition,Nephrotic syndrome,Protein-losing enteropathy etc.

Albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by:Liver disease like cirrhorisis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc

permeability or decreased tymphatic clearance, manutrition and wasting etc BLOOD UREA NITROGEN (BUN), SERUM-**Causes of Increased** levels include Pre renal (High protein diet, Increased protein catabolism, GI haemorrhage, Cortisol, Dehydration, CHF Renal), Renal Failure, Post Renal (Malignancy, Nephrolithiasis, Prostatism) **Causes of decreased** level include Liver disease, SIADH. CREATININE, SERUM-**Higher than normal level may be due to:** • Blockage in the urinary tract, Kidney problems, such as kidney damage or failure, infection, or reduced blood flow, Loss of body fluid (dehydration), Muscle problems, such sc breadforum of muscle fibered. Dephemer, and uring a programme (ordpamping)), or bigh blood program caused by programme (programme in)

as breakdown of muscle fibers, Problems during pregnancy, such as seizures (eclampsia)), or high blood pressure caused by pregnancy (preeclampsia) Lower than normal level may be due to:• Myasthenia Gravis, Muscuophy

URIC ACID, SERUM-Causes of Increased levels-Loietary(High Protein Intake, Prolonged Fasting, Rapid weight loss), Gout, Lesch nyhan syndrome, Type 2 DM, Metabolic syndrome Causes of decreased levels-Low Zinc intake, OCP, Multiple Sclerosis

TOTAL PROTEIN, SERUM-is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin.

Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstroms disease. Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc.

ALBUMIN, SERUM-Human serum albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance,malnutrition and wasting etc.

Dr. Kamlesh I Prajapati **Consultant Pathologist** 

**PERFORMED AT :** Agilus Diagnostics Ltd. Plot No.160, Pocket D-11 Sector 8, Rohini

New Delhi, 110085 New Delhi, India Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956 Page 20 Of 25

View Report









PATIENT NAME : SATYA PRAKASH	<b>REF. DOCTOR :</b>	SELF
		AGE/SEX :42 Years Male
F-703, LADO SARAI, MEHRAULISOUTH WEST	3,11120020102	DRAWN : RECEIVED : 28/10/2023 09:17:27
NEW DELHI 110030 8800465156	ABHA NO :	REPORTED :31/10/2023 15:26:20
	i	

Test Report Status <u>Final</u>

Results

Biological Reference Interval Units

	CLINICAL PATH - URINALYSI	S	
MEDI WHEEL FULL BODY HEALTH CHECK	UP ABOVE 40 MALE		
PHYSICAL EXAMINATION, URINE			
COLOR	PALE YELLOW		
APPEARANCE	CLEAR		
CHEMICAL EXAMINATION, URINE			
РН	7.0	4.5 - 7.5	
SPECIFIC GRAVITY	1.010	1.005 - 1.030	
PROTEIN	NOT DETECTED	NEGATIVE	
GLUCOSE	NOT DETECTED	NEGATIVE	
KETONES	NOT DETECTED	NOT DETECTED	
BLOOD	NOT DETECTED	NEGATIVE	
BILIRUBIN	NOT DETECTED	NOT DETECTED	
UROBILINOGEN	NORMAL	NORMAL	
NITRITE	NOT DETECTED	NOT DETECTED	
LEUKOCYTE ESTERASE	NOT DETECTED	NOT DETECTED	
MICROSCOPIC EXAMINATION, URINE			
RED BLOOD CELLS	NOT DETECTED	NOT DETECTED	/HPF
PUS CELL (WBC'S)	0-1	0-5	/HPF
EPITHELIAL CELLS	0-1	0-5	/HPF
CASTS	NOT DETECTED		
CRYSTALS	NOT DETECTED		
BACTERIA	NOT DETECTED	NOT DETECTED	
YEAST	NOT DETECTED	NOT DETECTED	
REMARKS	NOTE:- MICROSCOPIC CENTRIFUGE URINARY SEDIMENT.	EXAMINATION OF URINE IS P	ERFORMED BY

# Interpretation(s)

The following table describes the probable conditions, in which the analytes are present in urine

Presence of	Conditions
Proteins	Inflammation or immune illnesses

K.I. Fre

Dr. Kamlesh I Prajapati Consultant Pathologist

PERFORMED AT : Agilus Diagnostics Ltd. Plot No.160,Pocket D-11 Sector 8, Rohini

New Delhi, 110085 New Delhi, India Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956 Page 21 Of 25

View Report









PATIENT NAME : SATYA PRAKASH	REF. DOCTOR : SELF			
	ACCESSION NO : 0062WJ004219	AGE/SEX : 42 Years Male		
F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI	PATIENT ID : SATYM20028162 CLIENT PATIENT ID:	DRAWN : RECEIVED : 28/10/2023 09:17:27		
NEW DELHI 110030 8800465156	ABHA NO :	REPORTED :31/10/2023 15:26:20		

Test	Report	Status	<u>Final</u>
------	--------	--------	--------------

Results

**Biological Reference Interval** Units

Pus (White Blood Cells)	Urinary tract infection, urinary tract or kidney stone, tumors or any kind		
	of kidney impairment		
Glucose	Diabetes or kidney disease		
Ketones	Diabetic ketoacidosis (DKA), starvation or thirst		
Urobilinogen	Liver disease such as hepatitis or cirrhosis		
Blood	Renal or genital disorders/trauma		
Bilirubin	Liver disease		
Erythrocytes	Urological diseases (e.g. kidney and bladder cancer, urolithiasis), urinary tract infection and glomerular diseases		
Leukocytes	Urinary tract infection, glomerulonephritis, interstitial nephritis either acute or chronic, polycystic kidney disease, urolithiasis, contamination by genital secretions		
Epithelial cells	Urolithiasis, bladder carcinoma or hydronephrosis, ureteric stents or bladder catheters for prolonged periods of time		
Granular Casts	Low intratubular pH, high urine osmolality and sodium concentration, interaction with Bence-Jones protein		
Hyaline casts	Physical stress, fever, dehydration, acute congestive heart failure, renal diseases		
Calcium oxalate	Metabolic stone disease, primary or secondary hyperoxaluria, intravenous infusion of large doses of vitamin C, the use of vasodilator naftidrofuryl oxalate or the gastrointestinal lipase inhibitor orlistat, ingestion of ethylene glycol or of star fruit (Averrhoa carambola) or its juice		
Uric acid	arthritis		
Bacteria	Urinary infectionwhen present in significant numbers & with pus cells.		
Trichomonas vaginalis	Vaginitis, cervicitis or salpingitis		

K.I. Freir

Dr. Kamlesh I Prajapati Consultant Pathologist

**PERFORMED AT :** Agilus Diagnostics Ltd. Plot No.160, Pocket D-11 Sector 8, Rohini

New Delhi, 110085 New Delhi, India Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956 Page 22 Of 25

View Report









### **PATIENT NAME : SATYA PRAKASH REF. DOCTOR : SELF** CODE/NAME & ADDRESS : C000138376 ACCESSION NO : 0062WJ004219 AGE/SEX :42 Years Male ARCOFEMI HEALTHCARE LTD (MEDIWHEEL PATIENT ID DRAWN : SATYM20028162 : F-703, LADO SARAI, MEHRAULISOUTH WEST CLIENT PATIENT ID: RECEIVED : 28/10/2023 09:17:27 DELHI ABHA NO REPORTED :31/10/2023 15:26:20 : NEW DELHI 110030 8800465156

Test Report Status Final

Results

Biological Reference Interval Units

## CLINICAL PATH - STOOL ANALYSIS

# MEDI WHEEL FULL BODY HEALTH CHECK UP ABOVE 40 MALE

PHYSICAL EXAMINATION, STOOL

COLOUR

SAMPLE NOT RECEIVED

K. 1 10

Dr. Kamlesh I Prajapati Consultant Pathologist

PERFORMED AT : Agilus Diagnostics Ltd. Plot No.160,Pocket D-11 Sector 8, Rohini

New Delhi, 110085 New Delhi, India Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956 Page 23 Of 25

View Report







PATIENT NAME : SATYA PRAKASH	<b>REF. DOCTOR :</b>	SELF
CODE/NAME & ADDRESS :C000138376	ACCESSION NO : 0062WJ004219	AGE/SEX : 42 Years Male
	PATIENT ID : SATYM20028162	DRAWN :
F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI	CLIENT PATIENT ID:	RECEIVED : 28/10/2023 09:17:27
NEW DELHI 110030	ABHA NO :	REPORTED :31/10/2023 15:26:20
8800465156		

Results

Test	Report	Status	<u>Final</u>
------	--------	--------	--------------

Biological Reference Interval Units

SPECIALISED CHEMISTRY - HORMONE			
MEDI WHEEL FULL BODY HEALTH CHECK UP ABOVE 40 MALE			
THYROID PANEL, SERUM			
ТЗ	101.00	80.0 - 200.0	ng/dL
T4	8.42	5.10 - 14.10	µg/dL
TSH (ULTRASENSITIVE)	2.350	0.270 - 4.200	µIU/mL
Interpretation(s)			

Triiodothyronine T3, Thyroxine T4, and Thyroid Stimulating Hormone TSH are thyroid hormones which affect almost every physiological process in the body, including growth, development, metabolism, body temperature, and heart rate.

Production of T3 and its prohormone thyroxine (T4) is activated by thyroid-stimulating hormone (TSH), which is released from the pituitary gland. Elevated concentrations of T3, and T4 in the blood inhibit the production of TSH.

Excessive secretion of thyroxine in the body is hyperthyroidism, and deficient secretion is called hypothyroidism.

In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hyperthyroidism, TSH levels are low. Below mentioned are the guidelines for Pregnancy related reference ranges for Total T4, TSH & Total T3.Measurement of the serum TT3 level is a more sensitive test for the diagnosis of hyperthyroidism, and measurement of TT4 is more useful in the diagnosis of hypothyroidism.Most of the thyroid hormone in blood is bound to transport proteins. Only a very small fraction of the circulating hormone is free and biologically active. It is advisable to detect Free T3, FreeT4 along with TSH, instead of testing for albumin bound Total T3, Total T4.

Sr. No.	TSH	Total T4	FT4	Total T3	Possible Conditions	
1	High	Low	Low	Low	(1) Primary Hypothyroidism (2) Chronic autoimmune Thyroiditis (3)	
	-				Post Thyroidectomy (4) Post Radio-Iodine treatment	
2	High	Normal	Normal	Normal	(1)Subclinical Hypothyroidism (2) Patient with insufficient thyroid	
					hormone replacement therapy (3) In cases of Autoimmune/Hashimoto	
					thyroiditis (4). Isolated increase in TSH levels can be due to Subclinical	
					inflammation, drugs like amphetamines, Iodine containing drug and	
					dopamine antagonist e.g. domperidone and other physiological reasons.	
3	Normal/Low	Low	Low	Low	(1) Secondary and Tertiary Hypothyroidism	
4	Low	High	High	High	(1) Primary Hyperthyroidism (Graves Disease) (2) Multinodular Goitre	
					(3)Toxic Nodular Goitre (4) Thyroiditis (5) Over treatment of thyroid	
					hormone (6) Drug effect e.g. Glucocorticoids, dopamine, T4	
					replacement therapy (7) First trimester of Pregnancy	
5	Low	Normal	Normal	Normal	(1) Subclinical Hyperthyroidism	
6	High	High	High	High	(1) TSH secreting pituitary adenoma (2) TRH secreting tumor	
7	Low	Low	Low	Low	(1) Central Hypothyroidism (2) Euthyroid sick syndrome (3) Recent	
					treatment for Hyperthyroidism	
8	Normal/Low	Normal	Normal	High	(1) T3 thyrotoxicosis (2) Non-Thyroidal illness	
9	Low	High	High	Normal	(1) T4 Ingestion (2) Thyroiditis (3) Interfering Anti TPO antibodies	

REF: 1. TIETZ Fundamentals of Clinical chemistry 2.Guidlines of the American Thyroid association duriing pregnancy and Postpartum, 2011.

Dr. Kamlesh I Prajapati Consultant Pathologist



View Report

View Details



PERFORMED AT : Agilus Diagnostics Ltd. Plot No.160,Pocket D-11 Sector 8, Rohini

New Delhi, 110085 New Delhi, India Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956



PATIENT NAME : SATYA PRAKASH	REF. DOCTOR : SELF		
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI	ACCESSION NO : <b>0062WJ004219</b> PATIENT ID : SATYM20028162 CLIENT PATIENT ID: ABHA NO :	AGE/SEX :42 Years Male DRAWN : RECEIVED :28/10/2023 09:17:27 REPORTED :31/10/2023 15:26:20	
NEW DELHI 110030 8800465156 Test Report Status Final		Reference Interval Units	

NOTE: It is advisable to detect Free T3, FreeT4 along with TSH, instead of testing for albumin bound Total T3, Total T4.TSH is not affected by variation in thyroid - binding protein. TSH has a diurnal rhythm, with peaks at 2:00 - 4:00 a.m. And troughs at 5:00 - 6:00 p.m. With ultradian variations.

\*\*End Of Report\*\* Please visit www.agilusdiagnostics.com for related Test Information for this accession

# **CONDITIONS OF LABORATORY TESTING & REPORTING**

- It is presumed that the test sample belongs to the patient named or identified in the test requisition form.
  All tests are performed and reported as per the turnaround time stated in the AGILUS Directory of Services.
  Result delays could occur due to unforeseen circumstances such as non-availability of kits / equipment breakdown / natural calamities / technical downtime or any other unforeseen event.
  A requested test might not be performed if:
  - i. Specimen received is insufficient or inappropriate
  - ii. Specimen quality is unsatisfactory
  - iii. Incorrect specimen type
  - iv. Discrepancy between identification on specimen container label and test requisition form

5. AGILUS Diagnostics confirms that all tests have been performed or assayed with highest quality standards, clinical safety & technical integrity.

6. Laboratory results should not be interpreted in isolation; it must be correlated with clinical information and be interpreted by registered medical practitioners only to determine final diagnosis.

7. Test results may vary based on time of collection, physiological condition of the patient, current medication or nutritional and dietary changes. Please consult your doctor or call us for any clarification.

8. Test results cannot be used for Medico legal purposes.
9. In case of queries please call customer care

(91115 91115) within 48 hours of the report.

### **Agilus Diagnostics Ltd**

Fortis Hospital, Sector 62, Phase VIII, Mohali 160062

K. 1 10

Dr. Kamlesh I Prajapati Consultant Pathologist

**PERFORMED AT :** Agilus Diagnostics Ltd. Plot No.160,Pocket D-11 Sector 8, Rohini

New Delhi, 110085 New Delhi, India Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956 Page 25 Of 25

View Report





