आयकर विभाग INCOME TAX DEPARTMENT



GOVT. OF INDIA



स्थायी लेखा संख्या कार्ड Permanent Account Number Card

GBKPP2746D



ABHILASHA PRIYADARSHINI

पिता का नाम / Father's Name **BECHAN KUMAR**


जन्म की तारीख / Date of Birth

25/05/2000

Abhilada Parxwashini

हस्ताक्षर / Signature

05846









LAB DIVISION

Patient ID	12231552	Collected On	23/09/2023 09:20:00
Patient Name	Mrs. Abhilasha Priyadarshini	Received On	23/09/2023 09:20:01
Gender / Age	Female / 23 Yrs	Released On	23/09/2023 18:03:13
Refd. By		Printed On	23/09/2023 19:12:18
Client	Apollo Health & Lifestyle Ltd		

Investigation Value Unit Biological Ref. Range

HAEMATOLOGY

Peripheral Blood Smear

RBC:-RBC are Normocytic Normochromic (++).

Microcytic hypochromic (+).

Mild Anisocytosis.

WBC:-Normal In count, Morphology.

PLATELET:- Normal count Slightly lying.

PARASITES:- Malaria parasites are not detected.

IMPRESSION:- Normocytic normochromic Anemia.



Dr. Dhairya Soneji M.D Path.



Note: 1. These report are mere estimation and are liable to vary / Change in different conditions in different laboratories.
 2. The values are to be corroborated with clinical finding and any alarming or unexpected result should be referred to this lab urgently.
 3. These reports are not valid for medico legal purposes.





LAB DIVISION

Patient ID	12231552	Collected On	23/09/2023 09:20:00
Patient Name	Mrs. Abhilasha Priyadarshini	Received On	23/09/2023 09:20:01
Gender / Age	Female / 23 Yrs	Released On	23/09/2023 18:03:13
Refd. By		Printed On	23/09/2023 19:12:21
Client	Apollo Health & Lifestyle Ltd		

Investigation	Value	Unit	Biological Ref. Range
Glucose (Fasting)	102.00	mg/dL	60.00 - 110.00

Fasting Plasma Glucose (mg/dl)	2 hr plasma Glucose (mg/dl) Post Glucose load	Diagnosis
99 or below	139 or below	Normal
100 to 125	140 to 199	Pre-Diabetes (IGT)
126 or above	200 or above	Diabetes

Reference: American Diabetes Association.

Comment:

Impaired glucose tolerance (IGT) fasting, means a person has an increased risk of developing type 2 diabetes but does not have

it yet. A level of 126 mg/dL or above, confirmed by repeating the test on another day, means a person has diabetes. IGT (2 hrs Post meal), means a person has an increased risk of developing type 2 diabetes but does not have it yet. A 2-hour glucose level of 200 mg/dL or above, confirmed by repeatig the test on another day, means a person has diabetes

Plasma Glucose Goals	For people with Diabetes
Before meal	70-130 mg/dL
2 Hours after meal	Less than 180 mg/dL
HbA1c	Less than 7%



Dr. Dhairya Soneji M.D Path.

Note: 1. These report are mere estimation and are liable to vary / Change in different conditions in different laboratories.

The values are to be corroborated with clinical finding and any alarming or unexpected result should be referred to this lab urgently.
 These reports are not valid for medico legal purposes.





LAB DIVISION

Patient ID	12231552	Collected On	23/09/2023 09:20:00
Patient Name	Mrs. Abhilasha Priyadarshini	Received On	23/09/2023 09:20:01
Gender / Age	Female / 23 Yrs	Released On	23/09/2023 17:11:44
Refd. By		Printed On	23/09/2023 19:12:23
Client	Apollo Health & Lifestyle Ltd		

Investigation	Value	Unit	Biological Ref. Range
Glucose, Post Prandial (PP)	116.8	mg/dL	70.00 - 140.00



Dr. Dhairya Soneji M.D Path.

Note: 1. These report are mere estimation and are liable to vary / Change in different conditions in different laboratories.

2. The values are to be corroborated with clinical finding and any alarming or unexpected result should be referred to this lab urgently.

3. These reports are not valid for medico legal purposes.

Page No: 3 of 12







Patient ID	12231552	Collected On	23/09/2023 09:20:00
Patient Name	Mrs. Abhilasha Priyadarshini	Received On	23/09/2023 09:20:01
Gender / Age	Female / 23 Yrs	Released On	23/09/2023 15:03:38
Refd. By		Printed On	23/09/2023 19:12:24
Client	Apollo Health & Lifestyle Ltd		

Investigation COMPLETE BLOOD COUNT	Value	Unit	Biological Ref. Range
Hemoglobin Cynmeth Photometric Measurement	11.7	gm/dL	11.5 - 15.0
Erythrocyte RBC Count Electrical Impedance	4.55	millions/cu.mm	3.80 - 4.80
Total Leukocyte Count (TLC) Electrical Impedance	5.9	X10^3/uL	4.0 - 11.0
Platelet Count Electrical Impedance	185	x10^3/uL	150 - 450
HCT Electrical Impedance	37.1	%	36.0 - 46.0
Mean Cell Volume (MCV) Electrical Impedance	81.6	fL	80.0 - 100.0
Mean Cell Haemoglobin (MCH) Electrical Impedance	25.8	pg	27.0 - 32.0
Mean Corpuscular Hb Concn. (MCHC) Electrical Impedance	31.6	gm/dL	32.0 - 35.0
Red Cell Distribution Width (RDW-CV) Electrical Impedance	13.5	%	11.5 - 14.5
Differential Leukocyte Count (DLC)			
Neutrophils vcs	57	%	40 - 80
Lymphocytes vcs	34	%	20 - 40
Eosinophils vcs	03	%	01 - 06
Monocytes vcs	06	%	02 - 08
Basophils vcs	00	%	00 - 02



Dr. Dhairya Soneji M.D Path.

Note: 1. These report are mere estimation and are liable to vary / Change in different conditions in different laboratories.

2. The values are to be corroborated with clinical finding and any alarming or unexpected result should be referred to this lab urgently.

3. These reports are not valid for medico legal purposes.







1			
Patient ID	12231552	Collected On	23/09/2023 09:20:00
Patient Name	Mrs. Abhilasha Priyadarshini	Received On	23/09/2023 09:20:01
Gender / Age	Female / 23 Yrs	Released On	23/09/2023 14:38:24
Refd. By		Printed On	23/09/2023 19:12:28
Client	Apollo Health & Lifestyle Ltd		

Investigation	Value	Unit	Biological Ref. Range
Erythrocyte Sedimentation Rate (ESR) Westergren's	24	mm in 1hr	00 - 20

- * Test conducted on EDTA whole blood at 37 degree Celsius.
- * ESR is an index of the presence of the active diseases of many types.
- * Increased- in most infections, anaemias, injection of foreign proteins, auto-immune disorders, conditions accompanied by hyperglobunemia and hypercholesterolaemia.
- * A rising ESR suggests a progressive disease.
- * Decreased- in polycythemia, congestive heart failure.
- * ESR is a useful but nonspecific marker of underlying inflammation. C-Reactive Protein(CRP) is the recommended test in a acute inflammatory conditions.



Dr. Dhairya Soneji M.D Path.

Note: 1. These report are mere estimation and are liable to vary / Change in different conditions in different laboratories.
 2. The values are to be corroborated with clinical finding and any alarming or unexpected result should be referred to this lab urgently.
 3. These reports are not valid for medico legal purposes.

Page No: 5 of 12





LAB DIVISION

Patient ID	12231552	Collected On	23/09/2023 09:20:00
Patient Name	Mrs. Abhilasha Priyadarshini	Received On	23/09/2023 09:20:01
Gender / Age	Female / 23 Yrs	Released On	23/09/2023 14:38:24
Refd. By		Printed On	23/09/2023 19:12:30
Client	Apollo Health & Lifestyle Ltd		

Investigation	Value	Unit	Biological Ref. Range
Glycosylated Hb	5.0	%	
Average Plasma Glucose	97		

Interpretation:

HbA1c %

<=5.6	Normal
5.7-6.4	At Risk for
	Diabetes
>=6.5	Diabetes

Estimated Average Glucose (eAG) is a new way to understand how well you are managing your diabetes. Using eAG may help you get a better idea of how well you are taking care of your diabetes. And that can help you and your health care provider know what changes you may need to make to be as healthy as possible.

HbA1c %	5	5.5	6	6.5	7	7.5	IQ I	8.5	9	10	11	12
	97	111	126	140	154	169	183		212	240	269	298

The HbA1c goal for people with diabetes is less than 7 percent. A 3 to 6 monthly monitoring is recommended in diabetics. People with diabetes should get the test done more often if their blood sugar stays too high or if their healthcare provider makes any change in the treatment plan. HbA1c concentration represents the integrated values for blood glucose over the preceding 6-10 wks and is not affected by daily glucose fluctuation, exercise & recent food intake. It is a more useful tool for clinical management of Diabetes mellitus through routine monitoring & assesses compliance with therapeutic regimen.



Dr. Dhairya Soneji M.D Path.

Note: 1. These report are mere estimation and are liable to vary / Change in different conditions in different laboratories.

The values are to be corroborated with clinical finding and any alarming or unexpected result should be referred to this lab urgently.
 These reports are not valid for medico legal purposes.

Page No: 6 of 12





LAB DIVISION

Patient ID	12231552	Collected On	23/09/2023 09:20:00
Patient Name	Mrs. Abhilasha Priyadarshini	Received On	23/09/2023 09:20:01
Gender / Age	Female / 23 Yrs	Released On	23/09/2023 14:38:24
Refd. By		Printed On	23/09/2023 19:12:32
Client	Apollo Health & Lifestyle Ltd		

Investigation	Value	Unit	Biological Ref. Range
Blood group Gel Technique	"B" Positive		

Blood group is identified by antigens and antibodies present in the blood. Antigens are protein molecules found on the surface of red blood cells. Antibodies are found in plasma. To determine blood group, red cells are mixed with different antibody solutions to give A,B,O or AB. The test is performed by both forward as well as reverse grouping methods.

The report is of sample received. It is presumed that the sample belongs to the patient. In case of any discrepancy related to this report, contact lab.



Dr. Dhairya Soneji M.D Path.

Note: 1. These report are mere estimation and are liable to vary / Change in different conditions in different laboratories.
 2. The values are to be corroborated with clinical finding and any alarming or unexpected result should be referred to this lab urgently.
 3. These reports are not valid for medico legal purposes.







Patient ID	12231552	Collected On	23/09/2023 09:20:00
Patient Name	Mrs. Abhilasha Priyadarshini	Received On	23/09/2023 09:20:01
Gender / Age	Female / 23 Yrs	Released On	23/09/2023 14:38:24
Refd. By		Printed On	23/09/2023 19:12:34
Client	Apollo Health & Lifestyle Ltd		

Investigation	Value	Unit	Biological Ref. Range
	Liver Function Te	<u>st</u>	
Billirubin – Total Diazonium Salt	0.68	mg/dL	0.20 - 1.30
Billirubin – Direct Diazo Reaction	0.46	mg/dL	0.00 - 0.50
Bilirubin, Indirect Calculated	0.22	mg/dL	0.00 - 0.70
Gultamic Oxaloacetic Transaminase (SGOT, AST)	21	U/L	10.00 - 31.00
Gultamic Pyruvic Transaminase (SGPT, ALT)	32	U/L	0.00 - 31.00
ALP (Alkaline Phosphatase)	81	U/L	40.00 - 150.00
Total Protien Biuret method	6.8	g/dL	6.60 - 8.70
Albumin Bromcresol Green	4.1	g/dL	3.50 - 5.20
Globulin Calculated	2.7	g/dL	2.30 - 3.50
A:G (Albumin:Globulin) Ratio Calculated	1.52		1.20 - 2.00

These are group of tests that can be used to detect the presence of liver disease, distinguish among different types of liver disorders, gauge the extent of knownliver damage, and monitor the response to treatment. Most liver diseases cause only mild symptoms initially, but these diseases must be detected early. Sometests are associated with functionality (e.g., albumin), some with cellular integrity (e.g., transaminase), and some with conditions linked to the biliary tract(gammaglutamyl transferase and alkaline phosphatase). Conditions with elevated levels of ALT and AST include hepatitis A,B,C,paracetamol toxicityetc. Several biochemical tests are useful in the evaluationand management of patients with hepatic dysfunction. Some or all of these measurements are also carried out (usually about twice a year for routine cases) on those individuals taking certain medications, such as anticonvulsants, to ensure that the medications are not adversely impacting the person's liver. Reference ranges vary between laboratories

.Note: The result obtained relate only to the sample given/received & tested. A single test result is not always indicative of a disease, it has to be correlated with clinical data for interpretation



Dr. Dhairya Soneji M.D Path.

Note: 1. These report are mere estimation and are liable to vary / Change in different conditions in different laboratories.

The values are to be corroborated with clinical finding and any alarming or unexpected result should be referred to this lab urgentlyThese reports are not valid for medico legal purposes.







1			
Patient ID	12231552	Collected On	23/09/2023 09:20:00
Patient Name	Mrs. Abhilasha Priyadarshini	Received On	23/09/2023 09:20:01
Gender / Age	Female / 23 Yrs	Released On	23/09/2023 14:38:19
Refd. By		Printed On	23/09/2023 19:12:38
Client	Apollo Health & Lifestyle Ltd		

Investigation	Value	Unit	Biological Ref. Range
	Kidney Function Test		
Urea, Serum _{Urease}	17	mg/dL	13.00 - 43.00
Creatinine Modified jaffe's	0.66	mg/dL	0.60 - 1.30
Uric Acid, Serum	6.00	mg/dL	2.60 - 6.00
Calcium Arsenazo III	8.90	mg/dl	8.40 - 10.20
Phosphorus uv photometric	3.62	mg/dL	2.60 - 4.50

Kidney function tests are group of tests that can be used to evaluate how well the kidneys are functioning. Creatinine is awaste product that comes from protein in the diet and also comes from the normal wear and tear of muscles of the body. Inblood, it is a marker of GFR .in urine, it can remove the need for 24-hour collections for many analytes or be used as a quality assurance tool to assess the accuracy of a 24-hour collection Higher levels may be a sign that the kidneys are not workingproperly. As kidney disease progresses, the level of creatinine and urea in the blood increases. Certain drugs are nephrotoxichence KFT is done before and after initiation of treatment with these drugs. Low serum creatinine values are rare; they almost always reflect low muscle mass. Apart from renal failure Blood Urea can increase in dehydration and GI bleed.Reference ranges vary between laboratories.

Note: The result obtained relate only to the sample given/received & tested. A single test result is not always indicative of a disease, it has to be correlated with clinical data for interpretation.



Dr. Dhairya Soneji M.D Path.

Note: 1. These report are mere estimation and are liable to vary / Change in different conditions in different laboratories.

The values are to be corroborated with clinical finding and any alarming or unexpected result should be referred to this lab urgently.
 These reports are not valid for medico legal purposes.

Page No: 9 of 12







Patient ID	12231552	Collected On	23/09/2023 09:20:00
Patient Name	Mrs. Abhilasha Priyadarshini	Received On	23/09/2023 09:20:01
Gender / Age	Female / 23 Yrs	Released On	23/09/2023 14:38:19
Refd. By		Printed On	23/09/2023 19:12:41
Client	Apollo Health & Lifestyle Ltd		

Investigation	Value	Unit	Biological Ref. Range
	<u>Lipid Profile</u>		
Cholesterol TOTAL CHOD-PAP	154	mg/dL	Desirable < 200 Borderline 200 - 239 High Risk >= 240
Triglycerides Glycerol Phosphate Oxidase	93	mg/dL	Normal <150 Borderline 150-199 High 200 -499 Very High >=500
DIRECT HDL Accelerator Selective Detergent	72	mg/dL	Major risk factor for heart disease < 40 Negative risk factor for heart disease =>60
VLDL Cholesterol Calculated	19	mg/dL	0.00 - 30.00
LDL Calculated	63	mg/dL	Recommended <130 Moderate Risk 130-159 High Risk >160
Total / HDL Cholesterol Ratio	2.1		Low Risk 3.3-4.4 Average Risk 4.4-7.1 Moderate Risk 7.1-11.0 High Risk >11.0
Non HDL Cholesterol Calculated	82.0	mg/dL	Adult Optimal <130 Above Optimal 130 -159 Borderline High 160-189 High 190 -219 Very High >=220

Lipid profile is a panel of blood tests that serves as an initial screening tool for abnormalities in lipids, such as cholesterol and triglycerides. The results of this test can identify certain genetic diseases and can determine approximate risks cardiovascular disease, certain forms of pancreatitis. Hypertriglyceridemia is indicative of insulin resistance when present with low high-density lipoprotein (HDL) and elevated low-density lipoprotein (LDL), while elevated triglyceride is a clinical risk factor for coronary artery disease (CAD), especially when low HDL is present. Very high levels of triglycerides are defined by serum levels of 500mg/dL or greater and can be concerning for development of pancreatitis. Reference range between laboratories.



Dr. Dhairya Soneji M.D Path.

Note: 1. These report are mere estimation and are liable to vary / Change in different conditions in different laboratories.

The values are to be corroborated with clinical finding and any alarming or unexpected result should be referred to this lab urgently.
 These reports are not valid for medico legal purposes.

Page No: 10 of 12







Patient ID	12231552	Collected On	23/09/2023 09:20:00
Patient Name	Mrs. Abhilasha Priyadarshini	Received On	23/09/2023 09:20:01
Gender / Age	Female / 23 Yrs	Released On	23/09/2023 14:38:19
Refd. By		Printed On	23/09/2023 19:12:48
Client	Apollo Health & Lifestyle Ltd		

Investigation	Value	Unit	Biological Ref. Range
	Thyroid Function To	<u>est</u>	
Triiodothyronine (T3) Chemiluminescent Microparticle Immunoassay (CMIA)	1.39	ng/ml	0.69 - 2.15
Thyroxine (T4) Chemiluminescent Microparticle Immunoassay (CMIA)	79.80	ng/mL	52.00 - 127.00
Thyroid Stimulating Hormone (TSH) Chemiluminescent Microparticle Immunoassay (CMIA)	1.82	uIU/ml	0.30 - 4.50
			Euthyroid 0.25 - 5.00 Hyperthyroid < 0.15 Hypothyroid > 7.00

TSH	T3	T4	Suggested Interpretation for the Thyroid Function Tests Pattern
Raised	Within range	Within range	Raised Within Range Within Range . Isolated High TSHespecially in the range of 4.7 to 15 m1U/m1 is commonly associated with Physiological & Biological TSH Variability. Subclinical Autoimmune Hypothyroidism.Intermittent 14 therapy for hypothyroidism . Recovery phase after Non-Thyroidal illness"
Raised	Raised	Decreased	Chronic Autoimmune Thyroiditis Post thyroidectomy, Post radioiodine Hypothyroid phase of transient thyroiditis"
Raised or within range	Raised	Raised or within range	Interfering antibodies to thyroid hormones (anti-TPO antibodies)Intermittent 14 therapy or T4 overdose • Drug interferenceAmiodarone, Heparin,Beta blockers,steroids, anti-epileptics
Decreased	Raised or within range	Raised or within range	Isolated Low TSH -especially in the range of 0.1 to 0.4 often seen in elderly & Range Range associated with Non-Thyroidal illness .Subclinical Hyperthyroidism .Thyroxine ingestion'
Decreased	Decreased	Decreased	Central Hypothyroidism .Non-Thyroidal illness .Recent treatment for Hyperthyroidism (TSH remains suppressed)"
Decreased	Raised	Raised	Primary Hyperthyroidism (Graves' disease).Multinodular goitre, Toxic nodule •Transient thyroiditis:Postpartum, Silent (lymphocytic), Postviral (granulomatous,subacute, DeQuervain's),Gestational thyrotoxicosis with hyperemesis gravidarum"
Decreased Within Rang	Raised	Within range	T3 toxicosis • Non-Thyroidal illness
Within range	Decreased	Within range	Isolated Low T3-often seen in elderly & associated Non-Thyroidal illness In elderly the drop in 13 level can be upto 25%.



Dr. Dhairya Soneji M.D Path.

Note: 1. These report are mere estimation and are liable to vary / Change in different conditions in different laboratories.
2. The values are to be comoborated with clinical finding and any alarming or unexpected result should be referred to this lab urgently.
3. These reports are not valid for medico legal purposes.

Page No: 11 of 12







Patient ID	12231552	Collected On	23/09/2023 09:20:00
Patient Name	Mrs. Abhilasha Priyadarshini	Received On	23/09/2023 09:20:01
Gender / Age	Female / 23 Yrs	Released On	23/09/2023 14:38:24
Refd. By		Printed On	23/09/2023 19:12:52
Client	Apollo Health & Lifestyle Ltd		

Investigation	Value	Unit	Biological Ref. Range
	Urine Examination (Routin	<u>ne)</u>	
Physical Examination			
Volume	30	mL	
Colour	PALE YELLOW		
Appearance	Clear		Clear
рН	6.0		Acidic
Specific Gravity	1.015		1.001-1.035
Chemical Examination			
Urine Protein	Nil		Nil
Urine Glucose	Nil		Nil
Ketone	Negative		Negative
Nitrite	Negative		Negative
Blood	Nil		Nil
Urobilinogen	Not Increased		Not Increased
Bilirubin	Nil		Nil
Leukocyte esterase	NIL		NIL
Microscopic Examination.			
Red Blood Cells	Nil	/hpf	Nil
Pus Cells (WBC)	1-2	/hpf	NIL
Epithelial Cells	1-2	/hpf	Nil
Casts	Nil	/hpf	Nil
Crystals	Nil	·	Nil
Bacteria	Nil		Nil
Yeast Cell	Nil		Nil
Mucous	Nil		Nil
Trichomonas	Nil		Nil
Amorphous Material	Nil		Nil

*** End of Report ***



Dr. Dhairya Soneji M.D Path.

Note: 1. These report are mere estimation and are liable to vary / Change in different conditions in different laboratories.

2. The values are to be corroborated with clinical finding and any alarming or unexpected result should be referred to this lab urgently.

3. These reports are not valid for medico legal purposes.



MER- MEDICAL EXAMINATION REPORT

Date of Examination	23/09/2023		
NAME	ABHI LASHA		
AGE	23	Gender	F
HEIGHT(cm)	160	WEIGHT (kg)	50.1
B.P.	112/7	J	
ECG	NSR		
X Ray	(A)		
Vision Checkup	Color Vision:		
	Far Vision Rat	io: 611 atio: 616	! without a
Present Ailments	Mil		
Details of Past ailments (If Any)	rul		
Comments / Advice : She /He is Physically Fit	Fil	_	
Dental: 04 Option: norm	μ		
opted : now			
ENT - Nurul			

Signature with Samp of Medical Examiner Or

Reg. No.: G-64033





CERTIFICATE OF MEDICAL FITNESS

This is to certify that I have conducted the clinical examination


Abhilasha Prigoduation on 23/9/2 After reviewing the medical history and on clinical examination it has been found that he/she is Tick Medically Fit Fit with restrictions/recommendations Though following restrictions have been revealed, in my opinion, these are not impediments to the job. However, the employee should follow the advice/medication that has been communicated to him/her. Review after Currently Unfit. Review after_____ recommended Unfit

This certificate is not meant for medico-legal furpositionad J. Go

Reg. No.: G-64033

Medical Officer

The Apollo Clinic, (Location)





Patient Name : ., ABHILASHA

MR No: 23092301 Modality: DX Gender: F Age: 23YY

Date: 23/09/2023

Referred By : ROHA. HEALTH CARE

X RAY CHEST (PA)

Both the lung fields do not reveal any parenchymal abnormality.

Both CP angles are clear.

Cardiac size is within normal limits.

Both domes of the diaphragm appear normal.

Bony thoracic cage appears normal.

CONCLUSION:

NO SIGNIFICANT ABNORMALITY DETECTED.


ADV: Clinical correlation and further investigation. Thanks for ref...

Diagnostic Center Address: 1st Floor, Plot No. 04/11/111, Near US Pizza, College Road, V R Nagar, Bhuj, District Kutch - 370001, Gujarat.

Dr.KRIPALSINH JADEJA

M.B,D.M.R.E RADIOLOGIST

KRICBHUJ





NAME: ABHILASHA PRIYADARSHNI

23.09.2023

FEMALE 33 Y CARDIOLOGY & DIABETOLOGY

CENTER

REF BY: ROHA HEALTH CARE

2D ECHO AND COLOUR DOPPLER STUDY

FINAL IMPRESSION:

DATE:

NORMLA LV SYSTOLIC FUNCTION WITH NORMAL LV SIZE.

LVEF: 76.00 %, NO RWMA AT REST.

NO PAH, NORMAL RA/RV.

NO MR, TRIVIAL TR.

NO MS NO AS.

 NORMAL RV FUNCTION. NORMAL LV COMPLIANCE.

NO ASD, NO VSD, NO PDA. NO PE. NO E/O PTE

· IVC: NORMAL.

NOTE:

DR. JAGDISH/DHANJI HALAI CLINICAL CARDIOLOGIST

नाम नोधामा माटे Appointment : 74074 98098

Education is Foundation For Prevention, Prevention is better than cure સ્વતઃસ્કુર્ણા : સ્વાદ આઝાદીનો - Swata:Sfurna : The taste of Freedom





SWAMINARAYAN HOSPITAL

NCD CLINIC & COUNSELLING

Dr. Jagdish Dhanji Halai

CENTER

MBBS, D. CARDIOLOGY & DIABETOLOGY

NAME: ABHILASHA PRIYADARSHNI FEMALE/ 23 Y

DATE: 23.09.2023 REF BY: ROHA HEALTH CARE

2D ECHO AND COLOUR DOPPLER STUDY

MITRAL VALVE : NORMAL.

AORTIC VALVE : NORMAL.

PULMONARY VALVE : NORMAL.
TRICUSPID VALVE : NORMAL.

AORTA : ROOT: 18.00 MM AND AORTA ST JUNCTION: 24.00 MM.

NORMAL ARCH AND WHOLE AORTA FROM ORIGINE TO BIFURCATION

LA : 26 MM

LV- D/LV-S : 36/20 MM.

LVEF : 76 %, NO RWMA AT REST.
 IVS : INTACT, IVS: 10.00 MM.
 IAS : INTACT, PW: 10.00 MM.

AOVP : 1.64 M/SEC. PVP: 0.84 M/SEC.

RA AND RV : NORMAL, PA: NORMAL.

RVSP : TR JET + RA MEAN PRESSURE: 28 MM HG TAPSE: 20.60 MM

COLOR DOPPLER STUDY : NO MR, TRIVIAL TR, PR : NO , TRIVIAL AR.

NO AS, NO MS, NO TS, NO PS.

ALL VLVES ARE NORMAL WITH NORMAL HEMODYNAMIC.

MVIS : VE/VA > 1,

NO PERICARDIAL EFFUSION. .

NO VSR, NO SCAR, NO CLOT, NO VEGETATION.

NO THROMBUS IN LV/LVA.


No rans


नाभ नोधाभा भाटे Appointment : 74074 98098

Education is Foundation For Prevention, Prevention is better than cure

સ્વતઃસ્કુર્ણા : સ્વાદ આઝાદીનો - Swata:Sfurna : The taste of Freedom









(A Division of KRIC Radio Diagnostic Pvt. Ltd.)

• Email: kric2008@gmail.com • Website: www.kric.in

Dr. Kripalsinh Jadeja

M.B., D.M.R.E. Consultant Radiologist Dr. Bhaven Shah

M.D. Consultant Radiologist

Patient Name: ABHILASHA.PRIYADARSHINI

MR No: D95707 Modality: US Gender: F Age: 23YY

Date: 23/09/2023

Referred By : ROHA HEALTH CARE

USG ABDOMEN & PELVIS.

LIVER: Appears normal in size and echotexture. No e/o focal or diffuse lesion seen. No evidence of dilated IHBR. PV and CBD appear normal in calibre.

GALL BLADDER: Appears normal. No evidence of stone or cholecystitis seen.

PANCREAS: Appears normal in size and echotexture. No focal mass lesion or changes of pancreatitis seen.

SPLEEN: Appears normal in size and echotexture. No evidence of focal or diffuse lesion.

BOTH KIDNEYS: Appear normal in size and echotexture with preservation of corticomedullary differentiation. No evidence of calculus, hydronephrosis or mass lesion involving Either kidney.

RK: 10 x 4 cm LK: 10.4 x 4.6 cm

URINARY BLADDER: appears normal. No intrinsic lesion seen.

UTERUS: Appears normal in size and measures 6.9 x 2.8 cm and show normal echotexture. Endometrial thickness is 5.3 mm.

Both adnexa appear normal. No e/o adnexal mass lesion. No evidence of ascites or paraaortic lymphadenopathy.

CONCLUSION:

* NORMAL SONOGRAPHY STUDY OF LIVER, GB, PANCREAS, SPLEEN, BOTH KIDNEYS, U.BLADDER, UTERUS AND BOTH ADENEXA.

ADV: Clinical correlation and further investigation. Thanks for ref...

Dr.KRIPALSINH JADEJA M.B,D.M.R.E

RADIOLOGIST

KRICBHUJ

1.5 TESLA 196 CHANNEL MRI | 16 SLICE MDCT SCAN | 3D & 4D USG | COLOUR DOPPLER | DIGITAL X-RAY | MAMMOGRAPHY | CBCT