Name	: Ms. SHAILJA
PID No.	: MED111017381
SID No.	: 422019556
Age / Sex	: 34 Year(s) / Female
Туре	: OP
Ref. Dr	: MediWheel

Register On	:	12/03/2022 10:06 AM
Collection On	:	12/03/2022 11:00 AM
Report On	:	14/03/2022 1:41 PM
Printed On	:	18/03/2022 6:57 PM



Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
HAEMATOLOGY			
Complete Blood Count With - ESR			
Haemoglobin (EDTA Blood'Spectrophotometry)	12.5	g/dL	12.5 - 16.0
Packed Cell Volume(PCV)/Haematocrit (EDTA Blood/Derived from Impedance)	39.7	%	37 - 47
RBC Count (EDTA Blood/Impedance Variation)	4.52	mill/cu.mm	4.2 - 5.4
Mean Corpuscular Volume(MCV) (EDTA Blood/Derived from Impedance)	88.0	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (EDTA Blood/Derived from Impedance)	27.8	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (EDTA Blood/Derived from Impedance)	31.6	g/dL	32 - 36
RDW-CV (EDTA Blood/Derived from Impedance)	14.5	%	11.5 - 16.0
RDW-SD (EDTA Blood/Derived from Impedance)	44.66	fL	39 - 46
Total Leukocyte Count (TC) (EDTA Blood/Impedance Variation)	5400	cells/cu.mm	4000 - 11000
Neutrophils (EDTA Blood/Impedance Variation & Flow Cytometry)	67.7	%	40 - 75
Lymphocytes (EDTA Blood/Impedance Variation & Flow	24.1	%	20 - 45

(EDTA Blood/Impedance Variation & Flow Cytometry)



VERIFIED BY



APPROVED BY

Name	: Ms. SHAILJA		
PID No.	: MED111017381	Register On : 12/03/2022 10:06 AM	\mathbf{C}
SID No.	: 422019556	Collection On : 12/03/2022 11:00 AM	
Age / Sex	: 34 Year(s) / Female	Report On : 14/03/2022 1:41 PM	MEDALL
Туре	: OP	Printed On : 18/03/2022 6:57 PM	
Ref. Dr	: MediWheel		

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> Reference Interval
Eosinophils (EDTA Blood/Impedance Variation & Flow Cytometry)	2.8	%	01 - 06
Monocytes (EDTA Blood/Impedance Variation & Flow Cytometry)	4.4	%	01 - 10
Basophils (Blood/Impedance Variation & Flow Cytometry)	1.0	%	00 - 02
Absolute Neutrophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	3.66	10^3 / µl	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	1.30	10^3 / µl	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood/Impedance Variation & Flow Cytometry)	0.15	10^3 / µl	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.24	10^3 / µl	< 1.0
Absolute Basophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.05	10^3 / µl	< 0.2
Platelet Count (EDTA Blood/Impedance Variation)	150	10^3 / µl	150 - 450
MPV (EDTA Blood/Derived from Impedance)	13.3	fL	8.0 - 13.3
PCT (EDTA Blood/Automated Blood cell Counter)	0.20	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Citrated Blood/Modified Westergren)	5	mm/hr	< 20



VERIFIED BY




APPROVED BY

Name	: Ms. SHAILJA
PID No.	: MED111017381
SID No.	: 422019556
Age / Sex	: 34 Year(s) / Female
Туре	: OP
Ref. Dr	: MediWheel

Register On	:	12/03/2022 10:06 AM
Collection On	:	12/03/2022 11:00 AM
Report On	:	14/03/2022 1:41 PM
Printed On	:	18/03/2022 6:57 PM



Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
BIOCHEMISTRY			
Liver Function Test			
Bilirubin(Total) (Serum/Diazotized Sulfanilic Acid)	0.7	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.2	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.5	mg/dL	0.1 - 1.0
Total Protein (Serum/Biuret)	7.5	gm/dL	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.7	gm/dL	3.5 - 5.2
Globulin (Serum/Derived)	2.8	gm/dL	2.3 - 3.6
A : G Ratio (Serum/Derived)	1.7		1.1 - 2.2
SGOT/AST (Aspartate Aminotransferase) (Serum/IFCC Kinetic)	17	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/IFCC / Kinetic)	15	U/L	5 - 41
Alkaline Phosphatase (SAP) (Serum/IFCC Kinetic)	75	U/L	42 - 98
GGT(Gamma Glutamyl Transpeptidase)	10	U/L	< 38



(Serum/SZASZ standarised IFCC)

VERIFIED BY



APPROVED BY

Name	: Ms. SHAILJA		
PID No.	: MED111017381	Register On : 12/03/2022 10:06 AM	\mathbf{C}
SID No.	: 422019556	Collection On : 12/03/2022 11:00 AM	
Age / Sex	: 34 Year(s) / Female	Report On : 14/03/2022 1:41 PM	MEDALL
Туре	: OP	Printed On : 18/03/2022 6:57 PM	
Ref. Dr	: MediWheel		

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Lipid Profile			
Cholesterol Total (Serum/Cholesterol oxidase/Peroxidase)	186	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/Glycerol phosphate oxidase / peroxidase)	56	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >=500

INTERPRETATION: The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the "usual" circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immunoinhibition)	43	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 50 - 59 High Risk: < 50
LDL Cholesterol (Serum/Calculated)	131.8	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >=190
VLDL Cholesterol (Serum/Calculated)	11.2	mg/dL	< 30
Non HDL Cholesterol (Serum/ <i>Calculated</i>)	143.0	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220



VERIFIED BY



APPROVED BY

Name	: Ms. SHAILJA			
PID No.	: MED111017381	Register On	: 12/03/2022 10:06 AM	M
SID No.	: 422019556	Collection On	: 12/03/2022 11:00 AM	
Age / Sex	: 34 Year(s) / Female	Report On	: 14/03/2022 1:41 PM	MEDALL
Туре	: OP	Printed On	: 18/03/2022 6:57 PM	
Ref. Dr	: MediWheel			

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> Reference Interval
INTERPRETATION: 1.Non-HDL Cholesterol is not 2.It is the sum of all potentially atherogenic proteins in co-primary target for cholesterol lowering therapy.	w proven to be a better		
Total Cholesterol/HDL Cholesterol Ratio (Serum/Calculated)	4.3		Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/ <i>Calculated</i>)	1.3		Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
LDL/HDL Cholesterol Ratio (Serum/ <i>Calculated</i>)	3.1		Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0



VERIFIED BY

DR SHAMIM JAVED MD PATHOLOGY KMC 88902

APPROVED BY

Name	: Ms. SHAILJA		
PID No.	: MED111017381	Register On : 12/03/2022 10:06 AM	M
SID No.	: 422019556	Collection On : 12/03/2022 11:00 AM	
Age / Sex	: 34 Year(s) / Female	Report On : 14/03/2022 1:41 PM	MEDALL
Туре	: OP	Printed On : 18/03/2022 6:57 PM	
Ref. Dr	: MediWheel		

Investigation Glycosylated Haemoglobin (HbA1c)	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
HbA1C (Whole Blood/ <i>HPLC</i>)	5.4	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5
INTERPRETATION: If Diabetes - Good control : 6.1 -	7.0 %, Fair control :	7.1 - 8.0 %, Poor control	>= 8.1 %

Estimated Average Glucose	108.28	mg/dL

(Whole Blood)

INTERPRETATION: Comments

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency,

hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbA1C values. Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E

ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.



VERIFIED BY



APPROVED BY

Name	: Ms. SHAILJA		
PID No.	: MED111017381	Register On : 12/03/2022 10:06 AM	C
SID No.	: 422019556	Collection On : 12/03/2022 11:00 AM	
Age / Sex	: 34 Year(s) / Female	Report On : 14/03/2022 1:41 PM	MEDALL
Туре	: OP	Printed On : 18/03/2022 6:57 PM	
Ref. Dr	: MediWheel		

Investigation	<u>Observed</u> Value	<u>Unit</u>	<u>Biological</u> Reference Interval
IMMUNOASSAY			
<u>THYROID PROFILE / TFT</u>			
T3 (Triiodothyronine) - Total (Serum/ <i>CMIA</i>) INTERPRETATION:	0.725	ng/mL	0.7 - 2.04
Comment : Total T3 variation can be seen in other condition like preg Metabolically active.	gnancy, drugs, neph	rosis etc. In such cas	ses, Free T3 is recommended as it is
T4 (Thyroxine) - Total (Serum/ <i>CMIA</i>)	5.98	µg/dL	4.2 - 12.0
INTERPRETATION: Comment : Total T4 variation can be seen in other condition like preg Metabolically active.	gnancy, drugs, neph	rosis etc. In such cas	es, Free T4 is recommended as it is
TSH (Thyroid Stimulating Hormone) (Serum/Chemiluminescent Microparticle Immunoassay(CMIA))	8.24	µIU/mL	0.35 - 5.50
INTERPRETATION: Reference range for cord blood - upto 20 1 st trimester: 0.1-2.5 2 nd trimester 0.2-3.0 3 rd trimester : 0.3-3.0 (Indian Thyroid Society Guidelines)			
Comment : 1.TSH reference range during pregnancy depends on Iodi 2.TSH Levels are subject to circadian variation, reaching of the order of 50%,hence time of the day has influence of	peak levels between	n 2-4am and at a mir	nimum between 6-10PM.The variation can be

of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations. 3.Values&lt,0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.



VERIFIED BY



APPROVED BY

Name	: Ms. SHAILJA		
PID No.	: MED111017381	Register On : 12/03/2022 10:06 AM	\mathbf{C}
SID No.	: 422019556	Collection On : 12/03/2022 11:00 AM	
Age / Sex	: 34 Year(s) / Female	Report On : 14/03/2022 1:41 PM	MEDALL
Туре	: OP	Printed On : 18/03/2022 6:57 PM	
Ref. Dr	: MediWheel		

	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> Reference Interval
CLINICAL PATHOLOGY			
PHYSICAL EXAMINATION			
Colour (Urine)	Pale Yellow		
Appearance (Urine)	Clear		Clear
Volume (Urine)	10	mL	
<u>CHEMICAL EXAMINATION(Automated-</u> <u>Urineanalyser)</u>			
pH (Urine/AUTOMATED URINANALYSER)	6.5		4.5 - 8.0
Specific Gravity (Urine)	1.015		1.002 - 1.035
Ketones (Urine)	Negative		Negative
Urobilinogen (Urine/AUTOMATED URINANALYSER)	0.2		0.2 - 1.0
Blood (Urine/AUTOMATED URINANALYSER)	Negative		Negative
Nitrite (Urine/AUTOMATED URINANALYSER)	Negative		Negative
Bilirubin (Urine/AUTOMATED URINANALYSER)	Negative		Negative
Protein (Urine)	Negative		Negative





APPROVED BY

Name	: Ms. SHAILJA			
PID No.	: MED111017381	Register On	: 12/03/2022 10:06 AM	\mathbf{C}
SID No.	: 422019556	Collection On	: 12/03/2022 11:00 AM	
Age / Sex	: 34 Year(s) / Female	Report On :	14/03/2022 1:41 PM	MEDALL
Туре	: OP	Printed On	: 18/03/2022 6:57 PM	
Ref. Dr	: MediWheel			

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Glucose (Urine)	Negative		Negative
Leukocytes (Urine)	Negative	leuco/uL	Negative
<u>MICROSCOPY(URINE DEPOSITS)</u>			
Pus Cells (Urine/Flow cytometry)	4-6	/hpf	3-5
Epithelial Cells (Urine)	2-3	/hpf	1-2
RBCs (Urine/Flow cytometry)	Nil	/hpf	2-3
Others (Urine)	Nil		Nil
Casts (Urine/ <i>Flow cytometry</i>)	Nil	/hpf	0 - 1
Crystals (Urine)	Nil		NIL





APPROVED BY

Name	: Ms. SHAILJA
PID No.	: MED111017381
SID No.	: 422019556
Age / Sex	: 34 Year(s) / Female
Туре	: OP
Ref. Dr	: MediWheel

Register On	:	12/03/2022 10:06 AM
Collection On	:	12/03/2022 11:00 AM
Report On	:	14/03/2022 1:41 PM
Printed On	:	18/03/2022 6:57 PM

<u>Unit</u>



Biological

Reference Interval

Investigation

IMMUNOHAEMATOLOGY

BLOOD GROUPING AND Rh TYPING (EDTA Blood/Agglutination)

'B' 'Positive'

Observed

<u>Value</u>



VERIFIED BY



APPROVED BY

Name	: Ms. SHAILJA		
PID No.	: MED111017381	Register On : 12/03/2022 10:06 AM	\mathbf{C}
SID No.	: 422019556	Collection On : 12/03/2022 11:00 AM	
Age / Sex	: 34 Year(s) / Female	Report On : 14/03/2022 1:41 PM	MEDALL
Туре	: OP	Printed On : 18/03/2022 6:57 PM	
Ref. Dr	: MediWheel		

	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
BIOCHEMISTRY BUN / Creatinine Ratio	13.3		6 - 22
Glucose Fasting (FBS) (Plasma - F/GOD - POD)	82	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose Fasting - Urine (Urine - F)	Negative		Negative
Glucose Postprandial (PPBS) (Plasma - PP/GOD - POD)	68	mg/dL	70 - 140

INTERPRETATION:

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Blood Urea Nitrogen (BUN) (Serum/Urease-GLDH)	12	mg/dL	7.0 - 21
Creatinine	0.9	mg/dL	0.6 - 1.1

(Serum/Jaffe Kinetic)

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin ,cefazolin, ACE inhibitors ,angiotensin II receptor antagonists,N-acetylcyteine , chemotherapeutic agent such as flucytosine etc.

Uric Acid	3.8	mg/dL	2.6 - 6.0
(Serum/Uricase/Peroxidase)			



VERIFIED BY



APPROVED BY

-- End of Report --

Name	SHAILJA	ID	MED111017381	
Age & Gender	34/FeMale	Visit Date	12-03-2022 00:00:00	
Ref Doctor Name	MediWheel			MEDALL

<u>2 D ECHOCARDIOGRAPHIC STUDY</u>

M mode measurement:

AORTA			: 2.5cms
LEFT ATRIUM			: 3.0cms
AVS			:
LEFT VENTRICLE	(DIASTOLE))	: 4.4cms
(SYS	TOLE)	: 2.9cm	ns
VENTRICULAR SEPTUM	(DIASTOLE)		: 0.9cms
(SYS	TOLE)	: 1.3cm	ns
POSTERIOR WALL	(DIASTOLE)		: 0.8cms
(SYS'	TOLE)	: 1.3cm	ns
EDV			: 87ml
ESV			: 33ml
FRACTIONAL SHORTENI	NG		: 33%
EJECTION FRACTION			: 62%
EPSS			:
RVID			: 1.7cms

DOPPLER MEASUREMENTS:

MITRAL VALVE	: E' 1.01 m/s	A' 0.50 m/s	NO MR
AORTIC VALVE	: 1.03 m/s		NO AR
TRICUSPID VALVE	: E' 1.66 m/s	A' - m/s	NO TR
PULMONARY VALVE	: 0.71 m/s		NO PR

Name	SHAILJA	ID	MED111017381	l 💦
Age & Gender	34/FeMale	Visit Date	12-03-2022 00:00:00	
Ref Doctor Name	MediWheel	-		INED



2D ECHOCARDIOGRAPHY FINDINGS:

Left ventricle No regional wall motion abn	: Normal size, Normal systolic function. ormalities.
Left Atrium	: Normal.
Right Ventricle	: Normal.
Right Atrium	: Normal.
Mitral valve	: Normal, No mitral valve prolapsed.
Aortic valve	: Normal, Trileaflet.
Tricuspid valve	: Normal.
Pulmonary valve	: Normal.
IAS	: Intact.
IVS	: Intact.
Pericardium	: No pericardial effusion.

IMPRESSION:

> NORMAL SIZED CARDIAC CHAMBERS.

- ▶ NORMAL LV SYSTOLIC FUNCTION. EF: 62%.
- > NO REGIONAL WALL MOTION ABNORMALITIES.
- > NORMAL VALVES.
- > NO CLOTS / PERICARDIAL EFFUSION / VEGETATION.

DR. K.S. SUBRAMANI. MBBS, MD, DM (CARDIOLOGY) FESC SENIOR CONSULTANT INTERVENTIONAL CARDIOLOGIST

Name	SHAILJA	ID	MED111017381	
Age & Gender	34/FeMale	Visit Date	12-03-2022 00:00:00	
Ref Doctor Name	MediWheel			MEDALL

Kss/an

<u>Note:</u> * Report to be interpreted by qualified medical professional. * To be correlated with other clinical findings. * Parameters may be subjected to inter and intra observer variations.

Name	SHAILJA	ID	MED111017381	
Age & Gender	34/FeMale	Visit Date	12-03-2022 00:00:00	
Ref Doctor Name	MediWheel			MEDALL

ABDOMINO-PELVIC ULTRASONOGRAPHY

LIVER shows normal in shape, size and has uniform echopattern. No evidence of focal lesion or intrahepatic biliary ductal dilatation. Hepatic and portal vein radicals are normal.

GALL BLADDER shows normal shape and has clear contents. Gall bladder wall is of normal thickness. CBD is of normal calibre.

PANCREAS has normal shape, size and uniform echopattern. No evidence of ductal dilatation or calcification.

SPLEEN shows normal shape, size and echopattern. No demonstrable Para -aortic lymphadenopathy.

KIDNEYS move well with respiration and have normal shape, size and echopattern. Cortico- medullary differentiations are well madeout. No evidence of calculus or hydronephrosis.

The kidney measures as follows:

	Bipolar length (cms)	Parenchymal thickness (cms)
Right Kidney	9.5	1.0
Left Kidney	9.6	1.6

URINARY BLADDER shows normal shape and wall thickness. It has clear contents. No evidence of diverticula.

UTERUS is retroverted and normal in size. It has uniform myometrial echopattern. Endometrial thickness measures 7mm Uterus measures as follows: LS: 7.9cms AP: 4.1cms TS: 4.5cms.

OVARIES are normal in size, shape and echotexture. No focal lesion seen. Ovaries measure as follows: **Right ovary**: 2.5 x 1.2cms **Left ovary**: 2.3 x 1.4cms

POD & adnexae are free.

No evidence of ascites/pleural effusion.

IMPRESSION:

> NO SIGNIFICANT ABNORMALITY DETECTED.

DR. H.K. ANAND

DR. APARNA

Name	SHAILJA	ID	MED111017381	
Age & Gender	34/FeMale	Visit Date	12-03-2022 00:00:00	
Ref Doctor Name	MediWheel			MEDALL

CONSULTANT RADIOLOGISTS: A/an

Name	SHAILJA	ID	MED111017381	1
Age & Gender	34/FeMale	Visit Date	12-03-2022 00:00:00	B.4.
Ref Doctor Name	MediWheel			IVIE



X - RAY CHEST PA VIEW

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

Impression: Essentially normal study.