




ભારતીય વિશિષ્ટ ઓળખાણ પ્રાધિકરણ  
ભારત સરકાર  
Unique Identification Authority of India  
Government of India

નામાંકન ક્રમ સંખ્યા/ Enrolment No.: 0658/49510/15151

Download Date: 20/09/2019

To  
શૈલેશકુમાર નરસિંહભાઈ પ્રજાપતિ  
Shaileshkumar Narsinhbhai Prajapati  
S/O Narsinhbhai Velabhai Prajapati  
18 A  
ABnagar society  
Behind ganj bazar  
Mahesana  
Mahesana  
Mahesana Gujarat - 384001  
9913450219

Generation Date: 19/07/2011



QR Code with Photograph

તમારો આધાર નંબર / Your Aadhaar No. :

5996 4684 5094

VID : 9140 7734 9584 8809

મારો આધાર, મારી ઓળખ



ભારત સરકાર  
Government of India




શૈલેશકુમાર નરસિંહભાઈ પ્રજાપતિ  
Shaileshkumar Narsinhbhai Prajapati  
જન્મ તારીખ/DOB: 06/12/1991  
પુરુષ/ MALE

5996 4684 5094

VID : 9140 7734 9584 8809

મારો આધાર, મારી ઓળખ



Government of India



સૂચના

- આધાર ઓળખાણનું પ્રમાણ છે, નાગરિકતાનું નહિ.
- ઓળખાણનું પ્રમાણ ઓનલાઇન ઓથેન્ટિકેશન દ્વારા પ્રાપ્ત કરો.
- આ ઇલેક્ટ્રોનિક પ્રક્રિયા દ્વારા બનાવેલા દસ્તાવેજ છે.

INFORMATION

- **Aadhaar** is a proof of identity, not of citizenship.
- To establish identity, authenticate online.
- This is electronically generated letter.


- આધાર દેશભરમાં માન્ય છે.
- આધાર ભવિષ્યમાં સરકારી અને બિન-સરકારી સેવાઓનો લાભ મેળવવામાં ઉપયોગી થશે.
- **Aadhaar** is valid throughout the country.
- **Aadhaar** will be helpful in availing Government and Non-Government services in future.



ભારતીય વિશિષ્ટ ઓળખાણ પ્રાધિકરણ  
Unique Identification Authority of India

સરનામું :  
S/O નરસિંહભાઈ વેલાભાઈ પ્રજાપતિ, 18 એ,  
એબીનગર સોસાયટી, ગંજ બજાર પાછળ, મહેસાણા,  
મહેસાણા,  
ગુજરાત - 384001

Address:  
S/O Narsinhbhai Velabhai Prajapati, 18  
A, ABnagar society, Behind ganj bazar,  
Mahesana, Mahesana,  
Gujarat - 384001



QR Code with Photograph

5996 4684 5094

VID : 9140 7734 9584 8809

1947

help@uidai.gov.in


www.uidai.gov.in

**ohada**  
**HEALTHCARE**

SPECIALITY LAB | DIAGNOSTIC SERVICES | MULTI SPECIALITY CLINICS

PATHOLOGY | MELECLAR BIOLOGY | MICROBIOLOG | GENETICS TESTING  
DRUG TESTING | VACCINATION | OPD CLINIC | DIGITAL X-RAY | ECG



 **GPS Map Camera**



**Bhuj, Gujarat, India**  
**20, Jadavji Nagar, Bhuj, Gujarat 370020, India**  
**Lat 23.234995°**  
**Long 69.650452°**  
**28/09/23 09:19 AM GMT +05:30**



LAB DIVISION

Patient ID	12231667	Collected On	28/09/2023 09:28:56
Patient Name	Mr. SHAILESHKUMAR NARSINHBHAI PRAJAPATI	Received On	28/09/2023 09:29:21
Gender / Age	Male / 30 Yrs	Released On	28/09/2023 18:21:45
Refd. By		Printed On	28/09/2023 20:30:28
Client	Apollo Health & Lifestyle Ltd		

Investigation	Value	Unit	Biological Ref. Range
<b>Glucose (Fasting)</b> GOD-PAP	102.00	mg/dL	60.00 - 110.00

Fasting Plasma Glucose (mg/dl)	2 hr plasma Glucose (mg/dl) Post Glucose load	Diagnosis
99 or below	139 or below	Normal
100 to 125	140 to 199	Pre-Diabetes (IGT)
126 or above	200 or above	Diabetes

Reference : American Diabetes Association.

Comment :

Impaired glucose tolerance (IGT) fasting, means a person has an increased risk of developing type 2 diabetes but does not have

it yet. A level of 126 mg/dL or above, confirmed by repeating the test on another day, means a person has diabetes.

IGT (2 hrs Post meal ), means a person has an increased risk of developing type 2 diabetes but does not have it yet. A 2-hour glucose level of 200 mg/dL or above, confirmed by repeating the test on another day, means a person has diabetes

Plasma Glucose Goals	For people with Diabetes
Before meal	70-130 mg/dL
2 Hours after meal	Less than 180 mg/dL
HbA1c	Less than 7%




Dr. Dhairy Soneji  
M.D Path.

Note : 1. These report are mere estimation and are liable to vary / Change in different conditions in different laboratories.  
2. The values are to be corroborated with clinical finding and any alarming or unexpected result should be referred to this lab urgently.  
3. These reports are not valid for medico legal purposes.



LAB DIVISION

Patient ID	12231667	Collected On	28/09/2023 09:28:56
Patient Name	Mr. SHAILESHKUMAR NARSINHBHAI PRAJAPATI	Received On	28/09/2023 09:29:21
Gender / Age	Male / 30 Yrs	Released On	28/09/2023 18:23:08
Refd. By		Printed On	28/09/2023 20:30:30
Client	Apollo Health & Lifestyle Ltd		

Investigation	Value	Unit	Biological Ref. Range
Glucose, Post Prandial (PP) GOD-PAP	168.00	mg/dL	70.00 - 140.00




Dr. Dhairya Soneji  
M.D Path.

Note : 1. These report are mere estimation and are liable to vary / Change in different conditions in different laboratories.  
2. The values are to be corroborated with clinical finding and any alarming or unexpected result should be referred to this lab urgently.  
3. These reports are not valid for medico legal purposes.



LAB DIVISION

Patient ID	12231667	Collected On	28/09/2023 09:28:56
Patient Name	Mr. SHAILESHKUMAR NARSINHBHAI PRAJAPATI	Received On	28/09/2023 09:29:21
Gender / Age	Male / 30 Yrs	Released On	28/09/2023 18:23:08
Refd. By		Printed On	28/09/2023 20:30:31
Client	Apollo Health & Lifestyle Ltd		

Investigation	Value	Unit	Biological Ref. Range
Glycosylated Hb HPLC	5.0	%	
Average Plasma Glucose	97		

Interpretation :

HbA1c %

<=5.6	Normal
5.7-6.4	At Risk for Diabetes
>=6.5	Diabetes

Estimated Average Glucose (eAG) is a new way to understand how well you are managing your diabetes. Using eAG may help you get a better idea of how well you are taking care of your diabetes. And that can help you and your health care provider know what changes you may need to make to be as healthy as possible .

HbA1c %	5	5.5	6	6.5	7	7.5	8	8.5	9	10	11	12
(eAG) mg/dL	97	111	126	140	154	169	183	197	212	240	269	298

The HbA1c goal for people with diabetes is less than 7 percent. A 3 to 6 monthly monitoring is recommended in diabetics. People with diabetes should get the test done more often if their blood sugar stays too high or if their healthcare provider makes any change in the treatment plan. HbA1c concentration represents the integrated values for blood glucose over the preceding 6 -10 wks and is not affected by daily glucose fluctuation, exercise & recent food intake. It is a more useful tool for clinical management of *Diabetes mellitus* through routine monitoring & assesses compliance with therapeutic regimen.




Dr. Dhairya Soneji  
M.D Path.

Note : 1. These report are mere estimation and are liable to vary / Change in different conditions in different laboratories.  
2. The values are to be corroborated with clinical finding and any alarming or unexpected result should be referred to this lab urgently.  
3. These reports are not valid for medico legal purposes.



LAB DIVISION

Patient ID	12231667	Collected On	28/09/2023 09:28:56
Patient Name	Mr. SHAILESHKUMAR NARSINHBHAI PRAJAPATI	Received On	28/09/2023 09:29:21
Gender / Age	Male / 30 Yrs	Released On	28/09/2023 17:26:30
Refd. By		Printed On	28/09/2023 20:30:33
Client	Apollo Health & Lifestyle Ltd		

Investigation	Value	Unit	Biological Ref. Range
---------------	-------	------	-----------------------

<b>Blood group</b> Gel Technique	"O" Positive		
-------------------------------------	--------------	--	--

Blood group is identified by antigens and antibodies present in the blood. Antigens are protein molecules found on the surface of red blood cells. Antibodies are found in plasma. To determine blood group, red cells are mixed with different antibody solutions to give A,B,O or AB. The test is performed by both forward as well as reverse grouping methods.

The report is of sample received. It is presumed that the sample belongs to the patient. In case of any discrepancy related to this report, contact lab.




Dr. Dhairy Soneji  
M.D Path.

**Note :** 1. These report are mere estimation and are liable to vary / Change in different conditions in different laboratories.  
2. The values are to be corroborated with clinical finding and any alarming or unexpected result should be referred to this lab urgently.  
3. These reports are not valid for medico legal purposes.



LAB DIVISION

Patient ID	12231667	Collected On	28/09/2023 09:28:56
Patient Name	Mr. SHAILESHKUMAR NARSINHBHAI PRAJAPATI	Received On	28/09/2023 09:29:21
Gender / Age	Male / 30 Yrs	Released On	28/09/2023 18:23:08
Refd. By		Printed On	28/09/2023 20:30:35
Client	Apollo Health & Lifestyle Ltd		

Investigation	Value	Unit	Biological Ref. Range
<b>COMPLETE BLOOD COUNT</b>			
<b>Hemoglobin</b> <small>Cynmeth Photometric Measurement</small>	13.1	gm/dL	13.0 - 17.0
<b>Erythrocyte RBC Count</b> <small>Electrical Impedance</small>	4.91	millions/cu.mm	4.50 - 5.50
<b>HCT</b> <small>Electrical Impedance</small>	39.2	%	40.0 - 50.0
<b>Mean Cell Volume (MCV)</b> <small>Electrical Impedance</small>	79.7	fL	80.0 - 100.0
<b>Mean Cell Haemoglobin (MCH)</b> <small>Electrical Impedance</small>	26.7	pg	27.0 - 32.0
<b>Mean Corpuscular Hb Conc. (MCHC)</b> <small>Electrical Impedance</small>	33.5	gm/dL	32.0 - 35.0
<b>Red Cell Distribution Width (RDW-CV)</b> <small>Electrical Impedance</small>	14.2	%	11.5 - 14.5
<b>Total Leukocyte Count (TLC)</b> <small>Electrical Impedance</small>	6.3	X10 <sup>3</sup> /uL	4.0 - 11.0
<b>Differential Leukocyte Count (DLC)</b>			
Neutrophils <small>VCS</small>	65	%	40 - 80
Lymphocytes <small>VCS</small>	25	%	20 - 40
Eosinophils <small>VCS</small>	04	%	01 - 06
Monocytes <small>VCS</small>	06	%	02 - 08
Basophils <small>VCS</small>	00	%	00 - 02
<b>Platelet Count</b> <small>Electrical Impedance</small>	314	x10 <sup>3</sup> /uL	150 - 450




Dr. Dhairya Soneji  
M.D Path.

**Note :** 1. These report are mere estimation and are liable to vary / Change in different conditions in different laboratories.  
2. The values are to be corroborated with clinical finding and any alarming or unexpected result should be referred to this lab urgently.  
3. These reports are not valid for medico legal purposes.



LAB DIVISION

Patient ID	12231667	Collected On	28/09/2023 09:28:56
Patient Name	Mr. SHAILESHKUMAR NARSINHBHAI PRAJAPATI	Received On	28/09/2023 09:29:21
Gender / Age	Male / 30 Yrs	Released On	28/09/2023 18:21:45
Refd. By		Printed On	28/09/2023 20:30:40
Client	Apollo Health & Lifestyle Ltd		

Investigation	Value	Unit	Biological Ref. Range
<b>Erythrocyte Sedimentation Rate (ESR)</b> Westergren's	12	mm in 1hr	00 - 15

- \* Test conducted on EDTA whole blood at 37 degree Celsius.
- \* ESR is an index of the presence of the active diseases of many types.
- \* Increased- in most infections, anaemias, injection of foreign proteins, auto-immune disorders, conditions accompanied by hyperglobunemia and hypercholesterolaemia.
- \* A rising ESR suggests a progressive disease.
- \* Decreased- in polycythemia, congestive heart failure.
- \* ESR is a useful but nonspecific marker of underlying inflammation. C-Reactive Protein(CRP) is the recommended test in a acute inflammatory conditions.




Dr. Dhairy Soneji  
M.D Path.

**Note :** 1. These report are mere estimation and are liable to vary / Change in different conditions in different laboratories.  
2. The values are to be corroborated with clinical finding and any alarming or unexpected result should be referred to this lab urgently.  
3. These reports are not valid for medico legal purposes.





LAB DIVISION

Patient ID	12231667	Collected On	28/09/2023 09:28:56
Patient Name	Mr. SHAILESHKUMAR NARSINHBHAI PRAJAPATI	Received On	28/09/2023 09:29:21
Gender / Age	Male / 30 Yrs	Released On	28/09/2023 18:23:08
Refd. By		Printed On	28/09/2023 20:30:42
Client	Apollo Health & Lifestyle Ltd		

Investigation	Value	Unit	Biological Ref. Range
---------------	-------	------	-----------------------

**Peripheral Blood Smear**

Microscopy

RBC:- RBC are Normocytic Normochromic.

WBC:- WBC Shows normal count and morphology.

PLATELET:- Normal count and slightly lying.

PARASITES:- Malaria parasites are not detected.

IMPRESSION:- Normocytic Normochronic blood picture.




Dr. Dhairya Soneji  
M.D Path.

**Note :** 1. These report are mere estimation and are liable to vary / Change in different conditions in different laboratories.  
2. The values are to be corroborated with clinical finding and any alarming or unexpected result should be referred to this lab urgently.  
3. These reports are not valid for medico legal purposes.



LAB DIVISION

Patient ID	12231667	Collected On	28/09/2023 09:28:56
Patient Name	Mr. SHAILESHKUMAR NARSINHBHAI PRAJAPATI	Received On	28/09/2023 09:29:21
Gender / Age	Male / 30 Yrs	Released On	28/09/2023 18:23:08
Refd. By		Printed On	28/09/2023 20:30:44
Client	Apollo Health & Lifestyle Ltd		

Investigation	Value	Unit	Biological Ref. Range
<b><u>Liver Function Test + GGT</u></b>			
<b>Billirubin – Total</b> <small>Diazonium Salt</small>	0.34	mg/dL	0.20 - 1.30
<b>Billirubin – Direct</b> <small>Diazo Reaction</small>	0.16	mg/dL	0.00 - 0.50
<b>Bilirubin, Indirect</b> <small>Calculated</small>	0.18	mg/dL	0.00 - 0.70
<b>Gultamic Oxaloacetic Transaminase (SGOT, AST)</b> <small>ifcc</small>	15.80	U/L	10.00 - 37.00
<b>Gultamic Pyruvic Transaminase (SGPT, ALT)</b> <small>IFCC</small>	<b>47.10</b>	U/L	0.00 - 41.00
<b>ALP (Alkaline Phosphatase)</b> <small>IFCC</small>	92.00	U/L	40.00 - 150.00
<b>Total Protien</b> <small>Biuret method</small>	<b>6.02</b>	g/dL	6.60 - 8.70
<b>Albumin</b> <small>Bromocresol Green</small>	4.01	g/dL	3.50 - 5.20
<b>Globulin</b> <small>Calculated</small>	<b>2.01</b>	g/dL	2.30 - 3.50
<b>A:G (Albumin:Globulin) Ratio</b> <small>Calculated</small>	2.00		1.20 - 2.00
<b>Gamma Glutamyle Transpeptidas</b> <small>ifcc</small>	28.80	U/L	0.00 - 55.00

These are group of tests that can be used to detect the presence of liver disease, distinguish among different types of liver disorders, gauge the extent of known liver damage, and monitor the response to treatment. Most liver diseases cause only mild symptoms initially, but these diseases must be detected early. Some tests are associated with functionality (e.g., albumin), some with cellular integrity (e.g., transaminase), and some with conditions linked to the biliary tract (gamma-glutamyl transferase and alkaline phosphatase). Conditions with elevated levels of ALT and AST include hepatitis A, B, C, paracetamol toxicity etc. Several biochemical tests are useful in the evaluation and management of patients with hepatic dysfunction. Some or all of these measurements are also carried out (usually about twice a year for routine cases) on those individuals taking certain medications, such as anticonvulsants, to ensure that the medications are not adversely impacting the person's liver. Reference ranges vary between laboratories.

Note : The result obtained relate only to the sample given/ received & tested. A single test result is not always indicative of a disease, it has to be correlated with clinical data for interpretation




Dr. Dhairya Soneji  
M.D Path.



LAB DIVISION

Patient ID	12231667	Collected On	28/09/2023 09:28:56
Patient Name	Mr. SHAILESHKUMAR NARSINHBHAI PRAJAPATI	Received On	28/09/2023 09:29:21
Gender / Age	Male / 30 Yrs	Released On	28/09/2023 18:21:45
Refd. By		Printed On	28/09/2023 20:30:49
Client	Apollo Health & Lifestyle Ltd		

Investigation	Value	Unit	Biological Ref. Range
<b><u>Kidney Function Test</u></b>			
<b>Urea, Serum</b> <small>Urease</small>	26.00	mg/dL	13.00 - 43.00
<b>Blood Urea Nitrogen</b> <small>Urease</small>	12.15	mg/dL	7.00 - 21.00
<b>Creatinine</b> <small>Modified jaffe's</small>	0.77	mg/dL	0.60 - 1.30
<b>Uric Acid, Serum</b> <small>enzymatic</small>	5.20	mg/dL	3.50 - 7.20
<b>Calcium</b> <small>Arsenazo III</small>	8.90	mg/dl	8.40 - 10.20
<b>Phosphorus</b> <small>UV PHOTOMETRIC</small>	3.65	mg/dL	2.60 - 4.50
<b>BUN Creatinine Ratio</b> <small>Serum</small>	15.78	Ratio	6.00 - 22.00

Kidney function tests are group of tests that can be used to evaluate how well the kidneys are functioning. Creatinine is a waste product that comes from protein in the diet and also comes from the normal wear and tear of muscles of the body. In blood, it is a marker of GFR. In urine, it can remove the need for 24-hour collections for many analytes or be used as a quality assurance tool to assess the accuracy of a 24-hour collection. Higher levels may be a sign that the kidneys are not working properly. As kidney disease progresses, the level of creatinine and urea in the blood increases. Certain drugs are nephrotoxic. KFT is done before and after initiation of treatment with these drugs. Low serum creatinine values are rare; they almost always reflect low muscle mass. Apart from renal failure, Blood Urea can increase in dehydration and GI bleed. Reference ranges vary between laboratories.

Note : The result obtained relate only to the sample given/ received & tested. A single test result is not always indicative of a disease, it has to be correlated with clinical data for interpretation.




Dr. Dhairy Soneji  
M.D Path.



LAB DIVISION

Patient ID	12231667	Collected On	28/09/2023 09:28:56
Patient Name	Mr. SHAILESHKUMAR NARSINHBHAI PRAJAPATI	Received On	28/09/2023 09:29:21
Gender / Age	Male / 30 Yrs	Released On	28/09/2023 18:21:45
Refd. By		Printed On	28/09/2023 20:30:52
Client	Apollo Health & Lifestyle Ltd		

Investigation	Value	Unit	Biological Ref. Range
<b>Lipid Profile</b>			
<b>Cholesterol TOTAL</b> CHOD-PAP	162.00	mg/dL	Desirable < 200 Borderline 200 - 239 High Risk >= 240
<b>Triglycerides</b> Glycerol Phosphate Oxidase	112.00	mg/dL	Normal <150 Borderline 150-199 High 200 -499 Very High >=500
<b>DIRECT HDL</b> Accelerator Selective Detergent	41.80	mg/dL	Major risk factor for heart disease < 40 Negative risk factor for heart disease =>60
<b>VLDL Cholesterol</b> Calculated	22.40	mg/dL	0.00 - 30.00
<b>LDL</b> Calculated	97.80	mg/dL	Recommended <130 Moderate Risk 130-159 High Risk >160
<b>Total / HDL Cholesterol Ratio</b>	<b>3.88</b>		Low Risk 3.3-4.4 Average Risk 4.4-7.1 Moderate Risk 7.1-11.0 High Risk >11.0
<b>Non HDL Cholesterol</b> Calculated	120.2	mg/dL	Adult Optimal <130 Above Optimal 130 -159 Borderline High 160-189 High 190 -219 Very High >=220

Lipid profile is a panel of blood tests that serves as an initial screening tool for abnormalities in lipids, such as cholesterol and triglycerides. The results of this test can identify certain genetic diseases and can determine approximate risks cardiovascular disease, certain forms of pancreatitis. Hypertriglyceridemia is indicative of insulin resistance when present with low high-density lipoprotein (HDL) and elevated low-density lipoprotein (LDL), while elevated triglyceride is a clinical risk factor for coronary artery disease (CAD), especially when low HDL is present. Very high levels of triglycerides are defined by serum levels of 500mg/dL or greater and can be concerning for development of pancreatitis. Reference range between laboratories.




Dr. Dhairya Soneji  
M.D Path.

Note : 1. These report are mere estimation and are liable to vary / Change in different conditions in different laboratories.  
2. The values are to be corroborated with clinical finding and any alarming or unexpected result should be referred to this lab urgently.  
3. These reports are not valid for medico legal purposes.



LAB DIVISION

Patient ID	12231667	Collected On	28/09/2023 09:28:56
Patient Name	Mr. SHAILESHKUMAR NARSINHBHAI PRAJAPATI	Received On	28/09/2023 09:29:21
Gender / Age	Male / 30 Yrs	Released On	28/09/2023 18:21:45
Refd. By		Printed On	28/09/2023 20:31:00
Client	Apollo Health & Lifestyle Ltd		

Investigation	Value	Unit	Biological Ref. Range
---------------	-------	------	-----------------------

**Thyroid Function Test**

<b>Triiodothyronine (T3)</b> Chemiluminescent Microparticle Immunoassay (CMIA)	1.18	ng/ml	0.69 - 2.15
<b>Thyroxine (T4)</b> Chemiluminescent Microparticle Immunoassay (CMIA)	80.24	ng/mL	52.00 - 127.00
<b>Thyroid Stimulating Hormone (TSH)</b> Chemiluminescent Microparticle Immunoassay (CMIA)	1.15	uIU/ml	0.45 - 5.60
			Euthyroid 0.25 - 5.00 Hyperthyroid < 0.15 Hypothyroid > 7.00

TSH	T3	T4	Suggested Interpretation for the Thyroid Function Tests Pattern
Raised	Within range	Within range	Raised Within Range Within Range .Isolated High TSH especially in the range of 4.7 to 15 mIU/ml is commonly associated with Physiological & Biological TSH Variability. Subclinical Autoimmune Hypothyroidism. Intermittent 14 therapy for hypothyroidism .Recovery phase after Non-Thyroidal illness"
Raised	Raised	Decreased	Chronic Autoimmune Thyroiditis Post thyroidectomy, Post radioiodine Hypothyroid phase of transient thyroiditis"
Raised or within range	Raised	Raised or within range	Interfering antibodies to thyroid hormones (anti-TPO antibodies) Intermittent 14 therapy or T4 overdose • Drug interference Amiodarone, Heparin, Beta blockers, steroids, anti-epileptics
Decreased	Raised or within range	Raised or within range	Isolated Low TSH -especially in the range of 0.1 to 0.4 often seen in elderly & Range Range associated with Non-Thyroidal illness .Subclinical Hyperthyroidism .Thyroxine ingestion'
Decreased	Decreased	Decreased	Central Hypothyroidism .Non-Thyroidal illness .Recent treatment for Hyperthyroidism (TSH remains suppressed)"
Decreased	Raised	Raised	Primary Hyperthyroidism (Graves' disease). Multinodular goitre, Toxic nodule • Transient thyroiditis: Postpartum, Silent (Lymphocytic), Postviral (granulomatous, subacute, DeQuervain's), Gestational thyrotoxicosis with hyperemesis gravidarum"
Decreased Within Rang	Raised	Within range	T3 toxicosis • Non-Thyroidal illness
Within range	Decreased	Within range	Isolated Low T3 -often seen in elderly & associated Non-Thyroidal illness In elderly the drop in T3 level can be upto 25%.




Dr. Dhairy Soneji  
M.D Path.

Note : 1. These report are mere estimation and are liable to vary / Change in different conditions in different laboratories.  
2. The values are to be corroborated with clinical finding and any alarming or unexpected result should be referred to this lab urgently.  
3. These reports are not valid for medico legal purposes.



LAB DIVISION

Patient ID	12231667	Collected On	28/09/2023 09:28:56
Patient Name	Mr. SHAILESHKUMAR NARSINHBHAI PRAJAPATI	Received On	28/09/2023 09:29:21
Gender / Age	Male / 30 Yrs	Released On	28/09/2023 18:23:08
Refd. By		Printed On	28/09/2023 20:31:04
Client	Apollo Health & Lifestyle Ltd		

Investigation	Value	Unit	Biological Ref. Range
---------------	-------	------	-----------------------

Urine Examination (Routine)

Physical Examination

Volume	20	mL	
Colour	PALE YELLOW		
Appearance	Clear		Clear
pH	5.0		Acidic
Specific Gravity	1.025		1.001-1.035

Chemical Examination

Urine Protein	Nil		Nil
Urine Glucose	Nil		Nil
Ketone	Negative		Negative
Nitrite	Negative		Negative
Blood	Nil		Nil
Urobilinogen	Not Increased		Not Increased
Bilirubin	Nil		Nil
Leukocyte esterase	NIL		NIL

Microscopic Examination.

Red Blood Cells	Nil	/hpf	Nil
Pus Cells (WBC)	1-2	/hpf	NIL
Epithelial Cells	0-1	/hpf	Nil
Casts	Nil	/hpf	Nil
Crystals	Nil		Nil
Bacteria	Nil		Nil
Yeast Cell	Nil		Nil
Mucous	Nil		Nil
Trichomonas	Nil		Nil
Amorphous Material	Nil		Nil

\*\*\* End of Report \*\*\*





Dr. Dhairy Soneji  
M.D Path.

Note : 1. These report are mere estimation and are liable to vary / Change in different conditions in different laboratories.  
2. The values are to be corroborated with clinical finding and any alarming or unexpected result should be referred to this lab urgently.  
3. These reports are not valid for medico legal purposes.

MER- MEDICAL EXAMINATION REPORT

Date of Examination	28/09/2023		
NAME	SHAILESHKUMIAR . N. PRAJAPATI		
AGE	32	Gender	M
HEIGHT(cm)	159cm	WEIGHT (kg)	62kg
B.P.	120/80 mmHg		
ECG	NSR		
X Ray	②		
Vision Checkup	Color Vision: ⑩		
	Far Vision Ratio : 6/6		
	Near Vision Ratio : 10/10 w/ without glasses		
Present Ailments	Nil		
Details of Past ailments (If Any)	Nil		
Comments / Advice : She /He is Physically Fit	Fit		
Dental OK ENT - Normal			

  
 Signature with Stamp of Medical Examiner  
**Dr. Nindad J. Gor**  
 M.B.B.S.  
 Reg. No. : G-64033



SPECIALITY LAB | DIAGNOSTIC SERVICES | MULTI SPECIALITY CLINICS

## CERTIFICATE OF MEDICAL FITNESS

This is to certify that I have conducted the clinical examination

of SHAILESHKUMAR on 28/9/2023

After reviewing the medical history and on clinical examination it has been found that he/she is

	Tick
<ul style="list-style-type: none"><li>• Medically Fit</li></ul>	<input checked="" type="checkbox"/>
<ul style="list-style-type: none"><li>• Fit with restrictions/recommendations</li></ul> <p>Though following restrictions have been revealed, in my opinion, these are not impediments to the job.</p> <p>1.....</p> <p>2.....</p> <p>3.....</p> <p>However, the employee should follow the advice/medication that has been communicated to him/her.</p> <p>Review after _____</p>	<input type="checkbox"/>
<ul style="list-style-type: none"><li>• Currently Unfit.</li></ul> <p>Review after _____ recommended</p>	<input type="checkbox"/>
<ul style="list-style-type: none"><li>• Unfit</li></ul>	<input type="checkbox"/>

Dr. Ninad J. Gor  
Medical Officer

The Apollo Clinic, (Location)

**Dr. Ninad J. Gor**

M.B.B.S.

*This certificate is not meant for medico-legal purposes*

Reg. No. : G-64033



**R**



**SHAILESH KUMAR**



SPECIALITY LAB | DIAGNOSTIC SERVICES | MULTI SPECIALITY CLINICS

Patient Name : ., SHAILESH KUMAR  
MR No : 28092302  
Modality : DX  
Gender : M  
Age: 32YY  
Date :28/09/2023  
Referred By :ROHA.HEALTH CARE

**X RAY CHEST (PA)**

Both the lung fields do not reveal any parenchymal abnormality.

Both CP angles are clear.

Cardiac size is within normal limits.

Both domes of the diaphragm appear normal.

Bony thoracic cage appears normal.

**CONCLUSION:**

**NO SIGNIFICANT ABNORMALITY DETECTED.**


ADV: Clinical correlation and further investigation.Thanks for ref...

Dr.BHAVEN SHAH  
M.D  
RADIOLOGIST

**KRICBHUI**

Patient Name: Mr.SHAILESHKUMAR PRAJAPATI    Age: 30    Gender: Male    Date: 28-09-2023

INVESTIGATION- AUDIOMETRY



IMP-BOTH EARS ARE SENSITIVITY ARE NORMAL.



# SWAMINARAYAN HOSPITAL

NCD CLINIC & COUNSELLING CENTER

NAME : SHAILESH KUMAR

Dr. Jagdish Dhanji Halai  
MALE/32Y MBBS, D. CARDIOLOGY & DIABETOLOGY

DATE : 28.09.2023


REF BY: ROHA HALTH CARE

## 2D ECHO AND COLOUR DOPPLER STUDY

### FINAL IMPRESSION:

- NORMAL LV SYSTOLIC FUNCTION WITH NORMAL LV SIZE.
- LVEF : 66.00 %, NO RWMA AT REST.
- NO PAH, NORMAL RA/RV.
- NO MR, TRIVIAL TR. NO MS NO AS.
- NORMAL RV FUNCTION.
- NORMAL LV COMPLAINE.
- NO ASD, NO VSD, NO PDA. NO PE. NO E/O PTE
- IVC : NORMAL.

NOTE :

  
DR. JAGDISH DHANJI HALAI  
Dr. Jagdish Dhanji Halai  
CLINICAL CARDIOLOGIST  
MBBS, D. Cardiology & Diabetology  
Clinical Cardiologist  
Reg.No.G 42676 IG 27-200855/  
Sr.No.D-19188

नाम नोधाभा भाटे Appointment : 74074 98098

*Education is Foundation For Prevention, Prevention is better than cure*

स्वतःस्फुर्णा : स्वाह आजादीनो - Swata:Sfurna : The taste of Freedom



# SWAMINARAYAN HOSPITAL

NCD CLINIC & COUNSELLING CENTER

**Dr. Jagdish Dhanji Halai**

MBBS, D. CARDIOLOGY & DIABETOLOGY

NAME : SHAILESH KUMAR

MALE/ 32 Y

DATE : 28.09.2023

REF BY: ROHA HALTH CARE

## 2D ECHO AND COLOUR DOPPLER STUDY

MITRAL VALVE	: NORMAL.
AORTIC VALVE	: NORMAL.
PULMONARY VALVE	: NORMAL.
TRICUSPID VALVE	: NORMAL.
AORTA	: ROOT: 18.00 MM AND AORTA ST JUNCTION: 26.00 MM. NORMAL ARCH AND WHOLE AORTA FROM ORIGINE TO BIFURCATION
LA	: 28 MM
LV- D/LV-S	: 46/26 MM.
LVEF	: 66 %, NO RWMA AT REST.
IVS	: INTACT, IVS: 10.00 MM.
IAS	: INTACT, PW: 10.00 MM.
AOVP	: 1.70 M/SEC. PVP: 0.84 M/SEC.
RA AND RV	: NORMAL, PA: NORMAL.
RVSP	: TR JET + RA MEAN PRESSURE: 28 MM HG TAPSE: 20.60 MM
COLOR DOPPLER STUDY	: NO MR, TRIVIAL TR, PR : NO , TRIVIAL AR. NO AS, NO MS, NO TS, NO PS. ALL VLVES ARE NORMAL WITH NORMAL HEMODYNAMIC.
MVIS	: VE/VA > 1, NO PERICARDIAL EFFUSION. . NO VSR, NO SCAR, NO CLOT, NO VEGETATION. NO THROMBUS IN LV/LVA.

नाम नोधाभा भाटे Appointment : 74074 98098

*Education is Foundation For Prevention, Prevention is better than cure*

स्वतःस्फूर्ति : स्वाद आजादीनो - Swata:Sfurna : The taste of Freedom



# KUTCH

## RADIOLOGY & IMAGING CENTRE

(A Division of KRIC Radio Diagnostic Pvt. Ltd.)

• Email : kric2008@gmail.com • Website : www.kric.in

**Dr. Kripalsinh Jadeja**

M.B., D.M.R.E.

Consultant Radiologist

**Dr. Bhaven Shah**

M.D.

Consultant Radiologist

**Patient Name :** ., SHAILESH KUMAR  
**MR No :** D95610  
**Modality :** US  
**Gender :** M  
**Age:** 32YY  
**Date :** 28/09/2023  
**Referred By :** ROHA HEALTH CARE

### USG : ABDOMEN & PELVIS

**LIVER :** appears normal in size and echotexture. No evidence of focal or diffuse lesion. No evidence of dilated IHBR. PV and CBD appear normal in calibre.

**GALL BLADDER :** appears normal. No intrinsic lesion seen.

**PANCREAS :** appears normal in size and echotexture. No focal mass lesion or changes of pancreatitis seen.

**SPLEEN :** appears normal in size and echotexture. No evidence of focal or diffuse lesion.

**BOTH KIDNEYS :** appear normal in size and echotexture with preservation of corticomedullary differentiation. No evidence of calculus, hydronephrosis or mass lesion involving either kidney.

RK: 10 x 4.2 cm LK: 10 x 5.1 cm

**URINARY BLADDER :** appears normal. No intrinsic lesion seen.

**PROSTATE:** Appears normal in size.

No e/o Ascites or paraaortic lymphadenopathy seen.

### **CONCLUSION:**

**\* NORMAL SONOGRAPHY OF LIVER, GB, SPLEEN, PANCREAS, BOTH KIDNEYS , U.BLADDER & PROSTATE.**

ADV: Clinical correlation and further investigation. Thanks for ref...

**Dr. BHAVEN SHAH**  
M.D  
RADIOLOGIST

**KRICBHUI**

1.5 TESLA 196 CHANNEL MRI | 16 SLICE MDCT SCAN | 3D & 4D USG | COLOUR DOPPLER | DIGITAL X-RAY | MAMMOGRAPHY | CBCT | OPG

"KRIC", PLOT NO. 76/B, BANKER'S COLONY, MUNDRA ROAD, OPP. JUBILEE GROUND, BHUI - KUTCH. PINCODE - 370001.




Scanned with OKEN Scanner

Scanned with OKEN Scanner


KUTCH RADIOLGY AND IMAGING CENTRE- BHUJ

28 Sep 2023 Study : ABD  
Name : SHAMLESH KUMAR 032Y / M

Re-Ex: : ROMA HEALTH CARE




LIVER



PANCREAS

GB




LEFT KIDNEY



RIGHT KIDNEY


SPLEEN




PROSTATE

LIBRARY BLACK









Date : 2023-09-28 10:15:22  
 ID : 0000006  
 Name : Shalish Kumar  
 Sex : m  
 Age : 32  
 Weight : 62 kg  
 Height : 169 cm

HR (bpm): 55  
 PR (ms): 156  
 P (ms): 114  
 QRS (ms): 66  
 T (ms): 216  
 QT/QTc (ms): 344/335  
 P/QRS/T : 62.0/61.9/48.4  
 R(V5)/S(V1) (mV): 1.919/1.044  
 R(V5)+S(V1) (mV): 2.963

<<Conclusion>>  
 Sinus mode Bradycardia  
 Cardiac electric axis normal

<<Report need physician confirm>>