

Name : Mrs. SUMITHA
PID No. : MED111036547
SID No. : 422025544
Age / Sex : 39 Year(s) / Female
Type : OP
Ref. Dr : MediWheel


Register On : 28/03/2022 9:48 AM
Collection On : 28/03/2022 10:27 AM
Report On : 29/03/2022 5:19 PM
Printed On : 02/04/2022 12:56 PM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
Eosinophils (EDTA Blood/Impedance Variation & Flow Cytometry)	4.8	%	01 - 06
Monocytes (EDTA Blood/Impedance Variation & Flow Cytometry)	5.9	%	01 - 10
Basophils (Blood/Impedance Variation & Flow Cytometry)	0.4	%	00 - 02
Absolute Neutrophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	4.39	10 ³ / µl	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	2.63	10 ³ / µl	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood/Impedance Variation & Flow Cytometry)	0.38	10 ³ / µl	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.47	10 ³ / µl	< 1.0
Absolute Basophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.03	10 ³ / µl	< 0.2
Platelet Count (EDTA Blood/Impedance Variation)	347	10 ³ / µl	150 - 450
MPV (EDTA Blood/Derived from Impedance)	9.2	fL	8.0 - 13.3
PCT (EDTA Blood/Automated Blood cell Counter)	0.32	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Citratd Blood/Modified Westergren)	52	mm/hr	< 20


DR .VANITHA.R.SWAMY MD
Consultant Pathologist
Reg No : 99049

VERIFIED BY


DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902

APPROVED BY

Name : Mrs. SUMITHA
PID No. : MED111036547
SID No. : 422025544
Age / Sex : 39 Year(s) / Female
Type : OP
Ref. Dr : MediWheel

Register On : 28/03/2022 9:48 AM
Collection On : 28/03/2022 10:27 AM
Report On : 29/03/2022 5:19 PM
Printed On : 02/04/2022 12:56 PM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
<u>BIOCHEMISTRY</u>			
<u>Liver Function Test</u>			
Bilirubin(Total) (Serum/Diazotized Sulfanilic Acid)	0.2	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.1	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.1	mg/dL	0.1 - 1.0
Total Protein (Serum/Biuret)	7.9	gm/dL	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.3	gm/dL	3.5 - 5.2
Globulin (Serum/Derived)	3.6	gm/dL	2.3 - 3.6
A : G Ratio (Serum/Derived)	1.2		1.1 - 2.2
SGOT/AST (Aspartate Aminotransferase) (Serum/IFCC Kinetic)	20	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/IFCC / Kinetic)	14	U/L	5 - 41
Alkaline Phosphatase (SAP) (Serum/IFCC Kinetic)	129	U/L	42 - 98
GGT(Gamma Glutamyl Transpeptidase) (Serum/SZASZ standarised IFCC)	24	U/L	< 38


DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902
APPROVED BY

Name : Mrs. SUMITHA

PID No. : MED111036547

SID No. : 422025544

Age / Sex : 39 Year(s) / Female

Type : OP

Ref. Dr : MediWheel

Register On : 28/03/2022 9:48 AM

Collection On : 28/03/2022 10:27 AM

Report On : 29/03/2022 5:19 PM

Printed On : 02/04/2022 12:56 PM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
<u>Lipid Profile</u>			
Cholesterol Total (Serum/Cholesterol oxidase/Peroxidase)	182	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/Glycerol phosphate oxidase / peroxidase)	75	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

INTERPRETATION: The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the "usual" circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immunoinhibition)	53	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 50 - 59 High Risk: < 50
LDL Cholesterol (Serum/Calculated)	114	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL Cholesterol (Serum/Calculated)	15	mg/dL	< 30
Non HDL Cholesterol (Serum/Calculated)	129.0	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220

DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902

APPROVED BY

Name : Mrs. SUMITHA
PID No. : MED111036547
SID No. : 422025544
Age / Sex : 39 Year(s) / Female
Type : OP
Ref. Dr : MediWheel

Register On : 28/03/2022 9:48 AM
Collection On : 28/03/2022 10:27 AM
Report On : 29/03/2022 5:19 PM
Printed On : 02/04/2022 12:56 PM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

INTERPRETATION: 1.Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol.
2.It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.

Total Cholesterol/HDL Cholesterol Ratio (Serum/Calculated)	3.4		Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
---	-----	--	--

Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/Calculated)	1.4		Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
--	-----	--	--

LDL/HDL Cholesterol Ratio (Serum/Calculated)	2.2		Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0
---	-----	--	---

A handwritten signature in black ink, appearing to read "Shamim Javed", written over a faint background of the MEDALL logo.

DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902

APPROVED BY

Name : Mrs. SUMITHA

PID No. : MED111036547

SID No. : 422025544

Age / Sex : 39 Year(s) / Female

Type : OP

Ref. Dr : MediWheel

Register On : 28/03/2022 9:48 AM

Collection On : 28/03/2022 10:27 AM

Report On : 29/03/2022 5:19 PM

Printed On : 02/04/2022 12:56 PM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
<u><i>Glycosylated Haemoglobin (HbA1c)</i></u>			
HbA1C (Whole Blood/HPLC)	5.8	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: ≥ 6.5

INTERPRETATION: If Diabetes - Good control : 6.1 - 7.0 % , Fair control : 7.1 - 8.0 % , Poor control ≥ 8.1 %

Estimated Average Glucose 119.76 mg/dL
(Whole Blood)

INTERPRETATION: Comments

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycaemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency, hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbA1C values.

Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.


DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902
APPROVED BY

Name : Mrs. SUMITHA
PID No. : MED111036547
SID No. : 422025544
Age / Sex : 39 Year(s) / Female
Type : OP
Ref. Dr : MediWheel

Register On : 28/03/2022 9:48 AM
Collection On : 28/03/2022 10:27 AM
Report On : 29/03/2022 5:19 PM
Printed On : 02/04/2022 12:56 PM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

IMMUNOASSAY

THYROID PROFILE / TFT

T3 (Triiodothyronine) - Total (Serum/CMIA)	1.22	ng/mL	0.7 - 2.04
---	------	-------	------------

INTERPRETATION:

Comment :

Total T3 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T3 is recommended as it is Metabolically active.

T4 (Thyroxine) - Total (Serum/CMIA)	7.29	µg/dL	4.2 - 12.0
--	------	-------	------------

INTERPRETATION:

Comment :

Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active.

TSH (Thyroid Stimulating Hormone) (Serum/Chemiluminescent Microparticle Immunoassay(CMIA))	3.50	µIU/mL	0.35 - 5.50
--	------	--------	-------------

INTERPRETATION:

Reference range for cord blood - upto 20

1 st trimester: 0.1-2.5

2 nd trimester 0.2-3.0

3 rd trimester : 0.3-3.0

(Indian Thyroid Society Guidelines)

Comment :

1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI.

2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM.The variation can be of the order of 50%,hence time of the day has influence on the measured serum TSH concentrations.

3.Values$0.03 \mu\text{IU/mL}$ need to be clinically correlated due to presence of rare TSH variant in some individuals.

DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902

APPROVED BY

Name : Mrs. SUMITHA
PID No. : MED111036547
SID No. : 422025544
Age / Sex : 39 Year(s) / Female
Type : OP
Ref. Dr : MediWheel

Register On : 28/03/2022 9:48 AM
Collection On : 28/03/2022 10:27 AM
Report On : 29/03/2022 5:19 PM
Printed On : 02/04/2022 12:56 PM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

CLINICAL PATHOLOGY

PHYSICAL EXAMINATION

Colour (Urine)	Pale Yellow		
Appearance (Urine)	Clear		Clear
Volume (Urine)	20	mL	


CHEMICAL EXAMINATION(Automated-Urineanalyser)

pH (Urine/AUTOMATED URINANALYSER)	6.0		4.5 - 8.0
Specific Gravity (Urine)	1.025		1.002 - 1.035
Ketones (Urine)	Negative		Negative
Urobilinogen (Urine/AUTOMATED URINANALYSER)	0.2		0.2 - 1.0
Blood (Urine/AUTOMATED URINANALYSER)	Negative		Negative
Nitrite (Urine/AUTOMATED URINANALYSER)	Negative		Negative
Bilirubin (Urine/AUTOMATED URINANALYSER)	Negative		Negative
Protein (Urine)	Negative		Negative



Dr SURAJ JAEN
Consultant Pathologist
Reg No : 80423

VERIFIED BY



DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902

APPROVED BY

Name : Mrs. SUMITHA
PID No. : MED111036547
SID No. : 422025544
Age / Sex : 39 Year(s) / Female
Type : OP
Ref. Dr : MediWheel

Register On : 28/03/2022 9:48 AM
Collection On : 28/03/2022 10:27 AM
Report On : 29/03/2022 5:19 PM
Printed On : 02/04/2022 12:56 PM




<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
Glucose (Urine)	Negative		Negative
Leukocytes (Urine)	Negative	leuco/uL	Negative
<u>MICROSCOPY(URINE DEPOSITS)</u>			
Pus Cells (Urine/Flow cytometry)	2-4	/hpf	3-5
Epithelial Cells (Urine)	3-5	/hpf	1-2
RBCs (Urine/Flow cytometry)	Nil	/hpf	NIL
Others (Urine)	Nil		Nil
Casts (Urine/Flow cytometry)	Nil	/hpf	0 - 1
Crystals (Urine)	Nil		NIL



Dr SURAJ JAIN
Consultant Pathologist
Reg No : 80423

VERIFIED BY



DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902

APPROVED BY

Name : Mrs. SUMITHA

PID No. : MED111036547

SID No. : 422025544

Age / Sex : 39 Year(s) / Female

Type : OP

Ref. Dr : MediWheel

Register On : 28/03/2022 9:48 AM

Collection On : 28/03/2022 10:27 AM

Report On : 29/03/2022 5:19 PM

Printed On : 02/04/2022 12:56 PM



Investigation

Observed
Value


Unit

Biological
Reference Interval


IMMUNOHAEMATOLOGY

BLOOD GROUPING AND Rh TYPING
(EDTA Blood/Agglutination)

'O' Positive'



VERIFIED BY



APPROVED BY

Name : Mrs. SUMITHA
PID No. : MED111036547
SID No. : 422025544
Age / Sex : 39 Year(s) / Female
Type : OP
Ref. Dr : MediWheel

Register On : 28/03/2022 9:48 AM
Collection On : 28/03/2022 10:27 AM
Report On : 29/03/2022 5:19 PM
Printed On : 02/04/2022 12:56 PM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
<u>BIOCHEMISTRY</u>			
BUN / Creatinine Ratio	15		6 - 22
Glucose Fasting (FBS) (Plasma - F/GOD - POD)	89	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose Fasting - Urine (Urine - F)	Negative		Negative
Glucose Postprandial (PPBS) (Plasma - PP/GOD - POD)	86	mg/dL	70 - 140

INTERPRETATION:

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti-diabetic medication during treatment for Diabetes.

Glucose Postprandial - Urine (Urine - PP)	Negative		Negative
Blood Urea Nitrogen (BUN) (Serum/Urease-GLDH)	12	mg/dL	7.0 - 21
Creatinine (Serum/Jaffe Kinetic)	0.8	mg/dL	0.6 - 1.1

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin ,cefazolin, ACE inhibitors ,angiotensin II receptor antagonists,N-acetylcyteine , chemotherapeutic agent such as flucytosine etc.

Uric Acid (Serum/Uricase/Peroxidase)	4.9	mg/dL	2.6 - 6.0
---	-----	-------	-----------


DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902
APPROVED BY

-- End of Report --

Name	SUMITHA	ID	MED111036547
Age & Gender	39/FeMale	Visit Date	28-03-2022 00:00:00
Ref Doctor Name	MediWheel		



2 D ECHOCARDIOGRAPHIC STUDY

M mode measurement:

AORTA	:	2.4cms
LEFT ATRIUM	:	2.7cms
AVS	:	----
LEFT VENTRICLE (DIASTOLE)	:	4.0cms
(SYSTOLE)	:	2.7cms
VENTRICULAR SEPTUM (DIASTOLE)	:	1.0cms
(SYSTOLE)	:	1.2cms
POSTERIOR WALL (DIASTOLE)	:	1.0cms
(SYSTOLE)	:	1.3cms
EDV	:	69ml
ESV	:	27ml
FRACTIONAL SHORTENING	:	32%
EJECTION FRACTION	:	61%
EPSS	:	---
RVID	:	1.9cms

DOPPLER MEASUREMENTS:

MITRAL VALVE	:	E' 0.73 m/s	A' 0.62 m/s	NO MR
AORTIC VALVE	:	1.20 m/s		NO AR
TRICUSPID VALVE	:	E' 1.90 m/s	A' - m/s	NO TR
PULMONARY VALVE	:	0.97 m/s		NO PR

Name	SUMITHA	ID	MED111036547
Age & Gender	39/FeMale	Visit Date	28-03-2022 00:00:00
Ref Doctor Name	MediWheel		



2D ECHOCARDIOGRAPHY FINDINGS:

Left ventricle : Normal size, Normal systolic function.
No regional wall motion abnormalities.

Left Atrium : Normal.

Right Ventricle : Normal.

Right Atrium : Normal.

Mitral valve : Normal, No mitral valve prolapsed.

Aortic valve : Normal, Trileaflet.

Tricuspid valve : Normal.

Pulmonary valve : Normal.

IAS : Intact.

IVS : Intact.

Pericardium : No pericardial effusion.

IMPRESSION:

- **NORMAL SIZED CARDIAC CHAMBERS.**
- **NORMAL LV SYSTOLIC FUNCTION. EF:61 %.**
- **NO REGIONAL WALL MOTION ABNORMALITIES.**
- **NORMAL VALVES.**
- **NO CLOTS / PERICARDIAL EFFUSION / VEGETATION.**

DR. K.S. SUBRAMANI. MBBS, MD, DM (CARDIOLOGY) FESC
SENIOR CONSULTANT INTERVENTIONAL CARDIOLOGIST
Kss/da

Name	SUMITHA	ID	MED111036547
Age & Gender	39/FeMale	Visit Date	28-03-2022 00:00:00
Ref Doctor Name	MediWheel		



Note:

- * Report to be interpreted by qualified medical professional.**
- * To be correlated with other clinical findings.**
- * Parameters may be subjected to inter and intra observer variations.**

Name	SUMITHA	ID	MED111036547
Age & Gender	39/FeMale	Visit Date	28-03-2022 00:00:00
Ref Doctor Name	MediWheel		



ABDOMINO-PELVIC ULTRASONOGRAPHY

LIVER is normal in shape, size and has uniform echopattern. No evidence of focal lesion or intrahepatic biliary ductal dilatation. Hepatic and portal vein radicals are normal.

GALL BLADDER shows normal shape and has clear contents. Gall bladder wall is of normal thickness. CBD is of normal calibre.

PANCREAS has normal shape, size and uniform echopattern. No evidence of ductal dilatation or calcification.

SPLEEN shows normal shape, size and echopattern.
No demonstrable Para -aortic lymphadenopathy.

KIDNEYS move well with respiration and have normal shape, size and echopattern.
Cortico- medullary differentiations are well madeout. No evidence of calculus or hydronephrosis.

The kidney measures as follows:

	Bipolar length (cms)	Parenchymal thickness (cms)
Right Kidney	10.4	1.2
Left Kidney	9.4	1.4

URINARY BLADDER shows normal shape and wall thickness. It has clear contents. No evidence of diverticula.

UTERUS is anteverted and normal in size. It has uniform myometrial echopattern.

Endometrial thickness measures 6mm

Uterus measures as follows: LS: 7.8cms AP: 3.2cms TS: 4.9cms.

OVARIES are normal in size, shape and echotexture. No focal lesion seen.

Ovaries measure as follows: Right ovary: 2.4 x 1.5cms Left ovary: 2.2 x 1.6cms

POD & adnexae are free.

No evidence of ascites/pleural effusion.

IMPRESSION:

➤ **NO SIGNIFICANT ABNORMALITY DETECTED .**

DR. H.K. ANAND
CONSULTANT RADIOLOGISTS:

DR. APARNA

Name	SUMITHA	ID	MED111036547
Age & Gender	39/FeMale	Visit Date	28-03-2022 00:00:00
Ref Doctor Name	MediWheel		



A/vp

Name	SUMITHA	ID	MED111036547
Age & Gender	39/FeMale	Visit Date	28-03-2022 00:00:00
Ref Doctor Name	MediWheel		



X - RAY CHEST PA VIEW

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

Impression: Essentially normal study.