

PHYSICAL EXAMINATION REPORT

Rayjan Sex/Ago Location Rajeev Patient Name Date

History and Complaints

Co- Dysproea on exertor.

E

P

0

EXAMINATION FINDINGS: Fire tags on fyes Temp (0c): Height (cms): Skin: Weight (kg): Nails: **Blood Pressure** Lymph Node: Pulse Systems: Cardiovascular: Respiratory: Genitourinary: GI System: chest Kray-CNS: CBC- Fosinophilia Impression: 2 DEHO-LVH

REGD. OFFICE: Suburban Diagnostics (India) Pvt. Ltd., Aston, 2rd Floor, Sundervan Complex, Above Mercedes Showroom, Andheri West, Mumbai - 400053.

CENTRAL REFERENCE LABORATORY: Shop No. 9, 101 to 105, Skyline Wealth Space Building, Near Dmart, Premier Road, Vidyavihar (W), Mumbai - 400086. HEALTHLINE: 022-6170-0000 | E-MAIL: customerservice@suburbandiagnostics.com | WEBSITE: www.suburbandiagnostics.com



Regitient of tosinophilia. Regitientse. Low Fait, Low sugar Diet Advice: Hypertension: 1) IHD 2) Arrhythmia 3) **Diabetes Mellitus** 4) Tuberculosis 5) Asthama 6) **Pulmonary Disease** 7) Thyroid/ Endocrine disorders 8) Nervous disorders 9) GI system 10) Genital urinary disorder 11) Rheumatic joint diseases or symptoms 12) Blood disease or disorder 13) Cancer/lump growth/cyst 14) Congenital disease 15) 16) Surgeries Musculoskeletal System 17) PERSONAL HISTORY: Alcohol 1) **Smoking** 2) Diet 3) Medication 4) Dr. Manasee Kulkarn

R

E

REGD. OFFICE: Suburban Diagnostics (India) Pvt. Ltd., Aston, 2nd Floor, Sundervan Complex, Above Mercedes Showroom, Andheri West, Mumbai - 400053.

CENTRAL REFERENCE LABCRATORY: Shop No. 9, 101 to 105, Skyline Wealth Space Building, Near Dmart, Premier Road, Vidyavihar (W), Mumbai - 400086.

2005/09/3439

M.B.B.S



: 2308108845

Name

: MR. RAJEEV RANJAN

Age / Gender

: 43 Years / Male

Consulting Dr.

: G B Road, Thane West (Main Centre) Reg. Location

Collected Reported : 22-Mar-2023 / 08:21

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

:22-Mar-2023 / 11:23

R

E

P

0

R

T

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO

	CBC (Complete	e Blood Count), Blood	
PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
RBC PARAMETERS Haemoglobin RBC PCV MCV MCH MCHC RDW	14.5 5.16 44.8 86.7 28.1 32.4 14.9	13.0-17.0 g/dL 4.5-5.5 mil/cmm 40-50 % 80-100 fl 27-32 pg 31.5-34.5 g/dL 11.6-14.0 %	Spectrophotometric Elect. Impedance Measured Calculated Calculated Calculated Calculated
WBC PARAMETERS WBC Total Count	6130	4000-10000 /cmm	Elect. Impedance
WBC DIFFERENTIAL AND Lymphocytes Absolute Lymphocytes Monocytes Absolute Monocytes Neutrophils Absolute Neutrophils Eosinophils Absolute Eosinophils	30.6 1875.8 6.5 398.4 51.8 3175.3 11.1 680.4	20-40 % 1000-3000 /cmm 2-10 % 200-1000 /cmm 40-80 % 2000-7000 /cmm 1-6 % 20-500 /cmm	Calculated Calculated Calculated Calculated
Basophils Absolute Basophils Immature Leukocytes	0.0	0.1-2 % 20-100 /cmm	Calculated
WBC Differential Count by A	bsorbance & Impedance me	thod/Microscopy.	
PLATELET PARAMETER Platelet Count MPV PDW		150000-400000 /cmm 6-11 fl 11-18 %	Elect. Impedance Calculated Calculated

RBC MORPHOLOGY

Page 1 of 14



Name : MR. RAJEEV RANJAN

Age / Gender

: 43 Years / Male

Consulting Dr. Reg. Location

. -

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected Reported : 22-Mar-2023 / 08:21 : 22-Mar-2023 / 10:36 R

E

P

O

R

Т

Hypochromia

Microcytosis

Macrocytosis

Anisocytosis

Poikilocytosis

Polychromasia

Target Cells

Basophilic Stippling

Normoblasts

Others

Normocytic, Normochromic

WBC MORPHOLOGY

PLATELET MORPHOLOGY

COMMENT

Eosinophilia

Specimen: EDTA Whole Blood

ESR, EDTA WB-ESR

4

2-15 mm at 1 hr.


Sedimentation

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
*** End Of Report ***









Dr.AMIT TAORI M.D (Path) Pathologist

Page 2 of 14



: 2308108845 CID

Plasma PP/R

: MR. RAJEEV RANJAN Name

Age / Gender

: 43 Years / Male

Consulting Dr. Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

: 22-Mar-2023 / 11:35

:22-Mar-2023 / 14:13

Hexokinase

Hexokinase

R

E

P

0

R

T

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO **METHOD**

BIOLOGICAL REF RANGE RESULTS PARAMETER

GLUCOSE (SUGAR) FASTING,

Fluoride Plasma

GLUCOSE (SUGAR) PP, Fluoride 104.9

96.8

Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose:

100-125 mg/dl

Collected

Reported

Diabetic: >/= 126 mg/dl

Non-Diabetic: < 140 mg/dl

Impaired Glucose Tolerance:

140-199 mg/dl

Diabetic: >/= 200 mg/dl

Absent Absent Urine Sugar (Fasting) Absent Absent Urine Ketones (Fasting)


Absent Absent Urine Sugar (PP) Absent Absent Urine Ketones (PP)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West *** End Of Report ***









Dr.AMIT TAORI M.D (Path) Pathologist

Page 3 of 14



: 2308108845 CID

: MR. RAJEEV RANJAN Name

Age / Gender

: 43 Years / Male

Consulting Dr. Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected

Reported

: 22-Mar-2023 / 08:21 :22-Mar-2023 / 11:23 R

E

P

0

R

Т

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO KIDNEY FUNCTION TESTS


PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
BLOOD UREA, Serum	12.7	12.8-42.8 mg/dl	Urease & GLDH
BUN, Serum	5.9	6-20 mg/dl	Calculated
CREATININE, Serum	0.82	0.67-1.17 mg/dl	Enzymatic
eGFR, Serum	109	>60 ml/min/1.73sqm	Calculated
Note: eGFR estimation is calcula	ted using MDRD (Modificat	ion of diet in renal disease study group) eq	uation
TOTAL PROTEINS, Serum	6.5	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.2	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.3	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.8	1-2	Calculated
URIC ACID, Serum	5.7	3.5-7.2 mg/dl	Uricase
PHOSPHORUS, Serum	3.2	2.7-4.5 mg/dl	Ammonium molybdate
CALCIUM, Serum	9.0	8.6-10.0 mg/dl	N-BAPTA
SODIUM, Serum	142	135-148 mmol/l	ISE
POTASSIUM, Serum	3.6	3.5-5.3 mmol/l	ISE
CHLORIDE, Serum	103	98-107 mmol/l	ISE

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West *** End Of Report ***









Dr.AMIT TAORI M.D (Path) Pathologist

Page 4 of 14



: 2308108845

Name

: MR.RAJEEV RANJAN

Age / Gender

: 43 Years / Male

Consulting Dr.

Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected

Reported

: 22-Mar-2023 / 08:21 :22-Mar-2023 / 11:23

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO GLYCOSYLATED HEMOGLOBIN (HbA1c)

PARAMETER

BIOLOGICAL REF RANGE

METHOD

R

E

O

Glycosylated Hemoglobin (HbA1c), EDTA WB - CC

5.3

RESULTS

Non-Diabetic Level: < 5.7 % Prediabetic Level: 5.7-6.4 % **HPLC**

Diabetic Level: >/= 6.5 %

Estimated Average Glucose (eAG), EDTA WB - CC

105.4

mg/dl

Calculated

Intended use:

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West *** End Of Report **



Amit Taon Dr.AMIT TAORI M.D (Path)

Pathologist

Page 5 of 14



: 2308108845

Name

: MR.RAJEEV RANJAN

Age / Gender

: 43 Years / Male

Consulting Dr. Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected

Reported

: 22-Mar-2023 / 08:21

:22-Mar-2023 / 12:44

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO PROSTATE SPECIFIC ANTIGEN (PSA)

PARAMETER

RESULTS

BIOLOGICAL REF RANGE

METHOD

E

TOTAL PSA, Serum

0.440

<4.0 ng/ml

CLIA

Clinical Significance:

PSA is detected in the serum of males with normal, benign hyper-plastic, and malignant prostate tissue.

Monitoring patients with a history of prostate cancer as an early indicator of recurrence and response to treatment.

Prostate cancer screening 4. The percentage of Free PSA (FPSA) in serum is described as being significantly higher in patients with BPH than in patients with prostate cancer. 5. Calculation of % free PSA (ie. FPSA/TPSA x 100), has been suggested as way of improving the differentiation of BPH and Prostate cancer.

Increased In- Prostate diseases, Cancer, Prostatitis, Benign prostatic hyperplasia, Prostatic ischemia, Acute urinary retention, Manipulations like Prostatic massage, Cystoscopy, Needle biopsy, Transurethral resection, Digital rectal examination, Radiation therapy, Indwelling catheter, Vigorous bicycle exercise, Drugs (e.g., testosterone), Physiologic fluctuations. Also found in small amounts in other cancers (sweat and salivary glands, breast, colon, lung, ovary) and in Skene glands of female urethra and in term placenta, Acute renal failure, Acute myocardial

Decreased In- Ejaculation within 24-48 hours, Castration, Antiandrogen drugs (e.g., finasteride), Radiation therapy, Prostatectomy, PSA falls 17% in 3 days after lying in hospital, Artifactual (e.g., improper specimen collection; very high PSA levels). Finasteride (5-α reductase inhibitor) reduces PSA by 50% after 6 months in men without cancer.

Reflex Tests: % FREE PSA, USG Prostate

Limitations:

- tPSA values determined on patient samples by different testing procedures cannot be directly compared with one another and could be the cause of erroneous medical interpretations. If there is a change in the tPSA assay procedure used while monitoring therapy, then the tPSA values obtained upon changing over to the new procedure must be confirmed by parallelmeasurements with both methods. Immediate PSA testing following digital rectal examination, ejaculation, prostatic massage, indwelling catheterization, ultrasonography and needle biopsy of prostate is not recommended as they falsely elevate levels.
- Patients who have been regularly exposed to animals or have received immunotherapy or diagnostic procedures utilizing immunoglobulins or immunoglobulin fragments may produce antibodies, e.g. HAMA, that interferes with immunoassays.
- PSA results should be interpreted in light of the total clinical presentation of the patient, including: symptoms, clinical history, data from additional tests, and other appropriate information.
- Serum PSA concentrations should not be interpreted as absolute evidence for the presence or absence of prostate cancer.

Reference:

- Wallach's Interpretation of diagnostic tests
- Total PSA Pack insert







Auston

Dr.ANUPA DIXIT M.D.(PATH) Consultant Pathologist & Lab Director

Page 6 of 14



: 2308108845

Name

: MR. RAJEEV RANJAN

Age / Gender

: 43 Years / Male

Consulting Dr. Reg. Location

: -

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected Reported :22-Mar-2023 / 08:21 :22-Mar-2023 / 12:44 R

E

P

0

R

T

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab
*** End Of Report ***

Page 7 of 14



: 2308108845 CID

PARAMETER

Occult Blood

: MR. RAJEEV RANJAN Name

: 43 Years / Male Age / Gender

Consulting Dr. Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected Reported

Absent

BIOLOGICAL REF RANGE

: 22-Mar-2023 / 08:21 :22-Mar-2023 / 14:06 R

E

P

0

R

т

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO **EXAMINATION OF FAECES**

PHYSICAL EXAMINATION		
Colour	Brown	Brown
Form and Consistency	Semi Solid	Semi Solid
Mucus	Absent	Absent
Blood	Absent	Absent
CHEMICAL EXAMINATION		
Reaction (pH)	Acidic (6.5)	

Absent

RESULTS


MICROSCOPIC EXAMINATION

Protozoa Absent Absent Absent Flagellates Absent Absent Ciliates Absent Absent **Parasites** Absent Macrophages Absent Absent Absent Mucus Strands Absent Fat Globules Absent Absent RBC/hpf Absent Absent WBC/hpf Absent Absent Yeast Cells Absent Absent **Undigested Particles** Present + Concentration Method (for ova) No ova detected Absent









Dr.AMIT TAORI M.D (Path) **Pathologist**

Page 8 of 14

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West *** End Of Report ***



Name : MR.RAJEEV RANJAN

Age / Gender

: 43 Years / Male

Consulting Dr. Reg. Location

. .

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected Reported : 22-Mar-2023 / 08:21 : 22-Mar-2023 / 14:06 R

E

P

O

R

т

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO URINE EXAMINATION REPORT

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
PHYSICAL EXAMINATION			
Color	Pale yellow	Pale Yellow	
Reaction (pH)	Acidic (6.0)	4.5 - 8.0	Chemical Indicator
Specific Gravity	1.015	1.010-1.030	Chemical Indicator
Transparency	Clear	Clear	
Volume (ml)	20		•
CHEMICAL EXAMINATION			
Proteins	Absent	Absent	pH Indicator
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
MICROSCOPIC EXAMINATION	ON		
Leukocytes(Pus cells)/hpf	1-2	0-5/hpf	
Red Blood Cells / hpf	Absent	0-2/hpf	
Epithelial Cells / hpf	5-6		
Casts	Absent	Absent	
Crystals	Absent	Absent	
Amorphous debris	Absent	Absent	
Bacteria / hpf	3-4	Less than 20/hpf	
			Call access

Interpretation: The concentration values of Chemical analytes corresponding to the grading given in the report are as follows:

- Protein:(1+ -25 mg/dl, 2+ -75 mg/dl, 3+ 150 mg/dl, 4+ 500 mg/dl)
- Glucose: (1+ 50 mg/dl, 2+ -100 mg/dl, 3+ -300 mg/dl, 4+ -1000 mg/dl)
- Ketone: (1+ -5 mg/dl, 2+ -15 mg/dl, 3+ 50 mg/dl, 4+ 150 mg/dl)

Reference: Pack insert

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
*** End Of Report ***







Amit Taan

Dr.AMIT TAORI M.D (Path) Pathologist

Page 9 of 14



: 2308108845 CID

: MR. RAJEEV RANJAN Name

Age / Gender

: 43 Years / Male

Consulting Dr.

Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected Reported

: 22-Mar-2023 / 08:21 :22-Mar-2023 / 13:05 R

E

0

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO

PARAMETER

RESULTS

ABO GROUP

В

Rh TYPING

Positive

NOTE: Test performed by Semi- automated column agglutination technology (CAT)

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.

BLOOD GROUPING & Rh TYPING

- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.


Refernces:

- 1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
- 2. AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West *** End Of Report ***







Dr.AMIT TAORI M.D (Path) Pathologist

Page 10 of 14



Name : MR.RAJEEV RANJAN

Age / Gender

: 43 Years / Male

Consulting Dr.

: -

Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected Reported : 22-Mar-2023 / 08:21 : 22-Mar-2023 / 11:23 R

E

P

0

R

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO LIPID PROFILE


PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
CHOLESTEROL, Serum	176.1	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	141.2	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	GPO-POD
HDL CHOLESTEROL, Serum	35.9	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Homogeneous enzymatic colorimetric assay
NON HDL CHOLESTEROL, Serum	140.2	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	112.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	28.2	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	4.9	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	3.1	0-3.5 Ratio	Calculated

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
*** End Of Report ***









Dr.AMIT TAORI M.D (Path) Pathologist

Page 11 of 14



Name : MR.RAJEEV RANJAN

Age / Gender

: 43 Years / Male

Consulting Dr.

: -

Reg. Location : G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected Reported : 22-Mar-2023 / 08:21 : 22-Mar-2023 / 11:46 R

E

P

0

R

T

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO THYROID FUNCTION TESTS

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
Free T3, Serum	5.5	3.5-6.5 pmol/L	ECLIA
Free T4, Serum	16.1	11.5-22.7 pmol/L	ECLIA
sensitiveTSH. Serum	1.93	0.35-5.5 microIU/ml	ECLIA

0000-0718

Page 12 of 14



Name : MR.RAJEEV RANJAN

Age / Gender : 43 Years / Male

Consulting Dr. :

Reg. Location

G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected

Reported

:22-Mar-2023 / 08:21

:22-Mar-2023 / 11:46

E

Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

1)TSH Values between high abnormal upto 15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors

can give falsely high TSH.

2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections, liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4/T4	FT3/T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

Diurnal Variation:TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7%(with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid , TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations:

- 1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.
- Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results. this assay is designed to minimize interference from heterophilic antibodies.


Reference

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3. Tietz , Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4.Biological Variation:From principles to Practice-Callum G Fraser (AACC Press)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
*** End Of Report ***







Page 13 of 14



Name : MR.RAJEEV RANJAN

Age / Gender : 43 Years / Male

Consulting Dr. : -

Reg. Location : G B Road, Thane West (Main Centre)



R

E

P

0

R

Use a QR Code Scanner Application To Scan the Code

Collected : 22-Mar-2023 / 08:21 Reported : 22-Mar-2023 / 11:23


MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO LIVER FUNCTION TESTS

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
BILIRUBIN (TOTAL), Serum	1.16	0.1-1.2 mg/dl	Diazo
BILIRUBIN (DIRECT), Serum	0.36	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.80	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	6.5	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.2	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.3	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.8	1-2	Calculated
SGOT (AST), Serum	17.8	5-40 U/L	IFCC without pyridoxal phosphate activation
SGPT (ALT), Serum	14.8	5-45 U/L	IFCC without pyridoxal phosphate activation
GAMMA GT, Serum	17.8	3-60 U/L	IFCC
ALKALINE PHOSPHATASE, Serum	128.3	40-130 U/L	PNPP

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
*** End Of Report ***







Dr.AMIT TAORI M.D (Path) Pathologist

Page 14 of 14



E 0 R T

R

23/3/23 Rajeer Rayon

CID:

Sex / Age: 19-43

EYE CHECK UP

Chief complaints: 12 cl

Systemic Diseases

Past history:

Unaided Vision: RR 636 LA 8/12 MUBLINIO

Aided Vision:

Bk 6/9 XIVOR N/6

Refraction:

(Right Eye)

(Left Eye)

	Sph	СуІ	Axis	Vn	Sph	Cyl	Axis	Vn
Distance				Atheter		HALL		
Near								

Colour Vision: Normal / Abnormat

Remark: Use our spele


MR. PRAKASH KUDVA SR. OPTOMETRIST

SUBURBAN DIAGNOSTICS

SUBURBAN DIAGNOSTICS - G B ROAD, THANE WEST

Date and Time: 22nd Mar 23 9:08 AM

Patient Name: RAJEEV RANJAN Patient ID: 2308108845



ECG Within Normal Limits: Sinus Rhythm, Incomplete Right Bundle Branch Block. Please correlate clinically.

REPORTED BY

DR SHAILAJA PILLAJ MBBS, MD Physican MD Physican 49972



: Mr RAJEEV RANJAN Name

: 2308108845

: 43 Years/Male Age / Sex

Ref. Dr

Reg. Location : G B Road, Thane West Main Centre Reg. Date

: 22-Mar-2023 Reported

: 22-Mar-2023 / 10:28

Use a QR Code Scanner

Application To Scan the Code

Authenticity Check

USG WHOLE ABDOMEN

LIVER: Liver appears normal in size and echotexture. There is no intra-hepatic biliary radical dilatation. No evidence of any focal lesion.

GALL BLADDER: Gall bladder is distended and appears normal. Wall thickness is within normal limits. There is no evidence of any calculus.

PORTAL VEIN: Portal vein is normal. CBD: CBD is normal.

PANCREAS: Pancreas appears normal in echotexture. There is no evidence of any focal lesion or calcification. Pancreatic duct is not dilated.

KIDNEYS: Right kidney measures 10.9 x 5.2 cm. A simple cyst measuring 2.5 cm is noted at the upper pole in right kidney. Left kidney measures 11.0 x 4.2 cm. Both kidneys are normal in shape and echotexture. Corticomedullary differentiation is maintained. There is no evidence of any hydronephrosis, hydroureter or calculus.

SPLEEN: Spleen is normal in size, shape and echotexture. No focal lesion is seen.

URINARY BLADDER: Urinary bladder is distended and normal. Wall thickness is within normal limits.

PROSTATE: Prostate is normal in size and echotexture. No evidence of any focal lesion. Median lobe does not show significant hypertrophy.

No free fluid or significant lymphadenopathy is seen.

Click here to view images http://3.111.232.119/iRISViewer/NeoradViewer?AccessionNo=2023032208190955

E

R



: 2308108845

Name

: Mr RAJEEV RANJAN

Age / Sex

: 43 Years/Male

Ref. Dr

Reg. Location

: G B Road, Thane West Main Centre

Authenticity Check



Use a QR Code Scanner Application To Scan the Code R

E

Reg. Date

: 22-Mar-2023 Reported

: 22-Mar-2023 / 10:28

IMPRESSION:

RIGHT RENAL SIMPLE CYST.

Advice: Clinical co-relation and follow up.

Note:Investigations have their limitations. Solitary radiological investigations never confirm the final diagnosis. They only help in diagnosing the disease in correlation to clinical symptoms and other related tests. USG is known to have inter-observer variations. Further/follow-up imaging may be needed in some cases for confirmation / exclusion of diagnosis.

-End of Report-

PRods

Dr Gauri Varma **Consultant Radiologist** MBBS / DMRE MMC- 2007/12/4113

Click here to view images http://3.111.232.119/iRISViewer/NeoradViewer?AccessionNo=2023032208190955



REG NO.: 2308108845	SEX : MALE
NAME : MR.RAJEEV RANJAN	AGE: 43 YRS
REF BY:	DATE: 22.03.2023

2D ECHOCARDIOGRAPHY

M - MODE FINDINGS:

LVIDD	40	mm
LVIDS	20	mm
LVEF	60	%
IVS	11	mm
PW	7	mm
AO	14	mm
LA	25	mm

2D ECHO:

- · All cardiac chambers are normal in size
- · Left ventricular contractility: Normal
- · Regional wall motion abnormality: Absent.
- Systolic thickening: Normal. LVEF = 60%
- Mitral, tricuspid, aortic, pulmonary valves are: Normal.
- Great arteries: Aorta and pulmonary artery are: Normal.
- Inter artrial and inter ventricular septum are intact.
- · Pulmonary veins, IVC, hepatic veins are normal.
- No pericardial effusion. No intracardiac clots or vegetation.



PATIENT NAME: MR.RAJEEV RANJAN

COLOR DOPPLER:

E

0

R

- Mitral valve doppler E-1.1 m/s, A- 0.5 m/s.
- · Mild TR.
- No aortic / mitral regurgition. Aortic velocity 1.5 m/s, PG 10.1 mmHg
- No significant gradient across aortic valve.
- No diastolic dysfunction.

IMPRESSION:

- MILD CONCENTRIC HYPERTROPHY OF LV
- NO REGIONAL WALL MOTION ABNORMALITY AT REST.
- NORMAL LV SYSTOLIC FUNCTION.

-----End of the Report-----

DR.YOGESH KHARCHE
DNB(MEDICINE) DNB (CARDIOLOGY)
CONSULTANAT INTERVENTIONAL CARDIOLOGIST.



: 2308108845

Name

: Mr RAJEEV RANJAN

Age / Sex

: 43 Years/Male

Ref. Dr

Reg. Location

: G B Road, Thane West Main Centre

Reg. Date

Reported

Use a QR Code Scanner Application To Scan the Code

: 22-Mar-2023

Authenticity Check

R

E

: 22-Mar-2023 / 12:54

X-RAY CHEST PA VIEW

There is evidence of mildly increased bilateral bronchovascular prominence.

Both costo-phrenic angles are clear.

The cardiac size and shape are within normal limits.

The aorta shows normal radiological features.

The domes of diaphragm are normal in position and outlines.

The skeleton under review appears normal.

Suggest clinico pathological co-relation.

--- End of Report-

Proces

Dr Gauri Varma Consultant Radiologist MBBS / DMRE MMC- 2007/12/4113

Click here to view images http://3.111.232.119/iRISViewer/NeoradViewer?AccessionNo=2023032208190938

Page no 1 of 1