Name	MAMTHA	ID	MED111034628
Age & Gender	33Year(s)/FEMALE		3/26/2022 12:00:00 AM
Ref Doctor Name	MediWheel		

ECHO CARDIOGRAPHY REPORT

Measurements:-

M Mode:

IVS d	1.0 cm	IVS s	1.0 cm
LVID d	5.7 cm	LVID s	3.6 cm
LVPW d	1.2 cm	LVPW s	0.9 cm
AO	2.2 cm	LA	2.6 cm

Doppler study:

Location	m/sec	Location	m/sec
MP A vel	0.9	MV E	0.8
PGT	3 mmHg	Α	0.5
AV vel	1.1	Ratio	1.53
PGT	4 mmHg	TV VEL	1.5
EF	65 %	PGT	9 mmHg
FS	35 %		

<u>2D:</u>

LA	:	NORMAL	R	A :	NORMAL
LV	:	NORMAL	RV	:	NORMAL
AV	:	NORMAL	PV :	NORM	MAL
MV	:	NORMAL	TV :	NORN	MAL
AO	:	NORMAL	PA	:	NORMAL

Name	MAMTHA	ID	MED111034628
Age & Gender	33Year(s)/FEMALE	Visit Date	3/26/2022 12:00:00 AM
Ref Doctor Name	MediWheel		

Observations:

- Cardiac chambers dimension-normal
- No regional wall motion abnormality
- Normal LV systolic and diastolic function
- Doppler flow pattern normal
- Trivial AR / MR
- No pulmonary hypertension
- Normal Pericardium
- IAS/ IVS appear Intact
- No mass

CONCLUSIONS:

- NORMAL CARDIAC DIMENSIONS.
- NO REGIONAL WALL MOTION ABNORMALITIES.
- GOOD LV SYSTOLIC FUNCTION.
- LVEF 65%

m

Prof. N. Subramanian MD, DM(CARD) FRCP, FACC Consultant Cardiologist

Name	MAMTHA	ID	MED111034628
Age & Gender	33Year(s)/FEMALE	Visit Date	3/26/2022 12:00:00 AM
Ref Doctor Name	MediWheel		

Done By :-M.Padmapushani

Cardiac technologist



Name: MRS. MAMTHA P

Age & Sex: 33 YEARS/ FEMALE

Date : 26/03/2022

		Right Eye	Left Eye
DISTANT VISION	<u>Without Glasses</u>	<u>6/6</u>	<u>6/6</u>
NEAR VISION	<u>Without Glasses</u> With Glass	<u>N6</u>	<u>N6</u>
COLOUR VISION		NORM	AL
EXTERNAL EYE EXAMINATION		NORM	AL

REMARKS: Normal

.

Dr. Akila Ravikumar MBBS., M.Phil., P.G.Dip. Diabetology Regd. No. 46536 Consultant Family Physician & Diabetologist

You can also conveniently view the reports and trends through our App. Scan QR code to download the App.



Please produce bill copy at the time of collecting the reports. Request you to provide your mobile number or customer id during your subsequent visits.

Name	: Mrs. MAMTHA			
PID No.	: MED111034628	Register On :	26/03/2022 10:04 AM	M
SID No.	: 1802211797	Collection On :	26/03/2022 10:20 AM	
Age / Sex	: 33 Year(s) / Female	Report On :	26/03/2022 7:23 PM	MEDALL
Туре	: OP	Printed On :	29/03/2022 9:26 AM	
Ref. Dr	: MediWheel			
Investiga	Investigation		<u>Unit</u>	Biological Reference Interval
TYPINC (EDTA Bl	BLOOD GROUPING AND Rh TYPING (EDTA Blood/Agglutination) INTERPRETATION: Reconfirm the Blood gr		' ore blood transfusion	
<u>Complet</u>	e Blood Count With - ESR			
Haemog (EDTA Bl	lobin ood/Spectrophotometry)	11.3	g/dL	12.5 - 16.0
	Cell Volume(PCV)/Haematocrit ood/Derived from Impedance)	34.6	%	37 - 47
RBC Co (EDTA Bl	unt ood/Impedance Variation)	3.99	mill/cu.mm	4.2 - 5.4
	orpuscular Volume(MCV) ood/Derived from Impedance)	86.6	fL	78 - 100
	orpuscular Haemoglobin(MCH) ood/Derived from Impedance)	28.4	pg	27 - 32
concentr	orpuscular Haemoglobin ration(MCHC) ood/Derived from Impedance)	32.7	g/dL	32 - 36
RDW-C (EDTA Bl	V ood/Derived from Impedance)	15.5	%	11.5 - 16.0
RDW-SI (EDTA Bl	D ood/Derived from Impedance)	46.98	fL	39 - 46
	ukocyte Count (TC) ood/Impedance Variation)	10220	cells/cu.mm	4000 - 11000
Neutropl (EDTA Bl <i>Cytometry</i>)	ood/Impedance Variation & Flow	81.3	%	40 - 75
Lympho (EDTA Bl <i>Cytometry</i>)	ood/Impedance Variation & Flow	12.8	%	20 - 45
Eosinopl (EDTA Bl <i>Cytometry</i>)	ood/Impedance Variation & Flow	1.3	%	01 - 06
Monocyt (EDTA Ble Cytometry)	ood/Impedance Variation & Flow	4.5	%	01 - 10



APPROVED BY

The results pertain to sample tested.

Page 1 of 7

Name	: Mrs. MAMTHA		
PID No.	: MED111034628	Register On : 26/03/2022 10:04 AM	\mathbf{C}
SID No.	: 1802211797	Collection On : 26/03/2022 10:20 AM	-
Age / Sex	: 33 Year(s) / Female	Report On : 26/03/2022 7:23 PM	MEDALL
Туре	: OP	Printed On : 29/03/2022 9:26 AM	
Ref. Dr	: MediWheel		

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
Basophils (EDTA Blood/Impedance Variation & Flow Cytometry)	0.1	%	00 - 02
INTERPRETATION: Tests done on Automated F	Five Part cell count	er. All abnormal results ar	re reviewed and confirmed microscopically.
Absolute Neutrophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	8.31	10^3 / µl	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	1.31	10^3 / µl	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood/Impedance Variation & Flow Cytometry)	0.13	10^3 / µl	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.46	10^3 / µl	< 1.0
Absolute Basophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.01	10^3 / µl	< 0.2
Platelet Count (EDTA Blood/Impedance Variation)	351	10^3 / µl	150 - 450
MPV (EDTA Blood/Derived from Impedance)	9.4	fL	8.0 - 13.3
PCT (EDTA Blood/Automated Blood cell Counter)	0.33	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Blood/Automated - Westergren method)	21	mm/hr	< 20
BUN / Creatinine Ratio	13.7		6.0 - 22.0
Glucose Fasting (FBS) (Plasma - F/GOD-PAP)	94.5	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose, Fasting (Urine) (Urine - F/GOD - POD)	Negative		Negative
Glucose Postprandial (PPBS) (Plasma - PP/GOD-PAP)	122.6	mg/dL	70 - 140



APPROVED BY

The results pertain to sample tested.

Page 2 of 7

Name : Mrs. MAMTHA			
PID No. : MED111034628	Register On : 26/0	3/2022 10:04 AM	n
SID No. : 1802211797	Collection On : 26/0	03/2022 10:20 AM	
Age / Sex : 33 Year(s) / Female	Report On : 26/	03/2022 7:23 PM	ALL
Type : OP	Printed On : 29/0	03/2022 9:26 AM	
Ref. Dr : MediWheel			
Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
INTERPRETATION: Factors such as type, quantity and time of fo Fasting blood glucose level may be higher th resistance, Exercise or Stress, Dawn Phenon	an Postprandial glucose, bec	ause of physiological surge in Postp	randial Insulin secretion, Insulin
Urine Glucose(PP-2 hours) (Urine - PP)	Negative		Negative
Blood Urea Nitrogen (BUN) (Serum/Urease UV/derived)	7.0	mg/dL	7.0 - 21
Creatinine (Serum/ <i>Modified Jaffe</i>)	0.51	mg/dL	0.6 - 1.1
INTERPRETATION: Elevated Creatinine ingestion of cooked meat, consuming Protein such as cefoxitin, cefazolin, ACE inhibitors, etc.	n/ Creatine supplements, Dia	betic Ketoacidosis, prolonged fastin	g, renal dysfunction and drugs
Uric Acid (Serum/ <i>Enzymatic</i>)	2.3	mg/dL	2.6 - 6.0
Liver Function Test			
Bilirubin(Total) (Serum/DCA with ATCS)	0.48	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.10	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.38	mg/dL	0.1 - 1.0
SGOT/AST (Aspartate Aminotransferase) (Serum/ <i>Modified IFCC</i>)	14.3	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferas (Serum/ <i>Modified IFCC</i>)	e) 17.4	U/L	5 - 41
GGT(Gamma Glutamyl Transpeptidas (Serum/IFCC / Kinetic)	se) 12.1	U/L	< 38
Alkaline Phosphatase (SAP) (Serum/ <i>Modified IFCC</i>)	123.4	U/L	42 - 98
Total Protein (Serum/ <i>Biuret</i>)	6.19	gm/dl	6.0 - 8.0
Albumin (Serum/Bromocresol green)	3.60	gm/dl	3.5 - 5.2



APPROVED BY

The results pertain to sample tested.

Page 3 of 7

Name	: Mrs. MAMTHA		
PID No.	: MED111034628	Register On : 26/03/2022 10:04 AM	\mathbf{M}
SID No.	: 1802211797	Collection On : 26/03/2022 10:20 AM	
Age / Sex	: 33 Year(s) / Female	Report On : 26/03/2022 7:23 PM	MEDALL
Туре	: OP	Printed On : 29/03/2022 9:26 AM	
Ref. Dr	: MediWheel		

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
Globulin (Serum/Derived)	2.59	gm/dL	2.3 - 3.6
A : G RATIO (Serum/Derived) Lipid Profile	1.39		1.1 - 2.2
Cholesterol Total (Serum/CHOD-PAP with ATCS)	240.8	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/GPO-PAP with ATCS)	209.5	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

INTERPRETATION: The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the "usual" circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immunoinhibition)	58.9	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 50 - 59 High Risk: < 50
LDL Cholesterol (Serum/ <i>Calculated</i>)	140	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL Cholesterol (Serum/Calculated)	41.9	mg/dL	< 30
Non HDL Cholesterol (Serum/ <i>Calculated</i>)	181.9	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220

h Dayanand Kinha Pathologis No: 142072 Rea

APPROVED BY

The results pertain to sample tested.

Page 4 of 7

Name	: Mrs. MAMTHA			
PID No.	: MED111034628	Register On : 2	6/03/2022 10:04 AM	m
SID No.	: 1802211797	Collection On : 2	26/03/2022 10:20 AM	
Age / Sex	: 33 Year(s) / Female	Report On : 2	26/03/2022 7:23 PM	MEDALL
Туре	: OP	Printed On 2	29/03/2022 9:26 AM	
Ref. Dr	: MediWheel	•••••		
Investiga	ation	<u>Observed</u> Value	<u>Unit</u>	<u>Biological</u> Reference Interval
2.It is the	RETATION: 1.Non-HDL Choles sum of all potentially atherogenic y target for cholesterol lowering t	proteins including LDL, I		k marker than LDL Cholesterol. Frons and it is the "new bad cholesterol" and is
Total Ch Ratio (Serum/Ca	iolesterol/HDL Cholesterol	4.1		Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
Triglyce (TG/HD (Serum/Ca	/	3.6		Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
LDL/HD (Serum/Ca	DL Cholesterol Ratio	2.4		Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0
<u>Glycosyl</u>	ated Haemoglobin (HbA1c)	-		
HbA1C (Whole Bl	ood/HPLC)	5.0	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4

INTERPRETATION: If Diabetes - Good control : 6.1 - 7.0 %, Fair control : 7.1 - 8.0 %, Poor control >= 8.1 %

Estimated Average Glucose 96.8

(Whole Blood)

INTERPRETATION: Comments

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

mg/dL

ng/ml

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency,

hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbA1C values. Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.

<u>THYROID PROFILE / TFT</u>

T3 (Triiodothyronine) - Total1.78

(Serum/Chemiluminescent Immunometric Assay

(CLIA))

INTERPRETATION:

Comment :

Total T3 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T3 is recommended as it is Metabolically active.



0.7 - 2.04

Diabetic: ≥ 6.5

APPROVED BY

The results pertain to sample tested.

Page 5 of 7

Name	: Mrs. MAMTHA			
PID No.	: MED111034628	Register On	: 26/03/2022 10:04 AM	C
SID No.	: 1802211797	Collection On	: 26/03/2022 10:20 AM	
Age / Sex	: 33 Year(s) / Female	Report On	26/03/2022 7:23 PM	MEDALL
Туре	: OP	Printed On	: 29/03/2022 9:26 AM	
Def Dr	B			
Ref. Dr	: MediWheel			
Investiga	• • • • •	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval

INTERPRETATION:

Comment :

Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active.

TSH (Thyroid Stimulating Hormone) (Serum/Chemiluminescent Immunometric Assay (CLIA))	1.15	µIU/mL	0.35 - 5.50
INTERPRETATION: Reference range for cord blood - upto 20 1 st trimester: 0.1-2.5 2 nd trimester 0.2-3.0 3 rd trimester : 0.3-3.0 (Indian Thyroid Society Guidelines)			

Comment :

1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI. 2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM.The variation can be of the order of 50%,hence time of the day has influence on the measured serum TSH concentrations.

3.Values&lt,0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.

Urine Analysis - Routine

COLOUR (Urine)	Pale yellow		Yellow to Amber
APPEARANCE (Urine)	Clear		Clear
Protein (Urine/Protein error of indicator)	Negative		Negative
Glucose (Urine/GOD - POD)	Negative		Negative
Pus Cells (Urine/Automated – Flow cytometry)	2 - 4	/hpf	NIL
Epithelial Cells (Urine/Automated – Flow cytometry)	1 - 2	/hpf	NIL
RBCs (Urine/Automated – Flow cytometry)	NIL	/hpf	NIL
Casts (Urine/Automated – Flow cytometry)	NIL	/hpf	NIL



APPROVED BY

The results pertain to sample tested.

Page 6 of 7

Name	: Mrs. MAMTHA		
PID No.	: MED111034628	Register On : 26/03/2022 10:04 AM	m
SID No.	: 1802211797	Collection On : 26/03/2022 10:20 AM	
Age / Sex	: 33 Year(s) / Female	Report On : 26/03/2022 7:23 PM	MEDALL
Туре	: OP	Printed On : 29/03/2022 9:26 AM	
Ref. Dr	: MediWheel		
Investigation		<u>Observed</u> <u>Unit</u> <u>Value</u>	Biological Reference Interval

NIL

NIL

NIL

Others

(Urine/Automated - Flow cytometry)

(Urine)

Crystals

INTERPRETATION: Note: Done with Automated Urine Analyser & Automated urine sedimentation analyser. All abnormal reports are reviewed and confirmed microscopically.

/hpf


Dayanand Kinha Patholo ... 42072

APPROVED BY

-- End of Report --

The results pertain to sample tested.

Page 7 of 7



Name	MAMTHA	ID	MED111034628
Age & Gender	33Year(s)/FEMALE	Visit Date	3/26/2022 12:00:00 AM
Ref Doctor Name	MediWheel		

SONOGRAM REPORT - WHOLE ABDOMEN

Indication: General check up

The liver is normal in size (13.6 cms) and shows uniform echotexture with no focal abnormality.

The gall bladder is normal sized and smooth walled and contains no calculus.

There is no intra or extra hepatic biliary ductal dilatation.

The pancreas shows a normal configuration and echotexture.

The pancreatic duct is normal.

The portal vein and IVC are normal.

The spleen is normal in size and measures 10.3 cms.

There is no free or loculated peritoneal fluid.

No para aortic lymphadenopathy is seen.

No abnormality is seen in the region of the adrenal glands.

The right kidney measures 9.4 x 4.6 cms.

The left kidney measures 9.5 x 4.4 cms.

Both kidneys are normal in size, shape and position. Cortical echoes are normal bilaterally.

Pelvicalyceal system and proximal ureter is mildly dilated in both kidneys.

There is no calculus noted.

The urinary bladder is smooth walled and uniformly transonic. There is no intravesical mass or calculus.

Name	MAMTHA	ID	MED111034628
Age & Gender	33Year(s)/FEMALE	Visit Date	3/26/2022 12:00:00 AM
Ref Doctor Name	MediWheel	•	

LMP: 10.11.2021 EGA: 19 weeks 3 days EDD (LMP): 17.08.2022

The study shows a single fetus in **unstable presentation.**

The BPD measures 4.6 cm 20 weeks.

The head circumference measures 15.9 cm 18 weeks 6 days.

The abdominal circumference measures 13.3 cm 18 weeks 6 days.

The femoral length measures 2.7 cm 18 weeks 3 days

Fetal heart pulsations and fetal movements are normal. Fetal heart rate is 144 /bpm.

The placenta is posterior.

The liquor volume is adequate.

Cervical length measures 5.5 cm. Internal Os closed

Iliac fossae are normal.

No mass or fluid collection is seen in the right iliac fossa. The appendix is not visualized.

IMPRESSION:

- **Solution** Bilateral mild Hydroureteronephrosis Possible due to bulky gravid uterus.
- Single live fetus of 19 weeks 3 days in unstable presentation. (GA assigned asper LMP).

---Suggested Anomaly scan at 20 - 24 weeks.

vj

DR. T. SANA

Name	MAMTHA]	ID	MED111034628
Age & Gender	33Year(s)/FEMALE	,		3/26/2022 12:00:00 AM
Ref Doctor Name	MediWheel			

CONSULTANT SONOLOGIST