

Name : Mrs. SHOBHA  
PID No. : MED121486332 Register On : 17/11/2022 8:22 AM  
SID No. : 522228654 Collection On : 17/11/2022 8:52 AM  
Age / Sex : 39 Year(s) / Female Report On : 17/11/2022 5:24 PM  
Type : OP Printed On : 18/11/2022 12:55 PM  
Ref. Dr : MediWheel

---

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

## **HAEMATOLOGY**

### **Complete Blood Count With - ESR**

Haemoglobin (EDTA Blood/Spectrophotometry)	<b>10.8</b>	g/dL	12.5 - 16.0
Packed Cell Volume(PCV)/Haematocrit (EDTA Blood)	<b>34.5</b>	%	37 - 47
RBC Count (EDTA Blood)	<b>3.74</b>	mill/cu.mm	4.2 - 5.4
Mean Corpuscular Volume(MCV) (EDTA Blood)	92.1	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (EDTA Blood)	28.8	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (EDTA Blood)	<b>31.3</b>	g/dL	32 - 36
RDW-CV	<b>19.5</b>	%	11.5 - 16.0
RDW-SD	<b>62.86</b>	fL	39 - 46
Total Leukocyte Count (TC) (EDTA Blood)	9900	cells/cu.mm	4000 - 11000
Neutrophils (Blood)	55.9	%	40 - 75
Lymphocytes (Blood)	30.4	%	20 - 45
Eosinophils (Blood)	3.1	%	01 - 06
Monocytes (Blood)	9.8	%	01 - 10

  
Dr Anusha.K.S  
Sr.Consultant Pathologist  
Reg No : 100674  
APPROVED BY

**Name** : Mrs. SHOBHA  
**PID No.** : MED121486332      **Register On** : 17/11/2022 8:22 AM  
**SID No.** : 522228654      **Collection On** : 17/11/2022 8:52 AM  
**Age / Sex** : 39 Year(s) / Female      **Report On** : 17/11/2022 5:24 PM  
**Type** : OP      **Printed On** : 18/11/2022 12:55 PM  
**Ref. Dr** : MediWheel

---

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
Basophils (Blood)	0.8	%	00 - 02
<b>INTERPRETATION:</b> Tests done on Automated Five Part cell counter. All abnormal results are reviewed and confirmed microscopically.			
Absolute Neutrophil count (EDTA Blood)	5.53	10 <sup>3</sup> / µl	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood)	3.01	10 <sup>3</sup> / µl	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood)	0.31	10 <sup>3</sup> / µl	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood)	<b>0.97</b>	10 <sup>3</sup> / µl	< 1.0
Absolute Basophil count (EDTA Blood)	0.08	10 <sup>3</sup> / µl	< 0.2
Platelet Count (EDTA Blood)	216	10 <sup>3</sup> / µl	150 - 450
MPV (Blood)	8.0	fL	8.0 - 13.3
PCT (Automated Blood cell Counter)	<b>0.17</b>	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Citrate Blood)	2	mm/hr	< 20

  
**Dr Anusha.K.S**  
 Sr.Consultant Pathologist  
 Reg No : 100674

**APPROVED BY**

Name : Mrs. SHOBHA  
PID No. : MED121486332 Register On : 17/11/2022 8:22 AM  
SID No. : 522228654 Collection On : 17/11/2022 8:52 AM  
Age / Sex : 39 Year(s)/ Female Report On : 17/11/2022 5:24 PM  
Type : OP Printed On : 18/11/2022 12:55 PM  
Ref. Dr : MediWheel

---

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

**BIOCHEMISTRY**

**Liver Function Test**

Bilirubin(Total) (Serum/DCA with ATCS)	0.96	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	<b>0.41</b>	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.55	mg/dL	0.1 - 1.0
SGOT/AST (Aspartate Aminotransferase) (Serum/Modified IFCC)	10.21	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/Modified IFCC)	9.39	U/L	5 - 41
GGT(Gamma Glutamyl Transpeptidase) (Serum/IFCC / Kinetic)	20.60	U/L	< 38
Alkaline Phosphatase (SAP) (Serum/Modified IFCC)	65.2	U/L	42 - 98
Total Protein (Serum/Biuret)	7.09	gm/dl	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.74	gm/dl	3.5 - 5.2
Globulin (Serum/Derived)	2.35	gm/dL	2.3 - 3.6
A : G RATIO (Serum/Derived)	2.02		1.1 - 2.2

  
Dr Anusha.K.S  
Sr.Consultant Pathologist  
Reg No : 100674  
APPROVED BY

**Name** : Mrs. SHOBHA  
**PID No.** : MED121486332      **Register On** : 17/11/2022 8:22 AM  
**SID No.** : 522228654      **Collection On** : 17/11/2022 8:52 AM  
**Age / Sex** : 39 Year(s)/ Female      **Report On** : 17/11/2022 5:24 PM  
**Type** : OP      **Printed On** : 18/11/2022 12:55 PM  
**Ref. Dr** : MediWheel

---

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
<b><u>Lipid Profile</u></b>			
Cholesterol Total (Serum/CHOD-PAP with ATCS)	190.72	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/GPO-PAP with ATCS)	71.74	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

**INTERPRETATION:** The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the usual circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immunoinhibition)	<b>76.71</b>	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 50 - 59 High Risk: < 50
LDL Cholesterol (Serum/Calculated)	99.7	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL Cholesterol (Serum/Calculated)	14.3	mg/dL	< 30
Non HDL Cholesterol (Serum/Calculated)	114.0	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220

  
**Dr Anusha.K.S**  
 Sr.Consultant Pathologist  
 Reg No : 100674  
**APPROVED BY**

**Name** : Mrs. SHOBHA  
**PID No.** : MED121486332      **Register On** : 17/11/2022 8:22 AM  
**SID No.** : 522228654      **Collection On** : 17/11/2022 8:52 AM  
**Age / Sex** : 39 Year(s) / Female      **Report On** : 17/11/2022 5:24 PM  
**Type** : OP      **Printed On** : 18/11/2022 12:55 PM  
**Ref. Dr** : MediWheel

---

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

**INTERPRETATION:** 1.Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol.  
 2.It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.

Total Cholesterol/HDL Cholesterol Ratio (Serum/Calculated)	2.5		Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
---	-----	--	--

Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/Calculated)	0.9		Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
--	-----	--	--

LDL/HDL Cholesterol Ratio (Serum/Calculated)	1.3		Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0
---	-----	--	---

  
**Dr Anusha.K.S**  
 Sr.Consultant Pathologist  
 Reg No : 100674  
**APPROVED BY**

**Name** : Mrs. SHOBHA  
**PID No.** : MED121486332      **Register On** : 17/11/2022 8:22 AM  
**SID No.** : 522228654      **Collection On** : 17/11/2022 8:52 AM  
**Age / Sex** : 39 Year(s)/ Female      **Report On** : 17/11/2022 5:24 PM  
**Type** : OP      **Printed On** : 18/11/2022 12:55 PM  
**Ref. Dr** : MediWheel

---

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
<b><u>Glycosylated Haemoglobin (HbA1c)</u></b>			
HbA1C (Whole Blood/HPLC)	4.5	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5

**INTERPRETATION:** If Diabetes - Good control : 6.1 - 7.0 % , Fair control : 7.1 - 8.0 % , Poor control >= 8.1 %

Estimated Average Glucose      82.45      mg/dL  
(Whole Blood)

**INTERPRETATION: Comments**

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glyceimic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency, hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbA1C values.

Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.

  
**Dr Anusha.K.S**  
 Sr.Consultant Pathologist  
 Reg No : 100674  
**APPROVED BY**

Name : Mrs. SHOBHA  
PID No. : MED121486332 Register On : 17/11/2022 8:22 AM  
SID No. : 522228654 Collection On : 17/11/2022 8:52 AM  
Age / Sex : 39 Year(s) / Female Report On : 17/11/2022 5:24 PM  
Type : OP Printed On : 18/11/2022 12:55 PM  
Ref. Dr : MediWheel

---

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

## **IMMUNOASSAY**

### **THYROID PROFILE / TFT**

T3 (Triiodothyronine) - Total (Serum/ECLIA)	1.05	ng/ml	0.7 - 2.04
--	------	-------	------------

**INTERPRETATION:**

**Comment :**

Total T3 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T3 is recommended as it is Metabolically active.

T4 (Tyroxine) - Total (Serum/ECLIA)	10.97	µg/dl	4.2 - 12.0
--	-------	-------	------------

**INTERPRETATION:**

**Comment :**

Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active.

TSH (Thyroid Stimulating Hormone) (Serum/ECLIA)	7.42	µIU/mL	0.35 - 5.50
--	------	--------	-------------

**INTERPRETATION:**

Reference range for cord blood - upto 20

1 st trimester: 0.1-2.5

2 nd trimester 0.2-3.0

3 rd trimester : 0.3-3.0


(Indian Thyroid Society Guidelines)

**Comment :**

1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI.

2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM.The variation can be of the order of 50%,hence time of the day has influence on the measured serum TSH concentrations.

3.Values&amplt;0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.



APPROVED BY

**Name** : Mrs. SHOBHA  
**PID No.** : MED121486332      **Register On** : 17/11/2022 8:22 AM  
**SID No.** : 522228654      **Collection On** : 17/11/2022 8:52 AM  
**Age / Sex** : 39 Year(s) / Female      **Report On** : 17/11/2022 5:24 PM  
**Type** : OP      **Printed On** : 18/11/2022 12:55 PM  
**Ref. Dr** : MediWheel

---

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

## CLINICAL PATHOLOGY

### PHYSICAL EXAMINATION (URINE COMPLETE)


Colour (Urine)	Pale yellow		Yellow to Amber
Appearance (Urine)	Clear		Clear
Volume(CLU) (Urine)	40		

### CHEMICAL EXAMINATION (URINE COMPLETE)

pH (Urine)	6.5		4.5 - 8.0
Specific Gravity (Urine)	1.002		1.002 - 1.035
Ketone (Urine)	Negative		Negative
Urobilinogen (Urine)	Normal		Normal
Blood (Urine)	<b>Positive(++)</b>		Negative
Nitrite (Urine)	Negative		Negative
Bilirubin (Urine)	Negative		Negative

  
**DR JUSTINA WILLIAMS**  
 Senior Consultant Pathologist  
 Reg No: PNB20080000054 KTK

VERIFIED BY

  
**DR SHAMIM JAVED**  
 MD PATHOLOGY  
 KMC 88902

APPROVED BY



**Name** : Mrs. SHOBHA  
**PID No.** : MED121486332      **Register On** : 17/11/2022 8:22 AM  
**SID No.** : 522228654      **Collection On** : 17/11/2022 8:52 AM  
**Age / Sex** : 39 Year(s)/ Female      **Report On** : 17/11/2022 5:24 PM  
**Type** : OP      **Printed On** : 18/11/2022 12:55 PM  
**Ref. Dr** : MediWheel

---

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
Protein (Urine)	Negative		Negative
Glucose (Urine/GOD - POD)	Negative		Negative
Leukocytes(CP) (Urine)	Negative		

**MICROSCOPIC EXAMINATION**  
**(URINE COMPLETE)**

Pus Cells (Urine)	<b>0-1</b>	/hpf	NIL
Epithelial Cells (Urine)	<b>0-1</b>	/hpf	NIL
RBCs (Urine)	<b>5-10</b>	/HPF	NIL
Others (Urine)	NIL		

**INTERPRETATION:** Note: Done with Automated Urine Analyser & Automated urine sedimentation analyser. All abnormal reports are reviewed and confirmed microscopically.

  
**DR JUSTINA WILLIAMS**  
 Senior Consultant Pathologist  
 Reg No: PNB20080000054 KTK  
**VERIFIED BY**

  
**DR SHAMIM JAVED**  
 MD PATHOLOGY  
 KMC 88902  
**APPROVED BY**

Name : Mrs. SHOBHA  
PID No. : MED121486332 Register On : 17/11/2022 8:22 AM  
SID No. : 522228654 Collection On : 17/11/2022 8:52 AM  
Age / Sex : 39 Year(s) / Female Report On : 17/11/2022 5:24 PM  
Type : OP Printed On : 18/11/2022 12:55 PM  
Ref. Dr : MediWheel

---

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

## IMMUNOHAEMATOLOGY

BLOOD GROUPING AND Rh TYPING (EDTA Blood/Agglutination)	'O' Positive'		
--	---------------	--	--

**INTERPRETATION:**Note: Slide method is screening method. Kindly confirm with Tube method for transfusion.

  
Dr Anusha.K.S  
Sr.Consultant Pathologist  
Reg No : 100674

APPROVED BY

**Name** : Mrs. SHOBHA  
**PID No.** : MED121486332      **Register On** : 17/11/2022 8:22 AM  
**SID No.** : 522228654      **Collection On** : 17/11/2022 8:52 AM  
**Age / Sex** : 39 Year(s)/ Female      **Report On** : 17/11/2022 5:24 PM  
**Type** : OP      **Printed On** : 18/11/2022 12:55 PM  
**Ref. Dr** : MediWheel

---

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
<b><u>BIOCHEMISTRY</u></b>			
BUN / Creatinine Ratio	10.12		6.0 - 22.0
Glucose Fasting (FBS) (Plasma - F/GOD-PAP)	95.83	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

**INTERPRETATION:** Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose, Fasting (Urine) (Urine - F/GOD - POD)	Negative		Negative
Glucose Postprandial (PPBS) (Plasma - PP/GOD-PAP)	106.90	mg/dL	70 - 140

**INTERPRETATION:** Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Urine Glucose(PP-2 hours) (Urine - PP)	Negative		Negative
Blood Urea Nitrogen (BUN) (Serum/Urease UV / derived)	8.2	mg/dL	7.0 - 21
Creatinine (Serum/Modified Jaffe)	0.81	mg/dL	0.6 - 1.1

**INTERPRETATION:** Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin ,cefazolin, ACE inhibitors ,angiotensin II receptor antagonists,N-acetylcyteine , chemotherapeutic agent such as flucytosine etc.

Uric Acid (Serum/Enzymatic)	3.83	mg/dL	2.6 - 6.0
--------------------------------	------	-------	-----------

  
**Dr Anusha.K.S**  
 Sr.Consultant Pathologist  
 Reg No : 100674

APPROVED BY

-- End of Report --




39 Years  
Female

QRS : 80 ms  
QT / QTcBaz : 368 / 437 ms  
PR : 122 ms  
P : 86 ms  
RR / PP : 704 / 705 ms  
P / QRS / T : 56 / 61 / 29 degrees

Normal sinus rhythm  
Nonspecific T wave abnormality  
Abnormal ECG

*Handwritten signature*

Technician:  
Ordering Ph.  
Referring Ph.  
Attending Ph.



GE MAC2000 1 1 12SL™ V241 25 mm/s 10 mm/mV ADS 0.56-20 Hz 50 Hz 4x2 5x3 25 R1 1/1

Unconfirmed



Name	MRS.SHOBHA	ID	MED121486332
Age & Gender	39Y/FEMALE	Visit Date	17 Nov 2022
Ref Doctor Name	MediWheel		

### ABDOMINO-PELVIC ULTRASONOGRAPHY

**LIVER** is normal in shape, size (9.9 cm) and has uniform echopattern. No evidence of focal lesion or intrahepatic biliary ductal dilatation. Hepatic and portal vein radicals are normal.

**GALL BLADDER** is partially distended.  
CBD is not dilated.

**PANCREAS** has normal shape, size and uniform echopattern. No evidence of ductal dilatation or calcification.

**SPLEEN** show normal shape, size and echopattern.

No demonstrable Para-aortic lymphadenopathy.

#### **KIDNEYS**

**Right kidney:** Normal in shape, size and echopattern. Cortico-medullary differentiation is well madeout. No evidence of calculus or hydronephrosis.

**Left kidney:** Normal in shape, size and echopattern. Cortico-medullary differentiation is well madeout. No evidence of calculus or hydronephrosis.

The kidney measures as follows:

	Bipolar length (cm)	Parenchymal thickness (cm)
Right Kidney	10.2	1.2
Left Kidney	9.4	1.4

**URINARY BLADDER** show normal shape and wall thickness. It has clear contents. No evidence of diverticula.

**UTERUS** is mildly bulky heterogeneous, predominantly hyperechoic. It has uniform myometrial echopattern. Endometrial echo is of normal thickness - 9.5 mm.

Uterus measures LS: 6.3 cm      AP: 3.0 cm      TS: 5.5 cm.

MIRENA in situ.

**OVARIES** are normal in size, shape and echotexture

Right ovary measures 3.0 x 1.5 cm. Right hydrosalpinx is noted measuring 11 mm in maximum diameter. No internal echoes.

Left ovary measures 3.2 x 1.9 cm.

POD & adnexa are free.

No evidence of ascites.

#### **IMPRESSION:**

- **Heterogeneous and hyperechoic uterus - ? Adenomyosis.**

Name	MRS.SHOBHA	ID	MED121486332
Age & Gender	39Y/FEMALE	Visit Date	17 Nov 2022
Ref Doctor Name	MediWheel		

- **Right hydrosalpinx.**
- **No other significant abnormality detected in abdomen.**

**DR. HEMANANDINI V.N**  
**CONSULTANT RADIOLOGIST**  
Hn/mj

Name	MRS.SHOBHA	ID	MED121486332
Age & Gender	39Y/FEMALE	Visit Date	17 Nov 2022
Ref Doctor Name	MediWheel		

## 2D ECHOCARDIOGRAPHIC STUDY

### M-mode measurement:

AORTA	:	1.80	cms.
LEFT ATRIUM	:	1.90	cms.
AVS	:	1.47	cms.
<b>LEFT VENTRICLE</b>			
(DIASTOLE)	:	2.93	cms.
(SYSTOLE)	:	1.80	cms.
<b>VENTRICULAR SEPTUM</b>	:		
(DIASTOLE)	:	0.80	cms.
(SYSTOLE)	:	0.93	cms.
<b>POSTERIOR WALL</b>	:		
(DIASTOLE)	:	0.96	cms.
(SYSTOLE)	:	1.09	cms.
EDV	:	32	ml.
ESV	:	9	ml.
FRACTIONAL SHORTENING	:	38	%
EJECTION FRACTION	:	60	%
EPSS	:	----	cms.
RVID	:	1.80	cms.

### DOPPLER MEASUREMENTS:

MITRAL VALVE:	E - 0.8 m/s	A - 0.5 m/s	NO MR.
AORTIC VALVE:	0.9 m/s		NO AR.
TRICUSPID VALVE:	E - 0.4 m/s	A - 0.2 m/s	NO TR.
PULMONARY VALVE:	0.8 m/s		NO PR.

Name	MRS.SHOBHA	ID	MED121486332
Age & Gender	39Y/FEMALE	Visit Date	17 Nov 2022
Ref Doctor Name	MediWheel		

## **2D ECHOCARDIOGRAPHY FINDINGS:**

Left Ventricle : Normal size, Normal systolic function.  
: No regional wall motion abnormalities.

Left Atrium : Normal.

Right Ventricle : Normal.

Right Atrium : Normal.

Mitral Valve : Normal. No mitral valve prolapsed.

Aortic Valve : Normal. Trileaflet.

Tricuspid Valve : Normal.

Pulmonary Valve : Normal.

IAS : Intact.

IVS : Intact.

Pericardium : No pericardial effusion.

## **IMPRESSION:**

- **NORMAL SIZED CARDIAC CHAMBERS.**
- **NORMAL LV SYSTOLIC FUNCTION. EF: 60 %.**
- **NO REGIONAL WALL MOTION ABNORMALITIES.**
- **NORMAL VALVES.**
- **NO CLOTS / PERICARDIAL EFFUSION / VEGETATION.**



Name	MRS.SHOBHA	ID	MED121486332
Age & Gender	39Y/FEMALE	Visit Date	17 Nov 2022
Ref Doctor Name	MediWheel		

**DR. YASHODA RAVI**

**CONSULTANT CARDIOLOGIST**  
Yr/Ls

Name	SHOBHA	Customer ID	MED121486332
Age & Gender	39Y/F	Visit Date	Nov 17 2022 8:20AM
Ref Doctor	MediWheel		

**X - RAY CHEST PA VIEW**

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

**IMPRESSION:**

- **No significant abnormality detected.**



**DR. HEMANANDHINI**  
**CONSULTANT RADIOLOGIST**