

LABORATORY REPORT

Name

Mr. Satya Prakash

Sex/Age

Mediwheel

Ref. By

Client Name

Male/49 Years

Reg. No

301101201

Reg. Date

28-Jan-2023 10:40 AM

Collected On

Report Date

28-Jan-2023 03:04 PM

Medical Summary

GENERAL EXAMINATION

Height (cms): 165

Weight (kgs): 77.0

Blood Pressure: 122/82mmHg

Pulse: 89/Min

No Clubbing/Cynosis/Pallor/Pedel Oedem

Systemic Examination:

Cardio vascular System - S1,S2 Normal, No Murmur

Respiratory system -**AEBE**

Central Nervous System - No FND

Abdomen - Soft, Non Tender, No Organomegaly


Epilepsy – N/A

This is an electronically authenticated report

Dr.Jay Soni

M.D, GENERAL MEDICINE

Page 3 of 4



7988 (O)

Dr. Jay Soni
M.D. (Galleral Medicine)
M.D. (Galleral G-23899
Meg. No.: G-23899

आधार-आम आदमी का अधिकार









Reg. No

: 301101201

Ref Id

Collected On

: 28-Jan-2023 10:40 AM

Name

: Mr. Satya Prakash

Reg. Date

: 28-Jan-2023 10:40 AM

Age/Sex

: 49 Years

i Male

Results

Pass. No. Tele No. : 9939492464

Ref. By

Dispatch At

Location

Sample Type

: EDTA Whole Blood

Parameter

: CHPL

Biological Ref. Interval

COMPLETE BLOOD COUNT (CBC) Specimen: EDTA blood

Unit

Hemoglobin	14.4	g/dL	13.0 - 18.0
Hematrocrit (Calculated)	L 43.20	%	47 - 52
RBC Count	5.05	million/cmm	4.7 - 6.0
MCV	85.6	ſĹ.	78 - 110
MCFI (Calculated)	28.5	Pg	27 - 31
MCHC (Calculated)	33.3	%	31 - 35
RDW (Calculated)	12.3	%	11.5 - 14.0
WBC Count	6190	/cmm	4000 - 10500
MPV (Calculated)	H 10.6	11.	7.4 - 10.4

DIFFERENTIAL WBC COUNT	[%]		EXPECTED VALUES	[Abs]		EXPECTED VALUES
Neutrophils (%)	55	%	42.0 - 75.2	3405	/cmm	2000 - 7000
Lymphocytes (%)	40	%	20 - 45	2476	/cmm	1000 - 3000
Eosinophils (%)	02	%	0 ~ 6	186	/cmm	200 - 1000
Monocytes (%)	03	1%	2 - 10	124	/cmm	20 - 500
Basophils (%)	00	%	0 - 1	0	/cmm	0 - 100

PERIPHERAL SMEAR STUDY

RBC Morphology

Normocytic and Normochromic.

WBC Morphology

Normal

PLATELET COUNTS

Platelet Count (Volumetric Impedance)

157000

/cmm

150000 - 450000

Platelets

Platelets are adequate with normal morphology.

Parasites

Malarial parasite is not detected.

Comment

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr.Keyur Patel

M.B.DCP

Generated On: 28-Jan-2023 06:06 PM

Approved On:

28-Jan-2023 04:15 PM

Page 1 of 12







Ref Id

Collected On

: 28-Jan-2023 10:40 AM

Name

: Mr. Satya Prakash

Reg. Date

: 28-Jan-2023 10:40 AM

Age/Sex

Reg. No

: 49 Years

: 301101201

Pass. No.

Tele No.

: 9939492464

Ref. By

,

TEST REPORT

Dispatch At

: EDTA Whole Blood

Location Parameter

: CHPL

Sample Type
Unit

Biological Ref. Interval

Result

/ Male

BLOOD GROUP & RH
Specimen: EDTA and Serum; Method: Forward Reverse Tube Agglutination

ABO

"А"

Rh (D)

Positive

Note

.

..... End Of Report

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr.Keyur Patel

M.B.DCP

Generated On: 28-Jan-2023 08:32 PM

Approved On:

28-Jan-2023 06:14 PM

Page 1 of 1







Reg. No

: 301101201

Ref Id

Collected On

: 28-Jan-2023 10:40 AM

Name

: Mr. Satya Prakash

Reg. Date

: 28-Jan-2023 10:40 AM

Age/Sex

: 49 Years

/ Male

Pass. No.

Tele No.

: 9939492464

Ref. By

Dispatch At

: EDTA Whole Blood

Location Parameter : CHPL

Sample Type

Result Unit Biological Ref. Interval

HEMATOLOGY

ERYTHROCYTE SEDIMANTATION RATE [ESR]

ESR 1 hour

Infra rod moasurement

02

mm/hr

ESR AT 1 hour: 1-7

ERYTHRO SEDIMENTION RATE, BLOOD -

Erythrocyte sedimentation rate (ESR) is a non-specific phenomena and is clinically useful in the diagnosis and monitoring of disorders associated with an increased production of acute phase reactants. The ESR is increased in prenancy from about the 3rd month and returns to normal by the 4th week post partum. ESR is influenced by age, sex, menstrual cycle and drugs (eg. corticosteroids, contraceptives). It is especially low (o-1mm) in polycythaemia, hypofibrinogenemia or or congestive cardiac failure and when there are abnormalities or the red cells such as poikilocytosis, spherocytosis or sickle cells.

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr.Keyur Patel

M.B.DCP

Generated On : 28-Jan-2023 06:06 PM

Approved On:

28-Jan-2023 03:08 PM

Page 2 of 12







Reg. No

: 301101201

Ref Id

Collected On

: 28-Jan-2023 10:40 AM

Name

: Mr. Satya Prakash

Reg. Date

: 28-Jan-2023 10:40 AM

Age/Sex

: 49 Years / Male

Pass. No.

Tele No.

: 9939492464

Ref. By

.

.....

Dispatch At

: Flouride F,Flouride PP

Location

: CHPL

Sample Type

.

Parameter

Result

Unit

Biological Ref. Interval

FASTING PLASMA GLUCOSE Specimen: Flouride plasma

Fasting Blood Sugar (FBS)

119.60

mg/dl.

70 - 110

GOD-POD Mothod

Criteria for the diagnosis of diabetes

1 HbA1c >/= 6.5 *

Οr

2. Fasting plasma glucose >126 gm/dL. Fasting is defined as no caloric intake at least for 8 hrs.

Qr

3. Two hour plasma glucose >/= 200mg/dl. during an oral glucose tolerence test by using a glucose load containing equivalent of 75 gm anhydrous glucose dissolved in water.

Or

4. In a patient with classic symptoms of hyperglycemia or hyperglycemic crisis, a random plasma glucose >/= 200 mg/dL.

*In the absence of unequivocal hyperglycemia, criteria 1-3 should be confirmed by repeat testing.

American diabetes association. Standards of medical care in diabetes 2011. Diabetes care 2011;34;S11.

POST PRANDIAL PLASMA GLUCOSE

Specimen: Flouride plasma

Post Prandial Blood Sugar (PPBS)

136.0

mg/dl.

70 - 140

GOD POD Method

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr.Keyur Patel

M.B.DCP

Generated On : 28-Jan-2023 06:06 PM

Approved On:

28-Jan-2023 03:09 PM

Page 3 of 12







Reg. No

: 301101201

Ref Id

Collected On

: 28-Jan-2023 10:40 AM

Name

: Mr. Satya Prakash

Reg. Date

: 28-Jan-2023 10:40 AM

Age/Sex

: 49 Years

7 Male

Pass. No. Tele No.

Dispatch At

: 9939492464

Ref. By

Location : CHPL		Sample Type	: Serum
Parameter	Result	Unit	Biological Ref. Interval
	Lipid Profile		
Cholesterol	278.00	mg/dL	Desirable: < 200 Boderline High: 200 - 239 High: > 240
Enzymatic, colorinotric method			
Triglyceride	188.40	mg/dt.	Normal: < 150 Boderline High: 150 - 199 High: 200 - 499 Very High: > 500
Enzymatic, colorimetric method			
HDt. Cholesterol	51.30	mg/dL	High Risk : ≤ 40 Low Risk : = 60
Accelerator selective detergent method			
LDL	189.02	mg/dL	Optimal: < 100.0 Near / above optimal: 100-129 Borderline High: 130- 159 High: 160-189 Very High: >190.0
Calculated			
VLDL Calculated	37.68	mg/dL	15 - 35
LDL / HDL RATIO Calculated	3.68		0 - 3.5
Cholesterol /HDL Ratio	5.42		0 - 5.0

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr.Keyur Patel

M.B.DCP

Generated On: 28-Jan-2023 06:06 PM

Approved On:

28-Jan-2023 03:09 PM

Page 4 of 12







	TEST REPORT		
Reg. No : 301101201	Ref ld :	Collected On	: 28-Jan-2023 10:40 AM
Name : Mr. Satya Prakash		Reg. Date	: 28-Jan-2023 10:40 AM
Age/Sex : 49 Years / Male	Pass. No.	Tele No.	: 9939492464
Ref. By :		Dispatch At	
Location : CHPL		Sample Type	: Serum
Parameter	Result	Unit	Biological Ref. Interval
	BIO - CHEMISTRY		
	Į.į	FT WITH GGT	
Total Protein Brundt Reaction	7.18	gm/dL	6.3 - 8.2
Albumin By Bromocrosol Graan	4.86	g/dL	0 - 4 days: 2.8 - 4.4 4 days - 14 yrs 3.8 - 5.4 14 - 19 yrs 3.2 - 4.5 20 - 60 yrs : 3.5 - 5.2 60 - 90 yrs - 3.2 - 4.6 > 90 yrs: 2.9 - 4.5
Globulin Calculated	2.32	g/dL	2.3 - 3.6
A/G Ratio	2.09		0.8 ~ 2.0
SGOT OV without P5P	43.70	U/L	0 - 40
SGPT UV without P5P	78.10	U/L	0 - 40
Alakaline Phosphatase p · Nitrophonylphosphate (PNPP)	34.4	U/L	53 - 128
Total Bilirubin Vanadate Oxidation	0.87	mg/dL	0 - 1.2
Conjugated Bilirubin	0.16	mg/dL	0.0 - 0.4
Unconjugated Bilirubin	0.71	mg/dL	0.0 - 1.1

This is an electronically authenticated report.

Generated On: 28-Jan-2023 06:06 PM

* This test has been out sourced.

GGT

SZASZ Method

Approved By:

mg/dL

Dr.Keyur Patel

M.B.DCP

15 - 73

Approved On:

28-Jan-2023 03:09 PM Page 5 of 12

29.30







TEST REPORT Ref Id

Reg. No

: 301101201

: Mr. Satya Prakash

Name

Age/Sex Ref. By

Location

: 49 Years

: CHPL

/ Male

Pass. No.

Collected On

: 28-Jan-2023 10:40 AM

Reg. Date

: 28-Jan-2023 10:40 AM

Tele No.

: 9939492464

Dispatch At

Sample Type

: Serum

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr.Keyur Patel

M.B.DCP

Generated On: 28-Jan-2023 06:06 PM

Approved On:

28-Jan-2023 03:09 PM

Page 6 of 12







Reg. No : 301101201

Name

Ref. By

Location

: Mr. Satya Prakash

Age/Sex : 49 Years

: CHPL

/ Male

Ref Id

Pass. No.

Collected On

: 28-Jan-2023 10:40 AM

Reg. Date

: 28-Jan-2023 10:40 AM

Tele No.

: 9939492464

Dispatch At

Sample Type : Serum

Unit Biological Ref. Interval Parameter Result

BIO - CHEMISTRY

Uric Acid 6.38 mg/dL Adult: 3.5 - 8.5 Enzymatic, colormetric method Child: 2.5 - 5.5

Creatinine 0.69 mg/dt. Adult: 0.72 - 1.18 Enzymatic Muthod Child: 0.5 - 1.0

BUN 8.10 mg/dL Adult: 7.0 - 20.0 UV Mothod

Child: 5.0 ~ 18.0

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr.Keyur Patel

M.B.DCP

Approved On:

28-Jan-2023 03:09 PM

Page 7 of 12

Generated On : 28-Jan-2023 06:06 PM





: 301101201 Reg. No

Ref Id

Name : Mr. Satya Prakash

: CHPL

Age/Sex

Ref. By

: 49 Years / Male Pass. No.

Collected On

: 28-Jan-2023 10:40 AM

Reg. Date

: 28-Jan-2023 10:40 AM

Tele No.

Unit

: 9939492464

Dispatch At

Sample Type

: EDTA Whole Blood

Biological Ref. Interval

Parameter Result

> **HEMOGLOBIN A1 C ESTIMATION** Specimen: Blood EDTA

*Hb A1C

Location

6.1

% of Total Hb

Normal : < 5.7 %

Pre-Diabetes 5.7 % -

6.4 %

Diabetes: 6.5 % or

higher

Boronate Allimity with Fluorescont Quenching

Mean Blood Glucose

128.37

mg/dl.

Calculated

Degree of Glucose Control Normal Range:

Poor Control >7.0% *

Good Control 6.0 - 7.0 %**Non-diabetic level < 6.0 %

- High risk of developing long term complication such as retinopathy, nephropathy, neuropathy, cardiopathy, etc.
- * Some danger of hypoglycemic reaction in Type I diabetics.
- * Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1c levels in this area.

EXPLANATION:-

- *Total haemoglobin A1 c is continuously synthesised in the red blood cell throught its 120 days life span. The concentration of HBA1c in the cell reflects the average blood glucose concentration it encounters.
- *The level of HBA1c increases proportionately in patients with uncontrolled diabetes. It reflects the average blood glucose concentration over an extended time period and remains unaffected by short-term fluctuations in blood glucose levels.
- *The measurement of HbA1c can serve as a convenient test for evaluating the adequacy of diabetic control and in preventing various diabetic complications. Because the average half life of a red blood cell is sixty days, HbA1c has been accepted as a measurnment which effects the mean daily blood glucose concentration, better than fasting blood glucose determination, and the degree of carbohydrate imbalance over the preceding two months.
- *It may also provide a better index of control of the diabetic patient without resorting to glucose loading procedures HbA1c assay Interferences:
- *Errneous values might be obtained from samples with abnormally elevated quantities of other Haemoglobins as a result of either their simultaneous elution with HbA1c(HbF) or differences in their glycation from that of HbA(HbS)

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr.Keyur Patel

M.B.DCP

Approved On:

28-Jan-2023 03:50 PM

Page 8 of 12

CUROVIS HEALTHCARE PVT. LTD.

Generated On : 28-Jan-2023 06:06 PM







Reg. No : 301101201 Name

: Mr. Satya Prakash

: CHPL

Age/Sex Ref. By

: 49 Years / Male Pass. No.

Ref Id

Collected On

: 28-Jan-2023 10:40 AM

Reg. Date

: 28-Jan-2023 10:40 AM

Tele No.

: 9939492464

Dispatch At

Sample Type : Urine Spot

Test Result Unit Biological Ref. Interval

URINE ROUTINE EXAMINATION

PHYSICAL EXAMINATION

Quantity

30 cc

Colour

Location

Pale Yellow

Clarity

Clear

Clear

CHEMICAL EXAMINATION (BY REFLECTANCE PHOTOMETRIC)

pH

4.6 - 8.0

Sp. Gravity

1.010

1.001 - 1.035

Protein

NI

Nil

Glucose

Nil

Nil

Ketone Bodies

NII

Nil

Urobilinogen

Nil

NII

Bilirubin

Nil

Nil

Nitrite Blood

Nil Nil

Nil

MICROSCOPIC EXAMINATION (MANUAL BY MICROSCOPY)

Leucocytes (Pus Cells)

Occasional/hpf

Absent

Eigthrocytes (Red Cells)

Nil

Absent

Epithelial Cells

1 - 2/hpf

Absent

Crystals

Absent

Absent

Casts

Absent

Absent

Amorphous Material

Absent

Absent Absent

Bacteria

Absent

Remarks

This is an electronically authenticated report.

Generated On: 28-Jan-2023 06:06 PM

* This test has been out sourced.

Approved By:

Dr.Keyur Patel

M.B.DCP

Approved On:

28-Jan-2023 02:59 PM

Page 9 of 12

CUROVIS HEALTHCARE PVT. LTD.





Ref Id

Collected On : 28-Jan-2023 10:40 AM

Name : Mr. Satya Prakash

Reg. Date

: 28-Jan-2023 10:40 AM

Age/Sex

Reg. No

/ Male

Unit

: 9939492464

Ref. By

: 49 Years

: CHPL

: 301101201

Pass. No. Tele No.

Dispatch At

Location

Sample Type

: Serum

Parameter

Result

Biological Ref. Interval

IMMUNOLOGY

THYROID FUNCTION TEST

T3 (Trilodothyronine)

0.97

na/mL

0.86 - 1.92

CHÈMILUMINECENT MICROPARTICLE IMMUNOASSAY

Triiodothyronine (T3) is a hormone synthesized and secreted by the thyroid gland in response to the pituitary hormone TSH (thyroid stimulating hormone) and is regulated by a negative feedback mechanism involving the thyroid gland, pituitary gland and hypothalamus.

In the circulation, 99.7% of T3 is reversibly bond to transport proteins, primarily thyroxine-binding globulin (TBG) and to a lesser extent albumin and prealbumin. The remaining unbound T3 is free in the circulation and is metabolically active.

In hypothyroidism and hyperthyroidism, F T3 (free T3) levels parallel changes in total T3 levels. Measuring F T3 is useful in certain conditions such as normal pregnancy and steroid therapy, when altered levels of total T3 occur due to changes in T3 binding proteins, especially TBG.

T4 (Thyroxine)

CHEMILUMINECENT MICROPARTICLE IMMUNOASSAY

7.20

µa/dL

3.2 - 12.6

Thyroxin (T4) is a hormone synthesized and secreted by the thyroid gland in response to the pituitary hormone TSH (thyroid stimulating hormone) and is regulated by a negative feedback mechanism involving the thyroid gland, pituitary gland and hypothalamus. In the circulation, 99.95% of T4 is reversibly bond to transport proteins, primarily thyroxine-binding globulin (TBG) and to a lesser extent albumin and thyroxine-binding prealbumin. The remaining unbound T4 is free in the circulation and is both metabolically active and a precursor to triiodothyronine (T3).

In hypothyroidism and hyperthyroidism, F T4 (free T4) levels parallel changes in total T4 levels. Measuring FT4 is useful in certain conditions such as normal pregnancy and steroid therapy, when aftered levels of total 14 occur due to changes in T4 binding proteins, especially TBG.

Limitations:

1. The anticonvulsant drug phenytoin may interfere with total and F T4 levels due to competition for TBG binding

2.F.T4 values may be decreased in patients taking carbamazepine.

3. Thyroid autoantibodies in human serum may interfere and cause falsely elevated F T4 results.

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr. Keyur Patel

M B DCP

Generated On: 28-Jan-2023 06:06 PM

Approved On:

28-Jan-2023 03:08 PM

Page 10 of 1





Reg. No : 301101201 Ref ld

Collected On

: 28-Jan-2023 10:40 AM

Name

: Mr. Satya Prakash

Reg. Date

: 28-Jan-2023 10:40 AM

Age/Sex

: 49 Years / Male

Pass. No.

Tele No.

: 9939492464

Ref. By

Dispatch At

: Serum

Location

: CHPL

Sample Type

TSH

uIU/ml

0.55 - 4.78

CHEMILUMINECENT MICROPARTICLE IMMUNOASSAY

Thyroid stimulating hormone (TSH) is synthesized and secreted by the anterior pituitary in response to a negative feedback mechanism involving concentrations of FT3 (free T3) and FT4 (free T4). Additionally, the hypothalamic tripeptide, thyrotropin-relasing hormone (TRH), directly stimulates TSH production. TSH stimulates thyroid cell production and hypertrophy, also stimulate the thyroid gland to synthesize and secrete T3 and T4. Quantification of TSH is significant to differentiate primary (thyroid) from secondary (pituitary) and tertiary (hypothalamus) hypothyroidism. In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hypothyroidism, TSH levels are low.

3.110

TSH levels During Pregnancy: First Trimester :0.1 to 2.5 µIÚ/mL Second Trimester: 0.2 to 3.0 µIU/mL Third trimester: 0.3 to 3.0 µIU/mL

Referance: Carl A.Burtis, Edward R.Ashwood, David E.Bruns. Tietz Textbook of Clinical Chemistry and Molecular

Diagnostics, 5th Eddition, Philadelphia: WB Sounders, 2012;2170

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr.Keyur Patel

M.B.DCP

Generated On: 28-Jan-2023 06:06 PM

Approved On:

28-Jan-2023 03:08 PM

Page 11 of 1





Reg. No : 301101201 Ref Id

Collected On

: 28-Jan-2023 10:40 AM

Name

: Mr. Satya Prakash

Reg. Date

: 28-Jan-2023 10:40 AM

Age/Sex

: 49 Years 1 Male

Tele No.

: 9939492464

Ref. By Location

Pass. No.

Dispatch At

: CHPL

Sample Type

: Serum

Parameter

Result

Unit

Biological Ref. Interval

IMMUNOLOGY

*TOTAL PROSTATE SPECIFIC ANTIGEN (PSA)

0.36

ng/mL

0 - 4

CHEMILUMINECENT MICROPARTICLE IMMUNOASSAY

Measurement of total PSA alone may not clearly distinguish between benign prostatic hyperplasia (BPH) from cancer, this is especially true for the total PSA values between 4-8 ng/mL.

Percentage of free PSA = free PSA/total PSA X 100

Percentage of free PSA: Patients with prostate cancer generally have a lower percentage of Free PSA than patients with benign prostatic hyperplasia. Percentage Free PSA of less than 25% is a high likelihood of prostatic cancer.

----- End Of Report -----

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr.Keyur Patel

M.B.DCP

Generated On : 28-Jan-2023 06:06 PM

Approved On:

28-Jan-2023 03:08 PM

Page 12 of 1



			LABORATORY REPORT		.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
Name	:	Mr. Satya Prakash		Reg. No	:	301101201
Sex/Age	:	Male/49 Years	•	Reg. Date	:	28-Jan-2023 10:40 AM
Ref. By	;			Collected On	;	
Client Name	:	Mediwheel		Report Date	:	28-Jan-2023 02:22 PM

Electrocardiogram

F	n	di	n	a	S

Normal Sinus Rhythm.

Within Normal Limit.

This is an electronically authenticated report

Dr.Jay Soni

M.D, GENERAL MEDICINE

Page 1 of 4

10 mm/mV 25 mm/s 2.25 mm/			a CL	5ATYA PRAKASH HR 89/min 33 Intervals:
585 28.21.2227 11.52-29	Control 10200000000000000000000000000000000000	appropriate to the state of the		Hxis: P 58 * QRS 59 * T 12 * 12 * S (UI) -1.84 * S
HEBL THORRE				



	LABORATORY REPORT		LABORATORY REPORT			
Name	:	Mr. Satya Prakash		Reg. No	:	301101201
Sex/Age	;	Male/49 Years		Reg. Date	:	28-Jan-2023 10:40 AM
Ref. By	:		,	Collected On	:	
Client Name	:	Mediwheel		Report Date	:	28-Jan-2023 02:22 PM

2D Echo Colour Doppler

OBSERVATION:

2 D Echo and color flow studies were done in long and short axis, apical and Sub coastal views.

- 1. Normal LV size. No RWMA at rest.
- 2. Normal RV and RA. Concentric LVH.
- 3. All Four valves are structurally normal.
- 4. Good LV systolic function. LVEF = 60%.
- 5. Stage I diastolic dysfunction.
- 6. Trivial TR. Mild MR. No AR.
- 7. Mild PAH. RVSP = 40 mmHG.
- Intact IAS and IVS.
- 9. No Clot, No Vogetation.
- 10. No pericardial effusion.

CONCLUSION

- 1. Normal LV size with Good LV systolic function.
- 2. Concentric LVH . Stage I diastolic dysfunction
- Trivial TR with Mild PAH, Mild MR, No AR
- 4. No RWMA at rest.

This echo doesn't rule out any kind of congenital cardiac anomalies.

This is an electronically authenticated report

Dr.Jay Soni

M.D, GENERAL MEDICINE

Page 2 of 4



			LABORATORY REPORT			
Name	:	Mr. Satya Prakash		Reg. No	:	301101201
Sex/Age	:	Male/49 Years		Reg. Date	;	28-Jan-2023 10:40 AM
Ref. By	;			Collected On	:	
Client Name	:	Međiwheel		Report Date	:	28-Jan-2023 03:18 PM

USG ABDOMEN

Liver appears normal in size, show **increased homogenous parenchymal echo**. No evidence of focal solid or cystic lesion seen. No evidence of dilatation of intra-hepatic billiary or portal radicals. PV is normal in caliber.

Gall bladder is normally distended. No evidence of calculus or mass seen. Gall bladder wall thickness appears normal.

Pancreas appears normal in size and echopattern. No evidence of focal lesions.

Spleen appears normal in size & normal in echopattern.

Both kidneys are normal in size, shape and position. C.M. differentiation on both sides is maintained. No evidence of hydronephrosis, calculus or solid mass on either side.

Urinary bladder contour is normal, No evidence of calculus or mass lesion.

Prostate is normal in size, show homogenous echo, outline is smooth.

No evidence of ascites.

No any lymphadenopathy seen.

No evidence of dilated small bowel loops.

COMMENTS:

Grade I fatty liver.

This is an electronically authenticated report

25-

DR DHAVAL PATEL
Consultant Radiologist
MB,DMRE
Reg No:0494



Page 1 of 2



			LABC	DRATORY REPORT			
Name	:	Mr. Satya Prakash			Reg. No	:	301101201
Sex/Age	:	Male/49 Years			Reg. Date	:	28-Jan-2023 10:40 AM
Ref. By	;				Collected On	:	
Client Name	. :	Mediwheel			Report Date	;	28-Jan-2023 03:19 PM
			<u>x</u>	RAY CHEST PA			
Both lung	fiel	ds appear clear.					
No eviden	ce	of any active infiltra	tions or conso	olidation.			
Cardiac siz	re a	ppears within norm	al limits.				
Both costo	o-p	hrenic angles appea	free of fluid.				
Both dom	es (of diaphragm appear	normal.				
COMMEN	Τ:	No significant abno	rmality is dete	ected.			
			0° 0 ° 00 ° 00 ° 00 ° 00 ° 00 ° 00 ° 0	End Of Report			

This is an electronically authenticated report

E--

DR DHAVAL PATEL
Consultant Radiologist
MB,DMRE
Reg No:0494





LABORATORY REPORT

Name : Mr. Satya Prakash

Sex/Age : Male/49 Years

Ref. By :

Client Name

<u>.</u>

Mediwheel

Reg. No

301101201

Reg. Date

28-Jan-2023 10:40 AM

Collected On

Report Date

28-Jan-2023 03:01 PM

Eye Check - Up

No Eye Complaints

RIGHT EYE

SP: ±0.00

CY: -1.75

AX: 96

LEFT EYE

SP:-1.25

CY: -0.75

AX:65

AND RESIDENCE OF A CONTRACTOR	Without Glasses	With Glasses
Right Eye	6/9	6/5
Left Eye	6/24	6/5

Near Vision: Right Eye - N/6, Left Eye - N/6

Fundus Examination - Within Normal Limits.

ColorVision: Normal

Comments: Normal

----- End Of Report -----

This is an electronically authenticated report

Dr Kejal Patel MB,DO(Ophth)

Page 4 of 4




NAME:- SATYA PRAKASH.

ID NO :-

AGE:- 49Y/ M

Date:- 28/01/2023

AUDIOGRAM



	MODE Air Conduction Bone Conduction Co		Colour	and I dila les		4.40.000			
İ	EAR	Marked	UnVasked		UnMasken	CORP	Threshold In dB	RIGHT	LEFT
	1 F 5-1	(J	X)	>	111 ac	AIR CONDUCTION	1.1	11.5
	KI(()	Δ	()	C	<	Prvi	BONE CONDUCTION		
	NO RESPONS	d : Add	7 psjovi (he respe	ctive syml	ols	SPEECH		

Comments:-

Bilateral Hearing Sensitivity Within Normal Limits.

