



बैंक ऑफ बड़ौदा
Bank of Baroda

नाम : रवि शर्मा
Name : Ravi Sharma
कर्मचारी कूट क. : 108782
E.C. No. :




Ravi Sharma
धारक के हस्ताक्षर
Holder's Signature

[Signature]
जारीकर्ता प्राधिकारी
Issuing Authority

Dr. PIYUSH GOYAL
MBBS, DMR (Radiologist)
RMC No. 7041
Dr. G. 1715
Raja Lab. & Imaging Center, Jaipur

If found please return to:
Asst. General Manager (Security)
Bank of Baroda, Baroda Corporate Centre,
C-26, G-Block, Bandra-Kurla Complex, Mumbai-400 051
Phone : 91 22 6698 5196 Fax : 91 22 2652 5747
निम्न पर निम्नलिखित को लौटाएं :
सहायक महाप्रबंधक (सुरक्षा)
बैंक ऑफ बड़ौदा, बड़ौदा कॉर्पोरेट सेंटर,
सी-26, जी-ब्लॉक, बान्द्रा-कुर्ला कॉम्प्लेक्स, मुंबई-400051
फोन नंबर : 91 22 6698 5196 फैक्स : 91 22 2652 5747
Blood Group O+



Sinus rhythm with poor progression in lead V1-V3.

DR. PIVUSHI GOYAL
MBBS, DMARDI
RMP, (Cardiologist)
T. G. Center, Jaipur

[Handwritten signature]

path Lab & Imaging Center, Jaipur



Stage	Time	Duration	Belt Speed (mph)	Elevation	METs	Rate	BP	RPP	FVC	Comments
Supine	00:22	0:01	01.1	00.0	01.0	104	125/80	130	00	
Standing	00:53	0:01	01.1	00.0	01.0	130	125/80	162	00	
HV	01:09	0:01	01.1	00.0	01.0	130	125/80	162	00	
ExStart	01:56	0:07	01.7	10.0	01.1	132	125/80	165	00	
BRUCE Stage 1	04:56	3:00	01.7	10.0	04.7	156	135/85	210	00	
BRUCE Stage 2	07:56	3:00	02.5	12.0	07.1	187	140/85	261	00	
PeakEx	08:19	0:23	03.4	14.0	07.5	188	140/85	263	00	
Recovery	09:18	1:00	00.0	00.0	01.2	156	140/85	218	00	
Recovery	10:18	2:00	00.0	00.0	04.0	136	135/85	183	00	
Recovery	12:18	4:00	00.0	00.0	04.0	125	125/80	156	00	
Recovery	13:38	5:19	00.0	00.0	01.0	123	122/80	150	00	

Findings :

Exercise Time : 06:24
 Max HR Attained : 190 bpm 100% of Target 190
 Max BP Attained : 140/85
 Max Workload Attained : 7.5 Fair response to induced stress
 Test End Reasons : Test Complete, Heart Rate Achieved

Report :

[Handwritten Signature]


gone line eeg show poor progression in lead v1-v4. there is st + changes seen in infero lat leads during exercise which reverted to base line with in 1 min of recovery. again appear in late recovery but positive den RMI correlate clinically.

DR. PIVUSHI GOYAL
 (Radiologist)
 Jaipur


Date: 26-Feb-2022 12:02:45 PM METS: 1.0/ 104 bpm 54% of THR BP: 125/80 mmHg Raw ECG/ BLC On/ Notch On/ HF 0.05 HZ/LE 100 Hz

ExTime: 00:22 1.1mph, 0.0%
25 mm/Sec. 1.0 Cm/mV

4X 80 mS Post J




STL 1.0
STS 1.0




V1

II 1.0
0.8




V2

III 0.0
-0.2




V3

avR -1.0
-0.9



V4

avL 0.5
0.5
0.6



V5

avF 0.5
0.3



V6

I III avL V1 V3 V5
II avR avF V2 V4 V6


REMARKS:

Standing



Date: 26-Feb-2022 12:02:45 PM METS: 1.0/ 130 bpm 68% of THR BP: 125/80 mmHg Raw ECG/ BLC On/ Notch On/ HF 0.05 Hz/LF 100 Hz
4X 60 mS Post J

ExTime: 00:53 1.1 mph, 0.0%
25 mm/Sec. 1.0 Cm/mV



REMARKS:



Date: 26-Feb-2022 12:02:45 PM METS: 1.0/ 130 bpm 68% of THR BP: 125/80 mmHg Raw ECG/ BLC On/ Notch On/ HE 0.05 Hz/LE 100 Hz

ExTime: 01:09 1.1 mph. 0.0%
25 mm/Sec 1.0 cm/mV



ST 0.4
STs 0.5

II 0.1
III 0.1

III -0.2
-0.4

avR -0.3
-0.3

avL 0.3
0.5

avF 0.0
-0.2

V1 0.3
0.1

V2 1.7
1.5

V3 0.8
0.8

V4 0.6
0.6

V5 0.2
0.2

V6 0.1
0.1

I III avL V1 V3 V5
II avR avF V2 V4 V6


REMARKS:

Date: 26-Feb-2022 12:02:45 PM METS: 1.1/ 132 bpm 69% of THR BP: 125/60 mmHg Raw ECG/ BLC On/ Notch On/ HF 0.05 Hz/LF 100 Hz

ExTime: 00:07 1.7 mph, 10.0%

4X 80 ms/Post J


25 mm/Sec. 1.0 cm/mV




SI 0.1
ST 0.6




II -0.1
III -0.7




III -0.2
aVR -0.1




aVR -0.1
aVL 0.2
aVF 0.9



V4 0.5
V5 0.0
V6 -0.4



I
II
III
aVR
aVL
aVF
V1
V2
V3
V4
V5
V6



REMARKS:



Date: 26-Feb-2022 12:02:45 PM METS: 4.71 156 bpm 82% of THR BP: 135/85 mmHg Raw ECG/ BLC On/ Notch On/ HF 0.05 Hz/ LF 100 Hz

4X 60 ms Post J

ExTime: 03:00 1.7 mph, 10.0% 25 mm/Sec, 1.0 cm/mV

STI -0.3
STs 0.6

V1 0.3
0.8

V1

II -0.7
-0.5

V2 0.3
2.5

V2

III -0.4
-1.1

V3 0.1
1.8

V3

aVR 0.5
0.0

V4 -0.3
1.4

V4

aVL 0.0
0.8


V5 -0.6
0.3

V5

aVF -0.5
-0.8

V6 -0.6
0.0

V6



REMARKS:



Date: 26-Feb-2022 12:02:45 PM METS: 7.1/ 187 bpm 98% of THR BP: 140/85 mmHg Raw ECG/BLC On/ Notch On/ HE 0.05 Hz/LF 100 Hz

ExTime: 06:00 2.5 mph 12.0%

4X 60 ms Post J

25 mm/Sec. 1.0 cm/mV

STI -0.6
STs 0.8



II -1.4
III -0.1



avL 0.2




III -0.9
-0.7



avR -0.4
0.9



avL 0.2
0.7



avF -1.1
-0.3



I III avL V1 V3 V5
II avR avF V2 V4 V6

REMARKS:

Date: 26-Feb-2022 12:02:45 PM METS: 7.5/ 188 bpm 98% of THR BP: 140/85 mmHg Raw ECG/ BLC On/ Notch On/ HF 0.05 HZ/LF 100 Hz

EXTime: 06:23 3.4 mph 14.0%

4X 60 ms Post J

25 mm/Sec. 1.0 cm/mV

STI -0.6
STs 1.0

V1 0.2
V2 1.1

V1

II -1.2
III -1.2
aVL 0.6

V2 -0.1
V3 4.0

V2

avL 0.1



III -0.7
aVR -0.4

V3 -0.3
V4 3.3

V3

aVR 0.9
aVL -0.8

V4 -0.8
V5 2.9

V4

aVL 0.1
aVF 0.7

V5 -1.1
V6 1.1

V5

aVF -0.9
aVL 0.1

V6 -1.0
V7 0.4

V6




REMARKS:



Date: 26-Feb-2022 12:02:45 PM METS: 1.2/ 156 bpm 82% of THR BP: 140/85 mmHg Raw ECG/ BLC On/ Notch On/ HF 0.05 HZ/LF 100 Hz

4X 60 ms Post J

ExTime: 06:24 0.0 mph, 0.0%
25 mm/Sec, 1.0 cm/mV



REMARKS: I II aVR aVF V1 V2 V3 V4 V5 V6




1764 / MR RAVI SHARMA / 30 Yrs / M

Date: 26-Feb-2022 12:02:45 PM METS: 1.0/ 136 bpm 71% of THR BP: 135/85 mmHg Raw ECG/ BLC On/ Notch On/ HE 0.05 HZ/LE 100 Hz


4X 60 ms Post J

ExTime: 06:24 0.0 mph 0.0%
25 mm/Sec 1.0 Cm/mV


SI -0.2
STs 0.9




II -0.7
-0.4



III -0.5
-1.3




aVR 0.4
-0.2



aVL 0.2
1.1



aVF -0.6
-0.9



I III aVL V1 V3 V5
II aVR aVF V2 V4 V6



REMARKS:



Date: 26-Feb-2022 12:02:45 PM METS: 1.0/ 125 bpm 65% of THR BP: 125/80 mmHg Raw ECG/ BLC On/ Notch On/ HF 0.05 Hz/LE 100 Hz

4X 80 mS Post J

ExTime: 06:24 0.0 mph 0.0%
25 mm/Sec. 1.0 Cm/mV



STI -0.1
STs 0.6



II -0.4
III -0.8



III -0.4
IV -1.4



aVR 0.3
aVL 0.1



aVL 0.2
aVF 0.9




V5 -0.4
V6 -1.1




V1 0.5
V2 1.3



V2 1.3
V3 3.7




V3 0.8
V4 2.4



V4 1.6
V5 0.2



V5 0.1
V6 -0.3




REMARKS:



Date: 26-Feb-2022 12:02:45 PM METS: 1.0/ 123 bpm 64% of THR BP: 122/80 mmHg Raw ECG/ BLC On/ Notch On/ HF 0.05 Hz/LF 100 Hz

4X 80 ms Post J

EXTime: 06:24 0.0 mph, 0.0%
25 mm/Sec. 1.0 Cm/mV



REMARKS:



Date: 26-Feb-2022 12:02:45 PM

I

II

III

avR

avL

avF

V1

V2


V3

V4


V5

V6

Supine




Standing




HV




ExStart



Stage 1



Stage 2



187 bpm

140/85



Date: 26-Feb-2022 12:02:45 PM I II III

avR

avL

avF

V1

V2

V3


V4

V5

V6


PeakEx

(1) 6.24 3.4 mph
 (2) 0.24 14.0 %
 188 bpm 140/85




Recovery

(1) 6.25 0.0 mph
 (2) 1.00 0.0 %
 156 bpm 140/85




Recovery

(1) 6.25 0.0 mph
 (2) 2.00 0.0 %
 136 bpm 135/85



Recovery

(1) 6.25 0.0 mph
 (2) 4.00 0.0 %
 125 bpm 125/80



Recovery

(1) 6.25 0.0 mph
 (2) 5.20 0.0 %
 123 bpm 122/80



Dr. Goyal's

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



Date :- 26/02/2022 10:07:55

NAME :- Mr. RAVI SHARMA

Sex / Age :- Male 30 Yrs

Company :- MediWheel

Patient ID :- 122127255

Ref. By Dr:- BOB

Lab/Hosp :-



Sample Type :- EDTA

Sample Collected Time 26/02/2022 10:24:29

Final Authentication : 26/02/2022 15:52:30

HAEMATOLOGY

Test Name	Value	Unit	Biological Ref Interval
-----------	-------	------	-------------------------

BOB PACKAGE BELOW 40MALE

GLYCOSYLATED HEMOGLOBIN (HbA1C)

Method:- HPLC

10.4 H %

Non-diabetic: < 5.7
Pre-diabetics: 5.7-6.4
Diabetics: = 6.5 or higher
ADA Target: 7.0
Action suggested: > 6.5

Instrument name: ARKRAY's ADAMS Lite HA 8380V, JAPAN.

Test Interpretation:

HbA1C is formed by the condensation of glucose with n-terminal valine residue of each beta chain of HbA to form an unstable schiff base. It is the major fraction, constituting approximately 80% of HbA1c. Formation of glycated hemoglobin (GHb) is essentially irreversible and the concentration in the blood depends on both the lifespan of the red blood cells (RBC) (120 days) and the blood glucose concentration. The GHb concentration represents the integrated values for glucose over the period of 6 to 8 weeks. GHb values are free of day to day glucose fluctuations and are unaffected by recent exercise or food ingestion. Concentration of plasma glucose concentration in GHb depends on the time interval, with more recent values providing a larger contribution than earlier values. The interpretation of GHb depends on RBC having a normal life span. Patients with hemolytic disease or other conditions with shortened RBC survival exhibit a substantial reduction of GHb. High GHb have been reported in iron deficiency anemia. GHb has been firmly established as an index of long term blood glucose concentrations and as a measure of the risk for the development of complications in patients with diabetes mellitus. The absolute risk of retinopathy and nephropathy are directly proportional to the mean of HbA1C. Genetic variants (e.g. HbS trait, HbC trait), elevated HbF and chemically modified derivatives of hemoglobin can affect the accuracy of HbA1C measurements. The effects vary depending on the specific Hb variant or derivative and the specific HbA1c method.

Ref by ADA 2020

MEAN PLASMA GLUCOSE

Method:- Calculated Parameter

252 H mg/dL

Non Diabetic < 100 mg/dL
Prediabetic 100- 125 mg/dL
Diabetic 126 mg/dL or Higher

Technologist

AJAYSINGH

Page No: 1 of 14



Dr. Chandrika Gupta
MBBS, MD (Path)
RMC NO. 21021/008037

"CONDITIONS OF REPORTING SEE OVER LEAF"

Dr. Goyal's

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sangner Road, Jaipur-302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalpathlab.com | E-mail: drgoyalpiyush@gmail.com



Date :- 26/02/2022 10:07:55

NAME :- Mr. RAVI SHARMA

Sex / Age :- Male 30 Yrs

Company :- MediWheel

Patient ID :- 122127255

Ref. By Dr:- BOB

Lab/Hosp :-



Sample Type :- EDTA

Sample Collected Time 26/02/2022 10:24:29

Final Authentication : 26/02/2022 15:52:30

HAEMATOLOGY

Test Name	Value	Unit	Biological Ref Interval
HAEMOGARAM			
HAEMOGLOBIN (Hb)	16.5	g/dL	13.0 - 17.0
TOTAL LEUCOCYTE COUNT	5.89	/cumm	4.00 - 10.00
DIFFERENTIAL LEUCOCYTE COUNT			
NEUTROPHIL	49.0	%	40.0 - 80.0
LYMPHOCYTE	42.8 H	%	20.0 - 40.0
EOSINOPHIL	4.6	%	1.0 - 6.0
MONOCYTE	3.3	%	2.0 - 10.0
BASOPHIL	0.3	%	0.0 - 2.0
NEUT#	2.89	10 ³ /uL	1.50 - 7.00
LYMPH#	2.52	10 ³ /uL	1.00 - 3.70
EO#	0.27	10 ³ /uL	0.00 - 0.40
MONO#	0.19	10 ³ /uL	0.00 - 0.70
BASO#	0.02	10 ³ /uL	0.00 - 0.10
TOTAL RED BLOOD CELL COUNT (RBC)	5.96 H	x10 ⁶ /uL	4.50 - 5.50
HEMATOCRIT (HCT)	47.30	%	40.00 - 50.00
MEAN CORP VOLUME (MCV)	79.3 L	fL	83.0 - 101.0
MEAN CORP HB (MCH)	27.7	pg	27.0 - 32.0
MEAN CORP HB CONC (MCHC)	34.5	g/dL	31.5 - 34.5
PLATELET COUNT	213	x10 ³ /uL	150 - 410
RDW-CV	13.6	%	11.6 - 14.0
MENTZER INDEX	13.31		

The Mentzer index is used to differentiate iron deficiency anemia from beta thalassemia trait. If a CBC indicates microcytic anemia, these are two of the most likely causes, making it necessary to distinguish between them. If the quotient of the mean corpuscular volume divided by the red blood cell count is less than 13, thalassemia is more likely. If the result is greater than 13, then iron-deficiency anemia is more likely.

Technologist

AJAYSINGH

Page No: 2 of 14



Dr. Chandrika Gupta
MBBS.MD (Path)
RMC NO. 21021/008037

"CONDITIONS OF REPORTING SEE OVER LEAF"

Dr. Goyal's

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalpathlab.com | E-mail: drgoyalpiyush@gmail.com



Date :- 26/02/2022 10:07:55

NAME :- Mr. RAVI SHARMA

Sex / Age :- Male 30 Yrs

Company :- MediWheel

Patient ID :-122127255

Ref. By Dr:- BOB

Lab/Hosp :-



Sample Type :- EDTA

Sample Collected Time 26/02/2022 10:24:29

Final Authentication : 26/02/2022 15:52:30

HAEMATOLOGY

Test Name	Value	Unit	Biological Ref Interval
Erythrocyte Sedimentation Rate (ESR)	24 H	mm/hr.	00 - 13

(ESR) Methodology : Measurement of ESR by cells aggregation.

Instrument Name : Independent form Hematocrit value by Automated Analyzer (Roller-20)

Interpretation : ESR test is a non-specific indicator of inflammatory disease and abnormal protein states.

The test is used to detect, follow course of a certain disease (e.g-tuberculosis, rheumatic fever, myocardial infarction)

Levels are higher in pregnancy due to hyperfibrinogenaemia.

The "3-figure ESR" $\times > 100$ value nearly always indicates serious disease such as a serious infection, malignant paraproteinaemia (CBC) Methodology: TLC, DLC, Fluorescent Flow cytometry, HB SLS method, TRBC, PCV, PLT Hydrodynamically focused Impedance, and MCH, MCV, MCHC, MENTZER INDEX are calculated. Instrument Name: Sysmex 6 part fully automatic analyzer XN-L, Japan

Technologist

AJAYSINGH

Page No: 3 of 14



Dr. Chandrika Gupta
MBBS, MD (Path)
RMC NO. 21021/008037

" CONDITIONS OF REPORTING SEE OVER LEAF "

Dr. Goyal's

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sangner Road, Jaipur-302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalpathlab.com | E-mail: drgoyalpiyush@gmail.com



Date :- 26/02/2022 10:07:55

NAME :- Mr. RAVI SHARMA

Sex / Age :- Male 30 Yrs

Company :- MediWheel

Patient ID :-122127255

Ref. By Dr:- BOB

Lab/Hosp :-



Sample Type :- PLAIN/SERUM

Sample Collected Time 26/02/2022 10:24:29

Final Authentication : 26/02/2022 14:38:33

BIOCHEMISTRY

Test Name	Value	Unit	Biological Ref Interval
LIPID PROFILE			
TOTAL CHOLESTEROL Method:- Enzymatic Endpoint Method	203.08 H	mg/dl	Desirable <200 Borderline 200-239 High > 240
TRIGLYCERIDES Method:- GPO-PAP	168.72 H	mg/dl	Normal <150 Borderline high 150-199 High 200-499
VLDL CHOLESTEROL Method:- Calculated	33.74	mg/dl	Very high >500 0.00 - 80.00

ANANDSHARMA

Page No: 4 of 14



Dr. Piyush Goyal
(D.M.R.D.)
Dr. Chandrika Gupta

"CONDITIONS OF REPORTING SEE OVER LEAF"

Dr. Goyal's

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganeer Road, Jaipur-302019
Tele: 0141-2293346, 4049787, 9887049787
Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



Date :- 26/02/2022 10:07:55

NAME :- Mr. RAVI SHARMA

Sex / Age :- Male 30 Yrs

Company :- MediWheel

Patient ID :-122127255

Ref. By Dr:- BOB

Lab/Hosp :-



Sample Type :- PLAIN/SERUM

Sample Collected Time 26/02/2022 10:24:29

Final Authentication : 26/02/2022 14:38:33

BIOCHEMISTRY

Test Name	Value	Unit	Biological Ref Interval
DIRECT HDL CHOLESTEROL Method:- Direct clearance Method	30.62	mg/dl	Low < 40 High > 60
DIRECT LDL CHOLESTEROL Method:- Direct clearance Method	144.34	mg/dl	Optimal <100 Near Optimal/above optimal 100-129 Borderline High 130-159 High 160-189 Very High > 190
T.CHOLESTEROL/HDL CHOLESTEROL RATIO Method:- Calculated	6.63 H		0.00 - 4.90
LDL / HDL CHOLESTEROL RATIO Method:- Calculated	4.71 H		0.00 - 3.50
TOTAL LIPID Method:- CALCULATED	647.16	mg/dl	400.00 - 1000.00

TOTAL CHOLESTEROL InstrumentName:Randox Rx Imola Interpretation: Cholesterol measurements are used in the diagnosis and treatment of lipid (lipoprotein) metabolism disorders.

TRIGLYCERIDES InstrumentName:Randox Rx Imola Interpretation: Triglyceride measurements are used in the diagnosis and treatment of diseases involving lipid metabolism and various endocrine disorders e.g. diabetes mellitus, nephrosis and liver obstruction.

DIRECT HDL CHOLESTEROL InstrumentName:Randox Rx Imola Interpretation: An inverse relationship between HDL-cholesterol (HDL-C) levels in serum and the incidence/prevalence of coronary heart disease (CHD) has been demonstrated in a number of epidemiological studies. Accurate measurement of HDL-C is of vital importance when assessing patient risk from CHD. Direct measurement gives improved accuracy and reproducibility when compared to precipitation methods.

DIRECT LDL-CHOLESTEROL InstrumentName:Randox Rx Imola Interpretation: Accurate measurement of LDL-Cholesterol is of vital importance in therapies which focus on lipid reduction to prevent atherosclerosis or reduce its progress and to avoid plaque rupture.

TOTAL LIPID AND VLDL ARE CALCULATED

ANANDSHARMA

Page No: 5 of 14



Dr. Piyush Goyal
(D.M.R.D.)
Dr. Chandrika Gupta

"CONDITIONS OF REPORTING SEE OVER LEAF"

Dr. Goyal's

Path Lab & Imaging Centre



B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalpathlab.com | E-mail: drgoyalpiyush@gmail.com

Date :- 26/02/2022 10:07:55

NAME :- **Mr. RAVI SHARMA**

Sex / Age :- Male 30 Yrs

Company :- MediWheel

Patient ID :- 122127255

Ref. By Dr:- BOB

Lab/Hosp :-



Sample Type :- PLAIN/SERUM

Sample Collected Time 26/02/2022 10:24:29

Final Authentication : 26/02/2022 14:38:33

BIOCHEMISTRY

Test Name	Value	Unit	Biological Ref Interval
LIVER PROFILE WITH GGT			
SERUM BILIRUBIN (TOTAL) Method:- Colorimetric method	0.99	mg/dl	Up to - 1.0 Cord blood <2 mg/dL Premature < 6 days <16mg/dL Full-term < 6 days= 12 mg/dL 1month - <12 months <2 mg/dL 1-19 years <1.5 mg/dL Adult - Up to - 1.2 Ref-(ACCP 2020)
SGOT Method:- IFCC	46.5 H	U/L	Men- Up to - 37.0 Women - Up to - 31.0
SGPT Method:- IFCC	100.9 H	U/L	Men- Up to - 40.0 Women - Up to - 31.0
SERUM ALKALINE PHOSPHATASE Method:- AMP Buffer	124.70 H	IU/L	30.00 - 120.00
SERUM TOTAL PROTEIN Method:- Biuret Reagent	7.96	g/dl	6.40 - 8.30
SERUM ALBUMIN Method:- Bromocresol Green	4.92	g/dl	3.80 - 5.00
SERUM GLOBULIN Method:- CALCULATION	3.04	gm/dl	2.20 - 3.50
A/G RATIO	1.62		1.30 - 2.50

ANANDSHARMA

Page No: 6 of 14



Dr. Piyush Goyal
(D.M.R.D.)
Dr. Chandrika Gupta

"CONDITIONS OF REPORTING SEE OVER LEAF"

Dr. Goyal's

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sangner Road, Jaipur-302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalpathlab.com | E-mail: drgoyalpiyush@gmail.com



Date :- 26/02/2022 10:07:55

NAME :- Mr. RAVI SHARMA

Sex / Age :- Male 30 Yrs

Company :- MediWheel

Patient ID :-122127255

Ref. By Dr:- BOB

Lab/Hosp :-



Sample Type :- PLAIN/SERUM

Sample Collected Time 26/02/2022 10:24:29

Final Authentication : 26/02/2022 14:38:33

BIOCHEMISTRY

Test Name	Value	Unit	Biological Ref Interval
SERUM BILIRUBIN (DIRECT) Method:- Colorimetric Method	0.35	mg/dL	Adult - Up to 0.25 Newborn - <0.6 mg/dL >- 1 month - <0.2 mg/dL
SERUM BILIRUBIN (INDIRECT) Method:- Calculated	0.64	mg/dl	0.30-0.70
SERUM GAMMA GT Method:- IFCC	88.80 H	U/L	11.00 - 50.00

Total Bilirubin Methodology: Colorimetric method InstrumentName: Randox Rx Imola Interpretation: An increase in bilirubin concentration in the serum occurs in toxic or infectious diseases of the liver e.g. hepatitis B or obstruction of the bile duct and in rhesus incompatible babies. High levels of unconjugated bilirubin indicate that too much haemoglobin is being destroyed or that the liver is not actively treating the haemoglobin it is receiving.

AST Aspartate Aminotransferase Methodology: IFCC InstrumentName: Randox Rx Imola Interpretation: Elevated levels of AST can signal myocardial infarction, hepatic disease, muscular dystrophy and organ damage. Although heart muscle is found to have the most activity of the enzyme, significant activity has also been seen in the brain, liver, gastric mucosa, adipose tissue and kidneys of humans.

ALT Alanine Aminotransferase Methodology: IFCC InstrumentName: Randox Rx Imola Interpretation: The enzyme ALT has been found to be in highest concentrations in the liver, with decreasing concentrations found in kidney, heart, skeletal muscle, pancreas, spleen and lung tissue respectively. Elevated levels of the transaminases can indicate myocardial infarction, hepatic disease, muscular dystrophy and organ damage.

Alkaline Phosphatase Methodology: AMP Buffer InstrumentName: Randox Rx Imola Interpretation: Measurements of alkaline phosphatase are of use in the diagnosis, treatment and investigation of hepatobiliary disease and in bone disease associated with increased osteoblastic activity. Alkaline phosphatase is also used in the diagnosis of parathyroid and intestinal disease.

TOTAL PROTEIN Methodology: Biuret Reagent InstrumentName: Randox Rx Imola Interpretation: Measurements obtained by this method are used in the diagnosis and treatment of a variety of diseases involving the liver, kidney and bone marrow as well as other metabolic or nutritional disorders.

ALBUMIN (ALB) Methodology: Bromocresol Green InstrumentName: Randox Rx Imola Interpretation: Albumin measurements are used in the diagnosis and treatment of numerous diseases involving primarily the liver or kidneys. Globulin & A/G ratio is calculated.

Instrument Name Randox Rx Imola Interpretation: Elevations in GGT levels are seen earlier and more pronounced than those with other liver enzymes in cases of obstructive jaundice and metastatic neoplasms. It may reach 5 to 30 times normal levels in intra- or post-hepatic biliary obstruction. Only moderate elevations in the enzyme level (2 to 5 times normal) are observed with infectious hepatitis.

ANANDSHARMA

Page No: 7 of 14



Dr. Piyush Goyal
(D.M.R.D.)
Dr. Chandrika Gupta

** CONDITIONS OF REPORTING SEE OVER LEAF **

Dr. Goyal's

Path Lab & Imaging Centre



B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalpathlab.com | E-mail: drgoyalpiyush@gmail.com

Date :- 26/02/2022 10:07:55

NAME :- Mr. RAVI SHARMA

Sex / Age :- Male 30 Yrs

Company :- MediWheel

Patient ID :-122127255

Ref. By Dr:- BOB

Lab/Hosp :-



Sample Type :- PLAIN/SERUM

Sample Collected Time 26/02/2022 10:24:29

Final Authentication : 26/02/2022 14:30:24

IMMUNOASSAY

Test Name	Value	Unit	Biological Ref Interval
TOTAL THYROID PROFILE			
SERUM TSH Method:- Enhanced Chemiluminescence Immunoassay	3.240	μIU/mL	0.465 - 4.680

Technologist

MUKESH SINGH

Page No: 8 of 14



Dr. Chandrika Gupta
MBBS.MD (Path)
RMC NO. 21021/008037

"CONDITIONS OF REPORTING SEE OVER LEAF"

Dr. Goyal's

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019
 Tele: 0141-2293346, 4049787, 9887049787
 Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



Date :- 26/02/2022 10:07:55

NAME :- Mr. RAVI SHARMA

Sex / Age :- Male 30 Yrs

Company :- MediWheel

Patient ID :-122127255

Ref. By Dr:- BOB

Lab/Hosp :-



Sample Type :- PLAIN/SERUM

Sample Collected Time 26/02/2022 10:24:29

Final Authentication : 26/02/2022 14:30:24

IMMUNOASSAY

Test Name	Value	Unit	Biological Ref Interval
-----------	-------	------	-------------------------

SERUM TOTAL T3
 Method:- Chemiluminescence(Competitive immunoassay) 1.260 ng/ml 0.970 - 1.690

SERUM TOTAL T4
 Method:- Chemiluminescence(Competitive immunoassay) 8.610 ug/dl 5.530 - 11.000

InstrumentName: VITROS ECI **Interpretation:** Triiodothyronine (T3) contributes to the maintenance of the euthyroid state. A decrease in T3 concentration of up to 50% occurs in a variety of clinical situations, including acute and chronic disease. Although T3 results alone cannot be used to diagnose hypothyroidism, T3 concentration may be more sensitive than thyroxine (T4) for hyperthyroidism. Consequently, the total T3 assay can be used in conjunction with other assays to aid in the differential diagnosis of thyroid disease. T3 concentrations may be altered in some conditions, such as pregnancy, that affect the capacity of the thyroid hormone-binding proteins. Under such conditions, Free T3 can provide the best estimate of the metabolically active hormone concentration. Alternatively, T3 uptake, or T4 uptake can be used with the total T3 result to calculate the free T3 index and estimate the concentration of free T3.

InstrumentName: VITROS ECI **Interpretation:** The measurement of Total T4 aids in the differential diagnosis of thyroid disease. While >99.9% of T4 is protein-bound, primarily to thyroxine-binding globulin (TBG), it is the free fraction that is biologically active. In most patients, the total T4 concentration is a good indicator of thyroid status. T4 concentrations may be altered in some conditions, such as pregnancy, that affect the capacity of the thyroid hormone-binding proteins. Under such conditions, free T4 can provide the best estimate of the metabolically active hormone concentration. Alternatively, T3 uptake may be used with the total T4 result to calculate the free T4 index (FT4I) and estimate the concentration of free T4. Some drugs and some nonthyroidal patient conditions are known to alter TT4 concentrations in vivo.

InstrumentName: VITROS ECI **Interpretation:** TSH stimulates the production of thyroxine (T4) and triiodothyronine (T3) by the thyroid gland. The diagnosis of overt hypothyroidism by the finding of a low total T4 or free T4 concentration is readily confirmed by a raised TSH concentration. Measurement of low or undetectable TSH concentrations may assist the diagnosis of hyperthyroidism, where concentrations of T4 and T3 are elevated and TSH secretion is suppressed. These have the advantage of discriminating between the concentrations of TSH observed in thyrotoxicosis, compared with the low, but detectable, concentrations that occur in subclinical hyperthyroidism. The performance of this assay has not been established for neonatal specimens. Some drugs and some nonthyroidal patient conditions are known to alter TSH concentrations in vivo.

INTERPRETATION

PREGNANCY	REFERENCE RANGE FOR TSH IN uIU/mL (As per American Thyroid Association)
1st Trimester	0.10-2.50
2nd Trimester	0.20-3.00
3rd Trimester	0.30-3.00

Technologist

MUKESH SINGH

Page No: 9 of 14



Dr. Chandrika Gupta
 MBBS.MD (Path)
 RMC NO. 21021/008037

"CONDITIONS OF REPORTING SEE OVER LEAF"

Dr. Goyal's

Path Lab & Imaging Centre



B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019
Tele: 0141-2293346, 4049787, 9887049787
Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com

Date :- 26/02/2022 10:07:55

NAME :- Mr. RAVI SHARMA

Sex / Age :- Male 30 Yrs

Company :- MediWheel

Patient ID :-122127255

Ref. By Dr:- BOB

Lab/Hosp :-



Sample Type :- URINE

Sample Collected Time 26/02/2022 10:24:29

Final Authentication : 26/02/2022 11:46:08

CLINICAL PATHOLOGY

Test Name	Value	Unit	Biological Ref Interval
Urine Routine			
<u>MICROSCOPY EXAMINATION</u>			
RBC/HPF	NIL	/HPF	NIL
WBC/HPF	2-3	/HPF	2-3
EPITHELIAL CELLS	0-1	/HPF	2-3
CRYSTALS/HPF	ABSENT		ABSENT
CAST/HPF	ABSENT		ABSENT
AMORPHOUS SEDIMENT	ABSENT		ABSENT
BACTERIAL FLORA	ABSENT		ABSENT
YEAST CELL	ABSENT		ABSENT
OTHER	ABSENT		ABSENT

Technologist

POOJABOHRA

Page No: 10 of 14



Dr. Chandrika Gupta
MBBS.MD (Path)
RMC NO. 21021/008037

"CONDITIONS OF REPORTING SEE OVER LEAF"

Dr. Goyal's

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalpathlab.com | E-mail: drgoyalpiyush@gmail.com



Date :- 26/02/2022 10:07:55

NAME :- Mr. RAVI SHARMA

Sex / Age :- Male 30 Yrs

Company :- MediWheel

Patient ID :-122127255

Ref. By Dr:- BOB

Lab/Hosp :-



Sample Type :- URINE

Sample Collected Time 26/02/2022 10:24:29

Final Authentication : 26/02/2022 11:46:08

CLINICAL PATHOLOGY

Test Name	Value	Unit	Biological Ref Interval
<u>PHYSICAL EXAMINATION</u>			
COLOUR	PALE YELLOW		PALE YELLOW
APPEARANCE	Clear		Clear
<u>CHEMICAL EXAMINATION</u>			
REACTION(PH)	5.5		5.0 - 7.5
SPECIFIC GRAVITY	1.025		1.010 - 1.030
PROTEIN	NIL		NIL
SUGAR	NIL		NIL
BILIRUBIN	NEGATIVE		NEGATIVE
UROBILINOGEN	NORMAL		NORMAL
KETONES	NEGATIVE		NEGATIVE
NITRITE	NEGATIVE		NEGATIVE

Technologist

POOJABOHRA

Page No: 11 of 14



Dr. Chandrika Gupta
MBBS,MD (Path)
RMC NO. 21021/008037

"CONDITIONS OF REPORTING SEE OVER LEAF"

Dr. Goyal's

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019
 Tele: 0141-2293346, 4049787, 9887049787
 Website: www.drgoyalpathlab.com | E-mail: drgoyalpiyush@gmail.com



Date :- 26/02/2022 10:07:55

NAME :- Mr. RAVI SHARMA

Sex / Age :- Male 30 Yrs

Company :- MediWheel

Patient ID :-122127255

Ref. By Dr:- BOB

Lab/Hosp :-



Sample Type :- KOx/Na FLUORIDE-F, KOx/Na SUBSTRATE-GLUCOSE
 Patient ID :- 122127255 Date :- 26/02/2022 13:33:54

Final Authentication : 26/02/2022 14:38:33

BIOCHEMISTRY

Test Name	Value	Unit	Biological Ref Interval
FASTING BLOOD SUGAR (Plasma) Method:- GOD PAP	309.5 H	mg/dl	75.0 - 115.0
Impaired glucose tolerance (IGT)			
		111 - 125 mg/dL	
Diabetes Mellitus (DM)			
		> 126 mg/dL	
<p>Instrument Name: Randox Rx Imola Interpretation: Elevated glucose levels (hyperglycemia) may occur with diabetes, pancreatic neoplasm, hyperthyroidism and adrenal cortical hyper-function as well as other disorders. Decreased glucose levels (hypoglycemia) may result from excessive insulin therapy or various liver diseases.</p>			
BLOOD SUGAR PP (Plasma) Method:- GOD PAP	408.9 H	mg/dl	70.0 - 140.0
<p>Instrument Name: Randox Rx Imola Interpretation: Elevated glucose levels (hyperglycemia) may occur with diabetes, pancreatic neoplasm, hyperthyroidism and adrenal cortical hyper-function as well as other disorders. Decreased glucose levels (hypoglycemia) may result from excessive insulin therapy or various liver diseases.</p>			
SERUM CREATININE Method:- Colorimetric Method	1.07	mg/dl	Men - 0.6-1.30 Women - 0.5-1.20
SERUM URIC ACID Method:- Enzymatic colorimetric	6.08	mg/dl	Men - 3.4-7.0 Women - 2.4-5.7

ANANDSHARMA

Page No: 12 of 14



Dr. Piyush Goyal
 (D.M.R.D.)
 Dr. Chandrika Gupta

"CONDITIONS OF REPORTING SEE OVER LEAF"

Dr. Goyal's

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoalspathlab.com | E-mail: drgoalspiyush@gmail.com



Date :- 26/02/2022 10:07:55

NAME :- Mr. RAVI SHARMA

Sex / Age :- Male 30 Yrs

Company :- MediWheel

Patient ID :-122127255

Ref. By Dr:- BOB

Lab/Hosp :-



Sample Type :- EDTA, PLAIN/SERUM, URINE, SPINE Collected Time 26/02/2022 13:33:54

Final Authentication : 26/02/2022 15:52:30

HAEMATOLOGY

Test Name	Value	Unit	Biological Ref Interval
BLOOD GROUP ABO	"O" POSITIVE		
BLOOD GROUP ABO Methodology : Haemagglutination reaction Kit Name : Monoclonal agglutinating antibodies (Span clone).			
URINE SUGAR (FASTING) Collected Sample Received	+++		Nil
URINE SUGAR PP Collected Sample Received	++++		Nil
BLOOD UREA NITROGEN (BUN)	13.5	mg/dl	0.0 - 23.0

*** End of Report ***

Technologist

AJAYSINGH, ANANDSHARMA, POOJABOHRA, SAPNA

Dr. Piyush Goyal
(D.M.R.D.)

Dr. Chandrika Gupta

Page No: 14 of 14



“CONDITIONS OF REPORTING SEE OVER LEAF”

Dr. Goyal's

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur
Tele : 0141-2293346, 4049787, 9887049787
Website : www.drgoyalpathlab.com | E-mail : drgoyalpiyush@gmail.com



Date :- 26/02/2022 10:07:55

NAME :- **Mr. RAVI SHARMA**

Sex / Age :- Male 30 Yrs

Company :- MediWheel

Patient ID :- 122127255

Ref. By Doctor:-BOB

Lab/Hosp :-

Final Authentication : 26/02/2022 15:56:03

BOB PACKAGE BELOW 40MALE

X RAY CHEST PA VIEW:

Mid expiratory film.

Both lung fields appears clear.

Bronchovascular markings appear normal.

Trachea is in midline.

Both the hilar shadows are normal.

Both the C.P.angles is clear.

Both the domes of diaphragm are normally placed.

Bony cage and soft tissue shadows are normal.

Heart shadows appear normal.

(Please correlate clinically and with relevant further investigations)

*** End of Report ***

Page No: 1 of 1

SAVITA

Dr. Piyush Goyal
M.B.B.S., D.M.R.D.
RMC Reg No. 017996

Dr. Poonam Gupta
MBBS, MD (Radio Diagnosis)
RMC No. 32495

Dr. Tej Prakash Gupta
DMRD (RADIO DIAGNOSIS)
RMC No. 24436

Dr. Hitesh Kumar Sharma
M.B.B.S., D.M.R.D.
RMC Reg No. 27380

Transcript by.

This report is not valid for medico-legal purpose.

Dr. Goyal's

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur
Tele : 0141-2293346, 4049787, 9887049787
Website : www.drgoyalpathlab.com | E-mail : drgoyalpiyush@gmail.com



Date :- 26/02/2022 10:07:55
NAME :- Mr. RAVI SHARMA
Sex / Age :- Male 30 Yrs
Company :- MediWheel

Patient ID :- 122127255
Ref. By Doctor:-BOB
Lab/Hosp :-

Final Authentication : 26/02/2022 13:55:13

BOB PACKAGE BELOW 40MALE

USG WHOLE ABDOMEN

Liver is of normal size. **Echo-texture is bright.** No focal space occupying lesion is seen within liver parenchyma. Intra hepatic biliary channels are not dilated. Portal vein diameter is normal.

Gall bladder is partially distended (Postprandial status) .Wall is not thickened. No calculus or mass lesion is seen in gall bladder. Common bile duct is not dilated.

Pancreas is (head & proximal body) appear normal size. Rest part is obscured by bowel gases.

Spleen is of normal size and shape. Echotexture is normal. No focal lesion is seen.

Kidneys are normally sited and are of normal size and shape. Cortico-medullary echoes are normal. No focal lesion is seen. Collecting system does not show any dilatation or calculus.

Urinary bladder is partially distended and showing smooth wall with normal thickness. Urinary bladder does not show any calculus or mass lesion.

Prostate is normal in size with normal echo-texture and outline.

No enlarged nodes are visualised.No retro-peritoneal lesion is identified
No significant free fluid is seen in peritoneal cavity.

IMPRESSION:

Grade I/II fatty liver.

Needs clinical correlation for further evaluation

*** End of Report ***

Page No: 1 of 1

BILAL

Dr. Piyush Goyal
M.B.B.S., D.M.R.D.
RMC Reg No. 017996

Dr. Poonam Gupta
MBBS, MD (Radio Diagnosis)
RMC No. 32495

Dr. Tej Prakash Gupta
DMRD (RADIO DIAGNOSIS)
RMC No. 24436

Dr. Hitesh Kumar Sharma
M.B.B.S., D.M.R.D.
RMC Reg No. 27380

Transcript by.

This report is not valid for medico-legal purpose.

