

Name	V. DEEPTHI	ID	MED111551698
Age & Gender	36Y/F	Visit Date	Mar 25 2023 9:17AM
Ref Doctor	MediWheel		

ULTRASOUND WHOLE ABDOMEN

Liver :	Normal in size (14.3 cm) with regular outlines and normal echopattern. There is no evidence of IHBR / EHBR dilatation seen. No focal space occupying lesions seen. CBD is normal. PV normal.	
Gall Bladder :	Normal in volume and wall thickness. No e/o intraluminal calculi seen.	
Pancreas :	Head, body and tail are identified with normal echopattern and smooth outlines.	
Spleen :	Measured 11.7 cm, in size with normal echotexture.	
Right kidney :	Measured 9.4 x 4.3 cm in size.	
Left kidney :	Measured 9.1 x 4.2 cm in size. Both kidneys are normal in size, position, with well preserved cortico medullary differentiation and normal pelvicalyceal anatomy. No e/o calculi / space occupying lesion seen. No e/o suprarenal / retroperitoneal masses noted.	
Urinary bladder	: Normal in volume and wall thickness. No e/o intraluminal calculi / masses seen.	
Uterus :	Measured 6.2 x 4.1 x 4.5 cm in size with normal myometrial and endometrial echotexture. Endometrial echo measured 6 mm.	
	Measured 3.1 x 2.3 cm in size. - Thick walled irregular cystic lesion measuring 15 mm in diameter with internal echoes is noted in	right ovary – <i>Possible</i>
ruptured follicul	lar cyst.	
Left ovary :	Measured 2.8 x 1.6 cm in size, appear are normal in size and appearance.	
No e/o ascites / p	pleural effusion seen.	

No e/o detectable bowel pathology seen.



Name	V. DEEPTHI	ID	MED111551698
Age & Gender	36Y/F	Visit Date	Mar 25 2023 9:17AM
Ref Doctor	MediWheel		-

Minimal free fluid is noted in pouch of douglas.

IMPRESSION :

- Essentially normal study.
- For clinical correlation.

2

Dr.Jahn avi Barla, MD (RD)

Consultant Radiologist

Name	: Mrs. V. DEEPTHI
PID No.	: MED111551698
SID No.	: 80026873
Age / Sex	: 36 Year(s) / Female
Туре	: OP
Ref. Dr	: MediWheel

 Register On
 : 25/03/2023 9:17 AM

 Collection On
 : 25/03/2023 9:54 AM

 Report On
 : 25/03/2023 2:08 PM

 Printed On
 : 01/04/2023 12:29 PM



Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
BLOOD GROUPING AND Rh TYPING (Blood/Agglutination)	'O' 'Positive'		
Complete Blood Count With - ESR			
Haemoglobin (Blood/Spectrophotometry)	10.1	g/dL	12.5 - 16.0
Packed Cell Volume(PCV)/Haematocrit (Blood/Numeric Integration of MCV)	31.8	%	37 - 47
RBC Count (Blood/Electrical Impedance)	4.73	mill/cu.mm	4.2 - 5.4
Mean Corpuscular Volume(MCV) (Blood/ <i>Calculated</i>)	67.3	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (Blood/ <i>Calculated</i>)	21.5	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (Blood/ <i>Calculated</i>)	32.0	g/dL	32 - 36
RDW-CV (Calculated)	18.5	%	11.5 - 16.0
RDW-SD (Calculated)	43.58	fL	39 - 46
Total Leukocyte Count (TC) (Blood/ <i>Electrical Impedance</i>)	5830	cells/cu.mm	4000 - 11000
Neutrophils (Blood/Impedance and absorbance)	57.32	%	40 - 75
Lymphocytes (Blood/Impedance and absorbance)	33.92	%	20 - 45
Eosinophils	2.18	%	01 - 06



(Blood/Impedance and absorbance)





APPROVED BY

The results pertain to sample tested.

Page 1 of 8

Name	: Mrs. V. DEEPTHI			
PID No.	: MED111551698	Register On : 25/03/202		
SID No.	: 80026873	Collection On : 25/03/202	23 9:54 AM	
Age / Sex	: 36 Year(s) / Female	Report On : 25/03/202	23 2:08 PM medall	
Туре	: OP	Printed On : 01/04/202	23 12:29 PM DIAGNOSTICS	
Ref. Dr	: MediWheel			

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Monocytes (Blood/Impedance and absorbance)	6.37	%	01 - 10
Basophils (Blood/Impedance and absorbance)	0.21	%	00 - 02
INTERPRETATION: Tests done on Automated	l Five Part cell count	er. All abnormal results are	e reviewed and confirmed microscopically.
Absolute Neutrophil count (Blood/Impedance and absorbance)	3.34	10^3 / µl	1.5 - 6.6
Absolute Lymphocyte Count (Blood/ <i>Impedance</i>)	1.98	10^3 / µl	1.5 - 3.5
Absolute Eosinophil Count (AEC) (Blood/ <i>Impedance</i>)	0.13	10^3 / µl	0.04 - 0.44
Absolute Monocyte Count (Blood/ <i>Impedance</i>)	0.37	10^3 / µl	< 1.0
Absolute Basophil count (Blood/Impedance)	0.01	10^3 / µl	< 0.2
Platelet Count (Blood/Impedance)	2.4	lakh/cu.mm	1.4 - 4.5
INTERPRETATION: Platelet count less than 1	.5 lakhs will be confi	rmed microscopically.	
MPV (Blood/Derived from Impedance)	8.13	fL	8.0 - 13.3
PCT (Calculated)	0.20	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Blood/Automated ESR analyser)	14	mm/hr	< 20
BUN / Creatinine Ratio	9.3		
Glucose Fasting (FBS) (Plasma - F/ <i>Glucose oxidase/Peroxidase</i>)	80	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126







APPROVED BY

The results pertain to sample tested.

Page 2 of 8

	: Mrs. V. DEEPTHI			
PID No.	: MED111551698	Register On : 2	5/03/2023 9:17 AM	
SID No.	: 80026873	Collection On :	25/03/2023 9:54 AM	
Age / Sex	: 36 Year(s) / Female	Report On :	25/03/2023 2:08 PM	medall
уре	: OP	Printed On :	01/04/2023 12:29 PM	DIAGNOSTICS
Ref. Dr	: MediWheel			
Investiga	ation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
INTERPI blood glue		uantity and time of foo	d intake, Physical activity,	Psychological stress, and drugs can influence
Glucose, (Urine - F)	Fasting (Urine)	Negative		Negative
	Postprandial (PPBS) PP/GOD - POD)	87	mg/dL	70 - 140
Factors su Fasting bl		Postprandial glucose,	because of physiological s	d drugs can influence blood glucose level. urge in Postprandial Insulin secretion, Insulin ation during treatment for Diabetes.
Urine Gl (Urine - PI	ucose(PP-2 hours)	Negative		Negative
		0.4		
Blood U	rea Nitrogen (BUN) lculated)	8.4	mg/dL	7.0 - 21
Blood U (Serum/Ca Creatinir	lculated)	8.4 0.9	mg/dL mg/dL	7.0 - 21 0.6 - 1.1
Blood U (Serum/Ca Creatinir (Serum/Jaj Uric Aci	lculated) ne ffe [–] Alkaline Picrate)		-	
Blood U (Serum/Ca Creatinir (Serum/Jaj Uric Aci (Serum/Ur	lculated) ne ffe ⁻ Alkaline Picrate) d	0.9	mg/dL	0.6 - 1.1
Blood U: (Serum/ <i>Ca</i> Creatinir (Serum/ <i>Ja</i>) Uric Aci (Serum/ <i>Ur</i> <i>Liver Fu</i> Bilirubin	lculated) ne ffe ⁻ Alkaline Picrate) d icase/Peroxidase) inction Test	0.9	mg/dL	0.6 - 1.1
Blood U: (Serum/ <i>Ca</i> Creatinir (Serum/ <i>Ja</i>) Uric Aci (Serum/ <i>Ur</i> <i>Liver Fu</i> Bilirubin (Serum/ <i>Di</i> Bilirubin	Iculated) he fe ⁻ Alkaline Picrate) d icase/Peroxidase) metion Test (Total) azotized Sulphanilic acid)	0.9 2.7	mg/dL mg/dL	0.6 - 1.1 2.6 - 6.0
Blood U: (Serum/ <i>Ca</i> Creatinir (Serum/ <i>Ja</i>) Uric Aci (Serum/ <i>Ur</i> <i>Liver Fu</i> Bilirubin (Serum/ <i>Di</i> , Bilirubin (Serum/ <i>Di</i> , Bilirubin	Iculated) The fe ⁻ Alkaline Picrate) d icase/Peroxidase) motion Test (Total) azotized Sulphanilic acid) (Direct) azotized Sulphanilic acid) (Indirect)	0.9 2.7 0.8	mg/dL mg/dL mg/dL	0.6 - 1.1 2.6 - 6.0 0.1 - 1.2
Blood U: (Serum/Ca Creatinir (Serum/Jaj Uric Aci (Serum/Ur Liver Fu Bilirubin (Serum/Di Bilirubin (Serum/Ca SGOT/A Aminotra	Iculated) The fe ⁻ Alkaline Picrate) d icase/Peroxidase) motion Test (Total) azotized Sulphanilic acid) (Direct) azotized Sulphanilic acid) (Indirect)	0.9 2.7 0.8 0.3	mg/dL mg/dL mg/dL mg/dL	0.6 - 1.1 2.6 - 6.0 0.1 - 1.2 0.0 - 0.3







APPROVED BY

The results pertain to sample tested.

Page 3 of 8

Name	: Mrs. V. DEEPTHI		
PID No.	: MED111551698	Register On : 25/03/2023 9:17 AM	~
SID No.	: 80026873	Collection On : 25/03/2023 9:54 AM	\mathbf{O}
Age / Sex	: 36 Year(s) / Female	Report On : 25/03/2023 2:08 PM	medall
Туре	: OP	Printed On : 01/04/2023 12:29 PM	DIAGNOSTICS

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> Reference Interval
Alkaline Phosphatase (SAP) (Serum/IFCC AMP Buffer)	86	U/L	42 - 98
Total Protein (Serum/ <i>Biuret</i>)	7.5	gm/dl	6.0 - 8.0
Albumin (Serum/Bromocresol green)	3.7	gm/dl	3.5 - 5.2
Globulin (Serum/Calculated)	3.80	gm/dL	2.3 - 3.6
A : G RATIO (Serum/ <i>Calculated</i>)	0.97		1.1 - 2.2
INTERPRETATION: Enclosure : Graph GGT(Gamma Glutamyl Transpeptidase) (Serum/ <i>IFCC / Kinetic</i>)	11	U/L	< 38
<u>Lipid Profile</u>			
Cholesterol Total (Serum/Cholesterol oxidase/Peroxidase)	147	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/Glycerol-phosphate oxidase/Peroxidase)	60	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

INTERPRETATION: The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the `usual_ circulating level of triglycerides during most part of the day.



Ref. Dr

: MediWheel





APPROVED BY

The results pertain to sample tested.

Page 4 of 8

Name	: Mrs. V. DEEPTHI
PID No.	: MED111551698
SID No.	: 80026873
Age / Sex	: 36 Year(s) / Female
Туре	: OP
Ref. Dr	: MediWheel

Register On	:	25/03/2023 9:17 AM
Collection On	:	25/03/2023 9:54 AM
Report On	:	25/03/2023 2:08 PM
Printed On	:	01/04/2023 12:29 PM



Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
HDL Cholesterol (Serum/Immunoinhibition)	73	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 50 - 59 High Risk: < 50
LDL Cholesterol (Serum/Calculated)	62	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL Cholesterol (Serum/Calculated)	12	mg/dL	< 30
Non HDL Cholesterol (Serum/Calculated)	74.0	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220

INTERPRETATION: 1.Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol. 2.It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.

Total Cholesterol/HDL Cholesterol Ratio (Serum/ <i>Calculated</i>)	2	Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/ <i>Calculated</i>)	0.8	Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
CH. Quiver		K.Nutorika Dr K. NEEHARIKA

APPROVED BY

: 96545

Reg No

The results pertain to sample tested.

Lab Manager

VERIFIED BY

Page 5 of 8

PID No. : MED1 SID No. : 80026	873 ar(s) / Female Vheel	Collection On : Report On :	25/03/2023 9:17 AM 25/03/2023 9:54 AM 25/03/2023 2:08 PM 01/04/2023 12:29 PM <u>Unit</u>	Biological Reference Interval Optimal: 0.5 - 3.0
(Serum/Calculated) <u>Glycosylated Hae</u>	moglobin (HbA1c)			Borderline: 3.1 - 6.0 High Risk: > 6.0
HbA1C (Whole Blood/ <i>HPLC</i> -	Ion exchange)	4.8	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5
Mean Blood Gluc (Whole Blood) INTERPRETATIO HbA1c provides an i control as compared Conditions that proto hypertriglyceridemia Conditions that short	N: Comments ndex of Average Blood Glu to blood and urinary glucos ong RBC life span like Iron ,hyperbilirubinemia,Drugs, en RBC survival like acute , End stage Renal disease ca	91.06 cose levels over the e determinations. deficiency anemia, Alcohol, Lead Pois or chronic blood lo	mg/dl e past 8 - 12 weeks and is a Vitamin B12 & Folate def coning, Asplenia can give ss, hemolytic anemia, Her	a much better indicator of long term glycemic
(CLIA)) INTERPRETATIO Comment :	<i>cent Immunometric Assay</i> N: n be seen in other condition	1.40 like pregnancy, dr	ng/ml 1gs, nephrosis etc. In such	0.7 - 2.04 cases, Free T3 is recommended as it is
T4 (Thyroxine) - (Serum/Chemilumines (CLIA))	Total scent Immunometric Assay	9.73	µg/dl	4.2 - 12.0

The results pertain to sample tested.

Page 6 of 8

Name	: Mrs. V. DEEPTHI			
PID No.	: MED111551698	Register On : 2	5/03/2023 9:17 AM	
SID No.	: 80026873	Collection On : 2	25/03/2023 9:54 AM	
Age / Sex	: 36 Year(s) / Female	Report On : 2	25/03/2023 2:08 PM	medall
Туре	: OP	Printed On : (01/04/2023 12:29 PM	DIAGNOSTICS
Ref. Dr	: MediWheel			
Investig	ation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
Commen Total T4 v		lition like pregnancy, drug	s, nephrosis etc. In such ca	ases, Free T4 is recommended as it is
TSH (Tł	nyroid Stimulating Hormone)	1.88	µIU/mL	0.35 - 5.50
INTERP Reference 1 st trimes	hemiluminescence) RETATION: e range for cord blood - upto 20 ster: 0.1-2.5 ester 0.2-3.0			
(Indian Tl Commen 1.TSH ref 2.TSH Le be of the o	ference range during pregnancy de	tion, reaching peak levels l y has influence on the mea	between 2-4am and at a missured serum TSH concent	
Urine A	<u>nalysis - Routine</u>			
Others (Urine/Mid		NIL		
	RETATION: Note: Done with Au <i>Examination(Urine Routin</i>	-	ż microscopy	
<u>r nysicai</u>	<u>i Examination(Orine Koutin</u>	<u>e)</u>		
Colour (Urine/Phy	ysical examination)	PALE YELLOW	V	Yellow to Amber
-	ysical examination)	Clear		Clear
<u>Chemica</u>	al Examination(Urine Routing	<u>ne)</u>		
	ostick-Error of indicator/ icylic acid method)	Negative		Negative
	H. Shivey INTHA SHIVAJI Lab Manager ERIFIED BY			K.Nukouika Dr.K. NEEHARIKA MD PATHOLOGY Reg No : 96545

The results pertain to sample tested.

Page 7 of 8

Name	: Mrs. V. DEEPTHI	
PID No.	: MED111551698	
SID No.	: 80026873	
Age / Sex	: 36 Year(s) / Female	
Туре	: OP	
Ref. Dr	: MediWheel	

Register On	:	25/03/2023 9:17 AM
Collection On	:	25/03/2023 9:54 AM
Report On	:	25/03/2023 2:08 PM
Printed On	:	01/04/2023 12:29 PM



Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> Reference Interval
Glucose (Urine/Dip Stick Method / Glucose Oxidase - Peroxidase / Benedict š semi quantitative method.)	Negative		Negative
<u>Microscopic Examination(Urine</u> <u>Routine)</u>			
Pus Cells (Urine/Microscopy exam of urine sediment)	2-3	/hpf	0 - 5
Epithelial Cells (Urine/Microscopy exam of urine sediment)	4-5	/hpf	NIL
RBCs (Urine/Microscopy exam of urine sediment)	NIL	/hpf	0 - 5







APPROVED BY

-- End of Report --

The results pertain to sample tested.

Page 8 of 8