

**Patient Name :** MR. B.L. PARDHA SARADHI

**Age / Gender :** 33 years / Male

**Patient ID :** 27321

**Source :** MEDI WHEEL

**Referral :** BANK OF BARODA

**Collection Time :** Sep 09, 2023, 09:50 a.m.

**Reporting Time :** Sep 09, 2023, 12:01 p.m.

**Sample ID :**



668856535

Test Description	Value(s)	Reference Range	Unit
<b><u>CBC; Complete Blood Count</u></b>			
Hemoglobin (Hb)* Method : Cynmeth Photometric Measurement	16.2	13.5 - 18.0	gm/dL
Erythrocyte (RBC) Count* Method : Electrical Impedence	5.59	4.7 - 6.0	mil/cu.mm
Packed Cell Volume (PCV)* Method : Calculated	49.5	42 - 52	%
Mean Cell Volume (MCV)* Method : Electrical Impedence	88.55	78 - 100	fL
Mean Cell Haemoglobin (MCH)* Method : Calculated	28.98	27 - 31	pg
Mean Corpuscular Hb Concn. (MCHC)* Method : Calculated	32.73	32 - 36	gm/dL
Red Cell Distribution Width (RDW)* Method : Electrical Impedence	13.9	11.5 - 14.0	%
Total Leucocytes (WBC) Count* Method : Electrical Impedence	9200	4000-10000	cell/cu.mm
Neutrophils* Method : VCSn Technology	62	40 - 80	%
Lymphocytes* Method : VCSn Technology	32	20 - 40	%
Monocytes* Method : VCSn Technology	5	2 - 10	%
Eosinophils* Method : VCSn Technology	1	1 - 6	%
Basophils	0	0 - 1	
Platelet Count* Method : Electrical Impedence	3.04	1.5 - 4.5	Lakhs/cu.mm
Mean Platelet Volume (MPV)* Method : Electrical Impedence	7.5	7.2 - 11.7	fL

**Dr.CH.Deepthi Chandrika**  
**M.D. Pathology**  
**Reg.No.APCM/FMR/77174**

Approved by

Scan to Validate



Patient Name : MR. B.L. PARDHA SARADHI

Age / Gender : 33 years / Male

Patient ID : 27321

Source : MEDI WHEEL

Referral : BANK OF BARODA

Collection Time : Sep 09, 2023, 09:50 a.m.

Reporting Time : Sep 09, 2023, 12:01 p.m.

Sample ID :



Test Description	Value(s)	Reference Range	Unit
PCT* Method : Calculated	0.227	0.2 - 0.5	%
PDW* Method : Calculated	16.1	9.0 - 17.0	%

Tests done on Automated Three Part Cell Counter. (WBC, RBC, Platelet count by impedance method, colorimetric method for Hemoglobin, WBC differential by flow cytometry using laser technology other parameters are calculated). All Abnormal Haemograms are reviewed confirmed microscopically.

### Esr, Erythrocyte Sedimentation Rate

**Esr, Erythrocyte Sedimentation Rate (Westergren)** - 0-10 mm/hr

#### Interpretation:

- It indicates presence and intensity of an inflammatory process. It does not diagnose a specific disease. Changes in the ESR are more significant than the abnormal results of a single test.
- It is a prognostic test and used to monitor the course or response to treatment of diseases like tuberculosis, bacterial endocarditis, acute rheumatic fever, rheumatoid arthritis, SLE, Hodgkins disease, temporal arteritis and polymyalgia rheumatica.
- It is also increased in pregnancy, multiple myeloma, menstruation, and hypothyroidism.

### Urine Routine

Colour\* Pale Yellow  
Transparency (Appearance)\* Clear Clear  
Reaction (pH)\* 5.0 4.5 - 8  
Specific Gravity\* 1.020 1.010 - 1.030

### Chemical Examination (Automated Dipstick Method) Urine

Urine Glucose\* **Negative** Negative  
Urine Protein\* **Negative** Negative  
Urine Ketone\* **Negative** Negative  
Blood\* **Negative** Negative

Dr.CH.Deepthi Chandrika  
M.D. Pathology  
Reg.No.APCM/FMR/77174

Approved by

Scan to Validate



**Patient Name :** MR. B.L. PARDHA SARADHI

**Age / Gender :** 33 years / Male

**Patient ID :** 27321

**Source :** MEDI WHEEL

**Referral :** BANK OF BARODA

**Collection Time :** Sep 09, 2023, 09:50 a.m.

**Reporting Time :** Sep 09, 2023, 12:01 p.m.

**Sample ID :**



Test Description	Value(s)	Reference Range	Unit
Bilirubin*	<b>Negative</b>	Negative	
Nitrite*	<b>Negative</b>	Negative	
Leucocytes*	<b>Negative</b>	Negative	
Urobilinogen*	Normal	Normal	
<b>Microscopic Examination</b> <small>Urine</small>			
Pus Cells (WBCs)*	2-3	0 - 5	/hpf
Epithelial Cells*	1-2	0 - 4	/hpf
Red blood Cells*	Absent	Absent	/hpf
Crystals*	Absent	Absent	
Cast*	Absent	Absent	
Bacteria*	Absent	Absent	

### Stool Complete Exam

### Blood Group & Rh Type

#### **Blood Grouping & Rh Typing**

"O" POSITIVE (+VE)

Method : Forward and Reverse By Tube Method

#### **Methodology**

This is done by forward and reverse grouping by tube Agglutination method.

#### **Interpretation**

Newborn baby does not produce ABO antibodies until 3 to 6 months of age. So the blood group of the Newborn baby is done by ABO antigen grouping (forward grouping) only, antibody grouping (reverse grouping) is not required. Confirmation of the New-born's blood group is indicated when the A and B antigen expression and the isoagglutinins are fully developed (2-4 years).

### Fasting - Glucose

**Dr.CH.Deepthi Chandrika**  
M.D. Pathology  
Reg.No.APCM/FMR/77174

Approved by

Scan to Validate



Patient Name : MR. B.L. PARDHA SARADHI

Age / Gender : 33 years / Male

Patient ID : 27321

Source : MEDI WHEEL

Referral : BANK OF BARODA

Collection Time : Sep 09, 2023, 09:50 a.m.

Reporting Time : Sep 09, 2023, 12:01 p.m.

Sample ID :



Test Description	Value(s)	Reference Range	Unit
<b>Glucose Fasting*</b> Method : Plasma, Hexokinase	109.51	Normal: 70-100 Impaired Fasting Glucose (IFG): 101-125 Diabetes Mellitus: >125	mg/dL

**Post Prandial Blood Sugar**

<b>Blood Glucose-Post Prandial*</b> Method : Plasma - P, Hexokinase	151.54	80-140	mg/dL
--	--------	--------	-------

**Fasting Urine Sugar**

Fasting Urine Glucose	Negative	Negative	
-----------------------	----------	----------	--

**Post Prandial Urine Sugar**

**HBA1C (Glycosylated Haemoglobin)**

Glyco Hb (HbA1C) Method : EDTA Whole blood,HPLC	5.14	Non-Diabetic: <=5.9 Pre Diabetic:6.0-6.4 Diabetic: >=6.5	%
Estimated Average Glucose :	100.82		mg/dL

Interpretations

1. HbA1C has been endorsed by clinical groups and American Diabetes Association guidelines 2017 for diagnosing diabetes using a cut off point of 6.5%
2. Low glycated haemoglobin in a non diabetic individual are often associated with systemic inflammatory diseases, chronic anaemia (especially severe iron deficiency and haemolytic), chronic renal failure and liver diseases. Clinical correlation suggested.
3. In known diabetic patients, following values can be considered as a tool for monitoring the glycemic control.  
Excellent control-6-7 %  
Fair to Good control – 7-8 %

Dr.CH.Deepthi Chandrika  
M.D. Pathology  
Reg.No.APCM/FMR/77174

Approved by

Scan to Validate



**Patient Name :** MR. B.L. PARDHA SARADHI

**Age / Gender :** 33 years / Male

**Patient ID :** 27321

**Source :** MEDI WHEEL

**Referral :** BANK OF BARODA

**Collection Time :** Sep 09, 2023, 09:50 a.m.

**Reporting Time :** Sep 09, 2023, 12:01 p.m.

**Sample ID :**



Test Description	Value(s)	Reference Range	Unit
Unsatisfactory control – 8 to 10 % Poor Control – More than 10 %			

**Thyroid Function Test ( TFT)**

TRI-IODO THYRONINE (T3) Method : CLIA	1.376	0.60 - 1.81	ng/mL
TOTAL THYROXINE (T4) Method : CLIA	5.211	4.2 - 12.0	ug/dL
THYROID STIMULATING HORMONE (TSH) Method : CLIA	5.341	0.46 – 8.10 : 1 Yrs – 5 Yrs 0.36 – 5.80 : 6 Yrs – 18 Yrs 0.35 – 5.50 : >18 Yrs Pregnancy Ranges 1st Trimester :0.1 - 2.5 2nd Trimester :0.2 - 3.0 3rd Trimester:0.3 - 3.0	uIU/mL

**Comments:**

IF NOT ON DRUGS SUGGESTED FT3 & FT4 ESTIMATION

**Please correlate with clinical conditions.**

**Note :** Serum T3, T4 and TSH form the three components of thyroid screening panel, useful in diagnosing various disorders of the thyroid gland. Primary Hypothyroidism is accompanied by depressed serum T3 and T4 values and elevated serum TSH levels. Although elevated TSH levels are nearly always indicative of Primary Hypothyroidism, rarely they can from TSH secreting pituitary tumors (Secondary hyperthyroidism)To confirm diagnosis - evaluate FT3 and FT4.

**Lipid Profile**

**Dr.CH.Deepthi Chandrika**  
**M.D. Pathology**  
**Reg.No.APCM/FMR/77174**

Approved by

Scan to Validate



**Patient Name :** MR. B.L. PARDHA SARADHI

**Age / Gender :** 33 years / Male

**Patient ID :** 27321

**Source :** MEDI WHEEL

**Referral :** BANK OF BARODA

**Collection Time :** Sep 09, 2023, 09:50 a.m.

**Reporting Time :** Sep 09, 2023, 12:01 p.m.

**Sample ID :**



668856535

Test Description	Value(s)	Reference Range	Unit
Cholesterol-Total Method : Serum, Cholesterol oxidase esterase, peroxidase	197.25	Desirable: <= 200 Borderline High: 201-239 High: > 239 Ref: The National Cholesterol Education Program (NCEP) Adult Treatment Panel III Report.	mg/dL
Triglycerides Method : Serum, Enzymatic, endpoint	<b>169.55</b>	Normal: < 150 Borderline High: 150-199 High: 200-499 Very High: >= 500	mg/dL
Cholesterol-HDL Direct Method : Serum, Direct measure-PEG	46.53	<40: Low 40 - 60: Optimal > 60: Desirable	mg/dL
LDL Cholesterol Method : Serum	116.81	Optimal: < 100 Near optimal/above optimal: 100-129 Borderline high: 130-159 High: 160-189 Very High: >= 190	mg/dL
Non - HDL Cholesterol, Serum Method : calculated	150.72	Desirable: < 130 mg/dL Borderline High: 130-159mg/dL High: 160-189 mg/dL Very High: > or = 190 mg/dL	mg/dL
VLDL Cholesterol Method : calculated	33.91	6 - 38	mg/dL
CHOL/HDL RATIO Method : calculated	4.24	3.5 - 5.0	ratio
LDL/HDL RATIO Method : calculated	2.51	Desirable / low risk - 0.5 -3.0 Low/ Moderate risk - 3.0- 6.0 Elevated / High risk - > 6.0	ratio

**Dr.CH.Deepthi Chandrika**  
**M.D. Pathology**  
**Reg.No.APCM/FMR/77174**

Approved by

Scan to Validate



**Patient Name :** MR. B.L. PARDHA SARADHI

**Age / Gender :** 33 years / Male

**Patient ID :** 27321

**Source :** MEDI WHEEL

**Referral :** BANK OF BARODA

**Collection Time :** Sep 09, 2023, 09:50 a.m.

**Reporting Time :** Sep 09, 2023, 12:01 p.m.

**Sample ID :**



Test Description	Value(s)	Reference Range	Unit
------------------	----------	-----------------	------

**Note:** 8-10 hours fasting sample is required.

**KIDNEY FUNCTION TEST**

Urea *	25.4	15- 50	mg/dL
Method : Serum			
Blood Urea Nitrogen-BUN*	11.87	7 - 24	mg/dL
Method : Serum, Urease			
Uric Acid*	6.16	3.5 - 7.2	mg/dL
Method : Serum, Uricase/POD			
Creatinine*	1.08	0.7 - 1.3	mg/dL
Method : Serum, Jaffe IDMS			

**Liver Funtion Test (LFT) with GGT**

Bilirubin - Total	0.77	0.3 - 1.2	mg/dL
Method : Serum, Jendrassik Grof			
Bilirubin - Direct	0.33	Adults and Children: < 0.2	mg/dL
Method : Serum, Diazotization			
Bilirubin - Indirect	0.44	0.1 - 1.0	mg/dL
Method : Serum, Calculated			
SGOT	23.20	< 50	U/L
Method : Serum, UV with P5P, IFCC 37 degree			
SGPT	44.34	< 50	U/L
Method : Serum, UV with P5P, IFCC 37 degree			
Alkaline Phosphatase-ALP	88.91	30-120	U/L
Method : Serum, PNPP, AMP Buffer, IFCC 37 degree			
Total Protein	8.08	6.6 - 8.3	g/dL
Method : Serum, Biuret, reagent blank end point			
Albumin	4.35	Adults: 3.5 - 5.2	g/dL
Method : Serum, Bromcresol purple			

**Dr.CH.Deepthi Chandrika**  
**M.D. Pathology**  
**Reg.No.APCM/FMR/77174**

Approved by

Scan to Validate



**Patient Name :** MR. B.L. PARDHA SARADHI

**Age / Gender :** 33 years / Male

**Patient ID :** 27321

**Source :** MEDI WHEEL

**Referral :** BANK OF BARODA

**Collection Time :** Sep 09, 2023, 09:50 a.m.

**Reporting Time :** Sep 09, 2023, 12:01 p.m.

**Sample ID :**



Test Description	Value(s)	Reference Range	Unit
Globulin Method : Calculated	3.73	1.8 - 3.6	g/dL
A/G Ratio Method : Calculated	1.17	1.2 - 2.2	ratio

**\*\*END OF REPORT\*\***

**Dr.CH.Deepthi Chandrika**  
**M.D. Pathology**  
**Reg.No.APCM/FMR/77174**

Approved by

Scan to Validate

