

Blood Group

Rh (Anti-D)

INDRA DIAGNOSTIC CENTRE

Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681,

CIN: U85110DL2003PLC308206



Patient Name : Mr.GAURAV VERMA Registered On : 26/Sep/2021 09:48:01 Age/Gender Collected : 26/Sep/2021 09:58:37 : 25 Y O M O D /M UHID/MR NO : CALI.0000029932 Received : 26/Sep/2021 13:55:36 Visit ID : CALI0062502122 Reported : 26/Sep/2021 17:01:42 Ref Doctor Status : Final Report : Dr.MediWheel Knp

0

POSITIVE

DEPARTMENT OF HAEMATOLOGY

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group (ABO & Rh typing) **, Blood				

COMPLETE BLOOD COUNT (CBC) **, Blood	d			
Haemoglobin	13.40	g/dl	13.5-17.5	PHOTOMETRIC
TLC (WBC)	9,000.00	/Cu mm	4000-10000	ELECTRONIC
DLC				IMPEDANCE
Polymorphs (Neutrophils)	63.00	%	55-70	ELECTRONIC IMPEDANCE
Lymphocytes	30.00	%	25-40	ELECTRONIC IMPEDANCE
Monocytes	5.00	%	3-5	ELECTRONIC IMPEDANCE
Eosinophils	2.00	%	1-6	ELECTRONIC IMPEDANCE
Basophils	0.00	%	<1	ELECTRONIC IMPEDANCE
ESR				
Observed	10.00	Mm for 1st hr.		
Corrected	8.00	Mm for 1st hr.		
PCV (HCT)	42.00	cc %	40-54	
Platelet count				
Platelet Count	1.60	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE
PDW (Platelet Distribution width)	25.50	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	60.80	%	35-60	ELECTRONIC IMPEDANCE
PCT (Platelet Hematocrit)	0.17	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	13.40	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	4.17	Mill./cu mm	4.2-5.5	ELECTRONIC IMPEDANCE







Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681,

CIN: U85110DL2003PLC308206



Patient Name : Mr.GAURAV VERMA Registered On : 26/Sep/2021 09:48:01 : 25 Y O M O D /M Age/Gender Collected : 26/Sep/2021 09:58:37 UHID/MR NO : CALI.0000029932 Received : 26/Sep/2021 13:55:36 Visit ID : CALI0062502122 Reported : 26/Sep/2021 17:01:42 Ref Doctor : Dr.MediWheel Knp Status : Final Report

DEPARTMENT OF HAEMATOLOGY

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Indices (MCV, MCH, MCHC)				
MCV	93.30	fl	80-100	CALCULATED PARAMETER
MCH	32.20	pg	28-35	CALCULATED PARAMETER
MCHC	34.60	<u>,</u> %	30-38	CALCULATED PARAMETER
RDW-CV	12.80	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	49.70	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count Absolute Eosinophils Count (AEC)	5,670.00 180.00	/cu mm /cu mm	3000-7000 40-440	











Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681,

CIN: U85110DL2003PLC308206



Patient Name : Mr.GAURAV VERMA : 26/Sep/2021 09:48:02 Registered On Age/Gender : 25 Y O M O D /M Collected : 26/Sep/2021 09:58:37 UHID/MR NO : CALI.0000029932 Received : 26/Sep/2021 14:15:00 Visit ID : CALI0062502122 Reported : 26/Sep/2021 15:10:13 Ref Doctor : Dr.MediWheel Knp Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interva	l Method	
Glucose Fasting ** Sample:Plasma	61.80	100-1	Normal 25 Pre-diabetes Diabetes	GOD POD	

Interpretation:

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impared Glucose Tolerance.

Glucose PP ** Sample:Plasma After Meal	129.40	mg/dl	<140 Normal 140-199 Pre-diabetes	GOD POD
			>200 Diabetes	

Interpretation:

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impared Glucose Tolerance.

GLYCOSYLATED HAEMOGLOBIN (HBA1C) **, EDTA BLOOD

Glycosylated Haemoglobin (HbA1c)	4.90	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (Hb-A1c)	30.00	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	94	mg/dl	

Interpretation:

NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.









Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681,

CIN: U85110DL2003PLC308206



Patient Name : Mr.GAURAV VERMA : 26/Sep/2021 09:48:02 Registered On Age/Gender : 25 Y O M O D /M Collected : 26/Sep/2021 09:58:37 UHID/MR NO : CALI.0000029932 Received : 26/Sep/2021 14:15:00 Visit ID : CALI0062502122 Reported : 26/Sep/2021 15:10:13 Ref Doctor : Dr.MediWheel Knp Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

^{*}High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

N.B.: Test carried out on Automated G8 90 SL TOSOH HPLC Analyser.

Clinical Implications:

BUN (Blood Urea Nitrogen) **

16.00

mg/dL

7.0-23.0

CALCULATED





^{**}Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

^{*}Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.

^{*}With optimal control, the HbA 1c moves toward normal levels.

^{*}A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy

c. Alcohol toxicity d. Lead toxicity

^{*}Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

^{*}Pregnancy d. chronic renal failure. Interfering Factors:

^{*}Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.



Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681,

CIN: U85110DL2003PLC308206



Patient Name : Mr.GAURAV VERMA Registered On : 26/Sep/2021 09:48:02 Age/Gender Collected : 26/Sep/2021 09:58:37 : 25 Y O M O D /M UHID/MR NO : CALI.0000029932 Received : 26/Sep/2021 14:15:00 : CALI0062502122 Visit ID Reported : 26/Sep/2021 15:10:13 Ref Doctor Status : Final Report : Dr.MediWheel Knp

DEPARTMENT OF BIOCHEMISTRY

Test Name	Result	Un	it Bio. Ref. Interv	val Method
Sample:Serum				
Creatinine ** Sample:Serum	1.17	mg/dl	0.7-1.3	MODIFIED JAFFES
e-GFR (Estimated Glomerular Filtration Rate) ** Sample:Serum	76.00	ml/min/1.73m2	2 - 90-120 Normal - 60-89 Near Normal	CALCULATED
Uric Acid ** Sample:Serum	6.61	mg/dl	3.4-7.0	URICASE
L.F.T.(WITH GAMMA GT) ** , Serum				
SGOT / Aspartate Aminotransferase (AST)	26.00	U/L	< 35	IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	25.60	U/L	< 40	IFCC WITHOUT P5P
Gamma GT (GGT)	13.40	IU/L	11-50	OPTIMIZED SZAZING
Protein	7.10	gm/dl	6.2-8.0	BIRUET
Albumin	4.51	gm/dl	3.8-5.4	B.C.G.
Globulin	2.59	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	1.74		1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	129.00	U/L	42.0-165.0	IFCC METHOD
Bilirubin (Total)	1.16	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.62	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.54	mg/dl	< 0.8	JENDRASSIK & GROF
LIPID PROFILE (MINI) ** , Serum				
Cholesterol (Total)	115.00	mg/dl	<200 Desirable 200-239 Borderline Hig > 240 High	CHOD-PAP gh
HDL Cholesterol (Good Cholesterol)	30.20	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	68	mg/dl	< 100 Optimal 100-129 Nr. Optimal/Above Optima 130-159 Borderline Hig 160-189 High > 190 Very High	
VLDL	17.10	mg/dl	10-33	CALCULATED
Triglycerides	85.50	mg/dl	< 150 Normal 150-199 Borderline Hig 200-499 High >500 Very High	GPO-PAP Dr. Anupam Singh M.B.B.S,M.D.(Pathology







Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681,

CIN: U85110DL2003PLC308206



Patient Name : Mr.GAURAV VERMA Registered On : 26/Sep/2021 09:48:02 Age/Gender Collected : 26/Sep/2021 13:54:37 : 25 Y O M O D /M UHID/MR NO : CALI.0000029932 Received : 26/Sep/2021 16:14:18 : CALI0062502122 Visit ID Reported : 26/Sep/2021 17:17:20 Ref Doctor : Dr.MediWheel Knp

Status : Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

Test Name	Result	Unit	Bio. Ref. Interval	Method
URINE EXAMINATION, ROUTINE ** , Urin				
Color	PALE YELLOW			
Specific Gravity	1.015			
Reaction PH	Acidic (5.0)			DIPSTICK
Protein	ABSENT	mg %	< 10 Absent	DIPSTICK
		, 3	10-40 (+)	
			40-200 (++)	
			200-500 (+++)	
Cugor	ABSENT	amc0/	> 500 (++++) < 0.5 (+)	DIPSTICK
Sugar	ADSEIVI	gms%	< 0.5 (+) 0.5-1.0 (++)	DIPSTICK
			1-2 (+++)	
			> 2 (++++)	
Ketone	ABSENT			DIPSTICK
Bile Salts	ABSENT			
Bile P <mark>igment</mark> s	ABSENT			
Urobilinogen(1:20 dilution)	ABSENT			
Microscopic Examination:				
Epithelial cells	0-1/h.p.f			MICROSCOPIC
Dura salla	ADCENIT			EXAMINATION
Pus cells ·	ABSENT			MICROSCOPIC EXAMINATION
RBCs	ABSENT			MICROSCOPIC
Neos	ABOLIVI			EXAMINATION
Cast	ABSENT			
Crystals	ABSENT			MICROSCOPIC
				EXAMINATION
Others	ABSENT			
STOOL, ROUTINE EXAMINATION ** , Stool	ol			
Color	BROWNISH			
Consistency	SEMI SOLID			
Reaction (PH)	Acidic (6.5)			
Mucus	ABSENT			
Blood	ABSENT			
Worm	ABSENT			
Pus cells	ABSENT			







Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681,

CIN: U85110DL2003PLC308206



Patient Name : Mr.GAURAV VERMA Registered On : 26/Sep/2021 09:48:02 Age/Gender Collected : 25 Y O M O D /M : 26/Sep/2021 13:54:37 UHID/MR NO : CALI.0000029932 Received : 26/Sep/2021 16:14:18 Visit ID Reported : 26/Sep/2021 17:17:20 : CALI0062502122 Ref Doctor Status : Final Report : Dr.MediWheel Knp

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
RBCs	ABSENT				
Ova	ABSENT				
Cysts	ABSENT				
Others	ABSENT				
SUGAR, FASTING STAGE ** , Urine					

gms%

Sugar, Fasting stage

Interpretation: (+) < 0.5

(++) 0.5-1.0

(+++) 1-2

(++++) > 2

SUGAR, PP STAGE **, Urine

Sugar, PP Stage

ABSENT

ABSENT

Interpretation:

(+) < 0.5 gms%

(++) 0.5-1.0 gms%

(+++) 1-2 gms%

(++++) > 2 gms%











Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681,

CIN: U85110DL2003PLC308206




Patient Name : 26/Sep/2021 09:48:02 : Mr.GAURAV VERMA Registered On Age/Gender : 25 Y O M O D /M Collected : 26/Sep/2021 09:58:37 UHID/MR NO : CALI.0000029932 Received : 26/Sep/2021 14:03:09 Visit ID : CALI0062502122 Reported : 26/Sep/2021 14:49:27 Ref Doctor Status : Final Report : Dr.MediWheel Knp

DEPARTMENT OF IMMUNOLOGY

Test Name	Result	Unit	Bio. Ref. Interval	Method
THYROID PROFILE - TOTAL **, Serum				
T3, Total (tri-iodothyronine)	125.62	ng/dl	84.61-201.7	CLIA
T4, Total (Thyroxine)	9.36	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	2.44	μIU/mL	0.27 - 5.5	CLIA
Interpretation:		,		
. •		0.3-4.5 μIU/1	nL First Trimes	ter
		0.5-4.6 μIU/1	mL Second Trim	nester
		0.8-5.2 μIU/1	nL Third Trimes	ster
		0.5-8.9 μIU/1	nL Adults	55-87 Years
		0.7-27 μIU/1	nL Premature	28-36 Week
		2.3-13.2 μIU/1	nL Cord Blood	> 37Week
		0.7-64 μIU/ı		- 20 Yrs.)
			/mL Child	0-4 Days
		1.7-9.1 μIU/1		2-20 Week

- 1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.
- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- **4)** Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- 5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.
- **6**) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- **8**) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.











Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681,

CIN: U85110DL2003PLC308206



Patient Name : Mr.GAURAV VERMA Registered On : 26/Sep/2021 09:48:03

 Age/Gender
 : 25 Y 0 M 0 D /M
 Collected
 : N/A

 UHID/MR NO
 : CALI.0000029932
 Received
 : N/A

Visit ID : CALI0062502122 Reported : 26/Sep/2021 14:35:29

Ref Doctor : Dr.MediWheel Knp Status : Final Report

DEPARTMENT OF X-RAY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

X-RAY DIGITAL CHEST PA *
(500 mA COMPUTERISED UNIT SPOT FILM DEVICE)

DIGITAL CHEST P-A VIEW

- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Pulmonary vascularity & distribution are normal.
- Pulmonary parenchyma did not reveal any significant lesion.

IMPRESSION: NO SIGNIFICANT DIAGNOSTIC ABNORMALITY SEEN.



Dr. Pankaj Kumar Gupta (M.B.B.S D.M.R.D)







Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681,

CIN: U85110DL2003PLC308206



Patient Name : Mr.GAURAV VERMA Registered On : 26/Sep/2021 09:48:03

 Age/Gender
 : 25 Y 0 M 0 D /M
 Collected
 : N/A

 UHID/MR NO
 : CALI.0000029932
 Received
 : N/A

Visit ID : CALI0062502122 Reported : 26/Sep/2021 11:24:57

Ref Doctor : Dr.MediWheel Knp Status : Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) *

WHOLE ABDOMEN ULTRASONOGRAPHY REPORT

LIVER

 The liver is normal in size measures 12.8 cm and has a normal homogenous echotexture. No focal lesion is seen.

PORTAL SYSTEM

- The intra hepatic portal channels are normal.
- The portal vein is not dilated.
- Porta hepatis is normal.

BILIARY SYSTEM

- The intra-hepatic biliary radicles are normal.
- · Common duct is not dilated.
- The gall bladder is normal in size and has regular walls. Lumen of the gall bladder is anechoic.

PANCREAS

• The pancreas is normal in size and shape and has a normal homogenous echotexture. Pancreatic duct is not dilated.

KIDNEYS

- Right kidney is normal in size, position and cortical echotexture. Cortico-medullary demarcation is maintained.
- Left kidney is normal in size, position and cortical echotexture. Cortico-medullary demarcation is maintained.
- The collecting system of both the kidneys are not dilated.

SPLEEN

• The spleen is normal in size ~ 11.8 cm and has a normal homogenous echo-texture.

ILIAC FOSSAE & PERITONEUM

- Scan over the iliac fossae does not reveal any fluid collection or mass.
- No free fluid is noted in peritoneal cavity.

URINARY BLADDER

• The urinary bladder is normal. Bladder wall is normal in thickness and is regular. No calculus is seen.



Home Sample Collection 1800-419-0002



Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681,

CIN: U85110DL2003PLC308206



Patient Name : Mr.GAURAV VERMA Registered On : 26/Sep/2021 09:48:03

 Age/Gender
 : 25 Y 0 M 0 D /M
 Collected
 : N/A

 UHID/MR NO
 : CALI.0000029932
 Received
 : N/A

Visit ID : CALI0062502122 Reported : 26/Sep/2021 11:24:57

Ref Doctor : Dr.MediWheel Knp Status : Final Report

DEPARTMENT OF ULTRASOUND MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

PROSTATE

• The prostate gland is normal in size measures 2.3 x 3.4 x 3.1 cms (Volume - 12.9 gms) with smooth outline.

FINAL IMPRESSION

• NO SIGNIFICANT ABNORMALITY SEEN IN PRESENT STUDY.

Adv: Clinico-pathological correlation and follow-up.

*** End Of Report ***

(**) Test Performed at Chandan Speciality Lab.

Result/s to Follow: ECG/EKG



Dr. Pankaj Kumar Gupta (M.B.B.S D.M.R.D)

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing *

*Facilities Available at Select Location



