



Add: Armelia,1St Floor,56New Road, M.K.P Chowk,Dehradun Ph: 9235501532,01352710192

CIN: U85110DL2003PLC308206



Patient Name : Mrs.DEEPMALA-BOBS12284 Registered On : 29/May/2022 09:12:19 Age/Gender Collected : 29/May/2022 09:26:35 : 29 Y O M O D /F UHID/MR NO : IDUN.0000172849 Received : 29/May/2022 11:03:28 Visit ID : 29/May/2022 16:19:26 : IDUN0072162223 Reported

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

Blood Group (ABO & Rh typing) *, Blood

Blood Group Rh (Anti-D) Α

POSITIVE

Complete Blood Count (CBC) *, Whole Blood

Haemoglobin 10.70 g/dl 1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl

1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5

g/dl

2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0

g/dl

Male- 13.5-17.5 g/dl

Female- 12.0-15.5 g/dl

				J
TLC (WBC)	3,840.00	/Cu mm	4000-10000	ELECTRONIC IMPEDANCE
DLC				
Polymorphs (Neutrophils)	49.30	%	55-70	ELECTRONIC IMPEDANCE
Lymphocytes	41.00	%	25-40	ELECTRONIC IMPEDANCE
Monocytes	7.30	%	3-5	ELECTRONIC IMPEDANCE
Eosinophils	2.10	%	1-6	ELECTRONIC IMPEDANCE
Basophils	0.30	%	< 1	ELECTRONIC IMPEDANCE
ESR				
Observed	24.00	Mm for 1st hr.		
Corrected	12.00	Mm for 1st hr.	< 20	
PCV (HCT)	32.30	cc %	40-54	
Platelet count				
Platelet Count	2.96	LACS/cu mm	1.5-4.0	ELECTRONIC
				IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	13.00	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	40.00	%	35-60	ELECTRONIC IMPEDANCE
PCT (Platelet Hematocrit)	0.30	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	10.30	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	3.88	Mill./cu mm	3.7-5.0	ELECTRONIC IMPEDANCE



Home Sample Collection 1800-419-0002



Add: Armelia,1St Floor,56New Road, M.K.P Chowk,Dehradun Ph: 9235501532,01352710192

CIN: U85110DL2003PLC308206



Patient Name : Mrs.DEEPMALA-BOBS12284 Registered On : 29/May/2022 09:12:19 Age/Gender : 29 Y 0 M 0 D /F Collected : 29/May/2022 09:26:35 UHID/MR NO : 29/May/2022 11:03:28 : IDUN.0000172849 Received Visit ID : IDUN0072162223 Reported : 29/May/2022 16:19:26 Ref Doctor

: Final Report : Dr.Mediwheel - Arcofemi Health Care Ltd. Status

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Indices (MCV, MCH, MCHC)				
MCV	83.20	fl	80-100	CALCULATED PARAMETER
MCH	27.60	pg	28-35	CALCULATED PARAMETER
MCHC	33.20	%	30-38	CALCULATED PARAMETER
RDW-CV	12.60	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	43.90	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	1,900.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	80.00	/cu mm	40-440	



DR.SMRITI GUPTA MD (PATHOLOGY)









Add: Armelia,1St Floor,56New Road, M.K.P Chowk,Dehradun Ph: 9235501532,01352710192

CIN: U85110DL2003PLC308206



Patient Name : Mrs.DEEPMALA-BOBS12284 : 29/May/2022 09:12:20 Registered On Age/Gender : 29 Y 0 M 0 D /F Collected : 29/May/2022 09:26:35 UHID/MR NO : IDUN.0000172849 Received : 29/May/2022 11:03:28 Visit ID : IDUN0072162223 Reported : 29/May/2022 15:01:36

: Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method

GLUCOSE FASTING, Plasma

Glucose Fasting 99.01 mg/dl < 100 Normal GOD POD

100-125 Pre-diabetes ≥ 126 Diabetes

Interpretation:

Ref Doctor

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impared Glucose Tolerance.

GLYCOSYLATED HAEMOGLOBIN (HBA1C) *, EDTA BLOOD

Glycosylated Haemoglobin (HbA1c)	5.60	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (Hb-A1c)	38.00	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	114	mg/dl	

Interpretation:

NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level







Add: Armelia,1St Floor,56New Road, M.K.P Chowk,Dehradun Ph: 9235501532,01352710192

CIN: U85110DL2003PLC308206



Patient Name : Mrs.DEEPMALA-BOBS12284 : 29/May/2022 09:12:20 Registered On Age/Gender : 29 Y 0 M 0 D /F Collected : 29/May/2022 09:26:35 UHID/MR NO : IDUN.0000172849 Received : 29/May/2022 11:03:28 Visit ID : IDUN0072162223 Reported : 29/May/2022 15:01:36

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

N.B.: Test carried out on Automated G8 90 SL TOSOH HPLC Analyser.

Clinical Implications:

^{*}Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen) * Sample:Serum	11.30	mg/dL 7.0-23.0	CALCULATED
Creatinine Sample:Serum	0.69	mg/dl 0.5-1.3	MODIFIED JAFFES
e-GFR (Estimated Glomerular Filtration Rate) Sample:Serum	118.00	ml/min/1.73m2 - 90-120 Normal - 60-89 Near Normal	CALCULATED
Uric Acid Sample:Serum	1.96	mg/dl 2.5-6.0	URICASE

LFT (WITH GAMMA GT) *, Serum





^{*}High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

^{**}Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

^{*}Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.

^{*}With optimal control, the HbA 1c moves toward normal levels.

^{*}A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy

c. Alcohol toxicity d. Lead toxicity

^{*}Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

^{*}Pregnancy d. chronic renal failure. Interfering Factors:



Since 1991

CHANDAN DIAGNOSTIC CENTRE

Add: Armelia,1St Floor,56New Road, M.K.P Chowk,Dehradun Ph: 9235501532,01352710192

CIN: U85110DL2003PLC308206



Patient Name : Mrs.DEEPMALA-BOBS12284 Registered On : 29/May/2022 09:12:20 Age/Gender : 29 Y O M O D /F Collected : 29/May/2022 09:26:35 UHID/MR NO : 29/May/2022 11:03:28 : IDUN.0000172849 Received Visit ID : IDUN0072162223 Reported : 29/May/2022 15:01:36 Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	ι	Jnit Bio. Ref. Interva	al Method
SGOT / Aspartate Aminotransferase (AST)	23.72	U/L	< 35	IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	42.39	U/L	< 40	IFCC WITHOUT P5P
Gamma GT (GGT)	10.27	IU/L	11-50	OPTIMIZED SZAZING
Protein	6.81	gm/dl	6.2-8.0	BIRUET
Albumin	4.18	gm/dl	3.8-5.4	B.C.G.
Globulin	2.63	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	1.59	,	1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	115.32	U/L	42.0-165.0	IFCC METHOD
Bilirubin (Total)	0.66	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.31	mg/dl	< 0.30	Jendrassik & Grof
Bilirubin (Indirect)	0.35	mg/dl	< 0.8	JENDRASSIK & GROF
LIPID PROFILE (MINI) *, Serum				
Cholesterol (Total)	227.15	mg/dl	<200 Desirable 200-239 Borderline High > 240 High	CHOD-PAP
HDL Cholesterol (Good Cholesterol)	55.76	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	146	mg/dl	< 100 Optimal 100-129 Nr. Optimal/Above Optimal 130-159 Borderline High 160-189 High > 190 Very High	CALCULATED
VLDL	25.24	mg/dl	10-33	CALCULATED
Triglycerides	126.22	mg/dl	< 150 Normal 150-199 Borderline High 200-499 High >500 Very High	GPO-PAP



DR.SMRITI GUPTA MD (PATHOLOGY)







Add: Armelia,1St Floor,56New Road, M.K.P Chowk,Dehradun Ph: 9235501532,01352710192

CIN: U85110DL2003PLC308206



Patient Name : Mrs.DEEPMALA-BOBS12284 Registered On : 29/May/2022 09:12:19 Age/Gender Collected : 29/May/2022 09:26:35 : 29 Y O M O D /F UHID/MR NO : IDUN.0000172849 Received : 29/May/2022 11:03:28 Visit ID : IDUN0072162223 Reported : 30/May/2022 11:23:08

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
LIDING EVANAINIATION DOLLTING +				
URINE EXAMINATION, ROUTINE *	, Urine			
Color	PALE YELLOW			
Specific Gravity	1.025			
Reaction PH	Acidic (5.0)			DIPSTICK
Protein	ABSENT	mg %	< 10 Absent	DIPSTICK
		,	10-40 (+)	
			40-200 (++)	
			200-500 (+++)	
6	ADCENT	0/	> 500 (++++)	DIDCTION
Sugar	ABSENT	gms%	< 0.5 (+) 0.5-1.0 (++)	DIPSTICK
			1-2 (+++)	
			> 2 (++++)	
Ketone	ABSENT	mg/dl	0.2-2.81	BIOCHEMISTRY
Bile Salts	ABSENT			
Bile Pigments	ABSENT			
Urobilinogen(1:20 dilution)	ABSENT			
Microscopic Examination:				
Epithelial cells	5-6/h.p.f			MICROSCOPIC
Epititoliai solis	0 0/11.p.i			EXAMINATION
Pus cells .	0-1/h.p.f			MICROSCOPIC
	· · ·			EXAMINATION
RBCs	ABSENT			MICROSCOPIC
				EXAMINATION
Cast	ABSENT			
Crystals	ABSENT			MICROSCOPIC
				EXAMINATION
Others	ABSENT			











Add: Armelia,1St Floor,56New Road, M.K.P Chowk,Dehradun Ph: 9235501532,01352710192

CIN: U85110DL2003PLC308206



Patient Name : Mrs.DEEPMALA-BOBS12284 Registered On : 29/May/2022 09:12:20

 Age/Gender
 : 29 Y 0 M 0 D /F
 Collected
 : N/A

 UHID/MR NO
 : IDUN.0000172849
 Received
 : N/A

Visit ID : IDUN0072162223 Reported : 29/May/2022 11:03:46

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF X-RAY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

X-RAY DIGITAL CHEST PA *

(500 mA COMPUTERISED UNIT SPOT FILM DEVICE)

DIGITAL CHEST P-A VIEW

- Pulmonary parenchyma did not reveal any significant lesion.
- Costo-phrenic angles are bilaterally clear.
- Diaphragmatic shadows are normal on both sides.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Bony cage is normal.

IMPRESSION: NO SIGNIFICANT ABNORMALITY DETECTED



Dr. Amit Bhandari MBBS MD RADIOLOGY







Add: Armelia,1St Floor,56New Road, M.K.P Chowk,Dehradun Ph: 9235501532,01352710192

CIN: U85110DL2003PLC308206



Patient Name : Mrs.DEEPMALA-BOBS12284 Registered On : 29/May/2022 09:12:20

 Age/Gender
 : 29 Y 0 M 0 D /F
 Collected
 : N/A

 UHID/MR NO
 : IDUN.0000172849
 Received
 : N/A

Visit ID : IDUN0072162223 Reported : 29/May/2022 10:11:42

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF ULTRASOUND MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) *

Liver is normal in size and echotexture. No focal lesion seen.

PV and CBD are normal. IHBR are not dilated.

Gall bladder seen in distended state with echofree lumen. Wall thickness is normal.

Spleen is normal in size, shape and echotexture.

Pancreas: Head and body appear normal. Tail is obscured by bowel gases.

Kidneys:Both kidneys are normal in size, shape and echotexture. Cortico-medullary differentiation is maintained. Parenchymal thickness is normal.

No mass/calculus/hydronephrosis seen.

Urinary bladder is empty.

Pelvis could not be examined as patient not willing to wait for full bladder.

No significant free fluid seen in peritoneal cavity.

IMP: - No significant abnormality detected.

Note: In case of any discrepancy due to typing error kindly get it rectified immediately.

*** End Of Report ***



NE EXAMINATION, GLUCOSE PP, SUGAR, FASTING STAGE, SUGAR, PP STAGE, THYROIL

Dr. Amit Bhandari MBBS MD RADIOLOGY

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days.

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing *

*Facilities Available at Select Location





