PID No.
 : MED111500231
 Register On
 : 18/02/2023 10:05 AM

 SID No.
 : 80023744
 Collection On
 : 18/02/2023 10:38 AM

 Age / Sex
 : 34 Year(s) / Female
 Report On
 : 18/02/2023 7:10 PM

**Printed On** 

: 21/02/2023 11:53 AM



Ref. Dr : MediWheel

: OP

**Type** 

Investigation  BLOOD GROUPING AND Rh	Observed Value 'B' 'Positive'	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
TYPING (Blood/Agglutination)			
Complete Blood Count With - ESR			
Complete Blood Count Wan - List			
Haemoglobin (Blood/Spectrophotometry)	10.3	g/dL	12.5 - 16.0
Packed Cell Volume(PCV)/Haematocrit (Blood/Numeric Integration of MCV)	33.0	%	37 - 47
RBC Count (Blood/Electrical Impedance )	4.28	mill/cu.mm	4.2 - 5.4
Mean Corpuscular Volume(MCV) (Blood/Calculated)	77.1	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (Blood/Calculated)	24.1	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (Blood/Calculated)	31.2	g/dL	32 - 36
RDW-CV (Calculated)	18.2	%	11.5 - 16.0
RDW-SD (Calculated)	49.11	fL	39 - 46
Total Leukocyte Count (TC) (Blood/Electrical Impedance)	8850	cells/cu.mm	4000 - 11000
Neutrophils (Blood/Impedance and absorbance)	80.77	%	40 - 75
Lymphocytes (Blood/ <i>Impedance and absorbance</i> )	11.47	%	20 - 45
Eosinophils (Blood/Impedance and absorbance)	1.01	%	01 - 06
Monocytes (Blood/ <i>Impedance and absorbance</i> )	6.44	%	01 - 10







 PID No.
 : MED111500231
 Register On
 : 18/02/2023 10:05 AM

 SID No.
 : 80023744
 Collection On
 : 18/02/2023 10:38 AM

 Age / Sex
 : 34 Year(s) / Female
 Report On
 : 18/02/2023 7:10 PM

**Printed On** 



Ref. Dr : MediWheel

: OP

**Type** 

Investigation	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Basophils (Blood/Impedance and absorbance)	0.31	%	00 - 02
INTERPRETATION: Tests done on Automated F	ive Part cell counte	er. All abnormal results are re	viewed and confirmed microscopically.
Absolute Neutrophil count (Blood/Impedance and absorbance)	7.15	10^3 / μl	1.5 - 6.6
Absolute Lymphocyte Count (Blood/Impedance)	1.02	10^3 / μl	1.5 - 3.5
Absolute Eosinophil Count (AEC) (Blood/Impedance)	0.09	10^3 / μ1	0.04 - 0.44
Absolute Monocyte Count (Blood/Impedance)	0.57	10^3 / μ1	< 1.0
Absolute Basophil count (Blood/Impedance)	0.03	10^3 / μl	< 0.2
Platelet Count (Blood/Impedance)	1.55	lakh/cu.mm	1.4 - 4.5
<b>INTERPRETATION:</b> Platelet count less than 1.5	lakhs will be confi	rmed microscopically.	
MPV (Blood/Derived from Impedance)	10.71	fL	8.0 - 13.3
PCT (Calculated)	0.17	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Blood/Automated ESR analyser)	84	mm/hr	< 20
BUN / Creatinine Ratio	10.0		
Glucose Fasting (FBS) (Plasma - F/Glucose oxidase/Peroxidase)	82	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

: 21/02/2023 11:53 AM

**INTERPRETATION:** Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose, Fasting (Urine)	Negative	Negative
(Urine - F)		
Glucose Postprandial (PPBS)	106 m	g/dL 70 - 140
(Dlacma DD/COD DOD)		







**APPROVED BY** 

The results pertain to sample tested.

Page 2 of 7

PID No. : MED111500231 Register On : 18/02/2023 10:05 AM : 80023744 SID No. Collection On : 18/02/2023 10:38 AM Age / Sex : 34 Year(s) / Female Report On : 18/02/2023 7:10 PM **Type** : OP

**Printed On** 



Ref. Dr : MediWheel

Investigation	<u>Observed</u> <u>Unit</u> <u>Value</u>	<u>Biological</u> <u>Reference Interval</u>
---------------	---	--

: 21/02/2023 11:53 AM

#### INTERPRETATION:

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

resistance, Exercise of Stress, Dawn I henomenon	, bomogyi i nenomene	m, rinti diabetic incalcation daring treatin	ent for Diabete
Urine Glucose(PP-2 hours) (Urine - PP)	Negative		Negative
Blood Urea Nitrogen (BUN) (Serum/Calculated)	7.0	mg/dL	7.0 - 21
Creatinine (Serum/Jaffe <sup>-</sup> Alkaline Picrate)	0.7	mg/dL	0.6 - 1.1
Uric Acid (Serum/ <i>Uricase/Peroxidase</i> )	3.3	mg/dL	2.6 - 6.0
Liver Function Test			
Bilirubin(Total) (Serum/Diazotized Sulphanilic acid)	0.6	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulphanilic acid )	0.2	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Calculated)	0.40	mg/dL	0.1 - 1.0
SGOT/AST (Aspartate Aminotransferase) (Serum/IFCC without P-5-P)	98 (Rechecked)	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/IFCC without P-5-P)	146 (Rechecked)	U/L	5 - 41
Alkaline Phosphatase (SAP) (Serum/IFCC AMP Buffer)	143 (Rechecked)	U/L	42 - 98
Total Protein (Serum/Biuret)	7.0	gm/dl	6.0 - 8.0
Albumin (Serum/Bromocresol green)	3.5	gm/dl	3.5 - 5.2
Globulin (Serum/Calculated)	3.50	gm/dL	2.3 - 3.6







 PID No.
 : MED111500231
 Register On
 : 18/02/2023 10:05 AM

 SID No.
 : 80023744
 Collection On
 : 18/02/2023 10:38 AM

 Age / Sex
 : 34 Year(s) / Female
 Report On
 : 18/02/2023 7:10 PM

 Type
 : OP
 Printed On
 : 21/02/2023 11:53 AM

Ref. Dr : MediWheel



Investigation	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
A : G RATIO (Serum/Calculated)	1.00		1.1 - 2.2
INTERPRETATION: Enclosure: Graph			
GGT(Gamma Glutamyl Transpeptidase) (Serum/IFCC / Kinetic)	17	U/L	< 38
<u>Lipid Profile</u>			
Cholesterol Total (Serum/Cholesterol oxidase/Peroxidase)	212	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/Glycerol-phosphate oxidase/Peroxidase)	156	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

**INTERPRETATION:** The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the `usual\_circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immunoinhibition)	62	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 50 - 59 High Risk: < 50
LDL Cholesterol (Serum/Calculated)	118.8	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL Cholesterol (Serum/Calculated)	31.2	mg/dL	< 30







 PID No.
 : MED111500231
 Register On
 : 18/02/2023 10:05 AM

 SID No.
 : 80023744
 Collection On
 : 18/02/2023 10:38 AM

 Age / Sex
 : 34 Year(s) / Female
 Report On
 : 18/02/2023 7:10 PM

Type : OP Printed On : 21/02/2023 11:53 AM

Ref. Dr : MediWheel



Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Non HDL Cholesterol (Serum/Calculated)	150.0	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220

**INTERPRETATION:** 1.Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol. 2.It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.

Total Cholesterol/HDL Cholesterol Ratio (Serum/Calculated)	3.4	Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/Calculated)	2.5	Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
LDL/HDL Cholesterol Ratio (Serum/Calculated)	1.9	Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0

## Glycosylated Haemoglobin (HbA1c)

HbA1C 4.7 % Normal: 4.5 - 5.6 (Whole Blood/*HPLC-Ion exchange*) Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5

INTERPRETATION: If Diabetes - Good control: 6.1 - 7.0 %, Fair control: 7.1 - 8.0 %, Poor control >= 8.1 %

Mean Blood Glucose 81.71 mg/dl

(Whole Blood)







PID No. : MED111500231 **Register On**: 18/02/2023 10:05 AM

: 80023744 SID No. Collection On : 18/02/2023 10:38 AM Age / Sex : 34 Year(s) / Female Report On

**Type** : OP **Printed On** : 21/02/2023 11:53 AM

Ref. Dr : MediWheel



<u>Investigation</u>	Observed Unit	<u>Biological</u>
	Value	Reference Interval

## **INTERPRETATION: Comments**

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

: 18/02/2023 7:10 PM

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency,

hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbA1C values.

Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.

## THYROID PROFILE / TFT

1.93 0.7 - 2.04T3 (Triiodothyronine) - Total ng/ml

(Serum/Chemiluminescent Immunometric Assay

(CLIA))

#### INTERPRETATION:

#### **Comment:**

Total T3 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T3 is recommended as it is Metabolically active.

12.29 4.2 - 12.0T4 (Thyroxine) - Total µg/dl

(Serum/Chemiluminescent Immunometric Assay

(CLIA))

### INTERPRETATION:

#### **Comment:**

Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active.

TSH (Thyroid Stimulating Hormone) 2.62 μIU/mL 0.35 - 5.50

(Serum/Chemiluminescence)

#### INTERPRETATION:

Reference range for cord blood - upto 20

1 st trimester: 0.1-2.5 2 nd trimester 0.2-3.0 3 rd trimester: 0.3-3.0

(Indian Thyroid Society Guidelines)

#### **Comment:**

- 1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI.
- 2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM. The variation can be of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations.
- 3. Values & amplt 0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.

#### Urine Analysis - Routine









**APPROVED BY** 

The results pertain to sample tested.

Page 6 of 7

 PID No.
 : MED111500231
 Register On
 : 18/02/2023 10:05 AM

 SID No.
 : 80023744
 Collection On
 : 18/02/2023 10:38 AM

 Age / Sex
 : 34 Year(s) / Female
 Report On
 : 18/02/2023 7:10 PM

 Type
 : OP
 Printed On
 : 21/02/2023 11:53 AM

Ref. Dr : MediWheel



<u>Investigation</u>	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Others (Urine/ <i>Microscopy</i> )	Nil		
INTERPRETATION: Note: Done with Au	tomated Urine Analyser &	& microscopy	
Physical Examination(Urine Routine	<u>e)</u>		
Colour (Urine/Physical examination)	Cloudy		Yellow to Amber
Appearance (Urine/Physical examination)	Hazy		Clear
Chemical Examination(Urine Routin	<u>ie)</u>		
Protein (Urine/Dipstick-Error of indicator/ Sulphosalicylic acid method )	Negative		Negative
Glucose (Urine/Dip Stick Method / Glucose Oxidase - Peroxidase / Benedict š semi quantitative method.)	Negative		Negative
Microscopic Examination(Urine Routine)			
Pus Cells	3-5	/hpf	0 - 5



(Urine/Microscopy exam of urine sediment)

(Urine/Microscopy exam of urine sediment)

(Urine/Microscopy exam of urine sediment)

**Epithelial Cells** 

**RBCs** 



/hpf

/hpf



0 - 5

0 - 5

APPROVED BY

-- End of Report --

25-30

Nil



Name	JANET EVANS LAKRA	ID	MED111500231
Age & Gender	34Y/F	Visit Date	Feb 18 2023 9:48AM
Ref Doctor	MediWheel		

## **ULTRASOUND WHOLE ABDOMEN**

Liver : Normal in size (14.7 cm) with regular outlines and normal

echopattern.

There is no evidence of IHBR / EHBR dilatation seen.

No focal space occupying lesions seen.

CBD is normal. PV normal.

Gall Bladder : Normal in volume and wall thickness.

No e/o intraluminal calculi seen.

Pancreas : Head, body and tail are identified with normal echopattern and

smooth outlines.

Spleen : Measured 11.5 cm, in size with normal echotexture.

Right kidney : Measured 10.7 x 5.2 cm in size.

Left kidney : Measured 10.7 x 5.2 cm in size.

Both kidneys are normal in size, position, with well preserved

cortico medullary differentiation.

No e/o calculi / space occupying lesion seen. No e/o suprarenal / retroperitoneal masses noted.

• Mild bilateral hydroureteronephrosis noted.

**Urinary bladder: Empty.** 

**Uterus**: Enlarged in size.

Gravid state.

Foetal heart rate is good.

# Ovaries are suboptimally made out.

No e/o ascites / pleural effusion seen.

No e/o detectable bowel pathology seen.

# **IMPRESSION:**



Name	JANET EVANS LAKRA	ID	MED111500231
Age & Gender	34Y/F	Visit Date	Feb 18 2023 9:48AM
Ref Doctor	MediWheel		

- Mild bilateral hydroureteronephrosis possibly due to mass effect exerted by gravid uterus.
- Rest of the study is essentially normal.
- For clinical correlation.

Dr.Jahn av i Barla, MD (RD)

Consultant Radiologist