PID No.
 : MED121670107
 Register On
 : 11/02/2023 10:18 AM

 SID No.
 : 522302157
 Collection On
 : 11/02/2023 1:21 PM

Type : OP

Printed On : 03/03/2023 1:33 PM

Ref. Dr : MediWheel

$\Box$
medall

<u>Investigation</u>	Observed <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
<b>HAEMATOLOGY</b>			
Complete Blood Count With - ESR			
Haemoglobin (EDTA Blood'Spectrophotometry)	14.63	g/dL	13.5 - 18.0
Packed Cell Volume(PCV)/Haematocrit (EDTA Blood)	44.5	%	42 - 52
RBC Count (EDTA Blood)	5.14	mill/cu.mm	4.7 - 6.0
Mean Corpuscular Volume(MCV) (EDTA Blood)	86.6	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (EDTA Blood)	28.5	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (EDTA Blood)	32.9	g/dL	32 - 36
RDW-CV	13.6	%	11.5 - 16.0
RDW-SD	41.22	fL	39 - 46
Total Leukocyte Count (TC) (EDTA Blood)	5470	cells/cu.mm	4000 - 11000
Neutrophils (Blood)	50.16	%	40 - 75
Lymphocytes (Blood)	34.05	%	20 - 45
Eosinophils (Blood)	9.36	%	01 - 06
Monocytes (Blood)	6.24	%	01 - 10



Ref. Dr : MediWheel



Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Basophils (Blood)	0.19	%	00 - 02
INTERPRETATION: Tests done on Automated Five P	Part cell counter. All	abnormal results are	reviewed and confirmed microscopically.
Absolute Neutrophil count (EDTA Blood)	2.74	10^3 / μl	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood)	1.86	10^3 / μl	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood)	0.51	10^3 / μl	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood)	0.34	10^3 / μl	< 1.0
Absolute Basophil count (EDTA Blood)	0.01	10^3 / μl	< 0.2
Platelet Count (EDTA Blood)	270.8	10^3 / μl	150 - 450
MPV (Blood)	7.34	fL	7.9 - 13.7
PCT (Automated Blood cell Counter)	0.20	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Citrated Blood)	10	mm/hr	< 15

Dr Anusha,K.S Sr.Consultant Pathologist Reg No : 100674 APPROVED BY

 Age / Sex
 : 37 Year(s) / Male
 Report On
 : 11/02/2023 6:42 PM

 Type
 : OP
 Printed On
 : 03/03/2023 1:33 PM

Ref. Dr : MediWheel



Investigation BIOCHEMISTRY	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Liver Function Test			
Bilirubin(Total) (Serum/DCA with ATCS)	0.93	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.39	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.54	mg/dL	0.1 - 1.0
SGOT/AST (Aspartate Aminotransferase) (Serum/Modified IFCC)	21.51	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/Modified IFCC)	26.69	U/L	5 - 41
GGT(Gamma Glutamyl Transpeptidase) (Serum/IFCC / Kinetic)	26.35	U/L	< 55
Alkaline Phosphatase (SAP) (Serum/Modified IFCC)	76.7	U/L	53 - 128
Total Protein (Serum/Biuret)	7.12	gm/dl	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.74	gm/dl	3.5 - 5.2
Globulin (Serum/Derived)	2.38	gm/dL	2.3 - 3.6
A : G RATIO (Serum/Derived)	1.99		1.1 - 2.2





**Printed On** 

Type : OP

Ref. Dr : MediWheel



Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> Reference Interval
<u>Lipid Profile</u>			
Cholesterol Total (Serum/CHOD-PAP with ATCS)	140.09	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/GPO-PAP with ATCS)	66.29	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

: 03/03/2023 1:33 PM

**INTERPRETATION:** The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the õusualö"circulating level of triglycerides during most part of the day.

part of the day.			
HDL Cholesterol (Serum/Immunoinhibition)	48.56	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 40 - 59 High Risk: < 40
LDL Cholesterol (Serum/Calculated)	78.2	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL Cholesterol (Serum/Calculated)	13.3	mg/dL	< 30
Non HDL Cholesterol (Serum/Calculated)	91.5	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219





Very High: >= 220

**Printed On** 

Type : OP

Ref. Dr : MediWheel



InvestigationObservedUnitBiologicalValueReference Interval

**INTERPRETATION:** 1. Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol. 2. It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.

: 03/03/2023 1:33 PM

Total Cholesterol/HDL Cholesterol Ratio 2.9

(Serum/Calculated)

Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0

Triglyceride/HDL Cholesterol Ratio 1.4

(TG/HDL)

(Serum/Calculated)

LDL/HDL Cholesterol Ratio 1.6

(Serum/Calculated)

Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0

> Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0

DR JUSTINA WILLIAMS
Senior Consultant Pathologist
Reg No: PNB20080000054 KTK

**VERIFIED BY** 



Ref. Dr : MediWheel

PID No.



Investigation	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Glycosylated Haemoglobin (HbA1c)			
HbA1C (Whole Blood/HPLC)	6.6	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5

INTERPRETATION: If Diabetes - Good control: 6.1 - 7.0 %, Fair control: 7.1 - 8.0 %, Poor control >= 8.1 %

Estimated Average Glucose 142.72 mg/dL

(Whole Blood)

### **INTERPRETATION: Comments**

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency,

hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbAlC values.

Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbAlc.



**VERIFIED BY** 



APPROVED BY

Page 6 of 13

PID No. : MED121670107 Register On : 11/02/2023 10:18 AM

**Printed On** 

Type : OP

Ref. Dr : MediWheel



<u>Investigation</u>	<u>Observed</u> <u>Ur</u>	<u>Biological</u>
	Value	Reference Interval

: 03/03/2023 1:33 PM

## **IMMUNOASSAY**

### THYROID PROFILE / TFT

T3 (Triiodothyronine) - Total 1.80 ng/ml 0.7 - 2.04

(Serum/ECLIA)

#### INTERPRETATION:

**Comment:** 

Total T3 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T3 is recommended as it is

Metabolically active.

T4 (Tyroxine) - Total 11.83 μg/dl 4.2 - 12.0

(Serum/ECLIA)

#### INTERPRETATION:

**Comment:** 

Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active.

TSH (Thyroid Stimulating Hormone) 1.59 µIU/mL 0.35 - 5.50

(Serum/ECLIA)

#### INTERPRETATION:

Reference range for cord blood - upto 20

1 st trimester: 0.1-2.5 2 nd trimester 0.2-3.0 3 rd trimester : 0.3-3.0

(Indian Thyroid Society Guidelines)

### **Comment:**

1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI.

2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM. The variation can be of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations.

3. Values & amplt 0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.



**VERIFIED BY** 



PID No. : MED121670107 Register On : 11/02/2023 10:18 AM

: 522302157 SID No. Collection On : 11/02/2023 1:21 PM

Age / Sex : 37 Year(s) / Male Report On : 11/02/2023 6:42 PM **Type** : OP

**Printed On** 

Ref. Dr : MediWheel



Investigation	<u>Observed</u> <u>U</u>	<u>Biological</u>
	Value	Reference Interval

: 03/03/2023 1:33 PM

# **CLINICAL PATHOLOGY**

### PHYSICAL EXAMINATION (URINE **COMPLETE**)

Colour Pale yellow Yellow to Amber

(Urine)

Clear Clear Appearance

(Urine)

Volume(CLU) 20

(Urine)

CHEMICAL EXAMINATION (URINE

**COMPLETE**)

4.5 - 8.0 5.5 pΗ

(Urine)

1.008 1.002 - 1.035 Specific Gravity

(Urine)

Negative Negative Ketone

(Urine)

Urobilinogen Normal Normal

(Urine)

Blood Negative Negative

(Urine)

Negative Negative Nitrite

(Urine)

Bilirubin Negative Negative

(Urine)

Negative Protein Negative

(Urine)



Ref. Dr : MediWheel



Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Glucose (Urine/GOD - POD)	Negative		Negative
Leukocytes(CP) (Urine)	Negative		
MICROSCOPIC EXAMINATION (URINE COMPLETE)			
Pus Cells (Urine)	0-1	/hpf	NIL
Epithelial Cells (Urine)	0-1	/hpf	NIL
RBCs	NIL	/HPF	NIL

Others NIL

(Urine)

(Urine)

**INTERPRETATION:** Note: Done with Automated Urine Analyser & Automated urine sedimentation analyser. All abnormal reports are reviewed and confirmed microscopically.



> : MED121670107 Register On : 11/02/2023 10:18 AM

: 522302157 SID No. Collection On : 11/02/2023 1:21 PM

Age / Sex : 37 Year(s) / Male Report On : 11/02/2023 6:42 PM

**Type** : OP **Printed On** : 03/03/2023 1:33 PM

Ref. Dr : MediWheel



<u>Investigation</u>	<u>Observed</u>	<u>Unit</u>	<u>Biological</u>
-	<u>Value</u>		Reference Interval

PHYSICAL EXAMINATION(STOOL **COMPLETE**)

Mucus Absent Absent

(Stool)

PID No.

Consistency Semi Solid Semi Solid to Solid

(Stool)

Yellow Brown Colour

(Stool)

Absent Absent Blood

(Stool)

MICROSCOPIC EXAMINATION(STOOL **COMPLETE**)

Ova NIL NIL

(Stool)

Cysts NIL NIL

(Stool)

Trophozoites NIL NIL

(Stool)

Nil **RBCs** NIL /hpf

(Stool)

NIL Pus Cells 1-2 /hpf

(Stool)

CHEMICAL EXAMINATION(STOOL **ROUTINE**)

Acidic Alkaline Reaction

(Stool)



Type : OP Printed On

Ref. Dr : MediWheel

PID No.

medal

InvestigationObservedUnitBiologicalValueReference Interval

# **IMMUNOHAEMATOLOGY**

BLOOD GROUPING AND Rh TYPING 'O' 'Positive'

(EDTA Blood/Agglutination)

INTERPRETATION: Note: Slide method is screening method. Kindly confirm with Tube method for transfusion.



**APPROVED BY** 

: 03/03/2023 1:33 PM

**Printed On** 

Type : OP

Ref. Dr : MediWheel



Diabetic: >= 126

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
<b>BIOCHEMISTRY</b>			
BUN / Creatinine Ratio	14.6		6.0 - 22.0
Glucose Fasting (FBS) (Plasma - F/GOD-PAP)	101.69	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125

: 03/03/2023 1:33 PM

**INTERPRETATION:** Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose, Fasting (Urine) (Urine - F/GOD - POD)	Negative		Negative
Glucose Postprandial (PPBS) (Plasma - PP/GOD-PAP)	117.82	mg/dL	70 - 140

**INTERPRETATION:** 

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Urine Glucose(PP-2 hours) (Urine - PP)	Negative		Negative
Blood Urea Nitrogen (BUN) (Serum/Urease UV / derived)	10.7	mg/dL	7.0 - 21
Creatinine (Serum/Modified Jaffe)	0.73	mg/dL	0.9 - 1.3

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin, cefazolin, ACE inhibitors, angiotensin II receptor antagonists, N-acetylcyteine, chemotherapeutic agent such as flucytosine etc.

Uric Acid 4.74 mg/dL 3.5 - 7.2

(Serum/Enzymatic)



DR SHAMIM JAVED MD PATHOLOGY KMC 88902

APPROVED BY

-- End of Report --

: Mr. PINNINTI RAMA MURTHY Name

PID No. : MED121670107

**Register On** : 11/02/2023 10:18 AM

: 522302157 SID No. **Collection On** : 11/02/2023 1:21 PM

Age / Sex : 37 Year(s) / Male Report On : 11/02/2023 6:42 PM

Type : OP : 03/03/2023 1:33 PM Printed On

Ref. Dr : MediWheel

