Registered Office : Sector-6, Dwarka, New Delhi- 110075

Name	: MRS PINKI	Age :	35 Yr(s) Sex :Female
Registration No	: MH010992026	Lab No :	31230500476
Patient Episode	: H03000054226	Collection Date :	13 May 2023 09:54
Referred By Receiving Date	: HEALTH CHECK MHD : 13 May 2023 11:45	Reporting Date :	13 May 2023 17:19

Department of Transfusion Medicine (Blood Bank)

BLOOD GROUPING, RH TYPING & ANTIBODY SCREEN (TYPE & SCREEN) Specimen-Blood

Blood Group & Rh Typing (Agglutinaton by gel/tube technique)

A Rh(D) Positive Blood Group & Rh typing

Antibody Screening (Microtyping in gel cards using reagent red cells) Cell Panel I NEGATIVE Cell Panel II NEGATIVE Cell Panel III NEGATIVE Autocontrol NEGATIVE

Final Antibody Screen Result

Negative

Technical Note:

ABO grouping and Rh typing is done by cell and serum grouping by microplate / gel technique. Antibody screening is done using a 3 cell panel of reagent red cells coated with Rh, Kell, Duffy, Kidd, Lewis, P, MNS, Lutheran and Xg antigens using gel technique.

Page1 of 10



Dr Himanshu Lamba





NABH Accredited Hospita H-2019-0640/09/06/2019-08/06/2022 MC/3228/04/09/2019-03/09/2021

NABL Accredited Hospital

-----END OF REPORT------



Awarded Nursing Excellence Services

Awarded Clean & Green Hospital E-2019-0026/27/07/2019-26/07/2021 N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019

www.manipalhospitals.com E info@manipalhospitals.com P+91 11 4967 4967 Home sample collection: +91 74 2876 9482 Pharmacy Home Delivery: +91 84 4848 6472



Registered Office : Sector-6, Dwarka, New Delhi- 110075

Name	:]	MRS PINKI	Age	:	35 Yr(s) Sex :Female
Registration No	:]	MH010992026	Lab No	:	32230504526
Patient Episode	:]	H03000054226	Collection Date	e :	13 May 2023 09:53
Referred By Receiving Date	•	HEALTH CHECK MHD 13 May 2023 10:37	Reporting Date	e :	13 May 2023 15:46

BIOCHEMISTRY

Glycosylated Hemoglobin			Specimen: EDTA Whole blood		
HbAlc (Glycosylated	Hemoglobin)	5.4	9	,	
Methodology	High-Performance	Liquid Chron	natography(HPLC)		

108 mg/dl Estimated Average Glucose (eAG)

Comments : HbAlc provides an index of average blood glucose levels over the past 8-12 weeks and is a much better indicator of long term glycemic control.

Specimen Type : Serum

THYROID PROFILE, Serum

T3 – Triiodothyronine (ECLIA)	1.32	ng/ml	[0.70-2.04]
T4 - Thyroxine (ECLIA)	6.15	µg/dl	[4.60-12.00]
Thyroid Stimulating Hormone (ECLIA)	2.030	µIU/mL	[0.340-4.250]

1st Trimester:0.6 - 3.4 micIU/mL 2nd Trimester:0.37 - 3.6 micIU/mL 3rd Trimester:0.38 - 4.04 micIU/mL

Note : TSH levels are subject to circadian variation, reaching peak levels between 2-4.a.m.and at a minimum between 6-10 pm.Factors such as change of seasons hormonal fluctuations, Ca or Fe supplements, high fibre diet, stress and illness







Awarded Nursing Excellence Services



NABH Accredited Hospita H-2019-0640/09/06/2019-08/06/2022 MC/3228/04/09/2019-03/09/2021

E-2019-0026/27/07/2019-26/07/2021 N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019

www.manipalhospitals.com E info@manipalhospitals.com P+91 11 4967 4967 Home sample collection: +91 74 2876 9482 Pharmacy Home Delivery: +91 84 4848 6472



Registered Office : Sector-6, Dwarka, New Delhi- 110075

Name	: MRS PINKI	Age :	35 Yr(s) Sex :Female
Registration No	: MH010992026	Lab No :	32230504526
Patient Episode	: H03000054226	Collection Date :	13 May 2023 09:53
Referred By Receiving Date	: HEALTH CHECK MHD : 13 May 2023 10:35	Reporting Date :	13 May 2023 11:52

BIOCHEMISTRY

affect TSH results.

Lipid Profile (Serum)

* References ranges recommended by the American Thyroid Association

1) Thyroid. 2011 Oct;21(10):1081-125.PMID .21787128

2) http://www.thyroid-info.com/articles/tsh-fluctuating.html

-			
TOTAL CHOLESTEROL (CHOD/POD)	135	mg/dl	[<200]
			Moderate risk:200-239
			High risk:>240
TRIGLYCERIDES (GPO/POD)	72	mg/dl	[<150]
			Borderline high:151-199
			High: 200 - 499
			Very high:>500
HDL - CHOLESTEROL (Direct)	65 #	mg/dl	[30-60]
Methodology: Homogenous Enzymatic			
VLDL - Cholesterol (Calculated)	14	mg/dl	[10-40]
(CALCULATED)LDL- (CHOLESTEROL	56 mg/dl	[<100]
			Near/Above optimal-100-129
			Borderline High:130-159
			High Risk:160-189
T.Chol/HDL.Chol ratio	2.1		<4.0 Optimal
			4.0-5.0 Borderline
			>6 High Risk
LDL.CHOL/HDL.CHOL Ratio	0.9		<3 Optimal
			3-4 Borderline
			>6 High Risk

Note:

Reference ranges based on ATP III Classifications. Recommended to do fasting Lipid Profile after a minimum of 8 hours of overnight fasting.

Page3 of 10







Awarded Clean & Green Hospital

E-2019-0026/27/07/2019-26/07/2021

Awarded Nursing Excellence Services

N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019

www.manipalhospitals.com E info@manipalhospitals.com P+91 11 4967 4967 Home sample collection: +91 74 2876 9482 Pharmacy Home Delivery: +91 84 4848 6472



Registered Office : Sector-6, Dwarka, New Delhi- 110075

Name	:	MRS PINKI	Age	:	35 Yr(s) Sex :Female
Registration No	:	MH010992026	Lab No	:	32230504526
Patient Episode	:	H03000054226	Collection Dat	te :	13 May 2023 09:53
Referred By Receiving Date	:	HEALTH CHECK MHD 13 May 2023 10:35	Reporting Dat	te :	13 May 2023 11:48

BIOCHEMISTRY

Test Name	Result	Unit	Biological Ref. Interval
LIVER FUNCTION TEST (Serum)			
BILIRUBIN-TOTAL (mod.J Groff)**	0.47	mg/dl	[0.10-1.20]
BILIRUBIN - DIRECT (mod.J Groff)	0.23 #	mg/dl	[<0.2]
BILIRUBIN - INDIRECT (mod.J Groff)	0.24	mg/dl	[0.20-1.00]
SGOT/ AST (P5P,IFCC)	20.50	IU/L	[5.00-37.00]
SGPT/ ALT (P5P,IFCC)	19.10	IU/L	[10.00-50.00]
ALP (p-NPP, kinetic) *	105 #	IU/L	[37-98]
TOTAL PROTEIN (mod.Biuret)	7.0	g/dl	[6.0-8.2]
SERUM ALBUMIN (BCG-dye)	4.2	g/dl	[3.5-5.0]
SERUM GLOBULIN (Calculated)	2.8	g/dl	[1.8-3.4]
ALB/GLOB (A/G) Ratio	1.50		[1.10-1.80]

Note:

**NEW BORN:Vary according to age (days), body wt & gestation of baby *New born: 4 times the adult value

Page4 of 10







NABL Accredited Hospital







Awarded Clean & Green Hospital

www.manipalhospitals.com E info@manipalhospitals.com P +91 11 4967 4967 Home sample collection: +91 74 2876 9482 Pharmacy Home Delivery: +91 84 4848 6472



Registered Office : Sector-6, Dwarka, New Delhi- 110075

Name	:	MRS PINKI	Age	:	35 Yr(s) Sex :Female
Registration No	:	MH010992026	Lab No	:	32230504526
Patient Episode	:	H03000054226	Collection Dat	e:	13 May 2023 09:53
Referred By Receiving Date	:	HEALTH CHECK MHD 13 May 2023 10:35	Reporting Dat	te :	13 May 2023 11:46

BIOCHEMISTRY

Test Name	Result	Unit H	Biological Ref. Interval
KIDNEY PROFILE (Serum)			
BUN (Urease/GLDH)	8.00	mg/dl	[8.00-23.00]
SERUM CREATININE (mod.Jaffe)	0.56 #	mg/dl	[0.60-1.40]
SERUM URIC ACID (mod.Uricase)	4.0	mg/dl	[2.6-6.0]
SERUM CALCIUM (NM-BAPTA)	8.9	mg/dl	[8.6-10.0]
SERUM PHOSPHORUS (Molybdate, UV)	2.3	mg/dl	[2.3-4.7]
SERUM SODIUM (ISE)	138.0	mmol/l	[134.0-145.0]
SERUM POTASSIUM (ISE)	4.38	mmol/l	[3.50-5.20]
SERUM CHLORIDE (ISE / IMT)	103.6	mmol/l	[95.0-105.0]
eGFR	121.2	ml/min/1.73sc	q.m [>60.0]
Technical Note			

eGFR which is primarily based on Serum Creatinine is a derivation of CKD-EPI 2009 equation normalized to1.73 sq.m BSA and is not applicable to individuals below 18 years. eGFR tends to be less accurate when Serum Creatinine estimation is indeterminate e.g. patients at extremes of muscle mass, on unusual diets etc. and samples with severe Hemolysis / Icterus / Lipemia.

Page5 of 10

Neefam Suge

Dr. Neelam Singal CONSULTANT BIOCHEMISTRY





-----END OF REPORT----

NABH Accredited Hospita H-2019-0640/09/06/2019-08/06/2022 MC/3228/04/09/2019-03/09/2021

NABL Accredited Hospital



Awarded Nursing Excellence Services

Awarded Clean & Green Hospital E-2019-0026/27/07/2019-26/07/2021 N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019

www.manipalhospitals.com E info@manipalhospitals.com P+91 11 4967 4967 Home sample collection: +91 74 2876 9482 Pharmacy Home Delivery: +91 84 4848 6472



Registered Office : Sector-6, Dwarka, New Delhi- 110075

Name	:	MRS PINKI	Age	:	35 Yr(s) Sex :Female
Registration No	:	MH010992026	Lab No	:	32230504527
Patient Episode	:	H03000054226	Collection Dat	e:	13 May 2023 13:50
Referred By Receiving Date	: :	HEALTH CHECK MHD 13 May 2023 14:02	Reporting Dat	e:	13 May 2023 15:32

BIOCHEMISTRY

Specimen Type : Plasma PLASMA GLUCOSE - PP

Specimen Type : Serum/Plasma

Plasma GLUCOSE	- PP	(Hexokinase)	94	mg/dl	[70-140]	
----------------	------	--------------	----	-------	----------	--

Note : Conditions which can lead to lower postprandial glucose levels as compared to fasting glucose are excessive insulin release, rapid gastric emptying, brisk glucose absorption , post exercise

Plasma GLUCOSE-Fasting (Hexokinase) 86 mg/dl [70-100]

Page 6 of 10

----END OF REPORT------

Neefam \$

Dr. Neelam Singal CONSULTANT BIOCHEMISTRY





NABH Accredited Hospita H-2019-0640/09/06/2019-08/06/2022 MC/3228/04/09/2019-03/09/2021

NABL Accredited Hospital



Awarded Nursing Excellence Services

Awarded Clean & Green Hospital

www.manipalhospitals.com E info@manipalhospitals.com P+91 11 4967 4967 Home sample collection: +91 74 2876 9482 Pharmacy Home Delivery: +91 84 4848 6472



Registered Office : Sector-6, Dwarka, New Delhi- 110075

Name	:	MRS PINKI	Age	:	35 Yr(s) Sex :Female
Registration No	:	MH010992026	Lab No	:	33230502696
Patient Episode	:	H03000054226	Collection Da	te :	13 May 2023 09:54
Referred By Receiving Date	: :	HEALTH CHECK MHD 13 May 2023 10:36	Reporting Da	te :	13 May 2023 13:07

HAEMATOLOGY

ERYTHROCYTE SEDIMENTATION RATE (Automated) Specimen-Whole Blood

ESR	

32.0 # /1sthour [0.0-20.0]

Interpretation :

Erythrocyte sedimentation rate (ESR) is a non-specific phenomena and is clinically useful in the diagnosis and monitoring of disorders associated with an increased production of acute phase reactants (e.g. pyogenic infections, inflammation and malignancies). The ESR is increased in pregnancy from about the 3rd month and returns to normal by the 4th week postpartum.

ESR is influenced by age, sex, menstrual cycle and drugs (eg. corticosteroids, contraceptives).

It is especially low (0 -1mm) in polycythemia, hypofibrinogenemia or congestive cardiac failure and when there are abnormalities of the red cells such as poikilocytosis, spherocytosis or sickle cells.

Test Name	Result	Unit Bio	ological Ref. Interval
COMPLETE BLOOD COUNT (EDTA Blood)			
WBC Count (Flow cytometry)	7020	/cu.mm	[4000-10000]
RBC Count (Impedence)	3.93	million/cu.mm	[3.80-4.80]
Haemoglobin (SLS Method)	11.6 #	g/dL	[12.0-15.0]
Haematocrit (PCV)	36.1	8	[36.0-46.0]
(RBC Pulse Height Detector Method)			
MCV (Calculated)	91.9	fL	[83.0-101.0]
MCH (Calculated)	29.5	pg	[25.0-32.0]
MCHC (Calculated)	32.1	g/dL	[31.5-34.5]
Platelet Count (Impedence)	231000	/cu.mm	[150000-410000]
RDW-CV (Calculated)	14.7 #	8	[11.6-14.0]
DIFFERENTIAL COUNT			
Neutrophils (Flowcytometry)	61.6	8	[40.0-80.0]
Lymphocytes (Flowcytometry)	27.9	8	[20.0-40.0]



NABL Accredited Hospital

Awarded Emergency Excellence Services



Page7 of 10

Awarded Clean & Green Hospital

H-2019-0640/09/06/2019-08/06/2022 MC/3228/04/09/2019-03/09/2021

E-2019-0026/27/07/2019-26/07/2021

Awarded Nursing Excellence Services N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019

www.manipalhospitals.com E info@manipalhospitals.com P+91 11 4967 4967 Home sample collection: +91 74 2876 9482 Pharmacy Home Delivery: +91 84 4848 6472



Registered Office : Sector-6, Dwarka, New Delhi- 110075

Name	: MRS PINKI	Age :	35 Yr(s) Sex :Female
Registration No	: MH010992026	Lab No :	33230502696
Patient Episode	: H03000054226	Collection Date :	13 May 2023 09:54
Referred By Receiving Date	: HEALTH CHECK MHD: 13 May 2023 10:36	Reporting Date :	13 May 2023 12:39

ľ

Monocytes (Flowcytometry)	6.1		00	[2.0-10.0]
Eosinophils (Flowcytometry)	3.8		00	[1.0-6.0]
Basophils (Flowcytometry)	0.6 #	:	00	[1.0-2.0]
IG	0.00		010	
Neutrophil Absolute(Flouroscence fl	Low cytometry)	4.3	/cu mm	[2.0-7.0]x10 ³
Lymphocyte Absolute(Flouroscence fl	Low cytometry)	2.0	/cu mm	[1.0-3.0]x10 ³
Monocyte Absolute(Flouroscence flow	v cytometry)	0.4	/cu mm	[0.2-1.2]x10 ³
Eosinophil Absolute(Flouroscence fl	Low cytometry)	0.3	/cu mm	[0.0-0.5]x10 ³
Basophil Absolute(Flouroscence flow	v cytometry)	0.0	/cu mm	[0.0-0.1]x10 ³

Complete Blood Count is used to evaluate wide range of health disorders, including anemia, infection, and leukemia. Abnormal increase or decrease in cell counts as revealed may indicate that an underlying medical condition that calls for further evaluation.

-----END OF REPORT-----

Page8 of 10

Soma Pradhan

Dr. Soma Pradhan





NABH Accredited Hospital H-2019-0640/09/06/2019-08/06/2022 MC/3228/04/09/2019-03/09/2021

NABL Accredited Hospital

Awarded Emergency Excellence Services





Awarded Clean & Green Hospital E-2019-0026/27/07/2019-26/07/2021 N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019

www.manipalhospitals.com E info@manipalhospitals.com P+91 11 4967 4967 Home sample collection: +91 74 2876 9482 Pharmacy Home Delivery: +91 84 4848 6472



Registered Office : Sector-6, Dwarka, New Delhi- 110075

Name	:	MRS PINKI	Age	:	35 Yr(s) Sex :Female
Registration No	:	MH010992026	Lab No	:	38230500840
Patient Episode	:	H03000054226	Collection Dat	te:	13 May 2023 09:54
Referred By Receiving Date	: :	HEALTH CHECK MHD 13 May 2023 12:27	Reporting Dat	te :	13 May 2023 15:33

CLINICAL PATHOLOGY

Test Name	Result	Biological Ref. Interval
ROUTINE URINE ANALYSIS		
MACROSCOPIC DESCRIPTION		
Colour (Visual)	PALE YELLOW	(Pale Yellow - Yellow)
Appearance (Visual)	CLEAR	
CHEMICAL EXAMINATION		
Reaction[pH]	6.5	(5.0-9.0)
(Reflectancephotometry(Indicator Meth		(1 000 1 005)
Specific Gravity	1.010	(1.003-1.035)
(Reflectancephotometry(Indicator Meth		
Bilirubin	Negative	NEGATIVE
Protein/Albumin	Negative	(NEGATIVE-TRACE)
(Reflectance photometry(Indicator Met		
Glucose	NOT DETECTED	(NEGATIVE)
(Reflectance photometry (GOD-POD/Bene		
Ketone Bodies	NOT DETECTED	(NEGATIVE)
(Reflectance photometry(Legal's Test)		
Urobilinogen	NORMAL	(NORMAL)
Reflactance photometry/Diazonium salt		
Nitrite	NEGATIVE	NEGATIVE
Reflactance photometry/Griess test		
Leukocytes	NIL	NEGATIVE
Reflactance photometry/Action of Este	rase	
BLOOD	NIL	NEGATIVE
(Reflectance photometry(peroxidase))		
	ethod: Light microscopy on	centrifuged urine
WBC/Pus Cells	0-1 /hpf	(4-6)
Red Blood Cells	NIL	(1-2)
Epithelial Cells	1-2 /hpf	(2-4)
Casts	NIL	(NIL)
Crystals	NIL	(NIL)
Bacteria	NIL	
Yeast cells	NIL	
Interpretation:		



NABL Accredited Hospital H-2019-0640/09/06/2019-08/06/2022 MC/3228/04/09/2019-03/09/2021



Awarded Nursing Excellence Services N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019

Awarded Clean & Green Hospital

Page 9 of 10

www.manipalhospitals.com E info@manipalhospitals.com P +91 11 4967 4967 Home sample collection: +91 74 2876 9482 Pharmacy Home Delivery: +91 84 4848 6472



Registered Office : Sector-6, Dwarka, New Delhi- 110075

Name	:	MRS PINKI	Age	:	35 Yr(s) Sex :Female
Registration No	:	MH010992026	Lab No	:	38230500840
Patient Episode	:	H03000054226	Collection Dat	te :	13 May 2023 09:54
Referred By Receiving Date	:	HEALTH CHECK MHD 13 May 2023 12:27	Reporting Dat	te :	13 May 2023 15:33

CLINICAL PATHOLOGY

URINALYSIS-Routine urine analysis assists in screening and diagnosis of various metabolic , urological, kidney and liver disorders

Protein: Elevated proteins can be an early sign of kidney disease. Urinary protein excretion can also be temporarily elevated by strenuous exercise, orthostatic proteinuria, dehydration, urina tract infections and acute illness with fever

Glucose: Uncontrolled diabetes mellitus can lead to presence of glucose in urine.

Other causes include pregnancy, hormonal disturbances, liver disease and certain medications. Ketones: Uncontrolled diabetes mellitus can lead to presence of ketones in urine.

Ketones can also be seen in starvation, frequent vomiting, pregnancy and strenuous exercise. Blood: Occult blood can occur in urine as intact erythrocytes or haemoglobin, which can occur in

various urological, nephrological and bleeding disorders.

Leukocytes: An increase in leukocytes is an indication of inflammation in urinary tract or kidneys Most Common cause is bacterial urinary tract infection.

Nitrite: Many bacteria give positive results when their number is high. Nitrite concentration duri infection increases with length of time the urine specimen is retained in bladder prior to collection.

pH: The kidneys play an important role in maintaining acid base balance of the body. Conditions of the body producing acidosis/alkalosis or ingestion of certain type of food can affect the pH of urine.

Specific gravity: Specific gravity gives an indication of how concentrated the urine is. Increased Specific gravity is seen in conditions like dehydration, glycosuria and proteinuria while decrease Specific gravity is seen in excessive fluid intake, renal failure and diabetes insipidus. Bilirubin: In certain liver diseases such as biliary obstruction or hepatitis, bilirubin gets excreted in urine.

Urobilinogen: Positive results are seen in liver diseases like hepatitis and cirrhosis and in case of hemolytic anemia.

-----END OF REPORT-----

Page10 of 10


Soma Pradhan

Dr. Soma Pradhan











Awarded Nursing Excellence Services

Awarded Clean & Green Hospital E-2019-0026/27/07/2019-26/07/2021 N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019

www.manipalhospitals.com E info@manipalhospitals.com P+91 11 4967 4967 Home sample collection: +91 74 2876 9482 Pharmacy Home Delivery: +91 84 4848 6472

NAME	PINKI	STUDY DATE	13-05-2023 11:48:58
AGE / SEX	035Yrs / F	HOSPITAL NO.	MH010992026
REFERRING DEPT	OPD	MODALITY/Procedure	US /Ultrasound abdomen n pelvis
REPORTED ON	13-05-2023 11:57:03	REFERRED BY	Dr. Health Check MHD

USG WHOLE ABDOMEN

Findings:

Liver is normal in size and echopattern. No focal intra-hepatic lesion is detected. Intra-hepatic biliary radicals are not dilated. Portal vein is normal in calibre.

Gall bladder lumen shows a calculus measuring 15.7mm. Wall thickness is normal. Common bile duct is normal in calibre.

Pancreas is normal in size and echopattern.

Spleen is normal in size and echopattern.

Both kidneys are normal in position, size (RK = 91x34mm and LK =90x39mm) and outline. Cortico-medullary differentiation of both kidneys is maintained. Central sinus echoes are compact. No focal lesion or calculus seen. Bilateral pelvicalyceal systems are not dilated.

Urinary bladder is normal in wall thickness with clear contents. No significant intra or extraluminal mass is seen.

Uterus is anteverted and measures 99x33mm. Myometrial echogenicity appears uniform. Endometrium is central (11.4mm).

Both ovaries are normal in size and echopattern. Right ovary measures 37x27mm Left ovary measures 25x13mm

No significant free fluid is detected.

Impression: Cholelithiasis.

Kindly correlate clinically

NAME	PINKI	STUDY DATE	13-05-2023 11:48:58
AGE / SEX	035Yrs / F	HOSPITAL NO.	MH010992026
REFERRING DEPT	OPD	MODALITY/Procedure	US /Ultrasound abdomen n pelvis
REPORTED ON	13-05-2023 11:57:03	REFERRED BY	Dr. Health Check MHD

Anneh

Dr. Aarushi MD,DNB, DMC/R/03291 Consultant Radiologist

NAME	PINKI	STUDY DATE	13-05-2023 10:35:51
AGE / SEX	035Yrs / F	HOSPITAL NO.	MH010992026
REFERRING DEPT	OPD	MODALITY/Procedure	CR /Xray chest PA (CXR)
		Description	
REPORTED ON	13-05-2023 12:40:16	REFERRED BY	Dr. Health Check MHD

X-RAY CHEST - PA VIEW

Findings:

Visualized lung fields appear clear.

Both hilar shadows appear normal.

Cardiothoracic ratio is within normal limits.

Both hemidiaphragmatic outlines appear normal.

Both costophrenic angles are clear.

Kindly correlate clinically.

Dr. Roly Srivastava MBBS ,DNB DMC No. 45626 Consultant Radiologist

NAME	PINKI	STUDY DATE	13-05-2023 10:35:51
AGE / SEX	035Yrs / F	HOSPITAL NO.	MH010992026
REFERRING DEPT	OPD	MODALITY/Procedure	CR /Xray chest PA (CXR)
		Description	
REPORTED ON	13-05-2023 12:40:16	REFERRED BY	Dr. Health Check MHD