

# PHYSICAL EXAMINATION REPORT

R

E

R

Patient Name	Kishar Parad Sex/Age MJZ
Date	Kishar Parad Sex/Age MJ2 27/11/23 Location Thank
History and Co	omplaints
	C/o-HTN SINCE 8-10 gos,
EXAMINATION	N FINDINGS:
Height (cms): Weight (kg):	186 Skin: - Eczevatous onf
<b>Blood Pressure</b>	130/80 Nails:
Pulse	130 80 Nails: 72 Wy Lymph Node: , MAD
Systems:	
Cardiovascular:	
Respiratory:	
Genitourinary:	NAP.
GI System:	
CNS.	

Impression: B( -

Fosinophilia, - 1 Voic Acuid.

Muild Hypochronnia, Microcytosis.

1 ESR: Tupanired

BSL (f) - 1 HbAIC.

REGD. OFFICE: Suburban Diagnostics (India) Pvt. Ltd., Aston, 2<sup>nd</sup> Floor, Sundervan Complex, Above Mercedes Showroom, Andheri West, Mumbai - 400053

CENTRAL REFERENCE LABORATORY: Shop No. 9, 101 to 105, Skyline Wealth Space Building, Near Dmart, Premier Road, Vidyavinar West, Mumbai - 400066

	Advi	ice: - Low Fat, Low	f tosinophilia.
		- Low Fat, low	suca Dios. R
		- Rea. Fx poemico	T
		- Sugar Profile	isola Procla 1 hor
Ac	wic	- Reg. Exercuse d- Sugar Profile, d- after 6 Mont	hs.
	1)	Hypertension:	siure 8-1090.
	2)	IHD	2101160 10 10.
1	3)	Arrhythmia	
	4)	Diabetes Mellitus	
	5)	Tuberculosis	
	6)	Asthama	N7
	7)	Pulmonary Disease	
	8)	Thyroid/ Endocrine disorders	
	9)	Nervous disorders	
	10)	GI system	
	11)	Genital urinary disorder	
	12)	Rheumatic joint diseases or symptoms	
1	13)	Blood disease or disorder	136
1	4)	Cancer/lump growth/cyst	
: 1	5)	Congenital disease	
. 1	6)	Surgeries	
1	7)	Musculoskeletal System	
P	ERSO	DNAL HISTORY:	
1	)	Alcohol	A 0(C)
2)		Smoking	NO)
3)		Diet	Mu Xed,
4		Medication Manasee Kulkarni	Tab. Muipress-XLBD.
M	-	2005/09/34 19 N.B.B.S	Tab. teluitand-op,
	1	DD	tale. Atoma On

R

REGD. OFFICE: Suburban Diagnostics (India) Pvt. Ltd., Aston, 2<sup>rd</sup> Floor, Sundervan Complex, Above Mercedes Showroom, Andheri West, Mumbai - 400053. CENTRAL RESERVENCE LABORATORY: Shop No. 9, 101 to 105, Skyline Wealth Space Building, Near Drnart, Premier Road, Vidyavihar West, Mumbai - 400086. NEALTHLINE: 022-6170-0000 | E-MAIL: customerservice@suburbandiagnostics.com | WEBSITE: www.suburbandiagnostics.com

R 0

Date: 27/11/23
Name: / CID: Sex/Agrap 52.

EYE CHECK UP

Chief complaints: ReU

Systemic Diseases: \\\

N.1/.

Unaided Vision: BE6/36 XVBE N/8.
Aided Vision: BZ6/36 XVBE N6.

Refraction:

(Right Eye)

(Left Eye)

	Sph	СуІ	Axis	Vn	Sph	СуІ	Axis	Vn
Distance								
Vear								

Colour Vision: Normal / Abnormal

Remark: Usc own Speeles.



: 2333100208

Name

: MR. PARAD KISHOR G

Age / Gender

: 52 Years / Male

Consulting Dr.

.

Reg. Location :

: G B Road, Thane West (Main Centre)

**Authenticity Check** 

R

E

P

0

Use a QR Code Scanner Application To Scan the Code

Collected Reported

: 27-Nov-2023 / 08:20 : 27-Nov-2023 / 11:04

# MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO

DADAMETER	CBC (Comple	te Blood Count), Blood	
PARAMETER RBC PARAMETERS	RESULTS	BIOLOGICAL REF RANGE	METHOD
Haemoglobin RBC PCV MCV MCH MCHC RDW WBC PARAMETERS WBC Total Count	13.1 4.88 41.1 84.1 26.9 31.9 14.8	13.0-17.0 g/dL 4.5-5.5 mil/cmm 40-50 % 80-100 fl 27-32 pg 31.5-34.5 g/dL 11.6-14.0 %	Spectrophotometric Elect. Impedance Measured Calculated Calculated Calculated Calculated
WBC DIFFERENTIAL AND Lymphocytes	ABSOLUTE COUNTS 45.0	20-40 %	Elect. Impedance
Absolute Lymphocytes Monocytes Absolute Monocytes	2592.0 6.2	1000-3000 /cmm 2-10 %	Calculated
Neutrophils Absolute Neutrophils	357.1 39.6 2281.0	200-1000 /cmm 40-80 %	Calculated
Eosinophils Absolute Eosinophils	9.2 529.9	2000-7000 /cmm 1-6 % 20-500 /cmm	Calculated
Basophils Absolute Basophils	0.0	0.1-2 % 20-100 /cmm	Calculated Calculated
Immature Leukocytes WBC Differential Count by Abso	- prbance & Impedance method	/Microscopy	Suculated
PLATELET PARAMETERS Platelet Count MPV PDW	305000 8.8	150000-400000 /cmm 6-11 fl	Elect. Impedance Calculated
	10.8	11-18 %	Caladated

Platelet Count MPV PDW RBC MORPHOLOGY	305000 8.8 10.8	150000-400000 /cmm 6-11 fl 11-18 %	Elect. Impedance Calculated Calculated
Hypochromia	Mild		
Microcytosis	Occasional		

Page 1 of 12



: 2333100208

Name

: MR. PARAD KISHOR G

Age / Gender

: 52 Years / Male

Consulting Dr.

.

Reg. Location : G B Road, Thane West (Main Centre)

Authenticity Check

R

E

0



Use a QR Code Scanner Application To Scan the Code

Collected Reported : 27-Nov-2023 / 08:20 : 27-Nov-2023 / 11:39

Macrocytosis

Anisocytosis

insocytosis

Poikilocytosis

Polychromasia

Target Cells

Basophilic Stippling

Normoblasts

Others

WBC MORPHOLOGY

PLATELET MORPHOLOGY

COMMENT

Eosinophilia

Specimen: EDTA Whole Blood

ESR, EDTA WB-ESR

117

2-20 mm at 1 hr.

Sedimentation

Result Rechecked.

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
\*\*\* End Of Report \*\*\*

Dr.IMRAN MUJAWAR M.D ( Path ) Pathologist

Page 2 of 12



: 2333100208

Name

: MR. PARAD KISHOR G

Age / Gender

: 52 Years / Male

Consulting Dr.

Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

R

E

0

Use a QR Code Scanner Application To Scan the Code

Collected Reported

: 27-Nov-2023 / 11:48 :27-Nov-2023 / 15:24

# MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO

PARAMETER

RESULTS

**BIOLOGICAL REF RANGE** 

METHOD

GLUCOSE (SUGAR) FASTING,

Fluoride Plasma

108.8

Non-Diabetic: < 100 mg/dl

Impaired Fasting Glucose:

100-125 mg/dl

Diabetic: >/= 126 mg/dl

Hexokinase

Hexokinase

GLUCOSE (SUGAR) PP, Fluoride 112.1

Plasma PP/R

Non-Diabetic: < 140 mg/dl

Impaired Glucose Tolerance:

140-199 mg/dl

Diabetic: >/= 200 mg/dl

Urine Sugar (Fasting)

Absent

Absent

Urine Ketones (Fasting)

Absent

Absent

Urine Sugar (PP) Urine Ketones (PP)

Absent Absent

Absent Absent

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West \*\*\* End Of Report \*\*\*

> Mujawar Dr.IMRAN MUJAWAR M.D (Path)

Pathologist

Page 3 of 12



: 2333100208

Name

: MR. PARAD KISHOR G

Age / Gender

: 52 Years / Male

Consulting Dr.

)r. :

Reg. Location

: G B Road, Thane West (Main Centre)

**Authenticity Check** 

R

E

0

Use a QR Code Scanner Application To Scan the Code

Collected Reported

: 27-Nov-2023 / 08:20 : 27-Nov-2023 / 11:04

# MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO KIDNEY FUNCTION TESTS

PARAMETER		FUNCTION TESTS	
	RESULTS	BIOLOGICAL REF RANGE	METHOD
BLOOD UREA, Serum	24.7	12.8-42.8 mg/dl	
BUN, Serum	11.5		Urease & GLDH
CREATININE, Serum		6-20 mg/dl	Calculated
	1.14	0.67-1.17 mg/dl	Enzymatic
eGFR, Serum	77	(ml/min/1.73sqm) Normal or High: Above 90 Mild decrease: 60-89 Mild to moderate decrease: 45- 59 Moderate to severe decrease:30 -44 Severe decrease: 15-29 Kidney failure:<15	Calculated
Note: oCEP actionation			

Note: eGFR estimation is calculated using 2021 CKD-EPI GFR equation w.e.f 16-08-2023

TOTAL PROTEINS, Serum	6.5	r k equation w.e.f 16-08-2023	
ALBUMIN, Serum		6.4-8.3 g/dL	Biuret
GLOBULIN, Serum	4.4	3.5-5.2 g/dL	BCG
	2.1	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	2.1	1 - 2	Calculated
URIC ACID, Serum	8.3	3.5-7.2 mg/dl	
PHOSPHORUS, Serum	3.1		Uricase
CALCIUM, Serum	9.1	2.7-4.5 mg/dl	Ammonium molybdate
SODIUM, Serum		8.6-10.0 mg/dl	N-BAPTA
POTASSIUM, Serum	136	135-148 mmol/l	ISE
	4.5	3.5-5.3 mmol/l	ISE
CHLORIDE, Serum	104	98-107 mmol/l	ISE
*Sample processed at SUBURBAN I	DIAGNOSTICS (INDIA) DVT 13		132

<sup>\*</sup>Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
\*\*\* End Of Report \*\*\*

Dr.IMRAN MUJAWAR M.D ( Path ) Pathologist

Page 4 of 12



: 2333100208

Name

: MR. PARAD KISHOR G

Age / Gender

: 52 Years / Male

Consulting Dr.

Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

R

E

Use a QR Code Scanner Application To Scan the Code

Collected

: 27-Nov-2023 / 08:20 Reported :27-Nov-2023 / 11:36

# MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO GLYCOSYLATED HEMOGLOBIN (HbA1c)

PARAMETER

RESULTS

BIOLOGICAL REF RANGE

METHOD

Glycosylated Hemoglobin (HbA1c), EDTA WB - CC

6.1

Non-Diabetic Level: < 5.7 % Prediabetic Level: 5.7-6.4 %

HPLC

Estimated Average Glucose (eAG), EDTA WB - CC

128.4

Diabetic Level: >/= 6.5 % mg/dl

Calculated

## Intended use:

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

## Clinical Significance:

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of

### Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

# Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West \* End Of Report \*\*\*

> Mujawar Dr.IMRAN MUJAWAR M.D (Path) Pathologist

> > Page 5 of 12



: 2333100208

Name

: MR. PARAD KISHOR G

Age / Gender

: 52 Years / Male

Consulting Dr.

Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

E

0

Use a QR Code Scanne Application To Scan the Code

Collected Reported

: 27-Nov-2023 / 08:20 :27-Nov-2023 / 12:32

# MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO PROSTATE SPECIFIC ANTIGEN (PSA)

**PARAMETER** 

RESULTS

BIOLOGICAL REF RANGE METHOD

TOTAL PSA, Serum

0.502

<4.0 ng/ml

CLIA

Clinical Significance:

- PSA is detected in the serum of males with normal, benign hyper-plastic, and malignant prostate tissue.
- Monitoring patients with a history of prostate cancer as an early indicator of recurrence and response to treatment.
- Prostate cancer screening 4. The percentage of Free PSA (FPSA) in serum is described as being significantly higher in patients with BPH than in patients with prostate cancer. 5. Calculation of % free PSA (ie. FPSA/TPSA x 100 ), has been suggested as way of improving the differentiation of BPH and Prostate cancer.

### Interpretation:

Increased In- Prostate diseases, Cancer, Prostatitis, Benign prostatic hyperplasia, Prostatic ischemia, Acute urinary retention, Manipulations like Prostatic massage, Cystoscopy, Needle biopsy, Transurethral resection, Digital rectal examination, Radiation therapy, Indwelling catheter, Vigorous bicycle exercise, Drugs (e.g., testosterone), Physiologic fluctuations. Also found in small amounts in other cancers (sweat and salivary glands, breast, colon, lung, ovary) and in Skene glands of female urethra and in term placenta, Acute renal failure, Acute myocardial

Decreased In- Ejaculation within 24-48 hours, Castration, Antiandrogen drugs (e.g., finasteride), Radiation therapy, Prostatectomy, PSA falls 17% in 3 days after lying in hospital, Artifactual (e.g., improper specimen collection; very high PSA levels). Finasteride (5-α reductase inhibitor) reduces PSA by 50% after 6 months in men without cancer.

Reflex Tests: % FREE PSA , USG Prostate

### Limitations:

- tPSA values determined on patient samples by different testing procedures cannot be directly compared with one another and could be the cause of erroneous medical interpretations. If there is a change in the tPSA assay procedure used while monitoring therapy, then the tPSA values obtained upon changing over to the new procedure must be confirmed by parallelmeasurements with both methods. Immediate PSA testing following digital rectal examination, ejaculation, prostatic massage, indwelling catheterization, ultrasonography and needle biopsy of prostate is not recommended as they falsely elevate levels.
- Patients who have been regularly exposed to animals or have received immunotherapy or diagnostic procedures utilizing immunoglobulins or immunoglobulin fragments may produce antibodies, e.g. HAMA, that interferes with immunoassays.
- PSA results should be interpreted in light of the total clinical presentation of the patient, including: symptoms, clinical history, data from additional tests, and other appropriate information.
- Serum PSA concentrations should not be interpreted as absolute evidence for the presence or absence of prostate cancer.

### Reference:

- Wallach's Interpretation of diagnostic tests
- Total PSA Pack insert

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab \*\* End Of Report \*





Anto.

Dr.ANUPA DIXIT M.D.(PATH) Consultant Pathologist & Lab Director

Page 6 of 12



: 2333100208

Name

: MR. PARAD KISHOR G

Age / Gender

: 52 Years / Male

Consulting Dr.

Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected Reported

: 27-Nov-2023 / 08:20 :27-Nov-2023 / 13:54 R

E

0

# MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO URINE EXAMINATION REPORT

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
PHYSICAL EXAMINATION		1011106	METHOD
Color	Pale yellow	Pale Yellow	
Reaction (pH)	Acidic (6.0)	4.5 - 8.0	Chemical Indicator
Specific Gravity	1.025	1.010-1.030	Chemical Indicator
Transparency	Clear	Clear	-
Volume (ml)	30		
CHEMICAL EXAMINATION			
Proteins	Absent	Absent	pH Indicator
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
MICROSCOPIC EXAMINATION			Oriess rest
Leukocytes(Pus cells)/hpf	1-2	0-5/hpf	
Red Blood Cells / hpf	Absent	0-2/hpf	
Epithelial Cells / hpf	1-2	6 27 Hp1	
Casts	Absent	Absent	
Crystals	Absent	Absent	
Amorphous debris	Absent	Absent	
Bacteria / hpf	2-3	Less than 20/hpf	
Others	The state of the s	2033 (Hall 2071)p)	
and the second s			

Interpretation: The concentration values of Chemical analytes corresponding to the grading given in the report are as follows: Protein ( 1+ = 25 mg/dl , 2+ = 75 mg/dl , 3+ = 150 mg/dl , 4+ = 500 mg/dl )

- Glucose(1+ = 50 mg/dl, 2+ =100 mg/dl, 3+ =300 mg/dl, 4+ =1000 mg/dl)
- Ketone (1+ =5 mg/dl, 2+ = 15 mg/dl, 3+= 50 mg/dl, 4+ = 150 mg/dl)

Reference: Pack inert

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West \*\*\* End Of Report \*\*

> Mujawar Dr.IMRAN MUJAWAR M.D (Path) Pathologist

> > Page 7 of 12



: 2333100208

Name

: MR. PARAD KISHOR G

Age / Gender

: 52 Years / Male

Consulting Dr.

Reg. Location

: G B Road, Thane West (Main Centre)

**Authenticity Check** 

R

Use a QR Code Scanne Application To Scan the Code

Collected

: 27-Nov-2023 / 08:20 Reported :27-Nov-2023 / 13:40

# MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO BLOOD GROUPING & Rh TYPING

PARAMETER

RESULTS

ABO GROUP

0

Rh TYPING

Positive

NOTE: Test performed by Semi- automated column agglutination technology (CAT)

Note: This Sample has also been tested for Bombay group/Bombay phenotype /Oh using anti H lectin

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

### Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

### Refernces:

- 1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West \* End Of Report \*\*\*

> Mujawar Dr.IMRAN MUJAWAR M.D (Path) Pathologist

> > Page 8 of 12



: 2333100208

Name

: MR. PARAD KISHOR G

Age / Gender

: 52 Years / Male

Consulting Dr.

Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

R

E

0

Use a QR Code Scanner Application To Scan the Code

Collected

: 27-Nov-2023 / 08:20 Reported :27-Nov-2023 / 11:04

# MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO LIPID PROFILE

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	
CHOLESTEROL, Serum			METHOD
TRIGLYCERIDES, Serum	132.0	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOD-POD
	180.2	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl	GPO-POD
HDL CHOLESTEROL, Serum	37.2	Very high:>/=500 mg/dl Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl	Homogeneous enzymatic
NON HDL CHOLESTEROL, Serum	94.8	Low (High risk): <40 mg/dl Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl	colorimetric assay Calculated
LDL CHOLESTEROL, Serum	59.0	Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	35.8	Very High: >/= 190 mg/dl	
CHOL / HDL CHOL RATIO,	3.5		Calculated
Serum		0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	1.6	0-3.5 Ratio	Calculated

<sup>\*</sup>Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West \*\*\* End Of Report \*\*\*

Mujawar Dr.IMRAN MUJAWAR M.D (Path)

Pathologist

Page 9 of 12



: 2333100208

Name

: MR. PARAD KISHOR G

Age / Gender

: 52 Years / Male

Consulting Dr. Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

R

Use a QR Code Scanne Application To Scan the Code

Collected Reported

: 27-Nov-2023 / 08:20 :27-Nov-2023 / 10:36

# MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO THYROID FUNCTION TESTS

PARAMETER	THI KOID FUNCTION 1ESTS			
	RESULTS	BIOLOGICAL REF RANGE	METHOD	
Free T3, Serum	5.0	3.5-6.5 pmol/L	ECLIA	
Free T4, Serum	15.6	11.5-22.7 pmol/L	ECLIA	
sensitiveTSH, Serum	1.66	0.35-5.5 microIU/ml	ECLIA	
-2			LCLIA	

### Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

### Clinical Significance:

1)TSH Values between high abnormal upto 15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological

can give falsely high TSH.

2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections, liver disease, renal and heart severe burns,

TSH	FT4/T4	FT3/T3	
High	Normal		Interpretation
riigii	Ivolillal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	
		Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
ow High High		High	Hyperthyroidism Graves disease toxics to the state of the
			Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
_ow	Normal	Normal	Subclinical Hyperthyroidism, recent Py for the state of t
			Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal
_ow	Low		
ligh	High		Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
ngn	riigh	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti-

Diurnal Variation: TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation: 19.7% (with in subject variation)

Reflex Tests:Anti thyroid Antibodies,USG Thyroid ,TSH receptor Antibody. Thyroglobulin, Calcitonin

1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.

2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results. this assay is designed to minimize interference from heterophilic antibodies.

1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)

2. Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357 3. Tietz , Text Book of Clinical Chemistry and Molecular Biology -5th Edition

4.Biological Variation:From principles to Practice-Callum G Fraser (AACC Press)

Mujawar Dr.IMRAN MUJAWAR M.D (Path) Pathologist

Page 10 of 12



: 2333100208

Name

: MR. PARAD KISHOR G

Age / Gender

: 52 Years / Male

Consulting Dr.

Reg. Location

: G B Road, Thane West (Main Centre)

Collected

Reported

Authenticity Check

R

R



Use a QR Code Scanner Application To Scan the Code

: 27-Nov-2023 / 08:20 :27-Nov-2023 / 10:36

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West \*\*\* End Of Report \*\*\*



: 2333100208

Name

: MR. PARAD KISHOR G

Age / Gender

: 52 Years / Male

Consulting Dr. Reg. Location

r. :

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected Reported : 27-Nov-2023 / 08:20 : 27-Nov-2023 / 11:04 R

R

# MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO LIVER FUNCTION TESTS

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
BILIRUBIN (TOTAL), Serum	0.92	0.1-1.2 mg/dl	
BILIRUBIN (DIRECT), Serum	0.29	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.63	0.1-1.0 mg/dl	Diazo
TOTAL PROTEINS, Serum	6.5		Calculated
ALBUMIN, Serum	4.4	6.4-8.3 g/dL	Biuret
GLOBULIN, Serum		3.5-5.2 g/dL	BCG
A/G RATIO, Serum	2.1	2.3-3.5 g/dL	Calculated
	2.1	1 - 2	Calculated
SGOT (ALT), Serum	14.1	5-40 U/L	IFCC without pyridoxal phosphate activation
SGPT (ALT), Serum	9.2	5-45 U/L	IFCC without pyridoxal phosphate activation
GAMMA GT, Serum	18.5	3-60 U/L	IFCC
ALKALINE PHOSPHATASE, Serum	85.8	40-130 U/L	PNPP

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
\*\*\* End Of Report \*\*\*

Dr.IMRAN MUJAWAR M.D (Path) Pathologist

Page 12 of 12



REG NO: 2333100208	SEX : MALE
NAME : MR. KISHOR PARAD	AGE: 52 YRS
REF BY:	DATE: 27.11.2023

E

0

# **2D ECHOCARDIOGRAPHY**

# M - MODE FINDINGS:

LVIDD	38	mm	
LVIDS	25	mm	
LVEF	60	0/0	
IVS	15	mm	
PW	7	mm	
AO	17	mm	
LA	38	mm	

# 2D ECHO:

- All cardiac chambers are normal in size
- Left ventricular contractility: Normal
- Regional wall motion abnormality: Absent.
- Systolic thickening: Normal. LVEF = 60%
- Mitral, tricuspid, aortic, pulmonary valves are: Normal.
- Great arteries : Aorta and pulmonary artery are : Normal .
- Inter artrial and inter ventricular septum are intact.
- Pulmonary veins, IVC, hepatic veins are normal.
- No pericardial effusion. No intracardiac clots or vegetation.



PATIENT NAME: MR.KISHOR PARAD

# **COLOR DOPPLER:**

R

E

0

- Mitral valve doppler E-0.9 m/s, A- 0.6 m/s.
- Mild TR.
- No aortic / mitral regurgition. Aortic velocity 1.6 m/s, PG 10.5 mmHg
- No significant gradient across aortic valve.
- No diastolic dysfunction.

# IMPRESSION:

- MILD CONCENTRIC HYPERTROPHY OF LV
- NO REGIONAL WALL MOTION ABNORMALITY AT REST.
- NORMAL LV SYSTOLIC FUNCTION.

-----End of the Report-----

DR.YOGESH KHARCHE
DNB(MEDICINE) DNB (CARDIOLOGY)
CONSULTANAT INTERVENTIONAL CARDIOLOGIST.



: 2333100208

Name

: Mr PARAD KISHOR G

Age / Sex

: 52 Years/Male

Ref. Dr

Reg. Location

: G B Road, Thane West Main Centre

Reported

Reg. Date

: 27-Nov-2023

: 27-Nov-2023 / 9:47

Use a QR Code Scanner

Application To Scan the Code

Authenticity Check

R

# X-RAY CHEST PA VIEW

Rotation +

There is evidence of mildly increased bilateral bronchovascular prominence.

Both costo-phrenic angles are clear.

The cardiac size and shape are within normal limits.

The aorta shows normal radiological features.

The domes of diaphragm are normal in position and outlines.

The skeleton under review appears normal.

Suggest clinico pathological co-relation.

--End of Report-----

Dr Gauri Varma Consultant Radiologist MBBS / DMRE

MMC- 2007/12/4113

Chocks

Click here to view images http://3.111.232.119/iRISViewer/NeoradViewer?AccessionNo=2023112708102307



: 2333100208

Name

: Mr PARAD KISHOR G

Age / Sex

: 52 Years/Male

Ref. Dr

Reg. Location

: G B Road, Thane West Main Centre

Reg. Date

Reported

Authenticity Check



Use a QR Code Scanner Application To Scan the Code R

R

: 27-Nov-2023

: 27-Nov-2023 / 9:25

# **USG WHOLE ABDOMEN**

<u>LIVER:</u> Liver appears normal in size (13.7 cm) and *shows increased echoreflectivity.* There is no intra-hepatic biliary radical dilatation. No evidence of any focal lesion.

<u>GALL BLADDER:</u>Gall bladder is distended and appears normal. Wall thickness is within normal limits. There is no evidence of any calculus.

PORTAL VEIN: Portal vein is normal. CBD: CBD is normal.

<u>PANCREAS:</u> Pancreas appears normal in echotexture. There is no evidence of any focal lesion or calcification. Pancreatic duct is not dilated.

 $\overline{\text{KIDNEYS}}$ : Right kidney measures 10.7 x 4.4 cm. Left kidney measures 11.2 x 4.9 cm. Both kidneys are normal in shape and echotexture. Corticomedullary differentiation is maintained. There is no evidence of any hydronephrosis, hydroureter or calculus.

SPLEEN: Spleen is normal in size, shape and echotexture. No focal lesion is seen.

<u>URINARY BLADDER:</u> Urinary bladder is distended and normal. Wall thickness is within normal limits.

**PROSTATE:** Prostate is normal in size and echotexture and measures 3.2 x 3.0 x 3.9 cm in dimension and 20 cc in volume. No evidence of any focal lesion. Median lobe does not show significant hypertrophy.

No free fluid or significant lymphadenopathy is seen.

Click here to view images http://3.111.232.119/iRISViewer/NeoradViewer?AccessionNo=2023112708102330



CID : 2333100208

Name : Mr PARAD KISHOR G

Age / Sex : 52 Years/Male

Ref. Dr

Reg. Location : G B Road, Thane West Main Centre

Reg. Date

Reported

Authenticity Check



Use a QR Code Scanner Application To Scan the Code R

R

: 27-Nov-2023

: 27-Nov-2023 / 9:25

# **IMPRESSION:**

GRADE I FATTY INFILTRATION OF LIVER.

Advice: Clinical co-relation sos further evaluation and follow up.

Note:Investigations have their limitations. Solitary radiological investigations never confirm the final diagnosis. They only help in diagnosing the disease in correlation to clinical symptoms and other related tests. USG is known to have inter-observer variations. Further/follow-up imaging may be needed in some cases for confirmation / exclusion of diagnosis.

-----End of Report-----

GRods

Dr Gauri Varma Consultant Radiologist MBBS / DMRE MMC- 2007/12/4113


Click here to view images http://3.111.232.119/iRISViewer/NeoradViewer?AccessionNo=2023112708102330



# SUBURBAN DIAGNOSTICS - G B ROAD, THANE WEST

Date and Time: 27th Nov 23 9:06 AM

Patient ID: Patient Name: PARAD KISHOR G 2333100208



Sinus Bradycardia, PVCs seen in Bigeminy pattern. Kindly correlate clinically. Please correlate clinically.

REPORTED BY

Dr.Anand N Motwani M.D (General Medicine) Reg No 39329 M.M.C

Disclaimer: D Analysis in this report is based on ECG atone and should be used as an adjunct thy section, 2) Partent while are as entered by the clinician and not derived from the ECG.