





Diagnostics & Speciality Centre

NAME : Mr. V NARASIMHA MR/VISIT NO : 22090360 / 162019

RAJU

AGE/SEX : 49 Yrs / Male BILLED TIME : 10-09-2022 at 09:43 AM

REFERRED BY: BILL NO: 193491

REF CENTER : MEDIWHEEL DATE OF REPORT : 10-09-2022 at 02:34 PM

RADIOLOGY

USG REPORT - ABDOMEN AND PELVIS

OBSERVATION:

LIVER:

Liver is normal in size (15.7 cm) and shows mild diffuse increase in echotexture. No focal lesion is seen. Intrahepatic biliary radicles not dilated. Hepatic and portal veins are normal. CBD is normal.

GALL BLADDER:

Normal in distension. Lumen echo free. Wall thickness is normal.

PANCREAS:

Is obscured by bowel gas.

SPLEEN:

Normal in size (10.0 cm) with homogenous echotexture. No focal lesion seen.

RIGHT KIDNEY:

Right kidney measures 9.9×1.2 cm (Length x parenchymal thickness) with normal echo pattern and cortical thickness.

The shape, size and contour of the right kidney appear normal.

Cortical medullary differentiation is maintained.

No evidence of pelvicalyceal dilatation. No sonologically detectable calculi seen.

LEFT KIDNEY:

Left kidney measures $11.1 \times 1.6 \text{ cm}$ (Length x parenchymal thickness) with normal echo pattern and cortical thickness.

The shape, size and contour of the left kidney appear normal.

Cortical medullary differentiation is maintained.

No evidence of pelvicalyceal dilatation. No sonologically detectable calculi seen.

Dr. MOHAN S

MDRD
CONSULTANT RADIOLOGIST







Diagnostics & Speciality Centre

NAME : Mr. V NARASIMHA MR/VISIT NO : 22090360 / 162019

RAJU

AGE/SEX : 49 Yrs / Male BILLED TIME : 10-09-2022 at 09:43 AM

REFERRED BY: BILL NO: 193491

REF CENTER : MEDIWHEEL DATE OF REPORT : 10-09-2022 at 02:34 PM

URINARY BLADDER:

Is normal in contour. No intraluminal echoes are seen. No calculus or diverticulum is seen. Wall thickness appears normal.

PROSTATE:

Is enlarged in size (volume-30 cc) with normal echo pattern. No focal lesion is seen.

No evidence of free fluid in the pelvic or abdominal cavity.

IMPRESSION:

Dispatched by: Bindu

- Grade I fatty liver.
- · Grade I prostatomegaly.

**** End of Report ****

Printed by: Bindu on 10-09-2022 at 02:34 PM



Dr. MOHAN S

MDRD

CONSULTANT RADIOLOGIST







Diagnostics & Speciality Centre

NAME : **Mr. V NARASIMHA RAJU** MR NO. : 22090360 AGE/SEX : 49 Yrs / Male VISIT NO. : 162019

REFERRED BY: DATE OF COLLECTION: 10-09-2022 at 09:52 AM

DATE OF REPORT : 10-09-2022 at 02:17 PM

REF CENTER : MEDIWHEEL

TEST PARAMETER RESULT REFERENCE RANGE SPECIMEN

HAEMATOLOGY

COMPLETE BLOOD COUNT (CBC) WITH ESR

HAEMOGLOBIN 15.2 gm/dL 13 - 18 gm/dL Colorimetric Method

HEMATOCRIT (PCV) 44.8 % 40 - 54 %

Calculated

RED BLOOD CELL (RBC) COUNT 5.0 million/cu.mm 4.5 - 5.9 million/cu.mm

Electrical Impedance

PLATELET COUNT 2.7 Lakhs/cumm 1.5 - 4.5 Lakhs/cumm

Electrical Impedance

MEAN CELL VOLUME (MCV) 90.8 fl 80 - 100 fl

Calculated

MEAN CORPUSCULAR HEMOGLOBIN (MCH) 30.7 pg 26 - 34 pg

Calculated

MEAN CORPUSCULAR HEMOGLOBIN 33.9 % 31 - 35 %

CONCENTRATION (MCHC)

Calculated

TOTAL WBC COUNT (TC) 7930 cells/cumm 4000 - 11000 cells/cumm

Electrical Impedance

NEUTROPHILS 62 % 40 - 75 %

LYMPHOCYTES 29 % 25 - 40 %

VCS Technology/Microscopic
LYMPHOCYTES
VCS Technology/Microscopic

VCS Technology/Microscopic

DIFFERENTIAL COUNT

EOSINOPHILS 03 % 0 - 7 %

VCS Technology/Microscopic

MONOCYTES 06 % 1 - 8 %

BASOPHILS 00 %

Electrical Impedance

ESR 05 mm/hr 0 - 15 mm/hr

Westergren Method

BLOOD GROUP & Rh TYPING "A" Positive

Tube Agglutination (Forward and Reverse)

Kalledy, u.

MD

BIOCHEMIST

Dr. KRISHNA MURTHY Lab Seal

Dr. VAMSEEDHAR.A

D.C.P, M.D CONSULTANT PATHOLOGIST







Diagnostics & Speciality Centre

NAME Mr. V NARASIMHA RAJU MR NO.

22090360 VISIT NO.

AGE/SEX : 49 Yrs / Male 162019

REFERRED BY ·

DATE OF COLLECTION . 10-09-2022 at 09:52 AM

DATE OF REPORT

10-09-2022 at 02:17 PM

REF CENTER : MEDIWHEEL

TEST PARAMETER

RESULT

REFERENCE RANGE

SPECIMEN

GLYCATED HAEMOGLOBIN (HbA1C)

5.5 %

American Diabetic Association (ADA) recommendations:

Non diabetic adults: <5.7 %

At risk (Pre diabetic): 5.7 -6.4%

Diabetic: >/= 6.5%

Therapeutic goal for glycemic control:

Goal for therapy: < 7.0% Action suggested: > 8.0%

ESTIMATED AVERAGE GLUCOSE (eAG)

111.15 mg/dL

Comments:

Calculation

This assay is useful for diagnosing Diabetes and evaluating long term control of blood glucose concentrations in diabetic patients. It reflects the mean glucose concentration over the previous period of 8 to 12 weeks and is a better indicator of long term glycemic control as compared with blood and urine glucose measurements. This provides a additional criterion for assessing glucose control because glycated hemoglobin values are free of day-to-day glucose fluctuation and are unaffected by exercise or food ingestion.

After a sudden alteration in blood glucose concentration, the rate of change of HbA1c is rapid during initial 2 months, followed by more gradual change approaching steady state 3 months later.

CLINICAL BIOCHEMISTRY

POST PRANDIAL BLOOD SUGAR Hexokinase

107.3 mg/dl

80 - 150 mg/dl

Mlleon. u.

Dr. KRISHNA MURTHY MD

BIOCHEMIST

Lab Seal

Dr. VAMSEEDHAR.A

D.C.P. M.D CONSULTANT PATHOLOGIST







Diagnostics & Speciality Centre

NAME : **Mr. V NARASIMHA RAJU** MR NO. : 22090360 AGE/SEX : 49 Yrs / Male VISIT NO. : 162019

REFERRED BY: DATE OF COLLECTION: 10-09-2022 at 09:52 AM

DATE OF REPORT : 10-09-2022 at 02:17 PM

REF CENTER : MEDIWHEEL

| TEST PARAMETER | RESULT | REFERENCE RANGE | SPECIMEN |
|--|-------------------|------------------|----------|
| BLOOD UREA UREASE-GLUTAMATE DEHYDROGENASE (GLDH) | 16.6 mg/dL | 15 - 50 mg/dL | |
| CREATININE Jaffe Kinetic | 0.86 mg/dL | 0.4 - 1.4 mg/dL | |
| URIC ACID Uricase-Peroxidase | 5.3 mg/dL | 3 - 7.2 mg/dL | |
| SERUM ELECTROLYTES | | | |
| SODIUM Ion Selective Electrode (ISE) | 142 mmol/L | 136 - 145 mmol/L | |
| POTASSIUM Ion Selective Electrode (ISE) | 4.3 mmol/L | 3.5 - 5.2 mmol/L | |
| CHLORIDE Ion Selective Electrode (ISE) | 105 mmol/L | 97 - 111 mmol/L | |
| LIVER FUNCTION TEST (LFT) | | | |
| TOTAL BILIRUBIN Colorimetric Diazo Method | 0.58 mg/dL | 0.2 - 1.2 mg/dL | |
| DIRECT BILIRUBIN Colorimetric Diazo Method | 0.25 mg/dL | 0 - 0.4 mg/dL | |
| INDIRECT BILIRUBIN Calculation | 0.33 mg/dl | 0.2 - 0.8 mg/dl | |
| S G O T (AST) IFCC Without Pyridoxal Phosphates | 21.6 U/L | up to 35 U/L | |
| S G P T (ALT) IFCC Without Pyridoxal Phosphates | 21.0 U/L | up to 50 U/L | |
| ALKALINE PHOSPHATASE p-Nitrophenyl Phosphate | 104 U/L | 36 - 113 U/L | |
| SERUM GAMMA GLUTAMYLTRANSFERASE | 23.4 U/L | 15 - 85 U/L | |
| (GGT) GCNA-IFCC | | | |
| TOTAL PROTEIN Biuret Colorimetric | 7.34 g/dl | 6.2 - 8 g/dl | |
| S.ALBUMIN Bromocresol Green (BCG) | 3.72 g/dl | 3.5 - 5.2 g/dl | |
| S.GLOBULIN Calculation | 3.6 g/dl | 2.5 - 3.8 g/dl | |
| A/G RATIO Calculation | 1 | 1 - 1.5 | |
| CREATININE Jaffe Method | 0.86 mg/dL | 0.8 - 1.4 mg/dL | |

Collegy. u.

MD

Dr. KRISHNA MURTHY Lab Seal

A. Junedhay

Dr. VAMSEEDHAR.AD.C.P, M.D
CONSULTANT PATHOLOGIST







Diagnostics & Speciality Centre

NAME : Mr. V NARASIMHA RAJU MR NO. : 22090360

AGE/SEX : 49 Yrs / Male VISIT NO. : 162019

REFERRED BY: DATE OF COLLECTION: 10-09-2022 at 09:52 AM

DATE OF REPORT : 10-09-2022 at 02:17 PM

REF CENTER : MEDIWHEEL

TEST PARAMETER RESULT REFERENCE RANGE SPECIMEN

LIPID PROFILE TEST

TOTAL CHOLESTEROL 140 mg/dL up to 200 mg/dL

Cholesterol Oxidase-Peroxidase (CHOD-POD)

Border Line: 200 – 240 mg/dL

High: > 240 mg/dL

TRIGLYCERIDES 96.9 mg/dL up to 150 mg/dL

Glycerol Peroxidase (GPO-POD)

Desirable: <150 mg/dL Border Line: 150 – 200 mg/dL High: >200 – 500 mg/dL Very High: > 500 mg/dL

HDL CHOLESTEROL - DIRECT 40.6 mg/dl 40 - 60 mg/dl

PEG-Cholesterol Esterase

>/= 60mg/dL - Excellent (protects against heart disease)
40-59 mg/dL - Higher the better
<40 mg/dL - Lower than desired (major risk for heart disease)

LDL CHOLESTEROL - DIRECT 80.0 mg/dL up to 100 mg/dL

Cholesterol Esterase-Cholesterol Oxidase

100-129 mg/dL- Near optimal/above

optimal

. 130-159 mg/dL- Borderline High 160-189 mg/dL- High 190->190 mg/dL - Very High

VLDL CHOLESTEROL 19.4 mg/dL 2 - 30 mg/dL

Calculation

TOTAL CHOLESTROL/HDL RATIO 3.4 up to 3.5

Calculation

.4 up to 3.5 3.5-5.0 - Modera

3.5-5.0 - Moderate >5.0 - High

LDL/HDL RATIO 2.0 up to 2.5

Calculation

2.5-3.3 - Moderate >3.3 - High

FASTING BLOOD SUGAR 116.8 mg/dl 70 - 110 mg/dl

Hexokinase

Collegy. u.

MD

BIOCHEMIST

Dr. KRISHNA MURTHY Lab Seal

A. Amerida

Dr. VAMSEEDHAR.A D.C.P, M.D

CONSULTANT PATHOLOGIST







Diagnostics & Speciality Centre

NAME : **Mr. V NARASIMHA RAJU** MR NO. : 22090360 AGE/SEX : 49 Yrs / Male VISIT NO. : 162019

REFERRED BY: DATE OF COLLECTION: 10-09-2022 at 09:52 AM

DATE OF REPORT : 10-09-2022 at 02:17 PM

REF CENTER : MEDIWHEEL

TEST PARAMETER RESULT REFERENCE RANGE SPECIMEN

CLINICAL PATHOLOGY

URINE ROUTINE & MICROSCOPIC PHYSICAL EXAMINATION

| Colour Visual Method | Pale Yellow | Pale yellow- yellow |
|--------------------------------|-------------|---------------------|
| Appearance Visual Method | Clear | Clear/Transparent |
| Specific Gravity Strips Method | 1.010 | 1.005-1.035 |
| pH | 6.5 | 4.6-8.5 |

CHEMICAL EXAMINATION (DIPSTICK)

| Protein Nil Nil -Trace |
|------------------------|
|------------------------|

| Glucose | Nil | Nil |
|---------------|-----|-----|
| String Mothod | | |

| Strips Wethou | | |
|--------------------------------|----------|----------|
| Blood Strips Method | Negative | Negative |
| Ketone Bodies Strips Method | Absent | Negative |
| Urobilinogen Strips Method | Normal | Normal |
| Bile Salt Strips Method | Negative | Negative |
| Bilirubin | Negative | Negative |

Strips Method

Bile Pigments Negative NIL

MICROSCOPY

Strips Method

| Pus Cells (WBC) Light Microscopic | 4 - 5 /hpf | 0-5/hpf |
|------------------------------------|---------------|---------|
| Epithelial Cells Light Microscopic | 1 - 2 /hpf | 0-4/hpf |
| RBC Light Microscopic | Not Seen /hpf | 0-2/hpf |
| Cast Light Microscopic | NIL | NIL |
| Cravatal | NIII | Nil |

Crystal NIL Nil Light Microscopic

FASTING URINE SUGAR (FUS) NIL NIL

Collegy. u.

MD

Dr. KRISHNA MURTHY Lab Seal

Dr. VAMSEEDHAR.A

D.C.P, M.D CONSULTANT PATHOLOGIST







Diagnostics & Speciality Centre

NAME : **Mr. V NARASIMHA RAJU** MR NO. : 22090360 AGE/SEX : 49 Yrs / Male VISIT NO. : 162019

REFERRED BY: DATE OF COLLECTION: 10-09-2022 at 09:52 AM

DATE OF REPORT : 10-09-2022 at 02:17 PM

REF CENTER : MEDIWHEEL

TEST PARAMETER RESULT REFERENCE RANGE SPECIMEN

POSTPRANDIAL URINE SUGAR NIL NIL

IMMUNOASSAY

PROSTATIC SPECIFIC ANTIGEN (PSA)

PROSTATIC SPECIFIC ANTIGEN (PSA) 0.79 ng/mL UF

Up to 4ng/mL: Normal 4-10 ng/mL Hypertrophy & benign genito urinary conditions. >10 ng/mL Suspicious of malignancy.

PSA is used for monitoring patients with a history of prostate cancer and as an early indicator of recurrence and response to treatment. The test is commonly used for Prostate cancer screening.

Collegy, u.

MD BIOCHEMIST

Dr. KRISHNA MURTHY Lab Seal

Dr. VAMSEEDHAR.A

D.C.P, M.D CONSULTANT PATHOLOGIST







Diagnostics & Speciality Centre

NAME : **Mr. V NARASIMHA RAJU** MR NO. : 22090360 AGE/SEX : 49 Yrs / Male VISIT NO. : 162019

REFERRED BY: DATE OF COLLECTION: 10-09-2022 at 09:52 AM

DATE OF REPORT : 10-09-2022 at 02:17 PM

REF CENTER : MEDIWHEEL

| TEST PARAMETER | RESULT | REFERENCE RANGE | SPECIMEN |
|-----------------------------------|--------------|----------------------------|----------|
| THYROID PROFILE | | | |
| TOTAL TRIIODOTHYRONINE (T3) | 1.42 ng/mL | 0.87 - 1.78 ng/mL | |
| TOTAL THYROXINE (T4) | 9.61 μg/dL | 6.09 - 12.23 µg/dL | |
| THYROID STIMULATING HORMONE (TSH) | 1.627 µIU/mL | 0.38 - 5.33 μlU/mL | |
| CMIA | | 1st Trimester: 0.05 - 3.70 | |
| | | 2nd Trimester: 0.31 – 4.35 | |
| | | 3rd Trimester: 0.41 – 5.18 | |

Note:

- TSH levels are subject to circadian variation, reaching peak levels between 2 4.a.m. and at a minimum between 6-10 pm. The variation is of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations.
- Recommended test for T3 and T4 is unbound fraction or free levels as it is metabolically active.
- Physiological rise in Total T3 / T4 levels is seen in pregnancy and in patients on steroid therapy.

Clinical Use:

- Primary Hypothyroidism
- Hyperthyroidism
- Hypothalamic Pituitary hypothyroidism
- Inappropriate TSH secretion
- Nonthyroidal illness
- Autoimmune thyroid disease
- Pregnancy associated thyroid disorders
- Thyroid dysfunction in infancy and early childhood

Dispatched by: Sumalatha

**** End of Report ****

Printed by: Sumalatha on 10-09-2022 at 02:17 PM





Dr. KRISHNA MURTHY

BIOCHEMIST

Lab Seal

Dr. VAMSEEDHAR.A

D.C.P, M.D CONSULTANT PATHOLOGIST







Diagnostics & Speciality Centre

NAME : Mr. V NARASIMHA MR/VISIT NO : 22090360 / 162019

RAJU

AGE/SEX : 49 Yrs / Male BILLED TIME : 10-09-2022 at 09:43 AM

REFERRED BY: BILL NO: 193491

REF CENTER : MEDIWHEEL DATE OF REPORT : 10-09-2022 at 02:32 PM

RADIOLOGY

X-RAY CHEST PA VIEW

OBSERVATIONS:

The lung fields are clear bilaterally.

CP angles are clear.

Both the hila appear normal.

Cardiac diameter is within normal limits.

Tracheal is mid line.

Visible bony thoracic cage is normal.

Adjacent soft tissues appear normal.

IMPRESSION:

No significant abnormality in the visualized lung fields.

Dispatched by: Bindu

**** End of Report ****

Printed by: Bindu on 10-09-2022 at 02:32 PM



Dr. MOHAN S

MDRD

CONSULTANT RADIOLOGIST