



m s choudary <adarshdiagnostics@gmail.com>

Health Check up Booking Confirmed Request(bobE33763),Package Code-PKG10000227, Beneficiary Code-44076

1 message

Mediwheel <wellness@mediwheel.in>
To: adarshdiagnostics@gmail.com
Cc: customercare@mediwheel.in

Fri, Mar 17, 2023 at 2:33 PM



Mediwheel
...Your wellness partner

**011-41195959****Email:wellness@mediwheel.in**

Hi **Adarsh diagnostic center** ,

Diagnostic/Hospital Location :**Sri Ranga Heights 29-3-23 Venkateswara Rao St Opposite Road B.V. Palace Venkateswara Rao Street Governor Peta Vijayawada ,City:Vijayawada**

We have received the confirmation for the following booking .

Beneficiary Name : PKG10000227

Beneficiary Name : MR. SAMPATH VALLURI SAI

Member Age : 28

Member Gender : Male

Member Relation : Employee

Package Name : Medi-wheel Full Body Health Checkup Male Below 40

Location : KAVALI,Andhra Pradesh-524201

Contact Details : 8019473495

Booking Date : 16-03-2023

Appointment Date : 19-03-2023

Instructions to undergo Health Check:

1. Please ensure you are on complete fasting for 10-To-12-Hours prior to check.
2. During fasting time do not take any kind of medication, alcohol, cigarettes, tobacco or any other liquids (except Water) in the morning.
3. Bring urine sample in a container if possible (containers are available at the Health Check centre).
4. Please bring all your medical prescriptions and previous health medical records with you.
5. Kindly inform the health check reception in case if you have a history of diabetes and cardiac problems.

For Women:

1. Pregnant Women or those suspecting are advised not to undergo any X-Ray test.
2. It is advisable not to undergo any Health Check during menstrual cycle.

We request you to facilitate the employee on priority.

© 2021-2022, Arcofemi Healthcare Limited.

భారత ప్రభుత్వం
Government of India

వల్లూరి సాయినిధులర్
VALLURI SAISAMPATH

దండ్రి : వల్లూరి రామారావు
Father : VALLURI RAMARAO

పుట్టిన నామతర్కం / Year of Birth: 1992
పురుషుడు / Male

6874 6143 8447

ఆధార్ - సామాన్యని హక్కు

V. Saisampath

M. S. Choudary

M.S. CHOUDARY, MBBS, D.L.O, M.D.
Registered No: 9747 (A.P. Med. Council),
MAGANTI CLINIC, ADARSH DIAGNOSTICS
D.No: 29-3-23, Flat No: 102
Sri Ranga Heights, Ground Floor
Kaleswara Rao Road, Governorpet
VIJAYAWADA-520 002. Ph: 66646

CERTIFICATE OF MEDICAL FITNESS

This is to certify that I have conducted the clinical examination

of V. SAI SANDIPATH 30 on 19/3/23

After reviewing the medical history and on clinical examination it has been found that he/she is

	Tick
<input checked="" type="checkbox"/> Medically Fit	✓
<input type="checkbox"/> Fit with restrictions/recommendations Though following restrictions have been revealed, in my opinion, these are not impediments to the job. 1..... 2..... 3..... However the employee should follow the advice/medication that has been communicated to him/her. Review after _____	
<input type="checkbox"/> Currently Unfit. Review after _____ recommended	
<input type="checkbox"/> Unfit	

V. Sandeep

Dr. M. Choudary
 Medical Officer
 The Apollo Clinic, (Location)

This certificate is not meant for medico-legal purposes

M.S. CHOUDARY, MBBS, D.L.O, M.D.
 Registered No: 9747 (A.P. Med. Council),
 MAGANTI CLINIC, ADARSH DIAGNOSTICS
 D.No: 29-3-23, Flat No: 102
 Sri Ranga Heights, Ground Floor
 Kaleswara Rao Road, Governorpet
 VIJAYAWADA-520 002. Ph: 66646


MER- MEDICAL EXAMINATION REPORT

Date of Examination	19/3/23		
NAME	V. SAI SAMPATH		SON
AGE	30	Gender	MALE
HEIGHT(cm)	164	WEIGHT (kg)	81
B.P.	114/80		
EKG	NORMAL		
X Ray	NORMAL		
Vision Checkup	NORMAL — $\frac{6}{6}$, N-color vision		
Present Ailments	NIL		
Details of Past ailments (If Any)	NIL, Except H1D tonsillectomy — 11 years ago		
Comments / Advice: She / He is Physically Fit	FIT		
Good HEALTH			

V. S. Sampath

M. S. Choudary

Signature with Stamp of Medical Examiner
M.S. CHOUDARY, MBBS, DLO, MS.
 Registered No: 9747 (A.P. Med. Council),
 MAGANTI CLINIC, ADARSH DIAGNOSTICS
 D.No: 29-3-23, Flat No: 102
 Sri Ranga Heights, Ground Floor
 Kaleawara Rao Road, Governorpet
 VIJAYAWADA-520 002. Ph: 66646



ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,
Ground Floor, Kaleswara Rao Road, Governorpet,
VIJAYAWADA - 520 002. © (0866) 6664639, Fax : 2431916

BOB

Name of the life to be Assured:-V.SAI SAMPATH Age:-30/M

BLOOD EXAMINATION REPORT

FASTING BLOOD SUGAR(FBS):	82 mg%	(N.VALUE:60 – 100 mg%)
POST PRANDRLAL BLOOD SUGAR:	136 mg%	(N.VALUE:60-150 mg%)
S.CHOLESTEROL	: 188 mg%	(N.VALUE:130 – 250 mg%)
S.TRIGLY CERIDES	: 140 mg%	(N.VALUE:UP TO 175 mg%)
HDL	: 47.6 mg%	(N.VALUE:35 – 55 mg%)
V L D L	: 28.0 mg%	(N.VALUE: UP TO 30 mg%)
LDL	: 110.4	(N.VALUE:UP TO 150 mg%)
UREA	: 28 mg%	(N.VALUE:10 – 50 mg%)
BUN	: 15 mg%	(N.VALUE:08 – 20 mg%)
S.CREATININE	: 0.9 mg%	(N.VALUE:0.5 – 1.6 mg%)
S.PROTEINS	: 7.2 gms%	(N.VALUE:6.0 – 8.0 gms%)
ALBUMIN	: 4.4 gms%	(N.VALUE:3.5 – 5.6 gms%)
GLOBULIN	: 2.8 gms%	(N.VALUE:2.0 – 3.6 gms%)
A.G. RATIO	: 1.57	
S.URIC ACID	: 5.4 mg%	(N.VALUE:2.5 – 7.0 mg%)
S.BILIRUBIN	: 0.8 mg%	(N.VALUE: 0.2 – 1.2 mg%)
DIRECT BILIRUBIN	: 0.1 mg%	(N.VALUE:0.0 – 0.2 mg%)
INDIRECT BILIRUBIN	: 0.7 mg%	
S G O T	: 24 IU/ML	(N.VALUE:8 – 35 IU/ML)
S G P T	: 29 IU/ML	(N.VALUE:13 – 40 IU/ML)
S.ALKLINE PHOSPHATESE	: 8.2 KA UNITES	(N.VALUE:4 – 11 KA UNITES)
GGTP	: 14 IU/ML	(N.VALUE:4 – 24 IU/ML)
Hbs Ag	: NEGATIVE(-VE)	


Dated at Vijayawada on the 19TH day of MARCH 2023

(Pathologist/Dr. Incharge)

ADARSH DIAGNOSTICS

D.No: 29-3-23, Flat No: 102
SRI RANGA HEIGHTS, GROUND FLOOR
Kaleswara Rao Road, Governorpet
VIJAYAWADA-520 002. Ph: 6664639

X-RAY, ECG, E.E.G. PATHOLOGICAL, SEROLOGICAL, BIO-CHEMICAL, IMMUNOASSAY, BLOOD BANK,
TREAD- MILL STRESS TEST : ULTRA SOUND SCAN WITH 2-D ECHO CARDIOGRAPHY, HOLTER RECORD,
AUDIOMETRY AND 24 HOURS AMBULANCE, ENDOSCOPY



ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,
Ground Floor, Kaleswara Rao Road, Governorpet,
VIJAYAWADA - 520 002. © (0866) 6664639, Fax : 2431916

BOB

Name of the life to be Assured:-V.SAI SAMPATH Age:-30/M

URINE EXAMINATION REPORT

MACROSCOPY

QUANTITY	:	8.5ML
APPEARANCE	:	CLEAR
COLOUR	:	PALE YELLOW
SP GRAVITY	:	1.018
REACTION	:	ACIDIC

CHEMICAL

BILE SALTS	:	NEGATIVE(-VE)
BILE PIGEMENTS	:	NEGATIVE(-VE)
UROBILINOGEN	:	NORMAL
ACETONE	:	NEGATIVE(-VE)
OCCULT BLOOD	:	NEGATIVE(-VE)
ALBUMIN	:	NIL
URINE SUGAR	:	NIL

MICRO

R B C	:	NIL
CAST	:	NIL
PUS CELLS	:	2-3/HPF
E P CELLS	:	NIL
CRYSTALS	:	NIL
BACTERIA	:	NIL

Dated at Vijayawada on the 19TH day of MARCH 2023



(Pathologist/Dr.Incharge)

ADARSH DIAGNOSTICS

D.No: 29-3-23, Flat No: 102
SRI RANGA HEIGHTS, GROUND FLOOR

Kaleswara Rao Road, Governorpet,
VIJAYAWADA - 520 002. © (0866) 6664639, Fax : 2431916

X-RAY, ECG, E.E.G. PATHOLOGICAL, SEROLOGICAL, BIO-CHEMICAL, IMMUNOASSAY, BLOOD BANK,
TREAD- MILL STRESS TEST : ULTRA SOUND SCAN WITH 2-D ECHO CARDIOGRAPHY, HOLTER RECORD,
AUDIOMETRY AND 24 HOURS AMBULANCE, ENDOSCOPY



ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,
Ground Floor, Kaleswara Rao Road, Governorpet,
VIJAYAWADA - 520 002. © (0866) 6664639, Fax : 2431916

BOB

Name of the life to be Assured:-V.SAI SAMPATH Age:-30/M

BLOOD EXAMINATION REPORT

CBC

TEST	RESULT	NORMAL RANGE
HAEMOGLOBIN(HGB)	: 14.2 gm%	(12.0 – 16.0 g/100ml)
P C V (HAEMATOCRIT)	: 42.6 gm%	(36 - 48 %)
MCV	: 89.08 CU.MM	(76 - 92 CU MM)
MCH	: 30.05 MM.G	(27 - 32 MM G)
MCHC	: 32.3 %	(30 - 35 %)
RDW	: NORMAL	
M P V	: NORMAL	
INDICES	: NORMAL	
T R B C	: 4.73 miil/cumm	(3.9 – 6.5miil/cumm)
PLATELET COUNT	: 2.4 lakhs/c.mm	(1.5 - 4.0 lakhs/c.mm)
T W B C	: 8,100 cells/cumm	(4,000-10,000cells/cumm)
DIFFERENTIAL COUNT		
NEUTROPHILS	: 60 %	(40 - 74 %)
LYMPHOCYTES	: 31 %	(20 - 45%)
EOSINOPHILS	: 05 %	(2 - 06 %)
MONOCYTES	: ---	(00 - 02 %)
BASOPHILS	: ---	(< 1%)
E S R	: 14 mm/ 1st hour	(02 - 12mm/1 st hour)
GROUP	: "A"	
RH TYPE	: POSITIVE(+VE)	

Dated at Vijayawada on the 19TH day of MARCH 2023

(Pathologist/Dr.Incharge)

ADARSH DIAGNOSTICS

D.No: 29-3-23 Flat No: 102
SRI RANGA HEIGHTS, GROUND FLOOR
Kaleswara Rao Road, Governorpet
VIJAYAWADA-520 002. Ph: 6664639

X-RAY, ECG, E.E.G. PATHOLOGICAL, SEROLOGICAL, BIO-CHEMICAL, IMMUNOASSAY, BLOOD BANK,
TREAD- MILL STRESS TEST : ULTRA SOUND SCAN WITH 2-D ECHO CARDIOGRAPHY, HOLTER RECORD,
AUDIOMETRY AND 24 HOURS AMBULANCE, ENDOSCOPY



ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,
Ground Floor, Kaleswara Rao Road, Governorpet,
VIJAYAWADA - 520 002. © (0866) 6664639, Fax : 2431916

BOB

Name of the life to be Assured:-V.SAI SAMPATH Age:-30/M

BLOOD EXAMINATION REPORT

GLYCOSYLATED HEMOGLOBIN TEST : *HbA1c*
(MEAN BLOOD GLUCOSE LEVEL FOR THE LAST 2 MONTHS)

RESULT : 5.4 %

IMPRESSION : NON DIABETIC

INTERPRETATION OF TEST :

<i>HbA1c</i>		<i>%OF GLUCOSE CONTROL</i>
>10 %	:	POOR
9% - 10 %	:	FAIR
8% - 9%	:	GOOD
7% - 8%	:	CONTROL
6% - 7 %	:	NEAR NORMAL
<6	:	NON DIABETIC

Dated at Vijayawada on the 19TH day of MARCH 2023

Mee
(Pathologist/DR.Incharge)

ADARSH DIAGNOSTICS

D.No: 29-3-23, Flat No: 102
SRI RANGA HEIGHTS, GROUND FLOOR
Kaleswara Rao Road, Governorpet
VIJAYAWADA-520 002. Ph: 6664639

X-RAY, ECG, E.E.G. PATHOLOGICAL, SEROLOGICAL, BIO-CHEMICAL, IMMUNOASSAY, BLOOD BANK,
TREAD- MILL STRESS TEST : ULTRA SOUND SCAN WITH 2-D ECHO CARDIOGRAPHY, HOLTER RECORD,
AUDIOMETRY AND 24 HOURS AMBULANCE, ENDOSCOPY



ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,
Ground Floor, Kaleswara Rao Road, Governorpet,
VIJAYAWADA - 520 002. © (0866) 6664639, Fax : 2431916

BOB

Name of the life to be Assured:-V.SAI SAMPATH Age:-30/M

BLOOD EXAMINATION REPORT

T3	:	172 ng/dl
(N.VALUE	:	70 – 204 ng/dl)
T4	:	8.3 ug/dl
(N.VALUE	:	5.5 -11.0ug/dl)
THYROID STIMULATING HORMONE TSH	:	4.0 uIU/ml
(N.VALUE	:	0.35-5.50 uIU/ml)

Dated at Vijayawada on the 19TH day of MARCH 2023


(Pathologist/Dr.Incharge)

ADARSH DIAGNOSTICS

D.No: 29-3-23, Flat No: 102
SRI RANGA HEIGHTS, GROUND FLOOR
Kaleswara Rao Road, Governorpet
VIJAYAWADA-520 002. Ph: 6664639



ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,
Ground Floor, Kaleswara Rao Road, Governorpet,
VIJAYAWADA - 520 002. © (0866) 6664639, Fax : 2431916

BOB

Name of the life to be Assured:- V.SAI SAMPATH Age:- 30/M

ECG REPORT

RATE : **74 bpm**
RHYTHM : **SINUS**
P : **NORMAL**
P R INTERVAL : **126 ms**
Q R S INTERVAL : **84 ms**
S T SEGEMENT : **ISO ELECTRIC**
T WAVES : **NORMAL**
Q WAVES : **NIL**
HYPERTRPHY : **NO**
Q T : **369 ms**
Q R S AXIS : **14 Deg**
IMPRESSION : **NORMAL ECG**

Dated at Vijayawada on the 18th day of march 2023

CONSULTANT CARDIOLOGIST
Dr. MAGANTI S.V.R.K.V. PRASAD
M.B,B.S;PGDHS;DC(CARDIOLOGY)
Regd.No:14417 (M.P.D.COUNCIL)
CONSULTANT CARDIOLOGIST
MAGANTI CLINIC
VIJAYAWADA.


Rate 74 . Sinus rhythm.....normal P axis, V-rate 50-99
 PR 126 . Low voltage, precordial leads.....precordial leads <1.0mV
 QRS 84 . Borderline T abnormalities, inferior leads.....T flat/neg, II III aVF
 QT 369
 QTc 410

--AXIS--
 P 53
 QRS 14
 T -19

12 Lead, Standard Placement

V. S. Sampath

- BORDERLINE ECG -
 Requested by: BOB
 Unconfirmed Diagnosis



Dr. MAGANTI S. Y. R. K. V. PRASAD
 M.B.B.S, PGDHS, (CARDIOLOGY)
 Regd.No:144141 (M.D. COUNCIL)
 CONSULTANT CARDIOLOGIST
 MAGANTI CLINIC
 VIJAYAWADA.

FLAT T
[Handwritten signature]

Device: Speed: 25 mm/sec Limb: 10 mm/mV Chest: 10.0 mm/mV
 F 60~ 0.15-100 Hz PH100B CL P?

PHILIPS

SCANDENAVIA



ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,
Ground Floor, Kaleswara Rao Road, Governorpet,
VIJAYAWADA - 520 002. © (0866) 6664639, Fax : 2431916

BOB

Name of the life to be Assured:- V.SAI SAMPATH Age:-30/M

X-RAY CHEST AP VIEW

CARDIAC SIZE IS NORMAL.

LUNG FIELDS ARE CLEAR

BOTH HILA ARE NORMAL

C.P ANGLES ARE CLEAR

NO BONY LESION

IMPRESSION: NORMAL STUDY

Dated at Vijayawada on the 18th day of MARCH 2023


CONSULTANT RADIOLOGIST/Dr. Incharge

DR. G. PRASADA RAO

MBBS, DMRD

Rg. No: 17266

Consulting Radiologist



ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,
Ground Floor, Kaleswara Rao Road, Governorpet,
VIJAYAWADA - 520 002. © (0866) 6664639, Fax : 2431916


BOB

Name of the life to be Assured: V.SAI SAMPATH Age:-30/M





2 - D ECHOCARDIOGRAPHY


AORTA : 3.0 CM LEFT ATRIUM: 3.5 CMS
LEFT VENTRICLE : 5.0 X 3.0 CM VS. 1.2 CM LVPW : 1.4 CMS
LVEF: 64%
MITRAL VALVE : NORMAL
AORTIC VALVE : NORMAL
TRICUSPID VALVE : NORMAL
PULMONARY VALVE : NORMAL
RIGHT ATRIUM : NORMAL
RIGHT VENTRICLE : NORMAL
PULMONARY ARTERY : NORMAL
PERICARDIUM : NORMAL
IAS : INTACT
IVS : INTACT
OTHERS : NIL
DOPPLER STUDY : MV : E < A / NO TR
AJV : 1.2M/SEC PJV : 1.3M/SEC
IMPRESSION : NO RWMA
GOOD LV FUNCTION (EF : 64%)
NORMAL SIZED CHAMBERS.

Dated at Vijayawada on the 19th day of MARCH 2023


CONSULTANT CARDIOLOGIST
Dr. MAGANTI S.V.R.K.V. PRASAD
M.B.B.S; PGDHS; DC(CARDIOLOGY)
Regd. No: 14400 (M.C.C.C. COUNCIL)
CONSULTANT CARDIOLOGIST
MAGANTI CLINIC
VIJAYAWADA.

X-RAY, ECG, E.E.G. PATHOLOGICAL, SEROLOGICAL, BIO-CHEMICAL, IMMUNOASSAY, BLOOD BANK,
TREAD- MILL STRESS TEST : ULTRA SOUND SCAN WITH 2-D ECHO CARDIOGRAPHY, HOLTHER RECORD,
AUDIOMETRY AND 24 HOURS AMBULANCE, ENDOSCOPY





ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,
Ground Floor, Kaleswara Rao Road, Governorpet,
VIJAYAWADA - 520 002. © (0866) 6664639, Fax : 2431916

BOB

PATIENT NAME: V.SI SAMPATH

DATE:19/03/2023

REF. Dr. :

AGE:30 ; SEX:M

ULTRASONOGRAM OF TOTAL ABDOMEN

LIVER	:	NORMAL IN SIZE WITH HOMOGENOUS PARENCHYMAL ECHOTEXTURE. NO MASS OR CYST IN LIVER.NO DILATATION OF INTRA HEPATIC BILIARY RADICLES.
GALL BLADDER	:	NORMAL. NO CALCULI. NO MASS LESION DISTENDED
PANCREAS	:	NORMAL. NO CALCULI. NO MASS LESION.
C B D	:	NORMAL. NO CALCULI.
PORTAL VEIN	:	NORMAL MEASURES 09 MM.
SPLEEN	:	NORMAL WITH HOMOGENOUS PARENCHYMAL ECHOTEXTURE MEASURED 98 MM.
DIAPHRAGM	:	BOTH DOMES MOVING WELL WITH RESPIRATION. NO SUB DIAPHRAGMATIC PATHOLOGY.
RIGHT KIDNEY	:	SIZE 9.7 X 6.3 CMS. NORMAL IN SIZE AND ECHOPATTERN, C.M.D MAINTAINED. P.C.S.NORMAL, NO CALCULI NO HYDRONEPHROSIS. URETER NOT DILATED.
LEFT KIDNEY	:	SIZE 10.5X 5.2 CMS. NORMAL IN SIZE AND ECHOPATTERN.C.M.D.MAINTAINED. PCS NORMAL.NO CALCULI NO HYDRONEPHROSIS. URETER NOT DILATED.
URINARY BLADDER	:	NORMAL .NO CALCULI. NO MASS LESION.
PROSTATE	:	NORMAL IN SIZE AND ECHOTEXTURE .
OTHERS	:	NIL.
IMPRESSION	:	NORMAL STUDY. TO CORRELATE CLINICALLY.

Mee
RADIOLOGIST/Dr.Incharge

ADARSH DIAGNOSTICS

D.No: 29-3-23 Flat No: 102

SRI RANGA HEIGHTS - GROUND FLOOR

Kaleswara Rao Road, Governorpet

Vijayawada - 520 002. © (0866) 6664639

X-RAY, ECG, E.E.G. PATHOLOGICAL, SEROLOGICAL, BIO-CHEMICAL, IMMUNOASSAY, BLOOD BANK,
TREAD- MILL STRESS TEST : ULTRA SOUND SCAN WITH 2-D ECHO CARDIOGRAPHY, HOLTTER RECORD,
AUDIOMETRY AND 24 HOURS AMBULANCE, ENDOSCOPY

