PID No.
 : IND595083
 Register On
 : 25/03/2023 8:17 AM

 SID No.
 : 423017214
 Collection On
 : 25/03/2023 9:42 AM

 Age / Sex
 : 48 Year(s) / Male
 Report On
 : 25/03/2023 3:09 PM

 Type
 : OP
 Printed On
 : 27/03/2023 3:11 PM

Ref. Dr : MediWheel

Investigation	Observed Value	<u>Unit</u>	<u>Biological</u> Reference Interval
HAEMATOLOGY			
Complete Blood Count With - ESR			
Haemoglobin (EDTA Blood/Spectrophotometry)	16.3	g/dL	13.5 - 18.0
Packed Cell Volume(PCV)/Haematocrit (EDTA Blood)	49.0	%	42 - 52
RBC Count (EDTA Blood)	5.63	mill/cu.mm	4.7 - 6.0
Mean Corpuscular Volume(MCV) (EDTA Blood)	87.1	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (EDTA Blood)	28.9	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (EDTA Blood)	33.2	g/dL	32 - 36
RDW-CV (EDTA Blood)	12.6	%	11.5 - 16.0
RDW-SD (EDTA Blood)	38.41	fL	39 - 46
Total Leukocyte Count (TC) (EDTA Blood)	7000	cells/cu.mm	4000 - 11000
Neutrophils (EDTA Blood)	61.5	%	40 - 75
Lymphocytes (EDTA Blood)	27.8	%	20 - 45
Eosinophils (EDTA Blood)	2.9	%	01 - 06
Monocytes (EDTA Blood)	7.1	%	01 - 10





 PID No.
 : IND595083
 Register On
 : 25/03/2023 8:17 AM

 SID No.
 : 423017214
 Collection On
 : 25/03/2023 9:42 AM

 Age / Sex
 : 48 Year(s) / Male
 Report On
 : 25/03/2023 3:09 PM

 Type
 : OP
 Printed On
 : 27/03/2023 3:11 PM

Ref. Dr : MediWheel

Investigation	<u>Observed</u> <u>Unit</u> <u>Value</u>		<u>Biological</u> <u>Reference Interval</u>
Basophils (Blood)	0.7	%	00 - 02
INTERPRETATION: Tests done on Automated Five	Part cell counter. All	abnormal results ar	e reviewed and confirmed microscopically.
Absolute Neutrophil count (EDTA Blood)	4.30	10^3 / μl	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood)	1.95	10^3 / μl	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood)	0.20	10^3 / μl	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood)	0.50	10^3 / μl	< 1.0
Absolute Basophil count (EDTA Blood)	0.05	10^3 / μl	< 0.2
Platelet Count (EDTA Blood)	277	10^3 / μl	150 - 450
MPV (EDTA Blood)	6.9	fL	7.9 - 13.7
PCT (EDTA Blood/Automated Blood cell Counter)	0.19	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Citrated Blood)	3	mm/hr	< 15





 PID No.
 : IND595083
 Register On
 : 25/03/2023 8:17 AM

 SID No.
 : 423017214
 Collection On
 : 25/03/2023 9:42 AM

 Age / Sex
 : 48 Year(s) / Male
 Report On
 : 25/03/2023 3:09 PM

 Type
 : OP
 Printed On
 : 27/03/2023 3:11 PM

Ref. Dr : MediWheel

Investigation BIOCHEMISTRY	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Liver Function Test			
Bilirubin(Total) (Serum/DCA with ATCS)	0.57	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.20	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.37	mg/dL	0.1 - 1.0
SGOT/AST (Aspartate Aminotransferase) (Serum/Modified IFCC)	36.00	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/Modified IFCC)	32.73	U/L	5 - 41
GGT(Gamma Glutamyl Transpeptidase) (Serum/IFCC / Kinetic)	45.45	U/L	< 55
Alkaline Phosphatase (SAP) (Serum/Modified IFCC)	101.2	U/L	53 - 128
Total Protein (Serum/Biuret)	7.25	gm/dl	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.12	gm/dl	3.5 - 5.2
Globulin (Serum/Derived)	3.13	gm/dL	2.3 - 3.6
A : G RATIO (Serum/ <i>Derived</i>)	1.32		1.1 - 2.2





 PID No.
 : IND595083
 Register On
 : 25/03/2023 8:17 AM

 SID No.
 : 423017214
 Collection On
 : 25/03/2023 9:42 AM

 Age / Sex
 : 48 Year(s) / Male
 Report On
 : 25/03/2023 3:09 PM

 Type
 : OP
 Printed On
 : 27/03/2023 3:11 PM

Ref. Dr : MediWheel

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
<u>Lipid Profile</u>			
Cholesterol Total (Serum/CHOD-PAP with ATCS)	155.90	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/GPO-PAP with ATCS)	247.75	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

INTERPRETATION: The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the õusualö"circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immunoinhibition)	35.02	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 40 - 59 High Risk: < 40
LDL Cholesterol (Serum/Calculated)	71.3	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL Cholesterol (Serum/Calculated)	49.6	mg/dL	< 30
Non HDL Cholesterol (Serum/Calculated)	120.9	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220

INTERPRETATION: 1. Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol. 2. It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.





APPROVED BY

 PID No.
 : IND595083
 Register On
 : 25/03/2023 8:17 AM

 SID No.
 : 423017214
 Collection On
 : 25/03/2023 9:42 AM

 Age / Sex
 : 48 Year(s) / Male
 Report On
 : 25/03/2023 3:09 PM

 Type
 : OP
 Printed On
 : 27/03/2023 3:11 PM

Ref. Dr : MediWheel

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Total Cholesterol/HDL Cholesterol Ratio (Serum/Calculated)	4.5		Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/Calculated)	7.1		Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
LDL/HDL Cholesterol Ratio (Serum/Calculated)	2		Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0





APPROVED BY

 PID No.
 : IND595083
 Register On
 : 25/03/2023 8:17 AM

 SID No.
 : 423017214
 Collection On
 : 25/03/2023 9:42 AM

 Age / Sex
 : 48 Year(s) / Male
 Report On
 : 25/03/2023 3:09 PM

 Type
 : OP
 Printed On
 : 27/03/2023 3:11 PM

Ref. Dr : MediWheel

InvestigationObserved
ValueUnit
Reference Interval

Glycosylated Haemoglobin (HbA1c)

HbA1C **10.1** % Normal: 4.5 - 5.6

(Whole Blood/HPLC) Prediabetes: 5.7 - 6.4

Diabetic: \geq = 6.5

INTERPRETATION: If Diabetes - Good control: 6.1 - 7.0 %, Fair control: 7.1 - 8.0 %, Poor control >= 8.1 %

Estimated Average Glucose 243.17 mg/dL

(Whole Blood)

INTERPRETATION: Comments

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency,

hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbA1C values.

Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbAlc.





APPROVED BY

PID No. : IND595083 Register On : 25/03/2023 8:17 AM : 423017214 SID No. Collection On : 25/03/2023 9:42 AM Age / Sex : 48 Year(s) / Male Report On : 25/03/2023 3:09 PM **Type**

Printed On

Ref. Dr : MediWheel

: OP

<u>Investigation</u> Observed Unit <u>Biological</u> Value Reference Interval

: 27/03/2023 3:11 PM

IMMUNOASSAY

THYROID PROFILE / TFT

T3 (Triiodothyronine) - Total 1.36 0.7 - 2.04ng/ml

(Serum/ECLIA)

INTERPRETATION:

Comment:

Total T3 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T3 is recommended as it is Metabolically active.

T4 (Tyroxine) - Total 7.41 μg/dl 4.2 - 12.0

(Serum/ECLIA)

INTERPRETATION:

Comment:

Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active.

 $\mu IU/mL$ 0.35 - 5.50TSH (Thyroid Stimulating Hormone) 5.50

(Serum/ECLIA)

INTERPRETATION:

Reference range for cord blood - upto 20

1 st trimester: 0.1-2.5 2 nd trimester 0.2-3.0 3 rd trimester: 0.3-3.0

(Indian Thyroid Society Guidelines)

Comment:

- 1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI.
- 2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM. The variation can be of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations.
- 3. Values&lt,0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.





 PID No.
 : IND595083
 Register On
 : 25/03/2023 8:17 AM

 SID No.
 : 423017214
 Collection On
 : 25/03/2023 9:42 AM

 Age / Sex
 : 48 Year(s) / Male
 Report On
 : 25/03/2023 3:09 PM

 Type
 : OP
 Printed On
 : 27/03/2023 3:11 PM

Ref. Dr : MediWheel

InvestigationObservedUnitBiologicalValueReference Interval

CLINICAL PATHOLOGY

PHYSICAL EXAMINATION (URINE COMPLETE)

Colour Pale yellow Yellow to Amber

(Urine)

Appearance Clear Clear

(Urine)

Volume(CLU) 25

(Urine)

CHEMICAL EXAMINATION (URINE

COMPLETE)

pH 5.5 4.5 - 8.0

(Urine)

Specific Gravity 1.007 1.002 - 1.035

(Urine)

Ketone Negative Negative

(Urine)

Urobilinogen Normal Normal

(Urine)

Blood Negative Negative

(Urine)

Nitrite Negative Negative

(Urine)

Bilirubin Negative Negative

(Urine)

Protein Negative Negative

(Urine)

Glucose **Positive**(++) Negative

(Urine/GOD - POD)





 PID No.
 : IND595083
 Register On
 : 25/03/2023 8:17 AM

 SID No.
 : 423017214
 Collection On
 : 25/03/2023 9:42 AM

 Age / Sex
 : 48 Year(s) / Male
 Report On
 : 25/03/2023 3:09 PM

 Type
 : OP
 Printed On
 : 27/03/2023 3:11 PM

Ref. Dr : MediWheel

(Urine)

(Urine)

Crystals

Investigation	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Leukocytes(CP) (Urine)	Negative		
MICROSCOPIC EXAMINATION (URINE COMPLETE)			
Pus Cells (Urine)	0-1	/hpf	NIL
Epithelial Cells (Urine)	0-1	/hpf	NIL
RBCs (Urine)	NIL	/HPF	NIL
Others (Urine)	NIL		
INTERPRETATION: Note: Done with Automated Uri reviewed and confirmed microscopically.	ne Analyser & Auto	mated urine sedime	entation analyser. All abnormal reports are
Casts	NIL	/hpf	NIL



NIL

/hpf



NIL

 PID No.
 : IND595083
 Register On
 : 25/03/2023 8:17 AM

 SID No.
 : 423017214
 Collection On
 : 25/03/2023 9:42 AM

 Age / Sex
 : 48 Year(s) / Male
 Report On
 : 25/03/2023 3:09 PM

Printed On

Type : OP

Ref. Dr : MediWheel

InvestigationObservedUnitBiologicalValueReference Interval

: 27/03/2023 3:11 PM

IMMUNOHAEMATOLOGY

BLOOD GROUPING AND Rh TYPING

(EDTA Blood/Agglutination)

'O' 'Positive'





APPROVED BY

 PID No.
 : IND595083
 Register On
 : 25/03/2023 8:17 AM

 SID No.
 : 423017214
 Collection On
 : 25/03/2023 9:42 AM

 Age / Sex
 : 48 Year(s) / Male
 Report On
 : 25/03/2023 3:09 PM

 Type
 : OP
 Printed On
 : 27/03/2023 3:11 PM

Ref. Dr : MediWheel

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
BIOCHEMISTRY			
BUN / Creatinine Ratio	7.3		6.0 - 22.0
Glucose Fasting (FBS) (Plasma - F/GOD-PAP)	188.57	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose, Fasting (Urine) ++ Negative

(Urine - F/GOD - POD)

Glucose Postprandial (PPBS) 346.09 mg/dL 70 - 140

(Plasma - PP/GOD-PAP)

INTERPRETATION:

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Blood Urea Nitrogen (BUN) (Serum/Urease UV / derived)	6.7	mg/dL	7.0 - 21
Creatinine (Serum/Modified Jaffe)	0.91	mg/dL	0.9 - 1.3

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin ,cefazolin, ACE inhibitors ,angiotensin II receptor antagonists,N-acetylcyteine , chemotherapeutic agent such as flucytosine etc.

Uric Acid 3.59 mg/dL 3.5 - 7.2

(Serum/Enzymatic)





: 25/03/2023 8:17 AM PID No. : IND595083 Register On : 423017214 SID No. Collection On : 25/03/2023 9:42 AM Age / Sex : 48 Year(s) / Male Report On : 25/03/2023 3:09 PM **Type** : OP

Printed On

Ref. Dr : MediWheel

Investigation Observed Unit <u>Biological</u> **Value** Reference Interval

: 27/03/2023 3:11 PM

IMMUNOASSAY

Prostate specific antigen - Total(PSA) 1.99 ng/ml Normal: 0.0 - 4.0

(Serum/Manometric method)

Inflammatory & Non Malignant conditions of Prostate & genitourinary system: 4.01 - 10.0 Suspicious of Malignant disease of

Prostate: > 10.0

INTERPRETATION: Analytical sensitivity: 0.008 - 100 ng/mL

PSA is a tumor marker for screening of prostate cancer. Increased levels of PSA are associated with prostate cancer and benign conditions like bacterial infection, inflammation of prostate gland and benign hypertrophy of prostate/ benign prostatic hyperplasia (BPH).

Transient elevation of PSA levels are seen following digital rectal examination, rigorous physical activity like bicycle riding, ejaculation within

PSA levels tend to increase in all men as they age.

Clinical Utility of PSA:

ÉIn the early detection of Prostate cancer.

ÉAs an aid in discriminating between Prostate cancer and Benign Prostatic disease.

ÉTo detect cancer recurrence or disease progression.



Sr.Consultant Pathologist Reg No: 100674

APPROVED BY

-- End of Report --



SRI PARVATHI OPTICS

Multi Branded Opticals Store

Computerized Eye Testing & Spectacles Clinic

333.8th Main 5th Cross Near Cambridge & Miranda School HAL 3rd Stage Behind Vishveshvariah Park New Thippasandra, Bangalore - 560075, Email: parvathiopticals@gmail.com / www.sriparvathioptics.in

SPECTACLE PRESCRIPTION

	10	
Mama:	Ramest	2
Name.	12 COMES	

No. 2631

Mobil No:

Date: 95/03/23

Age / Gender #84/M

Ref. No.

	RIGHT EYE				LEFT EYE			
	SPH	CYL	AXIS	VISION	SPH	CYL	AXIS	VISION
DISTANCE	Pl	ano		6/6	Pl	ano		6/6
NEAR	Add	+1.25	BIF	N6				26

dvice to use glasses fe	or:		
☐ DISTANCE	FAR & NEAR	READING	COMPUTER PURFOSI

We Care Your Eyes

PD 62 mm

SRI PARVATHI OPTICS
NEW THIPPASANDRA

CLUMAX DIAGNOSTICS





--- A MEDALL COMPANY ---

CUSTOMER CHECKLIST

Date 25-Mar-2023 8:17 AM

Customer Name: MR.RAMESH S

DOB

:15 May 1974

Ref Dr Name

: MediWheel

Age

:48Y/MALE

Customer Id

:IND595083



Visit ID

:423017214

Email Id

.

Phone No : 9845079541

Corp Name

: MediWheel

Address

.


Msda

Package Name: Mediwheel Full Body Health Checkup Male Above 40

S.No	Modality	Study	Accession No	Time	Seq	Signature
1	LAB	BLOOD UREA NITROGEN (BUN)				
2	LAB	CREATININE		A.		
3	LAB	GLUCOSE - FASTING				
4	LAB	GLUCOSE - POSTPRANDIAL (2 HRS)				
5	LAB	GLYCOSYLATED HAEMOGLOBIN (HbA1c)				
6	LAB	URIC ACID				
7	LAB	LIPID PROFILE				
8	LAB	LIVER FUNCTION TEST (LFT)				
9	LAB	TOTAL PROSTATE SPECIFIC ANTIGEN - PSA				
10	LAB	THYROID PROFILE/ TFT(T3, T4, TSH)				
11	LAB	URINE GLUCOSE - FASTING		- 425		
12	LAB	URINE GLUCOSE - POSTPRANDIAL (2 Hrs)				
13	LAB	COMPLETE BLOOD COUNT WITH ESR				
14	LAB	STOOL ANALYSIS - ROUTINE				

15	LAB 👟	URINE ROUTINE			
16	LAB	BUN/CREATININE RATIO			
17	LAB	BLOOD GROUP & RH TYPE (Forward Reverse)			
18	ECG	ECG V	IND13777231138		ر
19	OTHERS	Treadmill / 2D Echo	IND137772314690		
20	OTHERS	physical examination	IND137772315279		
21	US	ULTRASOUND ABDOMEN	IND137772315292	_	
22	OTHERS	Dental Consultation	IND137772316289	4	
23	OTHERS	EYE CHECKUP	IND137772317756		
24	X-RAY	X RAY CHEST	IND137772318659	_	1/10
25	OTHERS	Consultation Physician	IND137772318736		

Registerd By (HARI.O)



Name	MR.RAMESH S	ID	IND595083
Age & Gender	48Y/MALE	Visit Date	25 Mar 2023
Ref Doctor Name	MediWheel		

2 D ECHOCARDIOGRAPHIC STUDY

M mode measurement:

AORTA : 3.3cms

LEFT ATRIUM : 3.0cms

AVS :----

LEFT VENTRICLE (DIASTOLE) : 5.1cms

(SYSTOLE) : 3.5cms

VENTRICULAR SEPTUM (DIASTOLE) : 0.9cms

(SYSTOLE) : 1.2cms

POSTERIOR WALL (DIASTOLE) : 0.9cms

(SYSTOLE) : 1.8cms

EDV : 126ml

ESV : 51ml

FRACTIONAL SHORTENING : 32%

EJECTION FRACTION : 60%

EPSS :---

RVID : 1.9cms

DOPPLER MEASUREMENTS:

MITRAL VALVE : E' 0.66 m/s A' 0.85 m/s NO MR

AORTIC VALVE : 1.15 m/s NO AR

TRICUSPID VALVE : E' - m/s A' - m/s NO TR

PULMONARY VALVE : 0.96 m/s NO PR

Name	MR.RAMESH S	ID	IND595083
Age & Gender	48Y/MALE	Visit Date	25 Mar 2023
Ref Doctor Name	MediWheel		

2D ECHOCARDIOGRAPHY FINDINGS:

Left ventricle : Normal size, Normal systolic function.

No regional wall motion abnormalities.

Left Atrium : Normal.

Right Ventricle : Normal.

Right Atrium : Normal.

Mitral valve : Normal, No mitral valve prolapsed.

Aortic valve : Normal, Trileaflet.

Tricuspid valve : Normal.

Pulmonary valve : Normal.

IAS : Intact.

IVS : Intact.

Pericardium : No pericardial effusion.

IMPRESSION:

- > LV DIASTOLIC DYSFUNCTION.
- > NORMAL SIZED CARDIAC CHAMBERS.
- > NORMAL LV SYSTOLIC FUNCTION. EF: 60%.
- > NO REGIONAL WALL MOTION ABNORMALITIES.
- > NORMAL VALVES.
- > NO CLOTS / PERICARDIAL EFFUSION / VEGETATION.

DR. K.S. SUBRAMANI. MBBS, MD, DM (CARDIOLOGY) FESC, FICC SENIOR CONSULTANT INTERVENTIONAL CARDIOLOGIST Kss/vp

Name	MR.RAMESH S	ID	IND595083
Age & Gender	48Y/MALE	Visit Date	25 Mar 2023
Ref Doctor Name	MediWheel		

- $\frac{\underline{Note:}}{*\ Report\ to\ be\ interpreted\ by\ qualified\ medical\ professional.}}$ * To be correlated with other clinical findings.
- * Parameters may be subjected to inter and intra observer variations.
- * Any discrepancy in reports due to typing errors should be corrected as soon as possible.

Name	MR.RAMESH S	ID	IND595083
Age & Gender	48Y/MALE	Visit Date	25 Mar 2023
Ref Doctor Name	MediWheel		

ABDOMINO-PELVIC ULTRASONOGRAPHY

LIVER is normal in size and shows diffuse fatty changes. No evidence of focal lesion or intrahepatic biliary ductal dilatation. Hepatic and portal vein radicals are normal.

GALL BLADDER shows normal shape and has clear contents. Gall bladder wall is of normal thickness. CBD is of normal calibre.

PANCREAS has normal shape, size and uniform echopattern. No evidence of ductal dilatation or calcification.

SPLEEN shows normal shape, size and echopattern.

No demonstrable Para -aortic lymphadenopathy.

KIDNEYS move well with respiration and have normal shape, size and echopattern. Cortico- medullary differentiations are well madeout. No evidence of calculus or hydronephrosis.

The kidney measures as follows:

·	Bipolar length (cms)	Parenchymal thickness (cms)
Right Kidney	10.9	1.3
Left Kidney	11.4	1.5

URINARY BLADDER shows normal shape and wall thickness. It has clear contents. No evidence of diverticula.

PROSTATE shows normal shape, size and echopattern. It measures 3.2 x 3.3 x 4.0cms (Vol:22cc).

No evidence of ascites / pleural effusion.

IMPRESSION:

- > FATTY LIVER.
- > NO OTHER SIGNIFICANT ABNORMALITY DETECTED.

DR. APARNA CONSULTANT RADIOLOGIST

A/vp

Name	MR.RAMESH S	ID	IND595083
Age & Gender	48Y/MALE	Visit Date	25 Mar 2023
Ref Doctor Name	MediWheel		

Name	RAMESH S	Customer ID	IND595083	
Age & Gender	48Y/M	Visit Date	Mar 25 2023 8:17AM	
Ref Doctor	MediWheel			

X - RAY CHEST PA VIEW

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

IMPRESSION:

• No significant abnormality detected.

DR. APARNA

CONSULTANT RADIOLOGIST