

Name : Mr. T NAVEEN

PID No. : MED111453790

SID No. : 423002270

Age / Sex : 32 Year(s) / Male

Type : OP

Ref. Dr : MediWheel

Register On : 14/01/2023 9:37 AM

Collection On : 14/01/2023 11:04 AM

Report On : 14/01/2023 6:10 PM


Printed On : 20/01/2023 8:54 AM

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

HAEMATOLOGY

Complete Blood Count With - ESR

Haemoglobin (EDTA Blood/Spectrophotometry)	15.1	g/dL	13.5 - 18.0
Packed Cell Volume(PCV)/Haematocrit (EDTA Blood)	45.7	%	42 - 52
RBC Count (EDTA Blood)	5.36	mill/cu.mm	4.7 - 6.0
Mean Corpuscular Volume(MCV) (EDTA Blood)	85.4	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (EDTA Blood)	28.3	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (EDTA Blood)	33.1	g/dL	32 - 36
RDW-CV (EDTA Blood)	12.7	%	11.5 - 16.0
RDW-SD (EDTA Blood)	37.96	fL	39 - 46
Total Leukocyte Count (TC) (EDTA Blood)	7200	cells/cu.mm	4000 - 11000
Neutrophils (EDTA Blood)	65.9	%	40 - 75
Lymphocytes (EDTA Blood)	23.1	%	20 - 45
Eosinophils (EDTA Blood)	5.0	%	01 - 06
Monocytes (EDTA Blood)	5.1	%	01 - 10




APPROVED BY

Name : Mr. T NAVEEN
PID No. : MED111453790
SID No. : 423002270
Age / Sex : 32 Year(s) / Male
Type : OP
Ref. Dr : MediWheel

Register On : 14/01/2023 9:37 AM
Collection On : 14/01/2023 11:04 AM
Report On : 14/01/2023 6:10 PM
Printed On : 20/01/2023 8:54 AM

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
Basophils (Blood)	0.9	%	00 - 02
INTERPRETATION: Tests done on Automated Five Part cell counter. All abnormal results are reviewed and confirmed microscopically.			
Absolute Neutrophil count (EDTA Blood)	4.74	10 ³ / μ l	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood)	1.66	10 ³ / μ l	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood)	0.36	10 ³ / μ l	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood)	0.37	10 ³ / μ l	< 1.0
Absolute Basophil count (EDTA Blood)	0.06	10 ³ / μ l	< 0.2
Platelet Count (EDTA Blood)	273	10 ³ / μ l	150 - 450
MPV (EDTA Blood)	9.1	fL	7.9 - 13.7
PCT (EDTA Blood/Automated Blood cell Counter)	0.25	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Citrate Blood)	8	mm/hr	< 15



APPROVED BY

Name : Mr. T NAVEEN
PID No. : MED111453790 **Register On** : 14/01/2023 9:37 AM
SID No. : 423002270 **Collection On** : 14/01/2023 11:04 AM
Age / Sex : 32 Year(s) / Male **Report On** : 14/01/2023 6:10 PM
Type : OP **Printed On** : 20/01/2023 8:54 AM
Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

BIOCHEMISTRY

Liver Function Test

Bilirubin(Total) (Serum/DCA with ATCS)	0.41	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.10	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.31	mg/dL	0.1 - 1.0
SGOT/AST (Aspartate Aminotransferase) (Serum/Modified IFCC)	17.87	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/Modified IFCC)	18.29	U/L	5 - 41
GGT(Gamma Glutamyl Transpeptidase) (Serum/IFCC / Kinetic)	23.01	U/L	< 55
Alkaline Phosphatase (SAP) (Serum/Modified IFCC)	60.0	U/L	53 - 128
Total Protein (Serum/Biuret)	7.26	gm/dl	6.0 - 8.0
Albumin (Serum/Bromocresol green)	5.01	gm/dl	3.5 - 5.2
Globulin (Serum/Derived)	2.25	gm/dL	2.3 - 3.6
A : G RATIO (Serum/Derived)	2.23		1.1 - 2.2


DR JUSTINA WILLIAMS
 Senior Consultant Pathologist
 Reg No: PNB20080000054 KTK

VERIFIED BY


DR SHAMIM JAVED
 MD PATHOLOGY
 KMC 88902

APPROVED BY

Name : Mr. T NAVEEN
PID No. : MED111453790 **Register On** : 14/01/2023 9:37 AM
SID No. : 423002270 **Collection On** : 14/01/2023 11:04 AM
Age / Sex : 32 Year(s) / Male **Report On** : 14/01/2023 6:10 PM
Type : OP **Printed On** : 20/01/2023 8:54 AM
Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
<u>Lipid Profile</u>			
Cholesterol Total (Serum/CHOD-PAP with ATCS)	169.21	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/GPO-PAP with ATCS)	106.56	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

INTERPRETATION: The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the usual circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immunoinhibition)	44.08	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 40 - 59 High Risk: < 40
LDL Cholesterol (Serum/Calculated)	103.8	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL Cholesterol (Serum/Calculated)	21.3	mg/dL	< 30
Non HDL Cholesterol (Serum/Calculated)	125.1	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220


DR JUSTINA WILLIAMS
 Senior Consultant Pathologist
 Reg No: PNB20080000054 KTK

VERIFIED BY


DR SHAMIM JAVED
 MD PATHOLOGY
 KMC 88902

APPROVED BY

Name : Mr. T NAVEEN
PID No. : MED111453790 **Register On** : 14/01/2023 9:37 AM
SID No. : 423002270 **Collection On** : 14/01/2023 11:04 AM
Age / Sex : 32 Year(s) / Male **Report On** : 14/01/2023 6:10 PM
Type : OP **Printed On** : 20/01/2023 8:54 AM
Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

INTERPRETATION: 1.Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol.
 2.It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.

Total Cholesterol/HDL Cholesterol Ratio (Serum/Calculated)	3.8	Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
---	-----	--

Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/Calculated)	2.4	Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
--	-----	--

LDL/HDL Cholesterol Ratio (Serum/Calculated)	2.4	Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0
---	-----	---



DR JUSTINA WILLIAMS
 Senior Consultant Pathologist
 Reg No: PNB20080000054 KTK

VERIFIED BY



DR SHAMIM JAVED
 MD PATHOLOGY
 KMC 88902

APPROVED BY

Name : Mr. T NAVEEN
PID No. : MED111453790 **Register On** : 14/01/2023 9:37 AM
SID No. : 423002270 **Collection On** : 14/01/2023 11:04 AM
Age / Sex : 32 Year(s)/ Male **Report On** : 14/01/2023 6:10 PM
Type : OP **Printed On** : 20/01/2023 8:54 AM
Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
<u>Glycosylated Haemoglobin (HbA1c)</u>			
HbA1C (Whole Blood/HPLC)	5.9	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5

INTERPRETATION: If Diabetes - Good control : 6.1 - 7.0 % , Fair control : 7.1 - 8.0 % , Poor control >= 8.1 %

Estimated Average Glucose 122.63 mg/dL
(Whole Blood)

INTERPRETATION: Comments

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glyceimic control as compared to blood and urinary glucose determinations.
 Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency, hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbA1C values.
 Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.



DR JUSTINA WILLIAMS
 Senior Consultant Pathologist
 Reg No: PNB20080000054 KTK

VERIFIED BY



DR SHAMIM JAVED
 MD PATHOLOGY
 KMC 88902

APPROVED BY

Name : Mr. T NAVEEN
PID No. : MED111453790 Register On : 14/01/2023 9:37 AM
SID No. : 423002270 Collection On : 14/01/2023 11:04 AM
Age / Sex : 32 Year(s) / Male Report On : 14/01/2023 6:10 PM
Type : OP Printed On : 20/01/2023 8:54 AM
Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

IMMUNOASSAY

THYROID PROFILE / TFT

T3 (Triiodothyronine) - Total (Serum/ECLIA)	1.51	ng/ml	0.7 - 2.04
--	------	-------	------------

INTERPRETATION:

Comment :

Total T3 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T3 is recommended as it is Metabolically active.

T4 (Tyroxine) - Total (Serum/ECLIA)	9.34	µg/dl	4.2 - 12.0
--	------	-------	------------

INTERPRETATION:

Comment :

Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active.

TSH (Thyroid Stimulating Hormone) (Serum/ECLIA)	0.885	µIU/mL	0.35 - 5.50
--	-------	--------	-------------

INTERPRETATION:

Reference range for cord blood - upto 20

1 st trimester: 0.1-2.5

2 nd trimester 0.2-3.0

3 rd trimester : 0.3-3.0

(Indian Thyroid Society Guidelines)

Comment :

1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI.

2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM.The variation can be of the order of 50%,hence time of the day has influence on the measured serum TSH concentrations.

3.Values&lt;0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.


Dr Anusha.K.S
Sr.Consultant Pathologist
Reg No : 100674

APPROVED BY

Name : Mr. T NAVEEN
PID No. : MED111453790
SID No. : 423002270
Age / Sex : 32 Year(s) / Male
Type : OP
Ref. Dr : MediWheel

Register On : 14/01/2023 9:37 AM
Collection On : 14/01/2023 11:04 AM
Report On : 14/01/2023 6:10 PM
Printed On : 20/01/2023 8:54 AM

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

CLINICAL PATHOLOGY

PHYSICAL EXAMINATION (URINE COMPLETE)


Colour (Urine)	Yellow		Yellow to Amber
Appearance (Urine)	Clear		Clear
Volume(CLU) (Urine)	20		

CHEMICAL EXAMINATION (URINE COMPLETE)

pH (Urine)	5.5		4.5 - 8.0
Specific Gravity (Urine)	1.022		1.002 - 1.035
Ketone (Urine)	Negative		Negative
Urobilinogen (Urine)	Normal		Normal
Blood (Urine)	Negative		Negative
Nitrite (Urine)	Negative		Negative
Bilirubin (Urine)	Negative		Negative


DR JUSTINA WILLIAMS
Senior Consultant Pathologist
Reg No: PNB20080000054 KTK

VERIFIED BY


DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902

APPROVED BY

Name : Mr. T NAVEEN
PID No. : MED111453790
SID No. : 423002270
Age / Sex : 32 Year(s) / Male
Type : OP
Ref. Dr : MediWheel

Register On : 14/01/2023 9:37 AM
Collection On : 14/01/2023 11:04 AM
Report On : 14/01/2023 6:10 PM
Printed On : 20/01/2023 8:54 AM

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
Protein (Urine)	Negative		Negative
Glucose (Urine/GOD - POD)	Negative		Negative
Leukocytes(CP) (Urine)	Negative		

MICROSCOPIC EXAMINATION
(URINE COMPLETE)


Pus Cells (Urine)	0-1	/hpf	NIL
Epithelial Cells (Urine)	0-1	/hpf	NIL
RBCs (Urine)	NIL	/hpf	NIL
Others (Urine)	NIL		

INTERPRETATION:Note: Done with Automated Urine Analyser & Automated urine sedimentation analyser. All abnormal reports are reviewed and confirmed microscopically.

Casts (Urine)	NIL	/hpf	NIL
Crystals (Urine)	NIL	/hpf	NIL


DR JUSTINA WILLIAMS
Senior Consultant Pathologist
Reg No: PNB20080000054 KTK

VERIFIED BY


DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902

APPROVED BY

Name : Mr. T NAVEEN

PID No. : MED111453790

Register On : 14/01/2023 9:37 AM

SID No. : 423002270

Collection On : 14/01/2023 11:04 AM

Age / Sex : 32 Year(s) / Male

Report On : 14/01/2023 6:10 PM

Type : OP

Printed On : 20/01/2023 8:54 AM

Ref. Dr : MediWheel

Investigation

Observed
Value

Unit

Biological
Reference Interval

IMMUNOHAEMATOLOGY

BLOOD GROUPING AND Rh TYPING
(EDTA Blood/Agglutination)

'O' Positive'


Dr Anusha.K.S
Sr.Consultant Pathologist
Reg No : 100674

APPROVED BY

Name : Mr. T NAVEEN
PID No. : MED111453790 **Register On** : 14/01/2023 9:37 AM
SID No. : 423002270 **Collection On** : 14/01/2023 11:04 AM
Age / Sex : 32 Year(s) / Male **Report On** : 14/01/2023 6:10 PM
Type : OP **Printed On** : 20/01/2023 8:54 AM
Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
<u>BIOCHEMISTRY</u>			
BUN / Creatinine Ratio	13		6.0 - 22.0
Glucose Fasting (FBS) (Plasma - F/GOD-PAP)	93.21	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose, Fasting (Urine) (Urine - F/GOD - POD)	Negative		Negative
Glucose Postprandial (PPBS) (Plasma - PP/GOD-PAP)	87.72	mg/dL	70 - 140

INTERPRETATION:

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.


Blood Urea Nitrogen (BUN) (Serum/Urease UV / derived)	11.2	mg/dL	7.0 - 21
Creatinine (Serum/Modified Jaffe)	0.84	mg/dL	0.9 - 1.3

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin ,cefazolin, ACE inhibitors ,angiotensin II receptor antagonists,N-acetylcyteine , chemotherapeutic agent such as flucytosine etc.

Uric Acid (Serum/Enzymatic)	6.08	mg/dL	3.5 - 7.2
--------------------------------	------	-------	-----------


DR JUSTINA WILLIAMS
 Senior Consultant Pathologist
 Reg No: PNB20080000054 KTK

VERIFIED BY


DR SHAMIM JAVED
 MD PATHOLOGY
 KMC 88902

APPROVED BY

-- End of Report --

Name	MR.T NAVEEN	ID	MED111453790
Age & Gender	32Y/MALE	Visit Date	14 Jan 2023
Ref Doctor Name	MediWheel		

2 D ECHOCARDIOGRAPHIC STUDY

M mode measurement:

AORTA	:	3.6cms
LEFT ATRIUM	:	3.0cms
AVS	:	----
LEFT VENTRICLE (DIASTOLE)	:	3.4cms
(SYSTOLE)	:	2.3cms
VENTRICULAR SEPTUM (DIASTOLE)	:	0.8cms
(SYSTOLE)	:	1.1cms
POSTERIOR WALL (DIASTOLE)	:	0.9cms
(SYSTOLE)	:	1.3cms
EDV	:	49ml
ESV	:	20ml
FRACTIONAL SHORTENING	:	32%
EJECTION FRACTION	:	62%
EPSS	:	---
RVID	:	--cms

DOPPLER MEASUREMENTS:

MITRAL VALVE	:	E' 0.82 m/s	A' 0.60 m/s	NO MR
AORTIC VALVE	:	1.08 m/s		NO AR
TRICUSPID VALVE	:	E' - m/s	A' - m/s	NO TR
PULMONARY VALVE	:	0.96 m/s		NO PR

Name	MR.T NAVEEN	ID	MED111453790
Age & Gender	32Y/MALE	Visit Date	14 Jan 2023
Ref Doctor Name	MediWheel		

2D ECHOCARDIOGRAPHY FINDINGS:

Left ventricle : Normal size, Normal systolic function.
No regional wall motion abnormalities.

Left Atrium : Normal.

Right Ventricle : Normal.

Right Atrium : Normal.

Mitral valve : Normal, No mitral valve prolapsed.

Aortic valve : Normal, Trileaflet.

Tricuspid valve : Normal.

Pulmonary valve : Normal.

IAS : Intact.

IVS : Intact.

Pericardium : No pericardial effusion.

IMPRESSION:

- **NORMAL SIZED CARDIAC CHAMBERS.**
- **NORMAL LV SYSTOLIC FUNCTION. EF: 62%.**
- **NO REGIONAL WALL MOTION ABNORMALITIES.**
- **NORMAL VALVES.**
- **NO CLOTS / PERICARDIAL EFFUSION / VEGETATION.**

DR. K.S. SUBRAMANI. MBBS, MD, DM (CARDIOLOGY) FESC
SENIOR CONSULTANT INTERVENTIONAL CARDIOLOGIST
Kss/vp

Note:

*** Report to be interpreted by qualified medical professional.**

Name	MR.T NAVEEN	ID	MED111453790
Age & Gender	32Y/MALE	Visit Date	14 Jan 2023
Ref Doctor Name	MediWheel		

*** To be correlated with other clinical findings.**

*** Parameters may be subjected to inter and intra observer variations.**

***Any discrepancy in reports due to typing errors should be corrected as soon as possible.**

Name	MR.T NAVEEN	ID	MED111453790
Age & Gender	32Y/MALE	Visit Date	14 Jan 2023
Ref Doctor Name	MediWheel		

ABDOMINO-PELVIC ULTRASONOGRAPHY

LIVER is normal in size and shows diffuse fatty changes. No evidence of focal lesion or intrahepatic biliary ductal dilatation. Hepatic and portal vein radicals are normal.

GALL BLADDER shows normal shape and has clear contents. Gall bladder wall is of normal thickness. CBD is of normal calibre.

PANCREAS has normal shape, size and uniform echopattern. No evidence of ductal dilatation or calcification.

SPLEEN shows normal shape, size and echopattern. Spleen measures 8.4cms in long axis. No demonstrable Para -aortic lymphadenopathy.

KIDNEYS move well with respiration and have normal shape, size and echopattern. Cortico- medullary differentiations are well madeout. No evidence of calculus or hydronephrosis.

The kidney measures as follows:

	Bipolar length (cms)	Parenchymal thickness (cms)
Right Kidney	9.0	1.2
Left Kidney	9.3	1.8

URINARY BLADDER is minimally distended.

PROSTATE shows normal shape, size and echopattern. It measures 3.0 x 2.9 x 2.6cms (Vol:11cc).

No evidence of ascites / pleural effusion.

IMPRESSION:

- **GRADE I FATTY LIVER.**
- **NO OTHER SIGNIFICANT ABNORMALITY DETECTED.**

DR. MANIMALA RUPA
CONSULTANT RADIOLOGIST
Mr/da

Name	MR.T NAVEEN	ID	MED111453790
Age & Gender	32Y/MALE	Visit Date	14 Jan 2023
Ref Doctor Name	MediWheel		

Name	T NAVEEN	Customer ID	MED111453790
Age & Gender	32Y/M	Visit Date	Jan 14 2023 9:36AM
Ref Doctor	MediWheel		

X - RAY CHEST PA VIEW

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

Impression: Essentially normal study.



DR. APARNA

CONSULTANT RADIOLOGIST

Mahesh

Mob:8618385220

9901569756



ಶ್ರೀ ಪಾರ್ವತಿ ಆಪ್ಟಿಕ್ಸ್

SRI PARVATHI OPTICS

Multi Branded Opticals Store

Computerized Eye Testing & Spectacles Clinic

333.8th Main 5th Cross Near Cambridge & Miranda School HAL 3rd Stage
Behind Vishveshvariah Park New Thippasandra, Bangalore - 560075,
Email: parvathiopticals@gmail.com / www.sriparvathioptics.in

SPECTACLE PRESCRIPTION

Name: **T. Naveen**

No. **2134**

Mobil No:

Date: **14/1/2023**

Age / Gender **32y / M**

Ref. No.

	RIGHT EYE				LEFT EYE			
	SPH	CYL	AXIS	VISION	SPH	CYL	AXIS	VISION
DISTANCE	Plano				Plano			
NEAR	-2.50	-2.0	164		-1.25	-1.25	180	6/6

PD **62mm**

Advice to use glasses for:

DISTANCE FAR & NEAR READING COMPUTER PURPOSE

We Care Your Eyes

SRI PARVATHI OPTICS


NEW THIPPASANDRA

Male

14.01.2023 12:20:41
CLUMAX DIAGNOSTICS
THIPPASANDRA
BANGALORE

101 bpm
--/-- mmHg

QRS	76 ms
QT / QTcBaz	310 / 401 ms
PR	138 ms
P	90 ms
RR / PP	596 / 594 ms
P / QRS / T	49 / 66 / 73 degrees



SUBRAMANIAN
MD DM (CARDIO)
Consultant Cardiologist
KMC REG No: 4660
Clumax Diagnostic

Arjun Pulgarade
H

Unconfirmed