
SUBURBAN DIAGNOSTICS

SUBURBAN DIAGNOSTICS - VASAI

Patient Name: RAJBAHADUR BHIKHAM SINGH Date and Time: 11th Sep 21 11:04 AM

Patient ID: 2125439449



Age 32 8 10 years months days

Gender Male

Heart Rate 55 bpm

Patient Vitals

BP: NA
Weight: NA
Height: NA
Pulse: NA
Spo2: NA
Resp: NA
Others:

Measurements

QSRD: 90 ms
QT: 382 ms
QTc: 365 ms
PR: 146 ms
P-R-T: 25° 3° -2°

ECG Within Normal Limits: Sinus Bradycardia. Please correlate clinically.

سلمنام

REPORTED BY

Dr. SHISHIR SHETTY MBBS.D-CARD 2006/01/0250

Disclaimer: 1) Analysis in this report is based on ECG alone and should be used as an adjunct to clinical history, symptoms, and results of other invasive and non-invasive tests and must be interpreted by a qualified physician. 2) Patient vitals are as entered by the clinician and not derived from the ECG.

CID : 2125439449 SID : 177804147714

 Name
 : Mr RAJBAHADUR BHIKHAM SINGH
 Registered
 : 11-Sep-2021 / 10:56

 Age / Sex
 : 32 Years / Male
 Reported
 : 11-Sep-2021 / 11:31

 Ref. Dr
 : 11-Sep-2021 / 11:31

Reg.Location: Vasai Main Centre

USG WHOLE ABDOMEN

LIVER:

The liver is normal in size (14.2 cms), shape and smooth margins. **It shows altered parenchymal echo pattern**. The intra hepatic biliary and portal radical appear normal. No evidence of any intra hepatic cystic or solid lesion seen. The main portal vein and CBD appears normal.

GALL BLADDER:

The gall bladder is physiologically distended and appears normal. No evidence of gall stones or mass lesions seen.

PANCREAS:

The pancreas is well visualised and appears normal. No evidence of solid or cystic mass lesion.

SPLEEN:

The spleen is normal in size (10.6 cms) and echotexture. No evidence of focal lesion is noted. There is no evidence of any lymphadenopathy or ascites.

KIDNEYS:

Both the kidneys are normal in size shape and echotexture.

No evidence of any calculus, hydronephrosis or mass lesion seen.

Right kidney measures 9.5 x 4.8 cm. Left kidney measures 10.5 x 5.5 cm.

URINARY BLADDER:

The urinary bladder is well distended and reveal no intraluminal abnormality.

PROSTATE:

The prostate is normal in size and it measures 3.1 x 2.6 x 1.9 cms volume is 8.9 cc.

IMPRESSION:

Early signs of fatty liver.

NOTE: USG FINDINGS ARE TO BE CORELATED WITH CLINICAL, LABORATORY AND OTHER INVESTIGATION FINDINGS FOR FINAL DIAGNOSIS AND FOR THEIR MANAGEMENT.

----End of Report----

Khilya Fea

Dr.FAIZUR KHILJI MBBS,RADIO DIAGNOSIS Reg No-74850 Consultant Radiologist CID : 2125439449 SID : 177804147714

 Name
 : Mr RAJBAHADUR BHIKHAM SINGH
 Registered
 : 11-Sep-2021 / 10:46

 Age / Sex
 : 32 Years / Male
 Reported
 : 11-Sep-2021 / 10:49

 Ref. Dr
 : 11-Sep-2021 / 10:49

Reg.Location: Vasai Main Centre

X-RAY CHEST PA VIEW

Both lung fields are clear.

Both costo-phrenic angles are clear.

The cardiac size and shape are within normal limits.

The domes of diaphragm are normal in position and outlines.

The skeleton under review appears normal.

IMPRESSION:

NO SIGNIFICANT ABNORMALITY IS DETECTED.

SUGGEST: CLINICAL CORRELATION.

----End of Report----

Dr.FAIZUR KHILJI

MBBS,RADIO DIAGNOSIS Reg No-74850 Consultant Radiologist



Name : MR.RAJBAHADUR BHIKHAM SINGH

Age / Gender : 32 Years / Male

Consulting Dr. Collected Reported

Reg. Location : Vasai (Main Centre)



Use a OR Code Scanner Application To Scan the Code

:11-Sep-2021 / 10:33

:11-Sep-2021 / 15:37

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

CBC (Complete Blood Count), Blood			
<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
RBC PARAMETERS			
Haemoglobin	13.9	13.0-17.0 g/dL	Spectrophotometric
RBC	4.80	4.5-5.5 mil/cmm	Elect. Impedance
PCV	41.2	40-50 %	Measured
MCV	86	80-100 fl	Calculated
MCH	28.9	27-32 pg	Calculated
MCHC	33.7	31.5-34.5 g/dL	Calculated
RDW	14.9	11.6-14.0 %	Calculated
WBC PARAMETERS			
WBC Total Count	5190	4000-10000 /cmm	Elect. Impedance
WBC DIFFERENTIAL AND ABS	OLUTE COUNTS		
Lymphocytes	50.7	20-40 %	
Absolute Lymphocytes	2631.3	1000-3000 /cmm	Calculated
Monocytes	8.5	2-10 %	
Absolute Monocytes	441.2	200-1000 /cmm	Calculated
Neutrophils	37.8	40-80 %	
Absolute Neutrophils	1961.8	2000-7000 /cmm	Calculated
Eosinophils	2.9	1-6 %	
Absolute Eosinophils	150.5	20-500 /cmm	Calculated
Basophils	0.1	0.1-2 %	
Absolute Basophils	5.2	20-100 /cmm	Calculated
Immature Leukocytes			

WBC Differential Count by Absorbance & Impedance method/Microscopy.

PLATELET PARAMETERS

Platelet Count	336000	150000-400000 /cmm	Elect. Impedance
MPV	8.8	6-11 fl	Calculated
PDW	15.2	11-18 %	Calculated

RBC MORPHOLOGY

Hypochromia	-
Microcytosis	-
Macrocytosis	-

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com



Name : MR.RAJBAHADUR BHIKHAM SINGH

Age / Gender : 32 Years / Male

Consulting Dr. : - **Collected :** 11-Sep-2021 / 10:33

Reg. Location: Vasai (Main Centre) Reported: 11-Sep-2021 / 14:12

Anisocytosis -

Poikilocytosis -

Polychromasia -

Target Cells -

Basophilic Stippling -

Normoblasts -

Others Normocytic, Normochromic

WBC MORPHOLOGY -

PLATELET MORPHOLOGY -

COMMENT -

Specimen: EDTA Whole Blood

ESR, EDTA WB-ESR 7 2-15 mm at 1 hr. Westergren

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***







Dr.NAMI SHAH
M.B.B.S, DCP (PATHOLOGY)
Manager - Medical Services(Pathology)

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

ADDRESS: 2rd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 2 of 9



Name : MR.RAJBAHADUR BHIKHAM SINGH

Age / Gender : 32 Years / Male

Consulting Dr. : -

Reg. Location : Vasai (Main Centre)



Authenticity Check

Use a QR Code Scanner Application To Scan the Code

:11-Sep-2021 / 10:33

Reported :11-Sep-2021 / 14:45

Collected

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

PARAMETER	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
GLUCOSE (SUGAR) FASTING, Fluoride Plasma	95.9	Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >/= 126 mg/dl	Hexokinase
GLUCOSE (SUGAR) PP, Fluoride Plasma - PP/R	107.8	Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance: 140-199 mg/dl Diabetic: >/= 200 mg/dl	Hexokinase
BILIRUBIN (TOTAL), Serum	0.71	0.1-1.2 mg/dl	Colorimetric
BILIRUBIN (DIRECT), Serum	0.24	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.47	0.1-1.0 mg/dl	Calculated
SGOT (AST), Serum	29.1	5-40 U/L	NADH (w/o P-5-P)
SGPT (ALT), Serum	46.8	5-45 U/L	NADH (w/o P-5-P)
ALKALINE PHOSPHATASE, Serum	72.0	40-130 U/L	Colorimetric
BLOOD UREA, Serum	15.6	12.8-42.8 mg/dl	Kinetic
BUN, Serum	7.3	6-20 mg/dl	Calculated
CREATININE, Serum eGFR, Serum	0.71 137	0.67-1.17 mg/dl >60 ml/min/1.73sqm	Enzymatic Calculated
URIC ACID, Serum	9.0	3.5-7.2 mg/dl	Enzymatic
*Sample processed at SUBURRAN DIA	GNOSTICS (INDIA) PVT LTD Boris	vali Lah Borivali West	

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***







Dr.ANUPA DIXIT
M.D.(PATH)
Consultant Pathologist & Lab Director

ADDRESS: 2rd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 3 of 9



Name : MR.RAJBAHADUR BHIKHAM SINGH

Age / Gender : 32 Years / Male

Consulting Dr. : - Collected : 11-Sep-2021 / 10:33

Reg. Location: Vasai (Main Centre) Reported: 11-Sep-2021 / 18:11

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE GLYCOSYLATED HEMOGLOBIN (HbA1c)

<u>PARAMETER</u> <u>RESULTS</u> <u>BIOLOGICAL REF RANGE</u> <u>METHOD</u>

Glycosylated Hemoglobin 6.1 Non-Diabetic Level: < 5.7 % HPLC (HbA1c), EDTA WB - CC Prediabetic Level: 5.7-6.4 %

Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 %

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

Estimated Average Glucose 128.4 mg/dl Calculated

(eAG), EDTA WB - CC

Intended use:

• In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year

• In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly

• For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

• HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.

 The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

• The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.

- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- · Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West
*** End Of Report ***







Dr.LEENA SALUNKHE M.B.B.S, DPB (PATH) Pathologist

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 4 of 9



Name : MR.RAJBAHADUR BHIKHAM SINGH

Age / Gender : 32 Years / Male

Consulting Dr. : -Collected

:11-Sep-2021 / 17:15 : Vasai (Main Centre) Reported Reg. Location

Authenticity Check

Use a OR Code Scanner Application To Scan the Code

:11-Sep-2021 / 13:40

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE EXAMINATION OF FAECES

BIOLOGICAL REF RANGE RESULTS PARAMETER

PHYSICAL EXAMINATION

Colour Brown Brown Form and Consistency Semi Solid Semi Solid Mucus Absent Absent Blood Absent Absent

CHEMICAL EXAMINATION

Reaction (pH) Acidic (5.5)

Occult Blood Absent Absent

MICROSCOPIC EXAMINATION

Protozoa Absent Absent Flagellates **Absent Absent** Ciliates Absent Absent **Parasites** Absent Absent Macrophages Absent Absent Mucus Strands Absent Absent Fat Globules Absent Absent RBC/hpf Absent Absent WBC/hpf Absent Absent Yeast Cells Absent **Absent Undigested Particles** Present + Concentration Method (for ova) No ova detected Absent Reducing Substances Absent







N.D. Shak **Dr.NAMI SHAH** M.B.B.S.; DCP **Pathologist**

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 5 of 9

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report ***



Name : MR.RAJBAHADUR BHIKHAM SINGH

: 32 Years / Male Age / Gender

Consulting Dr. Collected :11-Sep-2021 / 11:40

Reported :11-Sep-2021 / 15:11 Reg. Location : Vasai (Main Centre)

Authenticity Check

Use a OR Code Scanner Application To Scan the Code

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE URINE EXAMINATION REPORT

	OTTITL EXAMINATION	TIOIT ILLI OILI	
<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
PHYSICAL EXAMINATION			
Color	Pale yellow	Pale Yellow	-
Reaction (pH)	5.0	4.5 - 8.0	Chemical Indicator
Specific Gravity	1.005	1.001-1.030	Chemical Indicator
Transparency	Clear	Clear	-
Volume (ml)	30	-	-
CHEMICAL EXAMINATION			
Proteins	Absent	Absent	pH Indicator
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
MICROSCOPIC EXAMINATION	[
Leukocytes(Pus cells)/hpf	1-2	0-5/hpf	
Ded Dieed Celle / hot	A la a a a t	0.2756	

Red Blood Cells / hpf Absent 0-2/hpf

Epithelial Cells / hpf 0-1

Casts Absent Absent Crystals **Absent Absent** Amorphous debris Absent Absent

Bacteria / hpf 2-3 Less than 20/hpf

Others







M fain **Dr.MILLU JAIN** M.D.(PATH) **Pathologist**

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 6 of 9

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report **



Name : MR.RAJBAHADUR BHIKHAM SINGH

Age / Gender : 32 Years / Male

Consulting Dr. : - Collected : 11-Sep-2021 / 10:33

Reg. Location: Vasai (Main Centre) Reported: 11-Sep-2021 / 18:03

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE BLOOD GROUPING & Rh TYPING

PARAMETER RESULTS

ABO GROUP 0

Rh TYPING POSITIVE

NOTE: Test performed by automated column agglutination technology (CAT) which is more sensitive than conventional methods.

dvice: Repeat test after six months for confirmation.

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

Refernces:

- 1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
- 2. AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West
*** End Of Report ***







Dr.JYOT THAKKER M.D. (PATH), DPB Pathologist

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 7 of 9



Name : MR.RAJBAHADUR BHIKHAM SINGH

Age / Gender : 32 Years / Male

Consulting Dr. Collected Reported

Reg. Location : Vasai (Main Centre)



Use a OR Code Scanner

Application To Scan the Code

:11-Sep-2021 / 10:33 :11-Sep-2021 / 15:13

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE LIPID PROFILE

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
CHOLESTEROL, Serum	219.9	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	Enzymatic
TRIGLYCERIDES, Serum	177.0	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	Enzymatic
HDL CHOLESTEROL, Serum	29.4	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Enzymatic
NON HDL CHOLESTEROL, Serum	190.5	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/d High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated l
LDL CHOLESTEROL, Serum	156.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	34.5	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	7.5	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	5.3	0-3.5 Ratio	Calculated

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report ***







M. fain **Dr.MILLU JAIN** M.D.(PATH) **Pathologist**

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 8 of 9



Name : MR.RAJBAHADUR BHIKHAM SINGH

Age / Gender : 32 Years / Male

Consulting Dr. : - Collected : 11-Sep-2021 / 10:33

Reg. Location: Vasai (Main Centre)

Reported: 11-Sep-2021 / 13:51

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE THYROID FUNCTION TESTS

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
Free T3, Serum	4.9	3.5-6.5 pmol/L	ECLIA
Free T4, Serum	15.7	11.5-22.7 pmol/L	ECLIA
sensitiveTSH, Serum	1.03	0.35-5.5 microIU/ml	ECLIA

Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

- 1)TSH Values between 5.5 to 15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors can give falsely high TSH.
- 2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections, liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3/T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

Diurnal Variation:TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7%(with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid , TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations: Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.

Reference:

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3. Tietz , Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4.Biological Variation:From principles to Practice-Callum G Fraser (AACC Press)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***







Dr.ANUPA DIXIT
M.D.(PATH)
Consultant Pathologist & Lab Director

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 9 of 9