

आयकर विभाग

INCOME TAX DEPARTMENT

GAJULA HIRUPHAN BASHA

GAJULA VANNURAPPA

15/07/1990

Permanent Account Number

BKIPB7665R

G. Hiruphan Basha

Signature



भारत सरकार

GOVT. OF INDIA



10052012



Google

GPS Map Camera

Ananthapur, Andhra Pradesh, India


13-3-26, Azad Nagar, Adimurthy Colony, Kamala Nagar,
Ananthapur, Anantapur, Andhra Pradesh 515001, India

Lat 14.685673°

Long 77.598301°

30/11/23 10:09 AM GMT +05:30



 **GPS Map Camera**



Ananthapur, Andhra Pradesh, India

13-3-69, Azad Nagar, Adimurthy Colony, Kamala Nagar,
Ananthapur, Anantapur, Andhra Pradesh 515001, India

Lat 14.686137°

Long 77.598523°

30/11/23 10:11 AM GMT +05:30

ru0
CHEST PA

AMRUTHA SAI DIAGNOSTIC
MR G H BASHA 33Y

03

30-Nov-23

Acq Tm: 11:23 AM

Left



3520 X 4280

W: 997 L: 498

MR G H BASHA 33Y 03 CHEST PA 30-Nov-23 MED WHEEL

AMRUTHA SAI DIAGNOSTIC CENTRE, OPP. BALAJI KALYANAMANDAPAM, SRINIVASA NAGAR, ANANTAPUR, 9688964900

Patient name	IRFAN BASHA	Age/Sex	- / Female
Patient ID	38251320231130	Visit no	1
Referred by		Visit date	30/11/2023





AMRUTHA SAI DIAGNOSTIC CENTRE



email : amruthasailab@gmail.com

ISO.9001 : 2015 Certificate Number : 1080551126

Name :- Mr G H Basha Age/Sex :- 33 Y/male Date :- 01-12-2023
Ref.by :- Mediwheel (BOB) ID.No:- D11/2023, BOBES1836,, BC-60934

EMPLOYEE MEDICAL CHEK UP FORM

Physical Examination :-

Height :- 171 cms. Weight :- 66 kgs.
Abdomen (CMS) :- *Normal* Chest Expir(CMS):- 70
Chest Insp(CMS) : 75

Personal History :-

Smoking :- Yes/No ✓
Alcoholism :- Yes/No ✓
Diabetes :- Yes/No ✓
Allergy :- Yes/No ✓

Body mass index(BMI) :-

Pulse Rate :- 74 minute. (Regular / Abnormal)
Skin :- *Normal* Open Lesions :-
Oral Hygiene : *Healthy* *Both Eyes ok*

BP :- 130/80 mm/hg
Nails :- *Normal*

Complaints if Any :- *None*

signs used (B) - 1.25

Family History :- *None*

(C) - 1.0

Complaints if Any :- *None*

Systemic Examination (Abnormality - if Yes Please Explain) :-

- CVS - Yes / No ✓
- CNS - Yes/ No ✓
- Gi Tract - Yes/No ✓
- Abdomen - Yes/ No ✓
- Respiratory Tract - Yes/ No ✓

INVESTIGATIONS : (N= Normal, R= See Report)

- Complete Blood Picture With ESR = *Normal*
- Complete Urine Examination = *Normal*
- FBS, PLBS = *Normal*
- Colour Vision = *Normal*
- USG = *Normal*
- Chest X-Ray = *Normal*

- * ECG = *Normal*
- * LFT = *Normal*
- * Cholesterol = *Normal*
- * Eye&ENT Examination = *Normal*
- * 2D ECHO = *Normal*
- * Stool R/E = *Normal*

Diagnosis (If Any) :- *None*

RECOMMENDATIONS / IMPRESSION :- *None*

[Signature]
Dr. Narayana nappa,
 PHYSICIAN & SURGEON
 Regd.No. 88543
 Authorised Doctor,
 For State Bank of India
 ANANTAPUR.



AMRUTHA SAI DIAGNOSTIC CENTRE

email : amruthasailab@gmail.com



ISO.9001 : 2015 Certificate Number : 1080551126

Name : Mr. G H BASHA
 Age/Gender : 33 Years / Male
 Ref.By : SELF
 Req No. : SMN23129803
 Sample Type : Serum
 Client Name : AMRUTHA SAI DIAGNOSTIC CENTER

Vial ID : 597017
 Collected On : 30-Nov-2023 08:30 AM
 Registered On : 01-Dec-2023 09:26 AM
 Reported On : 01-Dec-2023 10:54 AM
 Client Code : CMLAPF10

Test Name	THYROID PANEL-I		
	Observed Values	Units	Biological Reference Intervals
* TOTAL TRIIODOTHYRONINE (T3) Method:ECLIA	1.20	ng/mL	0.82 - 2.0
* TOTAL THYROXINE (T4) Method:ECLIA	9.58	ug/dl	5.1 - 14.1
* TSH Method:ECLIA	1.85	µU/mL	Adult : 0.35 – 5.5

INTREPRATATION:

The determination of T3 is utilized in the diagnosis of T3hyperthyroidism, the detection of early stages of hyperthyroidism and for indicating a diagnosis of thyrotoxicosis factitia.

The determination of T4 can be utilized for the following indications: the detection of hyperthyroidism, the detection of primary and secondary hypothyroidism, and the monitoring of TSH-suppression therapy.

The determination of TSH serves as the initial test in thyroid diagnostics. Even very slight changes in the concentrations of the free thyroid hormones bring about much greater opposite changes in the TSH level. Accordingly, TSH is a very sensitive and specific parameter for assessing thyroid function and is particularly suitable for early detection or exclusion of disorders in the central regulating circuit between the hypothalamus, pituitary and thyroid.

Ashish Sarkar M.Sc (PhD)
LAB MANAGER



End Of The Report

Dr. Tamkinath Fatima, MD
CONSULTANT BIOCHEMIST



Please Correlate With Clinical Findings If Necessary Discuss This is an Electronically Authenticated Report

Under AP Govt. Regd. Diagnostic Centre R.No.860/2022

Genuineness is our gene



AMRUTHA SAI DIAGNOSTIC CENTRE

email : amruthasailab@gmail.com



ISO.9001 : 2015 Certificate Number : 1080551126

Patient Name : Mr G H Basha

Sex : Male Age : 33 Yrs

Id.No : 11/23

Bill Date : 30-11-2023

Report Date : 01-12-2023

Ref. by : Mediwheel Gen Health Checkup

Address : A T P

LAB REPORT

Blood For :-

Parameter	Findings	Reference Range
Complete Haemogram (CBP) :-		
Haemoglobin % (C M G)	: 13.0 gm %	M : 12.0 - 17.0 gm %
Total WBC Count	: 7500 ce/cu mm	A : 4000 - 11000 ce/cu mm
Differential WBC Count	: Neutrophils - 51 % Lymphocytes - 40 % Eosinophils - 05 % Monocytes - 04 % Basophils - 00 %	45 - 65 % 25 - 45 % 01 - 06 % 02 - 08 % 00 - 01 %
E S R (Westergren Method)	: 15 mm/ 1 hr	M : 01 - 15 mm/1 hr
RBC Count	: 4.7 mil/cu mm	M : 4.5 - 6.5 mil/cu mm
Platelet Count	: 2.4 Lach/cu mm	1.5 - 4.0 Lach/cu mm
Packed Cell Volume (PCV)	: 45.8 %	M : 40 - 54 %
Mean Corpuscular Volume (MCV)	: 83.6 fl	82 - 92 fl
Mean Corpuscular Haemoglobin (MCH)	: 28.9 pg	27 - 32 pg
Mean Corpuscular Haemoglobin Concentration (MCHC)	: 32.4 %	32 - 36 %
Blood Group & Rh Type	: "O" Positive(+Ve)	

TEST NAME	METHOD	VALUE	UNITS
GLYCOSYLATED HAEMOGLOBIN (Hb A1 c) %	H.P.L.C	5.73	%

Bio.Ref.Interval. :-

Bio.Re.Interval. : As Per ADA Guidelines

Below 5.7 % : Normal
 5.7 % - 6.4 % : Pre Diabetic
 > = 6.5 % : Diabetic

Guidance For Known Diabetics

BELOW 6.5 % - Good Control
 6.5 % - 7.0 % - Fair Control
 7.0 % - 8.0 % - Unsatisfactory Control
 > 8 % - Poor Control

Method : Fully Automated H.P.L.C method.

@ Suggested clinical Correlation, If there is need, kindly discuss.

LAB INCHARGE
S. Vijaya Lakshmi
 S. Vijaya Lakshmi
 M.Sc (Biochemistry)

Under AP Govt. Regd. Diagnostic Centre R.No.860/2022

Genuineness is our gene



AMRUTHA SAI DIAGNOSTIC CENTRE

email : amruthasailab@gmail.com



ISO.9001 : 2015 Certificate Number : 1080551126

Patient Name : Mr G H Basha

Sex : Male

Age : 33 Yrs

Id.No : 11/23

Bill Date :30-11-2023

Report Date : 01-12-2023

Ref. by : Mediwheel Gen Health Checkup

Address : A T P

LAB REPORT

Blood For :-

Parameter	Findings	Reference Range
LIPID PROFILE :-		
Cholesterol Total	: 204 mg/dl	150 - 260 mg/dl
H D L Cholesterol	: 40 mg/dl	M : 35 - 55 mg/dl
L D L Cholesterol	: 117 mg/dl	66 - 178 mg/dl
V L D L Cholesterol	: 45 mg/dl	5 - 40 mg/dl
Triglycerides	: 227mg/dl	36 - 165 mg/dl
Fasting Blood Sugar	: 90 mg/dl	65 - 110 mg/dl
Post Prandial Blood Sugar	: 132 mg/dl	80 - 160 mg/dl
Renal Function Test (RFT) :-		
Blood Urea	: 31 mg/dl	15 - 45 mg/dl
Serum Creatinine	: 1.0 mg/dl	0.7 - 1.4 mg/dl
Serum Uric Acid	: 4.9 mg/dl	3.0 - 5.7 mg/dl
Serum Calcium	: 9.3 mg/dl	8.7 - 10.4 mg/dl
LIVER FUNCTION TEST (LFT) :-		
Bilirubin Total	: 0.7 mg/dl	0.1 - 1.0 mg/dl
Bilirubin Direct	: 0.18 mg/dl	0.0 - 0.25 mg/dl
Bilirubin Indirect	: 0.6 mg/dl	0.2 - 0.8 mg/dl
Total Proteins	: 6.5 gm/dl	6.0 - 8.0 gm/dl
Albumin	: 4.3 gm/dl	3.7 - 5.3 gm/dl
Globulins	: 2.8 gm/dl	2.5 - 4.5 gm/dl
A / G Ratio	: 1.9 : 1	1.2 - 2.5 : 1
S G O T (A S T)	: 48 IU/L	Upto - 40 IU/L
S G P T (A L T)	: 54 IU/L	Upto - 47 IU/L
Alkaline Phosphatase (ALP)	: 205 IU/L	A : 100 - 290 IU/L
Gamma Glutamyl Transferase (GGT)	: 47 IU/L	M : Upto - 50 IU/L

@ Suggested clinical Correlation. If there is need, kindly discuss.

Vijaya Lakshmi
Vijaya Lakshmi
 M.Sc (Biochemistry)
 M.Sc (Biochemistry)
 M.Sc (Biochemistry)

Under AP Govt. Regd. Diagnostic Centre R.No.860/2022

Quality is our gene



AMRUTHA SAI DIAGNOSTIC CENTRE



email : amruthasailab@gmail.com

ISO 9001 : 2015 Certificate Number : 1080551126

Patient Name : Mr G H Basha

Sex : Male

Age : 33 Yrs

Id.No : 11/23

Bill Date : 30-11-2023

Report Date : 01-12-2023

Ref. by : Mediwheel Gen Health Checkup

Address : A T P

LAB REPORT

Complete Urine Analysis(C.U.A) :-

Physical Examination :-

Colour : Yellow
Reaction : Acidic
Sp.Gravity : 1.012

Transparency : Clear
Sediment : NIL
pH : 6.0

Chemical Examination :-

Sugar : Absent
Bile Salts : Absent
Urobilinogen : Normal
Blood : Absent

Proteins : Absent
Bile Pigments : Absent
Ketone Bodies : Negative

Microscopic Examination :-

Pus Cells : 5 - 6 /HPF
RBC's : Absent
Crystals : Absent
Bacteria : Absent

E.P.Cells : 4 - 5 /HPF
Casts : Absent
Deposits : Absent

@ Suggested clinical Correlation, If there is need, kindly discuss.

Note:-

Amrutha Sai Diagnostic Centre . (Fully Automated A/C Laboratory)
***** Since - 25 Years *****

Opp.Balaji Kalyana Mantapam, Near RTC Bus Stand, Reliance Mart Road,
Srenivasa Nagar, ANANTHAPURAM. CELL - 86 88 984900

S. Vijaya Lakshmi

S. Vijaya Lakshmi
M.Sc (Biochemistry)



Care & Cure Hospitals

2D ECHO CARDIOGRAM- COLOUR DOPPLER STUDY

NAME:-MR. G H BASHA	AGE/GENDER: 33Y/MALE	DATE: 30/11/2023
REFERRED BY:-AMRUTHA SAI LAB	MRNO:-	OP/IP NO:-
ECHO DONE BY:- DR. R.KATYAYINI	S.NO:-	TAPE NO:-

MITRAL VALVE :- NORMAL
AORTIC VALVE :- NORMAL
TRICUSPID VALVE :- NORMAL
PULMONARY VALVE :- NORMAL
RIGHT ATRIUM :- NORMAL
RIGHT VENTRICLE :- NORMAL
LEFT ATRIUM :- 3.4 cm
LEFT VENTRICLE :- NO LV RWMA
*EDD :- 4.4 cm IVSD :- 1.0 cm EF : 64 %
*ESD :- 2.3 cm PWD :- 0.9 m FS : 32 %
*EDV :- MI SV :- MI EF :- %
IAS :- INTACT
IVS :- INTACT
AORTA :- 2.9 cm
PULMONARY ARTERY :- NORMAL
PERICARDIUM :- NORMAL
INTRACARDIAC MASSES :- NO
IVC/SVC/CS :- NORMAL
PULMONARY VEINS :- NORMAL
OTHERS :-

COLOUR FLOW MAPPING & DOPPLER MR:NO AR:NO TR:NO PR:NO

DOPPLER

MITRAL :- E=0.7 m/sec A=0.5m/sec EDT=166 ms
TDI :- E/E'- A'-
AORTA :- VMAX = 1.0 m/sec
PULMONARY :- VMAX = 1.0 m/sec
TRICUSPID :- RVSP mmHg
OTHERS :-

ECHO DIAGNOSIS

- 1 NORMAL VALVES & CHAMBERS
- 2 NO LV RWMA
- 3 NO MR/AR/TR, NO PAH
- 4 NORMAL LV SYSTOLIC FUNCTION (EF: 64 %)
- 5 NORMAL RV FUNCTION
- 6 NO RE/CLOT/VEGETATION

Dr. R. KATYAYINI
MBBS., MD(Gen Med), DrNB(Cardiology)
Consultant Interventional Cardiologist
APMC Reg.No:77567
CONSULTANT CARDIOLOGIST

#13-2-392-4, Care & Cure Circle, NTR Marg, Near RTC Bus-Stand, Ananthapuramu - 515001.

Ph:08554 - 220555, 278999 Cell: 74166 84286, e-mail: careandcureatp@gmail.com website:www.careandcurehospitals.com



PT NAME: MR G H BASHA

AGE/SEX: 33 Y/M

REF.BY: DR AMRUTH SAI DIAGNOSTICS

DATE: 30.11.2023

ULTRASOUND SCANNING OF WHOLE ABDOMEN

FINDINGS:

LIVER : Normal in size with **increased echogenicity** and normal echotexture, no focal lesions were seen

PORTAL VEIN : Normal

GB : Well distended, wall thickness within normal limit, no calculi /no sludge noted.

CBD : Normal. No IHBD

SPLEEN : Normal in size and echo texture, no focal lesions were seen

PANCREAS : Normal in size and echo texture, no focal lesions were seen

PARAAORTIC & PARA ILIAC REGION: Nil significant

RIGHT KIDNEY: Measures: 10.1 x 4.3 cm

Echogenicity: Normal

Hydronephrosis: Nil

Calculi: Nil

LEFT KIDNEY : Measures: 9.7 x 4.3 cm

Echogenicity: Normal

Hydronephrosis: Nil

Calculi: Nil

URINARY BLADDER : Well distended. Normal wall thickness.

PROSTATE : Normal (17 cc)


FREE FLUID : Nil

No bowel wall thickening.

IMPRESSION:

✓ **GRADE II FATTY INFILTRATION OF LIVER.**

**Needs clinical correlation. Suggested further evaluation if clinically required*


DR. HARISH REDDY T MD
CONSULTANT RADIOLOGIST

Dr. Harish Reddy T
MD., (Radio Diagnostics)
Consultant Radiologist
Regd.No. APMC108107

HR 63/bpm

30-11-2023 10:48:59



25 mm/s, 10 mm/mV

LP 25 Hz AC 50 Hz

Sequential

AT-1 G2 11070-0063010-1-2-1

SCHILLER Part No.2.157044M € 0123

SCHILLER Part No.2.157044M € 0123 5.88

SCHILLER Part No.2.157044M € 0123


SCHILLER Part No.2.157044M € 0123 S.B

30.11.2023 10:48:59

Borderline ECG

Sinus rhythm
Normal electrical axis
Nonspecific T abnormality

Unconfirmed report



G. H. Basava

33yrs

Date: 01/12/23

Time: 10:00 AM

HR 63/bpm

RR	958 ms	P axis	48°
P	102 ms	QRS axis	56°
PR	142 ms	T axis	40°
QRS	80 ms		
QT	382 ms		
QTc (Bazett)	390 ms		
Sokolow	1.39 mV		
Cornell	0.70 mV		
Lewis	- mV		
Romhill			

Dr. V. Narayana Murthy
 M.B.B.S, F.C.C.P
 PHYSICIAN & SURGEON
 Regd. No. 78583
 Authorised Doctor,
 For State Bank of
 ANANTAPUR

30.11.2023 10:48:59

Name

Patient ID

Date of Birth

Gender

Occupation

Height

Weight

Temperature

Pulse

Respiration

Blood Pressure

Saturation

ECG

Medication

Remark

AT-1 G2 (1070.006301) 1.2.1

SCHILLER Part No.2.157044M CE 0123 5.88

SCHILLER Part No.2.157044M CE 0123 5.88

AT-1 G2 (1070.006301) 1.2.1

SCHILLER Part No.2.157044M CE 0123 5.88

SCHILLER Part No.2.157044M CE 0123 5.88