PID No.
 : MED110764719
 Register On
 : 27/11/2021 9:28 AM

 SID No.
 : 79149898
 Collection On
 : 27/11/2021 12:27 PM

 Age / Sex
 : 31 Year(s) / Female
 Report On
 : 29/11/2021 10:22 AM

 Type
 : OP
 Printed On
 : 30/11/2021 10:10 AM

Ref. Dr : MediWheel

Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
D FOSITIVE		
10.83	g/dL	12.5 - 16.0
34.1	%	37 - 47
4.25	mill/cu.mm	4.2 - 5.4
80.3	fL	78 - 100
25.5	pg	27 - 32
31.8	g/dL	32 - 36
16.5	%	11.5 - 16.0
46.37	fL	39 - 46
5250	cells/cu.mm	4000 - 11000
54.12	%	40 - 75
37.74	%	20 - 45
1.03	%	01 - 06
6.96	%	02 - 10
0.15	%	00 - 02
	Value 'B' 'Positive' 10.83 34.1 4.25 80.3 25.5 31.8 16.5 46.37 5250 54.12 37.74 1.03 6.96	Value 'B' Positive' 10.83 g/dL 34.1 % 4.25 mill/cu.mm 80.3 fL 25.5 pg 31.8 g/dL 16.5 % 46.37 fL 5250 cells/cu.mm 54.12 % 37.74 % 1.03 % 6.96 %



 PID No.
 : MED110764719
 Register On
 : 27/11/2021 9:28 AM

 SID No.
 : 79149898
 Collection On
 : 27/11/2021 12:27 PM

 Age / Sex
 : 31 Year(s) / Female
 Report On
 : 29/11/2021 10:22 AM

 Type
 : OP
 Printed On
 : 30/11/2021 10:10 AM

Ref. Dr : MediWheel

Investigation	Observed Value	<u>Unit</u>	<u>Biological</u> Reference Interval
INTERPRETATION: Tests done on Automated I	Five Part cell counter	er. All abnormal results are r	reviewed and confirmed microscopically.
Absolute Neutrophil count (Blood/Impedance and absorbance)	2.84	10^3 / μl	1.5 - 6.6
Absolute Lymphocyte Count (Blood/ <i>Impedance</i>)	1.98	10^3 / μl	1.5 - 3.5
Absolute Eosinophil Count (AEC) (Blood/ <i>Impedance</i>)	0.05	10^3 / μl	0.04 - 0.44
Absolute Monocyte Count (Blood/ <i>Impedance</i>)	0.37	10^3 / μl	< 1.0
Absolute Basophil count (Blood/ <i>Impedance</i>)	0.01	10^3 / μl	< 0.1
Platelet Count (Blood/Impedance)	3.7	lakh/cu.mm	1.4 - 4.5
INTERPRETATION: Platelet count less than 1.5	lakhs will be confi	rmed microscopically.	
MPV (Blood/Derived from Impedance)	8.12	fL	8.0 - 13.3
PCT (Calculated)	0.30	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Blood/Automated ESR analyser)	20	mm/hr	< 20
BUN / Creatinine Ratio	7.0		
Glucose Fasting (FBS) (Plasma - F/Glucose oxidase/Peroxidase)	89	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose, Fasting (Urine) (Urine - F)	Nil		Negative
Glucose Postprandial (PPBS) (Plasma - PP/GOD - POD)	114	mg/dL	70 - 140



 PID No.
 : MED110764719
 Register On
 : 27/11/2021 9:28 AM

 SID No.
 : 79149898
 Collection On
 : 27/11/2021 12:27 PM

 Age / Sex
 : 31 Year(s) / Female
 Report On
 : 29/11/2021 10:22 AM

 Type
 : OP
 Printed On
 : 30/11/2021 10:10 AM

Ref. Dr : MediWheel

<u>Investigation</u>	Observed Unit	<u>Biological</u>
	<u>Value</u>	Reference Interval

INTERPRETATION:

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Urine Glucose(PP-2 hours) (Urine - PP)	Negative		Negative
Blood Urea Nitrogen (BUN) (Serum/Calculated)	16.6	mg/dL	7.0 - 21
Creatinine (Serum/Jaffe ó'Alkaline Picrate)	1	mg/dL	0.6 - 1.1
Uric Acid (Serum/Uricase/Peroxidase)	3.3	mg/dL	2.6 - 6.0
Liver Function Test			
Bilirubin(Total) (Serum/Diazotized Sulphanilic acid)	0.3	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulphanilic acid)	0.2	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Calculated)	0.10	mg/dL	0.1 - 1.0
SGOT/AST (Aspartate Aminotransferase) (Serum/IFCC without P-5-P)	18	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/IFCC without P-5-P)	8	U/L	5 - 41
Alkaline Phosphatase (SAP) (Serum/IFCC AMP Buffer)	73	U/L	42 - 98
Total Protein (Serum/Biuret)	8.1	gm/dl	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.5	gm/dl	3.5 - 5.2
Globulin (Serum/Calculated)	3.60	gm/dL	2.3 - 3.6
A: GRATIO (Serum/Calculated)	1.25		1.1 - 2.2



 PID No.
 : MED110764719
 Register On
 : 27/11/2021 9:28 AM

 SID No.
 : 79149898
 Collection On
 : 27/11/2021 12:27 PM

 Age / Sex
 : 31 Year(s) / Female
 Report On
 : 29/11/2021 10:22 AM

 Type
 : OP
 Printed On
 : 30/11/2021 10:10 AM

Ref. Dr : MediWheel

Investigation	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
INTERPRETATION: Enclosure: Graph			
GGT(Gamma Glutamyl Transpeptidase) (Serum/IFCC / Kinetic)	11	U/L	< 38
<u>Lipid Profile</u>			
Cholesterol Total (Serum/Cholesterol oxidase/Peroxidase)	178	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/Glycerol-phosphate oxidase/Peroxidase)	106	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

INTERPRETATION: The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the õusualö"circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immunoinhibition)	86	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 50 - 59 High Risk: < 50
LDL Cholesterol (Serum/Calculated)	70.8	mg/dL	Optimal: < 100 Near Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL Cholesterol (Serum/Calculated)	21.2	mg/dL	< 30
Non HDL Cholesterol (Serum/Calculated)	92.0	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220



 PID No.
 : MED110764719
 Register On
 : 27/11/2021 9:28 AM

 SID No.
 : 79149898
 Collection On
 : 27/11/2021 12:27 PM

 Age / Sex
 : 31 Year(s) / Female
 Report On
 : 29/11/2021 10:22 AM

 Type
 : OP
 Printed On
 : 30/11/2021 10:10 AM

Ref. Dr : MediWheel

Investigation	<u>Observed</u>	<u>Unit</u>	<u>Biological</u>
	Value		Reference Interval

INTERPRETATION: 1. Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol. 2. It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.

Total Cholesterol/HDL Cholesterol 2.1 Normal: < 3.3 Ratio Low Risk: 3.4 - 4.4 (Serum/Calculated) Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0

Triglyceride/HDL Cholesterol Ratio 1.2 Optimal: < 2.5

(TG/HDL) Mild to moderate risk: 2.5 - 5.0

(Serum/Calculated) High Risk: > 5.0

LDL/HDL Cholesterol Ratio 0.8 Desirable: 0.5 - 3.0 (Serum/Calculated) Borderline: 3.1 - 6.0

Elevated: > 6.0

Glycosylated Haemoglobin (HbA1c)

HbA1C (Whole Blood/*HPLC-Ion exchange*) % Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5

INTERPRETATION: If Diabetes - Good control: 6.1 - 7.0 %, Fair control: 7.1 - 8.0 %, Poor control >= 8.1 %

Remark: Test outsourced to referral laboratory

Mean Blood Glucose 119.47 mg/dL

(Whole Blood)

INTERPRETATION: Comments

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency,

hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbAlC values.

Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.

Remark: Test outsourced to referral laboratory

THYROID PROFILE / TFT



 PID No.
 : MED110764719
 Register On
 : 27/11/2021 9:28 AM

 SID No.
 : 79149898
 Collection On
 : 27/11/2021 12:27 PM

 Age / Sex
 : 31 Year(s) / Female
 Report On
 : 29/11/2021 10:22 AM

 Type
 : OP
 Printed On
 : 30/11/2021 10:10 AM

Ref. Dr : MediWheel

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
T3 (Triiodothyronine) - Total	1.603	ng/ml	0.7 - 2.04

(Serum/Chemiluminescent Immunometric Assay

(CLIA))

INTERPRETATION:

Comment:

Total T3 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T3 is recommended as it is Metabolically active.

T4 (Thyroxine) - Total 7.331 μ g/dl 4.2 - 12.0

(Serum/Chemiluminescent Immunometric Assay

(CLIA))

INTERPRETATION:

Comment:

Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active.

TSH (Thyroid Stimulating Hormone) 17.18 µIU/mL 0.35 - 5.50

 $(Serum/{\it Chemilumine scence})$

INTERPRETATION:

Reference range for cord blood - upto 20

1 st trimester: 0.1-2.5 2 nd trimester 0.2-3.0 3 rd trimester : 0.3-3.0

(Indian Thyroid Society Guidelines)

Comment:

- 1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI.
- 2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM. The variation can be of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations.
- 3. Values&lt 0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.

Urine Analysis - Routine

Others

(Urine/Microscopy)

INTERPRETATION: Note: Done with Automated Urine Analyser & microscopy

<u>Physical Examination(Urine Routine)</u>

Colour Pale yellow Yellow to Amber

(Urine/Physical examination)

Appearance Clear Clear

(Urine/Physical examination)



APPROVED BY

The results pertain to sample tested.

Page 6 of 8

 PID No.
 : MED110764719
 Register On
 : 27/11/2021 9:28 AM

 SID No.
 : 79149898
 Collection On
 : 27/11/2021 12:27 PM

 Age / Sex
 : 31 Year(s) / Female
 Report On
 : 29/11/2021 10:22 AM

 Type
 : OP
 Printed On
 : 30/11/2021 10:10 AM

Ref. Dr : MediWheel

<u>Investigation</u>	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
<u>Chemical Examination(Urine Routine)</u>			
Protein (Urine/Dipstick-Error of indicator/ Sulphosalicylic acid method)	Negative		Negative
Glucose (Urine/Dip Stick Method / Glucose Oxidase - Peroxidase / Benedictøs semi quantitative method.)	Negative		Negative
Microscopic Examination(Urine Routine)			
Pus Cells (Urine/Microscopy exam of urine sediment)	01-02	/hpf	0 - 5
Epithelial Cells (Urine/Microscopy exam of urine sediment)	02-04	/hpf	NIL
RBCs (Urine/Microscopy exam of urine sediment)	Nil	/hpf	0 - 5
STOOL ANALYSIS - ROUTINE			
PHYSICAL EXAMINATION			
Colour (Stool/Physical examination)	Brown		Brown
Consistency (Stool/Physical examination)	Semi soft		Well Formed
Mucus (Stool)	Absent		Absent
Blood (Stool)	Absent		Absent
CHEMICAL EXAMINATION			
Reducing Substances	Negative		Negative



APPROVED BY

(Stool/Benedict's)

 PID No.
 : MED110764719
 Register On
 : 27/11/2021 9:28 AM

 SID No.
 : 79149898
 Collection On
 : 27/11/2021 12:27 PM

 Age / Sex
 : 31 Year(s) / Female
 Report On
 : 29/11/2021 10:22 AM

 Type
 : OP
 Printed On
 : 30/11/2021 10:10 AM

Ref. Dr : MediWheel

Investigation Reaction (Stool) MICROSCOPIC EXAMINATION (STOOL COMPLETE)	Observed Value Acidic	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u> Acidic
Ova (Stool)	Nil		
Cysts (Stool)	Nil		
Trophozoites (Stool)	Nil		
Pus Cells (Stool)	01-02	/hpf	
RBCs (Stool)	0-01	/hpf	
Others (Stool)	Nil		



APPROVED BY

-- End of Report --

Name	KUCHIMANCHI SWATHI	ID	MED110764719
Age & Gender	31Y/F	Visit Date	Nov 27 2021 12:00AM
Ref Doctor	MediWheel		

ULTRASOUND WHOLE ABDOMEN

Liver : Normal in size (13.3 cm) with regular outlines and normal echopattern.

There is no evidence of IHBR / EHBR dilatation seen.

No focal space occupying lesions seen.

CBD is normal. PV normal.

Gall Bladder : Normal in volume and wall thickness.

No e/o intraluminal calculi seen. No pericholecystic edema noted.

Pancreas : Head, body and tail are identified with normal echopattern and smooth

outlines.

Spleen : Measured 9.6 cm, in size with normal echotexture.

Right kidney : Measured 9.6 x 4.3 cm in size.

Left kidney : Measured 9.1 x 4.1 cm in size.

Both kidneys are normal in size, position, with well preserved cortico medullary differentiation and

normal pelvicalyceal anatomy.

No e/o calculi / space occupying lesion seen.

No e/o suprarenal / retroperitoneal masses noted.

Urinary : Normal in volume and wall thickness.

bladder No e/o intraluminal calculi / masses seen.

Uterus : Measured 8.0 x 4.1 x 5.3 cm in size with regular outlines.

Myometrial echotexture is normal.

Name	KUCHIMANCHI SWATHI	ID	MED110764719
Age & Gender	31Y/F	Visit Date	Nov 27 2021 12:00AM
Ref Doctor	MediWheel		

The Endometrial cavity is empty and shows no abnormality.

Endometrial echo measured 5 mm.

Right ovary : Measured 3.2 x 2.0 cm in size.

Left ovary : Measured 2.6 x 1.8 cm in size.

Both ovaries are normal in size and appearance.

No e/o ascites / pleural effusion seen.

No e/o detectable bowel pathology seen.

$\underline{\textbf{IMPRESSION}}:$

- Essentially normal study.
- For clinical correlation.

Dr. Jahnavi Barla MD (RD), DGO. Consultant Radiologist

Name	KUCHIMANCHI SWATHI	ID	MED110764719
Age & Gender	31Y/F	Visit Date	Nov 27 2021 12:00AM
Ref Doctor	MediWheel		

RADIOGRAPH CHEST P.A. VIEW

The Cardiac size and configuration are normal.

The Aorta and Pulmonary Vasculature are normal.

Both the lungs are clear.

Both Costophrenic angles are normal.

The soft tissues and bones of thorax are normal.

IMPRESSION:

- Essentially normal study.
- For clinical correlation.

Dr.Jahnavi Barla MD (RD), DGO. Consultant Radiologist