



# PHYSICAL EXAMINATION REPORT

R

		n 1 a d
Patient Name	Mohuit Hate. Sex/Age	10/129
Date	26 3 22 Location	Thaue':
History and C	Complaints	P. Mariella
	1 A	
	1)	
	1	
EXAMINATIO	ON FINDINGS:	
EXAMINATIO		<b>\</b>
Height (cms):	Temp (0c):	
Weight (kg):	Skin:	
<b>Blood Pressure</b>	#160 000 Nails:	1
Pulse	Luck a Lymph Node:	
	6 WY Lymph Node.	
Systems:		
Cardiovascular:		
Respiratory:		
Genitourinary:	INAD	
GI System:		
CNS:		
Impression:	High Rip. Fatty	liver.
	Overwendth.	
	1 Cholesterol.	
	1 Cholesterol.	

ADDRESS: 2<sup>rd</sup> Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343



	Physician's consultation for Hugh B'f
Advic	e: Ut Reduction.
	e: Physician's consultation for Hugh Bif Low Feet, Low sugar Diet
	Low particonsagni pres
	N 1 7 \
1)	Hypertension:
2)	IHD
3)	Arrhythmia
4)	Diabetes Mellitus
5)	Tuberculosis
6)	Asthama
7)	Pulmonary Disease
8)	Thyroid/ Endocrine disorders
9)	Nervous disorders
10)	GI system
11)	Genital urinary disorder
12)	Rheumatic joint diseases or symptoms
13)	Blood disease or disorder
14)	Cancer/lump growth/cyst
15)	Congenital disease
16)	Surgeries
17)	Musculoskeletal System
PERS	SONAL HISTORY:
1)	Alcohol
2)	Smoking
3)	Diet + MXee
4	Medication Dr. Manasee Kulkar
Ma	Dr. Wianascs 1 M.B.B.S 2005/09/3439
	ADDRESS: 2 <sup>nd</sup> Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

R

T

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343



: 2208525033

Name

: MR. HATE MOHIT SUDHIR

Age / Gender

: 29 Years / Male

Consulting Dr. Reg. Location

. .

: G B Road, Thane West (Main Centre)

**Authenticity Check** 

E

Use a QR Code Scanner Application To Scan the Code

Collected Reported : 26-Mar-2022 / 09:08 : 26-Mar-2022 / 11:51

# **AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE**

CBC (	Complete	Blood	Count	).	Blo	bo		
Contract the Name of							-	

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
RBC PARAMETERS			
Haemoglobin	15.4	13.0-17.0 g/dL	Spectrophotometric
RBC	5.24	4.5-5.5 mil/cmm	Elect. Impedance
PCV	45.7	40-50 %	Measured
MCV	87	80-100 fl	Calculated
MCH	29.4	27-32 pg	Calculated
MCHC	33.7	31.5-34.5 g/dL	Calculated
RDW	13.2	11.6-14.0 %	Calculated
WBC PARAMETERS			
WBC Total Count	5900	4000-10000 /cmm	Elect. Impedance
WBC DIFFERENTIAL AND A	BSOLUTE COUNTS		
Lymphocytes	36.9	20-40 %	
Absolute Lymphocytes	2177.1	1000-3000 /cmm	Calculated
Monocytes	3.7	2-10 %	
Absolute Monocytes	218.3	200-1000 /cmm	Calculated
Neutrophils	51.6	40-80 %	
Absolute Neutrophils	3044.4	2000-7000 /cmm	Calculated
Eosinophils	7.8	1-6 %	
Absolute Eosinophils	460.2	20-500 /cmm	Calculated
Basophils	0.0	0.1-2 %	
Absolute Basophils	0.0	20-100 /cmm	Calculated
Immature Leukocytes			

WBC Differential Count by Absorbance & Impedance method/Microscopy.

### **PLATELET PARAMETERS**

Platelet Count	213000	150000-400000 /cmm	Elect. Impedance
MPV	8.6	6-11 fl	Calculated
PDW	14.8	11-18 %	Calculated

### **RBC MORPHOLOGY**

Hypochromia	-

Microcytosis -

Page 1 of 9

ADDRESS: 2<sup>nd</sup> Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

 $\textbf{For Feedback} - customerservice@suburbandiagnostics.com \mid \textbf{www.suburbandiagnostics.com}$ 



CID : 2208525033

Name : MR. HATE MOHIT SUDHIR

Age / Gender : 29 Years / Male

Consulting Dr. : -

Reg. Location : G B Road, Thane West (Main Centre)

Authenticity Check



Use a QR Code Scanner Application To Scan the Code

Collected Reported : 26-Mar-2022 / 09:08 : 26-Mar-2022 / 11:24 E

Macrocytosis

Anisocytosis

Poikilocytosis -

Polychromasia -

Target Cells -

Basophilic Stippling

Normoblasts -

Others Normocytic, Normochromic

WBC MORPHOLOGY -

PLATELET MORPHOLOGY

COMMENT -

Specimen: EDTA Whole Blood

ESR, EDTA WB


3

2-15 mm at 1 hr.

Westergren

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
\*\*\* End Of Report \*\*\*





Page 2 of 9

ADDRESS: 2<sup>rd</sup> Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343



**Authenticity Check** 



R

Use a OR Code Scanner

Application To Scan the Code

Name Age / Gender

CID

: MR. HATE MOHIT SUDHIR

Consulting Dr.

: 2208525033

: 29 Years / Male

: G B Road, Thane West (Main Centre) Reg. Location

Collected Reported

: 26-Mar-2022 / 09:08 :26-Mar-2022 / 12:57

AERFO	CAMI HEALTHCARE	E BELOW 40 MALE/FEMALE	
PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
GLUCOSE (SUGAR) FASTING, Fluoride Plasma	96.7	Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >/= 126 mg/dl	Hexokinase
GLUCOSE (SUGAR) PP, Fluoride Plasma PP/R	93.2	Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance: 140-199 mg/dl Diabetic: >/= 200 mg/dl	Hexokinase
BILIRUBIN (TOTAL), Serum	0.43	0.1-1.2 mg/dl	Diazo
BILIRUBIN (DIRECT), Serum	0.17	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.26	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	6.6	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.8	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	1.8	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	2.7	1 - 2	Calculated
SGOT (AST), Serum	12.8	5-40 U/L	IFCC without pyridoxal phosphate activation
SGPT (ALT), Serum	15.2	5-45 U/L	IFCC without pyridoxal phosphate activation
GAMMA GT, Serum	19.5	3-60 U/L	IFCC
ALKALINE PHOSPHATASE, Serum	78.3	40-130 U/L	PNPP
BLOOD UREA, Serum	19.3	12.8-42.8 mg/dl	Urease & GLDH
BUN, Serum	9.0	6-20 mg/dl	Calculated
CREATININE, Serum	1.01	0.67-1.17 mg/dl	Enzymatic
eGFR, Serum	93	>60 ml/min/1.73sqm	Calculated

Page 3 of 9

ADDRESS: 2<sup>nd</sup> Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343



CID : 2208525033

Name : MR. HATE MOHIT SUDHIR

Age / Gender

: 29 Years / Male

Consulting Dr.

Reg. Location

: G B Road, Thane West (Main Centre)

**Authenticity Check** 

R



Use a QR Code Scanner

Application To Scan the Code

Collected

: 26-Mar-2022 / 11:39 Reported :26-Mar-2022 / 14:00

URIC ACID, Serum

4.7

3.5-7.2 mg/dl

Uricase

Urine Sugar (Fasting)

Absent

Absent Absent

Urine Ketones (Fasting)

Absent Absent

Absent

Urine Sugar (PP) Urine Ketones (PP)

Absent

Absent

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West \*\*\* End Of Report \*\*\*

Daniet Taan

**Dr.AMIT TAORI** M.D (Path) **Pathologist** 

Page 4 of 9

ADDRESS: 2<sup>nd</sup> Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343



: 2208525033

Name

: MR. HATE MOHIT SUDHIR

Age / Gender

: 29 Years / Male

Consulting Dr.

. .

Reg. Location

: G B Road, Thane West (Main Centre)

Use a QR Code Scanner

Application To Scan the Code

Collected : 26-Mar-2022 /

: 26-Mar-2022 / 09:08

Reported Reported

:26-Mar-2022 / 16:17

**Authenticity Check** 

# AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE GLYCOSYLATED HEMOGLOBIN (HbA1c)

PARAMETER

**RESULTS** 

**BIOLOGICAL REF RANGE** 

**METHOD** 

Glycosylated Hemoglobin (HbA1c), EDTA WB - CC

5.1

Non-Diabetic Level: < 5.7 % Prediabetic Level: 5.7-6.4 % HPLC

Diabetic Level: >/= 6.5 %

Estimated Average Glucose (eAG), EDTA WB - CC

99.7

mg/dl

Calculated

### Intended use:

· In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year

In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly

For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

### Clinical Significance:

· HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.

 The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

### Test Interpretation:

 The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.

HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.

To monitor compliance and long term blood glucose level control in patients with diabetes.

· Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

### Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West
\*\*\* End Of Report \*\*\*







Dr.MEGHA SHARMA M.D. (PATH), DNB (PATH) Pathologist

Page 5 of 9

ADDRESS: 2<sup>nd</sup> Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343



CID : 2208525033

Name : MR. HATE MOHIT SUDHIR

Age / Gender : 29 Years / Male

Consulting Dr. : .

Reg. Location : G B Road, Thane West (Main Centre)

Authenticity Check




Use a QR Code Scanner Application To Scan the Code


Collected Reported : 26-Mar-2022 / 09:08 : 26-Mar-2022 / 12:03

# AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE URINE EXAMINATION REPORT

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
PHYSICAL EXAMINATION			
Color	Yellow	Pale Yellow	2
Reaction (pH)	Acidic (5.0)	4.5 - 8.0	Chemical Indicator
Specific Gravity	1.025	1.010-1.030	Chemical Indicator
Transparency	Clear	Clear	-
Volume (ml)	40	2] 30d	( *·
CHEMICAL EXAMINATION			
Proteins	Absent	Absent	pH Indicator
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
MICROSCOPIC EXAMINATION			
Leukocytes(Pus cells)/hpf	1-2	0-5/hpf	
Red Blood Cells / hpf	Absent	0-2/hpf	
Epithelial Cells / hpf	1-2		
Casts	Absent	Absent	
Crystals	Absent	Absent	
Amorphous debris	Absent	Absent	
Bacteria / hpf	2-3	Less than 20/hpf	
*Sample processed at SUBURDAN DIA	CHOCTICS WIRLLS BY		







Page 6 of 9

ADDRESS: 2<sup>st</sup> Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343



: 2208525033

Name

: MR. HATE MOHIT SUDHIR

Age / Gender

: 29 Years / Male

Consulting Dr.

: -

Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a OR Code Scanner Application To Scan the Code

Collected Reported

: 26-Mar-2022 / 09:08 :26-Mar-2022 / 13:41

# AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE **BLOOD GROUPING & Rh TYPING**

**PARAMETER** 

**RESULTS** 

**ABO GROUP** 

Rh TYPING

Positive

NOTE: Test performed by Semi- automated column agglutination technology (CAT)

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

### Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

### Refernces:

- 1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
- AABB technical manual

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West \*\*\* End Of Report \*\*\*



Donit Taan Dr.AMIT TAORI M.D (Path) **Pathologist** 

Page 7 of 9

ADDRESS: 2<sup>nd</sup> Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343



Name : MR. HATE MOHIT SUDHIR

Age / Gender :

: 29 Years / Male

: 2208525033

Consulting Dr.

CID

and the same of th

Reg. Location : G B Road, Thane West (Main Centre)

**Authenticity Check** 

R

E



Use a QR Code Scanner Application To Scan the Code


Collected Reported : 26-Mar-2022 / 09:08 : 26-Mar-2022 / 13:02

# AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE LIPID PROFILE

PARAMETER	RESULTS	<b>BIOLOGICAL REF RANGE</b>	<b>METHOD</b>
CHOLESTEROL, Serum	201.9	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	Enzymatic
TRIGLYCERIDES, Serum	122.0	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	GPO-POD
HDL CHOLESTEROL, Serum	58.4	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Homogeneous enzymatic colorimetric assay
NON HDL CHOLESTEROL, Serum	143.5	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	120.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Homogeneous enzymatic colorimetric assay
VLDL CHOLESTEROL, Serum	23.5	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	3.5	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	2.1	0-3.5 Ratio	Calculated

<sup>\*</sup>Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
\*\*\* End Of Report \*\*\*





Page 8 of 9

ADDRESS: 2<sup>nd</sup> Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343



: 2208525033

Name

: MR. HATE MOHIT SUDHIR

Age / Gender

: 29 Years / Male

Consulting Dr.

. .

Reg. Location

: G B Road, Thane West (Main Centre)

**Authenticity Check** 

Use a QR Code Scanner Application To Scan the Code

Collected Reported : 26-Mar-2022 / 09:08 : 26-Mar-2022 / 11:39 R

# AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE THYROID FUNCTION TESTS

PARAMETER	RESULTS	<b>BIOLOGICAL REF RANGE</b>	<b>METHOD</b>
Free T3, Serum	5.2	3.5-6.5 pmol/L	ECLIA
Free T4, Serum	19.3	11.5-22.7 pmol/L	ECLIA
sensitiveTSH, Serum	2.16	0.35-5.5 microIU/ml	ECLIA

### Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

### Clinical Significance:

1)TSH Values between 5.5 to 15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors can give falsely high TSH.

2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections, liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4/T4	FT3/T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

Diurnal Variation:TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7%(with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid , TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations: Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.

### Reference:

1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)

2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357

3. Tietz , Text Book of Clinical Chemistry and Molecular Biology -5th Edition

4.Biological Variation: From principles to Practice-Callum G Fraser (AACC Press)

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
\*\*\* End Of Report \*\*\*



Dr.AMIT TAORI M.D ( Path ) Pathologist

Page 9 of 9

ADDRESS: 2<sup>nd</sup> Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

 $\textbf{For Feedback -} customers ervice @suburbandiagnostics.com \mid \textbf{www.suburbandiagnostics.com} \mid \textbf{$ 




# SUBURBAN DIAGNOSTICS - G B ROAD, THANE WEST

Patient ID: Patient Name: HATE MOHIT SUDHIR 2208525033

Date and Time: 26th Mar 22 11:25 AM

10



ECG Within Normal Limits: Sinus Bradycardia. Please correlate clinically.

REPORTED BY

DR SHAILAJA PILLAI MBBS, MD Physican MD Physican



: 2208525033 SID# : 177805024330

Name : MR.HATE MOHIT SUDHIR Registered : 26-Mar-2022 / 09:04

Age / Gender : 29 Years/Male Collected : 26-Mar-2022 / 09:04

Consulting Dr. :-

CID#

Reported : 26-Mar-2022 / 13:56 Reg.Location : G B Road, Thane West (Main Centre) Printed : 26-Mar-2022 / 14:20

# X-RAY CHEST PA VIEW

Both lung fields are clear.

Both costo-phrenic angles are clear.

No hilar abnormality is seen.

The cardiac size and shape are within normal limits.

The aorta shows normal radiological features.

The trachea is central.

The domes of diaphragm are normal in position and outlines.

The skeleton under review appears normal.

# **IMPRESSION:**

NO SIGNIFICANT ABNORMALITY IS DETECTED.

\*\*\* End Of Report \*\*\*

Dr.DEVENDRA PATIL M.D(RADIO DIAGNOSIS) **RADIOLOGIST** 

R E

ADDRESS: 2<sup>nd</sup> Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053 HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343 For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com



: 2208525033

CID#

SID# : 177805024330

R

E

Name : MR.HATE MOHIT SUDHIR Registered : 26-Mar-2022 / 09:04

Age / Gender : 29 Years/Male Collected : 26-Mar-2022 / 09:04

Consulting Dr. :- Reported : 26-Mar-2022 / 13:56

Reg.Location : G B Road, Thane West (Main Centre) Printed : 26-Mar-2022 / 15:12

## **USG WHOLE ABDOMEN**

<u>LIVER:</u> Liver appears enlarged in size(16.0 cm) and shows increased echoreflectivity. There is no intra-hepatic biliary radical dilatation. No evidence of any focal lesion.

**GALL BLADDER:** Gall bladder is contracted. (Not evaluated)

PORTAL VEIN: Portal vein is normal. CBD: CBD is normal.

**PANCREAS:** Visualised head of pancreas appears normal in size & echotexture. Rest is obscured by excessive bowel gas.

**KIDNEYS**: Right kidney measures 9.5 x 3.9 cm. Left kidney measures 10.2 x 4.8 cm. Both kidneys are normal in shape and echotexture. Corticomedullary differentiation is maintained. There is no evidence of any hydronephrosis, hydroureter or calculus.

SPLEEN: Spleen is normal in size, shape and echotexture. No focal lesion is seen.

**URINARY BLADDER:** Urinary bladder is distended and normal. Wall thickness is within normal limits.

**PROSTATE:** Prostate is normal in size and echotexture and measures 2.6 x 3.2 x 3.4 cm in dimension and 15.7 cc in volume. No evidence of any focal lesion. Median lobe does not show significant hypertrophy.

No free fluid or significant lymphadenopathy is seen.

Bowel gas++

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343



: 2208525033

CID#

SID# : 177805024330

R

E

0

Name : MR.HATE MOHIT SUDHIR Registered : 26-Mar-2022 / 09:04

Age / Gender : 29 Years/Male Collected : 26-Mar-2022 / 09:04

Consulting Dr. : - Reported : 26-Mar-2022 / 13:56

Reg.Location : G B Road, Thane West (Main Centre) Printed : 26-Mar-2022 / 15:12

### **IMPRESSION:**

• HEPATOMEGALY WITH GRADE I FATTY INFILTRATION OF LIVER.

Note:Investigations have their limitations. Solitary radiological investigations never confirm the final diagnosis. They only help in diagnosing the disease in correlation to clinical symptoms and other related tests. USG is known to have inter-observer variations. Further/follow-up imaging may be needed in some cases for confirmation / exclusion of diagnosis.

Advice: Clinical co-relation and further evaluation.

\*\*\* End Of Report \*\*\*

Dr.DEVENDRA PATIL
M.D(RADIO DIAGNOSIS)
RADIOLOGIST

ADDRESS: 2<sup>nd</sup> Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343



REG NO.: 2208525033	OTT -
NAME : MR.MOHIT HATE	SEX : MALE
REF BY :	AGE: 29 YRS
	DATE: 26.03.2022

R

E

# **2D ECHOCARDIOGRAPHY**

# M - MODE FINDINGS:

LVIDD	48	mm
LVIDS	31	mm
LVEF	60	%
IVS	11	mm
PW	6	mm
AO	20	mm
LA	31	mm

# 2D ECHO:

- All cardiac chambers are normal in size
- Left ventricular contractility: Normal
- Regional wall motion abnormality: Absent.
- Systolic thickening: Normal. LVEF = 60%
- Mitral, tricuspid, aortic, pulmonary valves are: Normal.
- Great arteries: Aorta and pulmonary artery are: Normal.
- Inter artrial and inter ventricular septum are intact.
- Pulmonary veins, IVC, hepatic veins are normal.
- No pericardial effusion . No intracardiac clots or vegetation.

ADDRESS: 2<sup>rd</sup> Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343



PATIENT: MR.MOHIT HATE

# COLOR DOPPLER:

R

E

- Mitral valve doppler E-1.1 m/s, A 0.6 m/s.
- Mild TR.
- No aortic / mitral regurgition. Aortic velocity 1.4 m/s, PG 8.5 mmHg
- No significant gradient across aortic valve.
- No diastolic dysfunction.

# **IMPRESSION:**

- NO REGIONAL WALL MOTION ABNORMALITY AT REST.
- NORMAL LV SYSTOLIC FUNCTION.

-----End of the Report-----

DR.YOKESH KHARCHE

DNB (MEDICINE) DNB (CARDIOLOGY)

CONSULTANAT INTERVENTIONAL CARDIOLOGIST.



E 0

R

Date: 2,6/3/22 Name: Mohit /-/a/e

CID:

Sex / Age:

M-29

EYE CHECK UP

Chief complaints:

Systemic Diseases:

Past history:

Unaided Vision: BEGO HUBE NG.
Aided Vision: BEGG HUBE NG.

Refraction:

(Right Eye)

(Left Eye)

	Sph	Cyl	Axis	Vn	Sph	Cyl	Axis	Vn
Distance				711111				
Near								

Colour Vision: Normal / Abnormal

Use oon speaks

MR. PRAKASH KUDVA

ADDRESS: 2<sup>nd</sup> Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343