

PATIENT NAME : ABDULMAJID	QURESHI	R	EF. DOCTOR :	SELF	
CODE/NAME & ADDRESS : C0001383 ARCOFEMI HEALTHCARE LTD (MED) F-703, LADO SARAI, MEHRAULISOU DELHI NEW DELHI 110030 8800465156	IWHEEL JTH WEST	ACCESSION NO: 0321X PATIENT ID : ABDUM CLIENT PATIENT ID: ABHA NO :	B001092 1110188321	AGE/SEX :36 Years DRAWN : RECEIVED :10/02/2024 REPORTED :16/02/2024	
Test Report Status <u>Final</u>	ł	Results	Biological	Reference Interval U	Inits
MEDI WHEEL FULL BODY HEALT	H CHECK UP BELC	<u>DW 40 MALE</u>			
XRAY-CHEST					
IMPRESSION		NO ABNORMALITY DET	ECTED		
ECG					
ECG		NORMAL SINUS RHYTH	Μ		
MEDICAL HISTORY					
RELEVANT PRESENT HISTORY		NOT SIGNIFICANT			
RELEVANT PAST HISTORY		NOT SIGNIFICANT			
RELEVANT PERSONAL HISTORY		NOT SIGNIFICANT			
RELEVANT FAMILY HISTORY		NOT SIGNIFICANT			
OCCUPATIONAL HISTORY		NOT SIGNIFICANT			
HISTORY OF MEDICATIONS		NOT SIGNIFICANT			
ANTHROPOMETRIC DATA & BMI					
HEIGHT IN METERS		1.70		mts	5
WEIGHT IN KGS.		63.6		Kgs	;
ВМІ		22	Below 18 18.5 - 24 25.0 - 29	eight Status as followg/: .5: Underweight .9: Normal .9: Overweight Above: Obese	sqmts
GENERAL EXAMINATION					
MENTAL / EMOTIONAL STATE		NORMAL			
PHYSICAL ATTITUDE		NORMAL			
GENERAL APPEARANCE / NUTRI	ΠΟΝΑL	HEALTHY			
S	P. V. Kopudia				Page 1 Of 25
Dr.Sahil .N.Shah Consultant Radiologist	Dr.Priyank Kapadia Physician	1			

PERFORMED AT : Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India Tel : 079-48912999,079-48913999,079-48914999 Email : customercare.ahmedabad@agilus.in

第6 回知

View Report



1

阍





PATIENT NAME : ABDULMAJID QURESHI	REF. DOCTOR :	SELF
CODE/NAME & ADDRESS : C000138364	ACCESSION NO : 0321XB001092	AGE/SEX : 36 Years Male
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST	PATIENT ID : ABDUM110188321	DRAWN :
DELHI	CLIENT PATIENT ID:	RECEIVED : 10/02/2024 09:48:06
NEW DELHI 110030	ABHA NO :	REPORTED :16/02/2024 13:13:53
8800465156		
,		1

Test Re	eport	Status	<u>Final</u>
---------	-------	--------	--------------

STATIS

Results

Biological Reference Interval Units

SIAIUS	
BUILT / SKELETAL FRAMEWORK	AVERAGE
FACIAL APPEARANCE	NORMAL
SKIN	NORMAL
UPPER LIMB	NORMAL
LOWER LIMB	NORMAL
NECK	NORMAL
NECK LYMPHATICS / SALIVARY GLANDS	NOT ENLARGED OR TENDER
THYROID GLAND	NOT ENLARGED
TEMPERATURE	NORMAL
PULSE	84/MIN
RESPIRATORY RATE	NORMAL

CARDIOVASCULAR SYSTEM

BP126/84 MM HG
(SITTING)PERICARDIUMNORMALAPEX BEATNORMALHEART SOUNDSS1, S2 HEARD NORMALLYMURMURSABSENT

RESPIRATORY SYSTEM

SIZE AND SHAPE OF CHEST MOVEMENTS OF CHEST BREATH SOUNDS INTENSITY BREATH SOUNDS QUALITY ADDED SOUNDS NORMAL SYMMETRICAL NORMAL VESICULAR (NORMAL) ABSENT

PER ABDOMEN

Dr.Sahil .N.Shah Consultant Radiologist

P. V. Kepudia

Dr.Priyank Kapadia Physician







View Report

Page 2 Of 25

View Details



mm/Hg

. .



PATIENT NAME : ABDULMAJID	QURESHI	REF.	DOCTOR :	SELF		
CODE/NAME & ADDRESS : C000138		ACCESSION NO : 0321XB00	01092	AGE/SEX :36	Years	Male
ARCOFEMI HEALTHCARE LTD (MED		PATIENT ID : ABDUM110)188321	DRAWN :		
F-703, LADO SARAI, MEHRAULISO DELHI	UIH WEST	CLIENT PATIENT ID:		RECEIVED : 10		
NEW DELHI 110030		ABHA NO :		REPORTED :16	/02/2024 1	13:13:53
8800465156						
Test Report Status <u>Final</u>		Results	Biological	Reference In	terval U	nits
APPEARANCE		NORMAL				
LIVER		NOT PALPABLE				
SPLEEN		NOT PALPABLE				
SPLLLIN						
CENTRAL NERVOUS SYSTEM						
HIGHER FUNCTIONS		NORMAL				
CRANIAL NERVES		NORMAL				
CEREBELLAR FUNCTIONS		NORMAL				
SENSORY SYSTEM		NORMAL				
MOTOR SYSTEM		NORMAL				
REFLEXES		NORMAL				
MUSCULOSKELETAL SYSTEM						
SPINE		NORMAL				
JOINTS		NORMAL				
BASIC EYE EXAMINATION						
DISTANT VISION RIGHT EYE WI		WITH GLASSES NORMAL				
DISTANT VISION LEFT EYE WITH		WITH GLASSES NORMAL				
NEAR VISION RIGHT EYE WITH GLASSES		WITHIN NORMAL LIMIT				
NEAR VISION LEFT EYE WITHOU	JT GLASSES	WITHIN NORMAL LIMIT				
COLOUR VISION		NORMAL				
SUMMARY						
RELEVANT HISTORY		NOT SIGNIFICANT				
RELEVANT GP EXAMINATION FI	NDINGS	NOT SIGNIFICANT				
5	p. v. Kopudia					Page 3 Of 25
	=				with the second	EX7323E
Dr.Sahil .N.Shah Consultant Radiologist	Dr.Priyank Kapad Physician	lia				
				Vie	ew Details	View Report
PERFORMED AT : Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office,Sr Ahmedabad, 380015 Gujrat, India				Patient Re	f. No. 7750	00006371180
Tel : 079-48912999,079-48913999,079- Email : customercare.ahmedabad@agilu						



PATIENT NAME : ABDULMAJID QURESHI	REF. DOCTOR :	SELF
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI	ACCESSION NO: 0321XB001092 PATIENT ID : ABDUM110188321 CLIENT PATIENT ID: ABHA NO :	AGE/SEX :36 Years Male DRAWN : RECEIVED :10/02/2024 09:48:06 REPORTED :16/02/2024 13:13:53
Test Report Status <u>Final</u>	Results Biological	Reference Interval Units

RELEVANT LAB INVESTIGATIONS	S.CHOLESTEROL:- HIGH, TRIGLYCERIDES:- HIGH, LDL:- HIGH, VLDL:- HIGH
RELEVANT NON PATHOLOGY DIAGNOSTICS	NO ABNORMALITIES DETECTED
REMARKS / RECOMMENDATIONS	S.CHOLESTEROL:- HIGH, TRIGLYCERIDES:- HIGH, LDL:- HIGH, VLDL:- HIGH
	ADV:- LOW FAT DIET, REGULAR PHYSICAL EXERCISE

Comments

OUR PANEL DOCTORS FOR NON-PATHOLOGY TESTS:-

CHECK UP DONE BY:- DR. NAMRATA AGRAWAL (M.B.B.S)

REPORT REVIEWED BY:- DR. PRIYANK KAPADIYA (M.B.B.S DNB MEDICINE)

RADIOLOGIST:- DR. SAHIL N SHAH (M.D.RADIOLOGY)

Dr.Sahil .N.Shah Consultant Radiologist P. V. Kapadia

Dr.Priyank Kapadia Physician

PERFORMED AT : Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India Tel : 079-48912999,079-48913999,079-48914999 Email : customercare.ahmedabad@agilus.in Page 4 Of 25









PATIENT NAME : ABDULMAJID QURESHI	REF. DOCTOR :	SELF
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI	ACCESSION NO: 0321XB001092 PATIENT ID : ABDUM110188321 CLIENT PATIENT ID: ABHA NO :	AGE/SEX :36 Years Male DRAWN : RECEIVED :10/02/2024 09:48:06 REPORTED :16/02/2024 13:13:53
Test Report Status <u>Final</u>	Results	Units

MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE **ULTRASOUND ABDOMEN** ULTRASOUND ABDOMEN NO ABNORMALITIES DETECTED

TMT OR ECHO **CLINICAL PROFILE** 2D ECHO:-

- 1) NORMAL CHAMBERS AND VALVES.
- 2) GOOD LV SYSTOLIC FUNCTION. LVEF 60%. NO RWMA AT REST.
- 3) NO MR, AR, TR.
- 4) NORMAL LV COMPLIANCE.
- 5) NO PAH.
- 6) NO LV CLOT, VEGETATION OR PERICARDIAL EFFUSION.

7) IAS/IVS INTACT.

Interpretation(s)

MEDICAL HISTORY-

THIS REPORT CARRIES THE SIGNATURE OF OUR LABORATORY DIRECTOR. THIS IS AN INVIOLABLE FEATURE OF OUR LAB MANAGEMENT SOFTWARE. HOWEVER, ALL EXAMINATIONS AND INVESTIGATIONS HAVE BEEN CONDUCTED BY OUR PANEL OF DOCTORS.

Dr.Sahil .N.Shah **Consultant Radiologist**

P. V. Kepadia

Dr.Priyank Kapadia Physician





RN

Page 5 Of 25



PERFORMED AT : Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office, Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India Tel : 079-48912999,079-48913999,079-48914999 Email : customercare.ahmedabad@agilus.in



PATIENT NAME : ABDULMAJID QURESHI	REF. DOCTOR	: SELF
CODE/NAME & ADDRESS : C000138364 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL	ACCESSION NO : 0321XB001092	AGE/SEX : 36 Years Male
F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030	PATIENT ID : ABDUM110188321 CLIENT PATIENT ID: ABHA NO :	DRAWN : RECEIVED : 10/02/2024 09:48:06 REPORTED :16/02/2024 13:13:53
8800465156		10,02,202 - 10-10-00
Test Report Status <u>Final</u>	Results Biologic	al Reference Interval Units

н	AEMATOLOGY - CBC		
MEDI WHEEL FULL BODY HEALTH CHECK UP B	ELOW 40 MALE		
BLOOD COUNTS, EDTA WHOLE BLOOD			
HEMOGLOBIN (HB)	15.4	13.0 - 17.0	g/dL
METHOD : PHOTOMETRIC MEASUREMENT RED BLOOD CELL (RBC) COUNT	5.31	4.5 - 5.5	mil/µL
METHOD : COULTER PRINCIPLE	5.51	1.5 5.5	,μ=
WHITE BLOOD CELL (WBC) COUNT METHOD : COULTER PRINCIPLE	6.32	4.0 - 10.0	thou/µL
PLATELET COUNT	305	150 - 410	thou/µL
METHOD : COULTER PRINCIPLE			
RBC AND PLATELET INDICES			
HEMATOCRIT (PCV)	47.7	40.0 - 50.0	%
METHOD : CALCULATED MEAN CORPUSCULAR VOLUME (MCV)	89.8	83.0 - 101.0	fL
METHOD : DERIVED PARAMETER FROM RBC HISTOGRAM			
MEAN CORPUSCULAR HEMOGLOBIN (MCH) METHOD : CALCULATED	28.9	27.0 - 32.0	pg
MEINOD CALCULATED	32.2	31.5 - 34.5	g/dL
METHOD : CALCULATED RED CELL DISTRIBUTION WIDTH (RDW)	14.7 High	11.6 - 14.0	%
METHOD : DERIVED PARAMETER FROM RBC HISTOGRAM			
MENTZER INDEX	16.9		
METHOD : CALCULATED PARAMETER MEAN PLATELET VOLUME (MPV)	6.9	6.8 - 10.9	fL
METHOD : DERIVED PARAMETER FROM PLATELET HISTOGRAM	0.9	0.0 - 10.9	
WBC DIFFERENTIAL COUNT			
NEUTROPHILS	44	40 - 80	%
METHOD : OPTICAL IMPEDENCE & MICROCSOPY	42 Ulah	20 10	0/

42 High

20 - 40

LYMPHOCYTES

METHOD : OPTICAL IMPEDENCE & MICROCSOPY

Dr.Miral Gajera Consultant Pathologist

Page 6 Of 25



%





PATIENT NAME : ABDULMAJID QURESHI	REF. DOCTOR	: SELF
CODE/NAME & ADDRESS : C000138364 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156	ACCESSION NO : 0321XB001092 PATIENT ID : ABDUM110188321 CLIENT PATIENT ID: ABHA NO :	AGE/SEX :36 Years Male DRAWN : RECEIVED :10/02/2024 09:48:06 REPORTED :16/02/2024 13:13:53

Test Report Status <u>Final</u>	Results	Biological Reference	Biological Reference Interval Units	
	_		24	
MONOCYTES METHOD : OPTICAL IMPEDENCE & MICROCSOPY	8	2.0 - 10.0	%	
EOSINOPHILS METHOD : OPTICAL IMPEDENCE & MICROCSOPY	6	1.0 - 6.0	%	
BASOPHILS METHOD : IMPEDANCE	0	0 - 1	%	
ABSOLUTE NEUTROPHIL COUNT METHOD : CALCULATED	2.78	2.0 - 7.0	thou/µL	
ABSOLUTE LYMPHOCYTE COUNT METHOD : CALCULATED PARAMETER	2.65	1.0 - 3.0	thou/µL	
ABSOLUTE MONOCYTE COUNT METHOD : CALCULATED PARAMETER	0.51	0.2 - 1.0	thou/µL	
ABSOLUTE EOSINOPHIL COUNT METHOD : CALCULATED	0.38	0.02 - 0.50	thou/µL	
ABSOLUTE BASOPHIL COUNT METHOD : CALCULATED	0.00 Low	0.02 - 0.10	thou/µL	
NEUTROPHIL LYMPHOCYTE RATIO (NLR) METHOD : CALCULATED PARAMETER	1.0			

MORPHOLOGY	
RBC NO	ORMOCYTIC NORMOCHROMIC
METHOD : MICROSCOPIC EXAMINATION	ORMAL MORPHOLOGY
METHOD : MICROSCOPIC EXAMINATION PLATELETS AI	DEQUATE
METHOD : MICROSCOPIC EXAMINATION REMARKS NO METHOD : MICROSCOPIC EXAMINATION	O PREMATURE CELLS ARE SEEN. MALARIAL PARASITE NOT DETECTED.

Interpretation(s) BLOOD COUNTS,EDTA WHOLE BLOOD-The cell morphology is well preserved for 24hrs. However after 24-48 hrs a progressive increase in MCV and HCT is observed leading to a decrease in MCHC. A direct smear is recommended for an accurate differential count and for examination of RBC morphology. RBC AND PLATELET INDICES-Mentzer index (MCV/RBC) is an automated cell-counter based calculated screen tool to differentiate cases of Iron deficiency anaemia(>13) from Beta thalassaemia trait

(<13) in patients with microcytic anaemia. This needs to be interpreted in line with clinical correlation and suspicion. Estimation of HbA2 remains the gold standard for diagnosing a case of beta thalassaemia trait.</p>

WBC DIFFERENTIAL COUNT-The optimal threshold of 3.3 for NLR showed a prognostic possibility of clinical symptoms to change from mild to severe in COVID positive

Dr.Miral Gajera Consultant Pathologist



View Details



Page 7 Of 25



PERFORMED AT : Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India Tel: 079-48912999,079-48913999,079-48914999 Email : customercare.ahmedabad@agilus.in



PATIENT NAME : ABDULMAJID QURESHI	REF. DOCTOR :	SELF
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI	ACCESSION NO : 0321XB001092 PATIENT ID : ABDUM110188321 CLIENT PATIENT ID: ABHA NO :	AGE/SEX :36 Years Male DRAWN : RECEIVED :10/02/2024 09:48:06 REPORTED :16/02/2024 13:13:53
Test Report Status <u>Final</u>	Results Biologica	Reference Interval Units

patients. When age = 49.5 years old and NLR = 3.3, 46.1% COVID-19 patients with mild disease might become severe. By contrast, when age < 49.5 years old and NLR < 3.3, COVID-19 patients tend to show mild disease. (Reference to - The diagnostic and predictive role of NLR, d-NLR and PLR in COVID-19 patients A.-P. Yang, et al. International Immunopharmacology 84 (2020) 106504

This ratio element is a calculated parameter and out of NABL scope.

Dr.Miral Gajera Consultant Pathologist

PERFORMED AT : Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India Tel : 079-48912999,079-48913999,079-48914999 ${\sf Email: customercare.ahmedabad@agilus.in}$

Page 8 Of 25







Test Report Status

<u>Final</u>



Biological Reference Interval Units


REF. DOCTOR : SELF
1XB001092 AGE/SEX : 36 Years Male
UM110188321 DRAWN :
RECEIVED : 10/02/2024 09:48:06
REPORTED :16/02/2024 13:13:53

	HAEMATOLOGY	
MEDI WHEEL FULL BODY HEALT	TH CHECK UP BELOW 40 MALE	
ERYTHROCYTE SEDIMENTATION	N RATE (ESR),EDTA	

BLUUD			
E.S.R	06	0 - 14	mm at 1 hr
METHOD : WESTERGREN METHOD			
GLYCOSYLATED HEMOGLOBIN(HBA	1C), EDTA WHOLE		

Results

BLOOD			
HBA1C	5.4	Non-diabetic: < 5.7 Pre-diabetics: 5.7 - 6.4 Diabetics: > or = 6.5 Therapeutic goals: < 7.0 Action suggested : > 8.0	%
METHOD : HPLC ESTIMATED AVERAGE GLUCOSE(EAG)	108.3	(ADA Guideline 2021) < 116.0	mg/dL





PERFORMED AT : Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015

Gujrat, India Tel : 079-48912999,079-48913999,079-48914999 ${\sf Email: customercare.ahmedabad@agilus.in}$

Page 9 Of 25







PATIENT NAME : ABDULMAJID QURESHI	REF. DOCTOR :	SELF
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST	ACCESSION NO : 0321XB001092 PATIENT ID : ABDUM110188321 CLIENT PATIENT ID: ABHA NO :	AGE/SEX :36 Years Male DRAWN : RECEIVED :10/02/2024 09:48:06 REPORTED :16/02/2024 13:13:53
Test Report Status Final	Results Biological	Reference Interval Units

Interpretation(s)

ERYTHROCYTE SEDIMENTATION RATE (ESR), EDTA BLOOD-TEST DESCRIPTION :-

Erythrocyte sedimentation rate (ESR) is a test that indirectly measures the degree of inflammation present in the body. The test actually measures the rate of fall (sedimentation) of erythrocytes in a sample of blood that has been placed into a tall, thin, vertical tube. Results are reported as the millimetres of clear fluid (plasma) that are present at the top portion of the tube after one hour. Nowadays fully automated instruments are available to measure ESR.

ESR is not diagnostic it is a non-specific test that may be elevated in a number of different conditions. It provides general information about the presence of an inflammatory condition.CRP is superior to ESR because it is more sensitive and reflects a more rapid change. TEST INTERPRETATION

Increase in: Infections, Vasculities, Inflammatory arthritis, Renal disease, Anemia, Malignancies and plasma cell dyscrasias, Acute allergy Tissue injury, Pregnancy, Estrogen medication, Aging. Finding a very accelerated ESR(>100 mm/hour) in patients with ill-defined symptoms directs the physician to search for a systemic disease

(Paraproteinemias, Disseminated malignancies, connective tissue disease, severe infections such as bacterial endocarditis). In pregnancy BRI in first trimester is 0-48 mm/hr(62 if anemic) and in second trimester (0-70 mm /hr(95 if anemic). ESR returns to normal 4th week post partum.

Decreased in: Polycythermia vera, Sickle cell anemia

LIMITATIONS

False elevated ESR : Increased fibrinogen, Drugs(Vitamin A, Dextran etc), Hypercholesterolemia

False Decreased : Poikilocytosis, (SickleCells, spherocytes), Microcytosis, Low fibrinogen, Very high WBC counts, Drugs (Quinine,

salicylates)

REFERENCE :

1. Nathan and Oski's Haematology of Infancy and Childhood, 5th edition 2. Paediatric reference intervals. AACC Press, 7th edition. Edited by S. Soldin 3. The reference for the adult reference range is "Practical Haematology by Dacie and Lewis,10th edition. GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE BLOOD-Used For

1. Evaluating the long-term control of blood glucose concentrations in diabetic patients.

Diagnosing diabetes.
 Identifying patients at increased risk for diabetes (prediabetes).

The ADA recommends measurement of HbA1c (typically 3-4 times per year for type 1 and poorly controlled type 2 diabetic patients, and 2 times per year for well-

controlled type 2 diabetic patients) to determine whether a patients metabolic control has remained continuously within the target range

1. eAG (Estimated average glucose) converts percentage HbA1c to md/dl, to compare blood glucose levels.

eAG gives an evaluation of blood glucose levels for the last couple of months.
 eAG is calculated as eAG (mg/dl) = 28.7 * HbA1c - 46.7

HbA1c Estimation can get affected due to :

1. Shortened Erythrocyte survival : Any condition that shortens erythrocyte survival or decreases mean erythrocyte age (e.g. recovery from acute blood loss, hemolytic anemia) will falsely lower HbA1c test results. Fructosamine is recommended in these patients which indicates diabetes control over 15 days. 2. Vitamin C & E are reported to falsely lower test results. (possibly by inhibiting glycation of hemoglobin.

3. Iron deficiency anemia is reported to increase test results. Hypertriglyceridemia, uremia, hyperbilirubinemia, chronic alcoholism, chronic ingestion of salicylates & opiates addiction are reported to interfere with some assay methods, falsely increasing results.

Interference of hemoglobinopathies in HbA1c estimation is seen in

a) Homozygous hemoglobinopathy. Fructosamine is recommended for testing of HbA1c.

b) Heterozygous state detected (D10 is corrected for HbS k HbC trait.) c) HbF > 25% on alternate paltform (Boronate affinity chromatography) is recommended for testing of HbA1c.Abnormal Hemoglobin electrophoresis (HPLC method) is recommended for detecting a hemoglobinopathy

Dr.Miral Gajera Consultant Pathologist



Page 10 Of 25

View Report



PERFORMED AT: Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office, Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India Tel : 079-48912999,079-48913999,079-48914999 Email : customercare.ahmedabad@agilus.in



PATIENT NAME : ABDULMAJID QURESHI	REF. DOCTOR : S	SELF
CODE/NAME & ADDRESS : C000138364	ACCESSION NO : 0321XB001092	AGE/SEX : 36 Years Male
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL	PATIENT ID : ABDUM110188321	DRAWN :
F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI	CLIENT PATIENT ID:	RECEIVED : 10/02/2024 09:48:06
NEW DELHI 110030	ABHA NO :	REPORTED :16/02/2024 13:13:53
8800465156		

Test Report Status Final

Results

Biological Reference Interval Units

IMMUNOHAEMATOLOGY

MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE

ADD GROUP & KHITTPE, EDTA WHOLE BLOUD	
ABO GROUP	TYPE B
METHOD : TUBE AGGLUTINATION	
RH TYPE	POSITIVE
METHOD : TUBE AGGLUTINATION	

Interpretation(s)

ABO GROUP & RH TYPE, EDTA WHOLE BLOOD-Blood group is identified by antigens and antibodies present in the blood. Antigens are protein molecules found on the surface of red blood cells. Antibodies are found in plasma. To determine blood group, red cells are mixed with different antibody solutions to give A,B,O or AB.

Disclaimer: "Please note, as the results of previous ABO and Rh group (Blood Group) for pregnant women are not available, please check with the patient records for availability of the same."

The test is performed by both forward as well as reverse grouping methods.

Dr.Miral Gajera Consultant Pathologist

PERFORMED AT : Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India Tel : 079-48912999,079-48913999,079-48914999 Email : customercare.ahmedabad@agilus.in



Page 11 Of 25


View Report





PATIENT NAME : ABDULMAJID QURESHI	REF. DOCTOR : S	SELF
CODE/NAME & ADDRESS : C000138364	ACCESSION NO : 0321XB001092	AGE/SEX : 36 Years Male
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL	PATIENT ID : ABDUM110188321	DRAWN :
DELUI	CLIENT PATIENT ID:	RECEIVED : 10/02/2024 09:48:06
NEW DELHI 110030		REPORTED :16/02/2024 13:13:53
8800465156		
Test Report Status <u>Final</u>	Results Biological	Reference Interval Units

		()
MEDI WHEEL FULL BODY HEALTH CHEC GLUCOSE FASTING,FLUORIDE PLASMA	K UP BELOW 40 MALE		
FBS (FASTING BLOOD SUGAR) METHOD : HEXOKINASE	90	74 - 99	mg/dL





Dr.Miral Gajera Consultant Pathologist

Page 12 Of 25



mg/dL



3 🗖









PATIENT NAME : ABDULMAJID QURESHI	REF. DOCTOR	: SELF
CODE/NAME & ADDRESS : C000138364	ACCESSION NO : 0321XB001092	AGE/SEX : 36 Years Male
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL	PATIENT ID : ABDUM110188321	DRAWN :
F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI	CLIENT PATIENT ID:	RECEIVED : 10/02/2024 09:48:06
NEW DELHI 110030	ABHA NO :	REPORTED :16/02/2024 13:13:53
8800465156		
Test Report Status Final	Results Biologic	cal Reference Interval Units

	PPBS(POST PRANDIAL BLOOD SUGAR)	
160		
128-		
96 _	88	107 •
		and the second
64 - 32 -		
32 -		
0		
	28-JAN-2023 12:58	10-FEB-2024 14:32
NormalRange	Date>	
PROFILE WITH CALCULA	TED LDL	
ESTEROL, TOTAL	222 High	Desirable: < 200 mg/o BorderlineHigh: 200 - 239 High: > or = 240
OD : ENZYMATIC, COLORIMETRIC	186 High	Desirable: < 150 mg/o
YCERIDES		
LYCERIDES		BorderlineHigh: 150 - 199 High: 200 - 499
LYCERIDES OD : ENZYMATIC, COLORIMETRIC CHOLESTEROL	44	High: 200 - 499
OD : ENZYMATIC, COLORIMETRIC	44 141 High	High: 200 - 499 Very High: > or = 500 < 40 Low mg/o

Dr.Miral Gajera Consultant Pathologist



Page 13 Of 25








PATIENT NAME : ABDULMAJID QURESHI	REF. DOCTOR :	SELF
CODE/NAME & ADDRESS : C000138364 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL	ACCESSION NO : 0321XB001092 PATIENT ID : ABDUM110188321	AGE/SEX : 36 Years Male DRAWN :
F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156	CLIENT PATIENT ID: ABHA NO :	RECEIVED :10/02/2024 09:48:06 REPORTED :16/02/2024 13:13:53
Test Report Status <u>Final</u>	Results Biological	Reference Interval Units

		Borderline High: 160 - 189 High: 190 - 219 Very high: > or = 220)
VERY LOW DENSITY LIPOPROTEIN	37.2 High	< or = 30	mg/dL
CHOL/HDL RATIO	5.1 High	3.3 - 4.4	
LDL/HDL RATIO	3.2 High	0.5 - 3.0 Desirable/Low Risk 3.1 - 6.0 Borderline/Moderate Risk >6.0 High Risk	

METHOD : CALCULATED





Dr.Miral Gajera Consultant Pathologist

Page 14 Of 25











PATIENT NAME : ABDULMAJID QURESHI	REF. DOCTOR	: SELF
CODE/NAME & ADDRESS : C000138364	ACCESSION NO : 0321XB001092	AGE/SEX : 36 Years Male
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL	PATIENT ID : ABDUM110188321	DRAWN :
F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI	CLIENT PATIENT ID:	RECEIVED : 10/02/2024 09:48:06
NEW DELHI 110030	ABHA NO :	REPORTED :16/02/2024 13:13:53
8800465156		
Test Report Status Final	Results Biologic	cal Reference Interval Units





Interpretation(s)

Dr.Miral Gajera Consultant Pathologist

PERFORMED AT : Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India Tel : 079-48912999,079-48913999,079-48914999 Email : customercare.ahmedabad@agilus.in Page 15 Of 25

3 🗖











PATIENT NAME : ABDULMAJID QURESHI	REF. DOCTOR :	SELF
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST	ACCESSION NO : 0321XB001092 PATIENT ID : ABDUM110188321 CLIENT PATIENT ID: ABHA NO :	AGE/SEX :36 Years Male DRAWN : RECEIVED :10/02/2024 09:48:06 REPORTED :16/02/2024 13:13:53
Test Report Status <u>Final</u>	Results Biological	Reference Interval Units

Serum lipid profile is measured for cardiovascular risk prediction. Lipid Association of India recommends LDL-C as primary target and Non HDL-C as co-primary treatment target. Risk Stratification for ASCVD (Atherosclerotic cardiovascular disease) by Lipid Association of India

Risk Category			
Extreme risk group	A.CAD with > 1 feature of high risk group		
	B. CAD with > 1 feature of Very high risk g	group or recurrent ACS (within 1 year) despite LDL-C < or =	
	50 mg/dl or polyvascular disease		
Very High Risk	1. Established ASCVD 2. Diabetes with 2 1	major risk factors or evidence of end organ damage 3.	
	Familial Homozygous Hypercholesterolemi	a	
High Risk	1. Three major ASCVD risk factors. 2. Diabetes with 1 major risk factor or no evidence of end organ		
	damage. 3. CKD stage 3B or 4. 4. LDL >190 mg/dl 5. Extreme of a single risk factor. 6. Coronary		
	Artery Calcium - CAC >300 AU. 7. Lipoprotein a >/= 50mg/dl 8. Non stenotic carotid plaque		
Moderate Risk	2 major ASCVD risk factors		
Low Risk	0-1 major ASCVD risk factors		
Major ASCVD (Ath	erosclerotic cardiovascular disease) Risk Fa	ictors	
1. Age $>$ or $=$ 45 years in males and $>$ or $=$ 55 years in females 3. Current Cigarette smoking or tobacco use			
2. Family history of p	Family history of premature ASCVD 4. High blood pressure		
5. Low HDL			
	and statin initiation thresholds based on th		

Newer treatment goals and statin initiation thresholds based on the risk categories proposed by LAI in 2020.

Risk Group	Treatment Goals		Consider Drug T	herapy
	LDL-C (mg/dl)	Non-HDL (mg/dl)	LDL-C (mg/dl)	Non-HDL (mg/dl)
Extreme Risk Group Category A	<50 (Optional goal	< 80 (Optional goal	>OR = 50	>OR = 80
	< OR = 30)	< OR = 60)		
Extreme Risk Group Category B	<or 30<="" =="" td=""><td><or 60<="" =="" td=""><td>> 30</td><td>>60</td></or></td></or>	<or 60<="" =="" td=""><td>> 30</td><td>>60</td></or>	> 30	>60
Very High Risk	<50	<80	>OR= 50	>OR= 80
High Risk	<70	<100	>OR= 70	>OR=100
Moderate Risk	<100	<130	>OR=100	>OR=130
Low Risk	<100	<130	>OR=130*	>OR=160

*After an adequate non-pharmacological intervention for at least 3 months.

References: Management of Dyslipidaemia for the Prevention of Stroke: Clinical Practice Recommendations from the Lipid Association of India. Current Vascular Pharmacology, 2022, 20, 134-155.

LIVER FUNCTION PROFILE, SERUM

1.08	Upto 1.2	mg/dL
0.34 High	Upto 0.2	mg/dL
0.74	0.00 - 1.00	mg/dL
6.9	6.4 - 8.3	g/dL
4.8	3.5 - 5.2	g/dL
2.1	2.0 - 4.1	g/dL
	0.34 High 0.74 6.9 4.8	0.34 High Upto 0.2 0.74 0.00 - 1.00 6.9 6.4 - 8.3 4.8 3.5 - 5.2

Dr.Miral Gajera Consultant Pathologist



View Details



Page 16 Of 25

View Report



U/L

U/L

U/L

PATIENT NAME : ABDULMAJID QURESHI		REF. DOCTOR : S	SELF		
CODE/NAME & ADDRESS : C000138364 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156	PATIENT ID CLIENT PATIENT	: 0321XB001092 : ABDUM110188321 ID: :	DRAWN RECEIVED	: 36 Years : : 10/02/2024 : 16/02/2024	
Test Report Status <u>Final</u>	Results	Biological	Reference	e Interval L	Jnits
ALBUMIN/GLOBULIN RATIO ASPARTATE AMINOTRANSFERASE	2.3 High 19	1.0 - 2.0 0 - 40		RA ⁻ U/L	
(AST/SGOT) METHOD : IFCC WITHOUT PYRIDOXAL-5-PHOSPHATE ALANINE AMINOTRANSFERASE (ALT/SGPT)	23	0 - 41		U/L	

40 - 129

135 - 225

8 - 61

BLOOD UREA	NITROGEN	(BUN), SERUM

METHOD : IFCC WITHOUT PYRIDOXAL-5-PHOSPHATE

GAMMA GLUTAMYL TRANSFERASE (GGT)

ALKALINE PHOSPHATASE

METHOD : ENZYMATIC, COLORIMETRIC LACTATE DEHYDROGENASE

METHOD : COLORIMETRIC


METHOD : UV ASSAY METHOD

BLOOD UREA NITROGEN	11	6 - 20	mg/dL

104

22

146



Dr.Miral Gajera Consultant Pathologist





mg/dL





PATIENT NAME : ABDULMAJID QURESHI	REF. DOCTOR	: SELF
CODE/NAME & ADDRESS : C000138364 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL	ACCESSION NO : 0321XB001092 PATIENT ID : ABDUM110188321	AGE/SEX : 36 Years Male DRAWN :
F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030	CLIENT PATIENT ID: ABHA NO :	RECEIVED : 10/02/2024 09:48:06 REPORTED :16/02/2024 13:13:53
8800465156		
Test Report Status Final	Results Biologic	cal Reference Interval Units

	CREATININE		
2.3			
1.84 -			
1.38 -			
0.92 -		0.91	
	0.82		
0			
Biological Reference Interv	28-JAN-2023 10:55 val: 0.70 - 1.30 mg/dl Date	10-FEB-2024 13:02	
BUN/CREAT RATIO			
BUN/CREAT RATIO	12.09	5.0 - 15.0	
URIC ACID, SERUM			
URIC ACID	6.5	3.4 - 7.0	mg
TOTAL PROTEIN, SERUM			
	6.9	6.4 - 8.3	g/d
TOTAL PROTEIN METHOD : COLORIMETRIC	0.5		
	0.5		
METHOD : COLORIMETRIC	4.8	3.5 - 5.2	g/d

GLOBULIN

Dr.Miral Gajera Consultant Pathologist









PATIENT NAME : ABDULMAJID QURESHI		REF. DOCTOR : SELF	
CODE/NAME & ADDRESS : C000138364 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156	ACCESSION NO : 03 PATIENT ID : ABI CLIENT PATIENT ID: ABHA NO :	DUM110188321 DRAWN RECEIVI	X :36 Years Male : ED :10/02/2024 09:48:06 ED :16/02/2024 13:13:53
Test Report Status <u>Final</u>	Results	Biological Refere	nce Interval Units
GLOBULIN	2.1	2.0 - 4.1	g/dL
ELECTROLYTES (NA/K/CL), SERUM			
SODIUM, SERUM	137.0	136 - 145	mmol/L
POTASSIUM, SERUM	4.35	3.3 - 5.1	mmol/L
CHLORIDE, SERUM METHOD : ION SELECTIVE ELECTRODE TECHNOLOGY	105.8	98 - 106	mmol/L

Interpretation(s)

Sodium	Potassium	Chloride
Decreased in:CCF, cirrhosis, vomiting, diarrhea, excessive sweating, salt-losing nephropathy, adrenal insufficiency, nephrotic syndrome, water intoxication, SIADH. Drugs: thiazides, diuretics, ACE inhibitors, chlorpropamide, carbamazepine, anti depressants (SSRI), antipsychotics.	Decreased in: Low potassium intake,prolonged vomiting or diarrhea, RTA types I and II, hyperaldosteronism, Cushing's syndrome,osmotic diuresis (e.g., hyperglycemia),alkalosis, familial periodic paralysis,trauma (transient).Drugs: Adrenergic agents, diuretics.	Decreased in: Vomiting, diarrhea, renal failure combined with salt deprivation, over-treatment with diuretics, chronic respiratory acidosis, diabetic ketoacidosis, excessive sweating, SIADH, salt-losing nephropathy, porphyria, expansion of extracellular fluid volume, adrenalinsufficiency, hyperaldosteronism,metabolic alkalosis. Drugs: chronic laxative, corticosteroids, diuretics.
Increased in: Dehydration (excessivesweating, severe vomiting or diarrhea),diabetes mellitus, diabetesinsipidus, hyperaldosteronism, inadequate water intake. Drugs: steroids, licorice,oral contraceptives.	Increased in: Massive hemolysis, severe tissue damage, rhabdomyolysis, acidosis, dehydration,renal failure, Addison' s disease, RTA type IV, hyperkalemic familial periodic paralysis. Drugs: potassium salts, potassium- sparing diuretics,NSAIDs, beta-blockers, ACE inhibitors, high- dose trimethoprim-sulfamethoxazole.	Increased in: Renal failure, nephrotic syndrome, RTA, dehydration, overtreatment with saline, hyperparathyroidism, diabetes insipidus, metabolic acidosis from diarrhea (Loss of HCO3-), respiratory alkalosis, hyperadrenocorticism. Drugs: acetazolamide, androgens, hydrochlorothiazide, salicylates.
Interferences: Severe lipemia or hyperproteinemi, if sodium analysis involves a dilution step can cause spurious results. The serum sodium falls about 1.6 mEq/L for each 100 mg/dL increase in blood glucose.	Interferences: Hemolysis of sample, delayed separation of serum, prolonged fist clenching during blood drawing, and prolonged tourniquet placement. Very high WBC/PLT counts may cause spurious. Plasma potassium levels are normal.	Interferences:Test is helpful in assessing normal and increased anion gap metabolic acidosis and in distinguishing hypercalcemia due to hyperparathyroidism (high serum chloride) from that due to malignancy (Normal serum chloride)

Interpretation(s) GLUCOSE FASTING,FLUORIDE PLASMA-TEST DESCRIPTION

Normally, the glucose concentration in extracellular fluid is closely regulated so that a source of energy is readily available to tissues and sothat no glucose is excreted in the urine.

d>Increased in:Diabetes mellitus, Cushing's syndrome (10 – 15%), chronic pancreatitis (30%). Drugs:corticosteroids,phenytoin, estrogen, thiazides.

Dr.Miral Gajera Consultant Pathologist



View Details



Page 19 Of 25

Patient Ref 80

PERFORMED AT : Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India Tel : 079-48912999,079-48913999,079-48914999 ${\sf Email: customercare.ahmedabad@agilus.in}$



PATIENT NAME : ABDULMAJID QURESHI	REF. DOCTOR :	SELF
CODE/NAME & ADDRESS : C000138364 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL	ACCESSION NO : 0321XB001092 PATIENT ID : ABDUM110188321	AGE/SEX : 36 Years Male DRAWN :
F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030	CLIENT PATIENT ID: ABHA NO :	RECEIVED :10/02/2024 09:48:06 REPORTED :16/02/2024 13:13:53
8800465156		
Test Report Status Final	Results Biological	Reference Interval Units

Decreased in :Pancreatic islet cell disease with increased insulin,insulinoma,adrenocortical insufficiency,hypopituitarism,diffuse liver disease, malignancy (adrenocortical,stomach,fibrosarcoma),infant of a diabetic mother,enzyme deficiency diseases(e.g.galactosemia),Drugs-insulin,ethanol,propranolol sulfonvlureas, tolbutamide, and other oral hypoglycemic agents.

NOTE: While random serum glucose levels correlate with home glucose monitoring results (weekly mean capillary glucose values), there is wide fluctuation within individuals. Thus, glycosylated hemoglobin(HbA1c) levels are favored to monitor glycenic control. High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glycouria, Glycaemic

index & response to food consumed,Alimentary Hypoglycemia,Increased insulin response & sensitivity etc. GLUCOSE, POST-PRANDIAL, PLASMA-High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin

treatment, Renal Glyosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc. Additional test HbA1c LIVER FUNCTION PROFILE, SERUM-

b>Blirubin is a yellowish pigment found in bile and is a breakdown product of normal heme catabolism. Bilirubin is excreted in bile and urine, and elevated levels may give yellow discoloration in jaundice. Elevated levels results from increased bilirubin production (eg, hemolysis and ineffective erythropoiesis), decreased bilirubin excretion (eg, obstruction and hepatitis), and abnormal bilirubin metabolism (eg, hereditary and neonatal jaundice). Conjugated (direct) bilirubin is elevated more than unconjugated (indirect) bilirubin in Viral hepatitis, Drug reactions, Alcoholic liver disease Conjugated (direct) bilirubin is also elevated more than unconjugated (direct) bilirubin in Viral hepatitis, Drug reactions, Alcoholic liver disease Conjugated (direct) bilirubin is also elevated more than unconjugated (indirect) bilirubin when there is some kind of blockage of the bile ducts like in Gallstones getting into the bile ducts, tumors & Scarring of the bile ducts. Increased unconjugated (indirect) bilirubin may be a result of Hemolytic or pernicious anemia, Transfusion reaction & a common metabolic condition termed Gilbert

syndrome, due to low levels of the enzyme that attaches sugar molecules to bilirubin. AST is an enzyme found in various parts of the body. AST is found in the liver, heart, skeletal muscle, kidneys, brain, and red blood cells, and it is commonly measured clinically as a marker for liver health. AST levels increase during chronic viral hepatitis, blockage of the bile duct, circhosis of the liver, liver cancer, kidney failure, hemolytic anemia, pancreatitis, hemochromatosis. AST levels may also increase after a heart attack or strenuous activity. ALT test measures the amount of this enzyme in the blood.ALT is found mainly in the liver, but also in smaller amounts in the kidneys, heart, muscles, and pancreas. It is commonly measured as a part of a diagnostic evaluation of hepatocellular injury, to determine liver health. AST levels increase during acute hepatitis, sometimes due to a viral infection, ischemia to the liver, chronic hepatitis, obstruction of bile ducts, cirrhosis.

ALP is a protein found in almost all body tissues. Tissues with higher amounts of ALP include the liver, bile ducts and bone. Elevated ALP levels are seen in Biliary obstruction, Osteoblastic bone tumors, osteomalacia, hepatitis, Hyperparathyroidism, Leukemia, Lymphoma, Pagets disease, Rickets, Sarcoidosis etc. Lower-than-normal ALP levels seen in Hypophosphatasia, Malnutrition, Protein deficiency, Wilsons disease.

GGT is an enzyme found in cell membranes of many tissues mainly in the liver, kidney and pancreas. It is also found in other tissues including intestine, spleen, heart, brain and seminal vesicles. The highest concentration is in the kidney, but the liver is considered the source of normal enzyme activity. Serum GGT has been widely used as an index of liver dysfunction. Elevated serum GGT activity can be found in diseases of the liver, biliary system and pancreas. Conditions that

increase serum GGT are obstructive liver disease, high alcohol consumption and use of enzyme-inducing drugs etc. Total Protein also known as total protein, is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin.Higher-than-normal levels may be due to:Chronic inflammation or infection,including HIV and hepatitis B or C,Multiple myeloma,Waldenstroms disease.Lower-than-normal levels may be due to: Agammaglobulinemia,Bleeding (hemorrhage),Burns,Glomerulonephritis,Liver disease,

Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc. Albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing

enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc BLOOD UREA NITROGEN (BUN), SERUM-Causes of Increased levels include Pre renal (High protein diet, Increased protein catabolism, GI haemorrhage, Cortisol, Dehydration, CHF Renal), Renal Failure, Post Renal (Malignancy, Nephrolithiasis, Prostatism) Causes of decreased level include Liver disease, SIADH.

CREATININE, SERUM-
b>Higher than normal level may be due to:</br/>

Blockage in the urinary tract, Kidney problems, such as kidney damage or failure, infection, or reduced blood flow, Loss of body fluid (dehydration), Muscle problems, such as breakdown of muscle fibers, Problems during pregnancy, such as seizures (eclampsia)), or high blood pressure caused by pregnancy (preeclampsia) Lower than normal level may be due to:
 Muscle problems, Muscle problems, Such as seizures (eclampsia)), or high blood pressure caused by pregnancy (preeclampsia) Lower than normal level may be due to:
 Muscle problems, Muscuophy
URIC ACID, SERUM-Causes of Increased levels:
 District Intake,Prolonged Fasting,Rapid weight loss),Gout,Lesch nyhan syndrome,Type 2
DM,Metabolic syndrome Causes of decreased levels:
 To The POTTIN ECTION is a biochemical bet for exercising the total encerted for total encerted for the total encerted f

TOTAL PROTEIN, SERUM-is a biochemical test for measuring the total amount of protein in serum.Protein in the plasma is made up of albumin and globulin. Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma,Waldenstroms disease. cb>Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage),Burns,Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc. ALBUMIN, SERUM-Human serum albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood

serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc.

Dr.Miral Gaiera Consultant Pathologist







Vie<u>w Details</u>

View Report

PERFORMED AT : Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office, Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India Tel : 079-48912999,079-48913999,079-48914999 Email : customercare.ahmedabad@agilus.in

Test Report Status

<u>Final</u>



Biological Reference Interval Units

PATIENT NAME : ABDULMAJID QURESHI	REF. DOCTOR : S	SELF
	ACCESSION NO : 0321XB001092	AGE/SEX : 36 Years Male
	PATIENT ID : ABDUM110188321	DRAWN :
F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI	CLIENT PATIENT ID:	RECEIVED : 10/02/2024 09:48:06
NEW DELHI 110030	ABHA NO :	REPORTED :16/02/2024 13:13:53
8800465156		
		<u> </u>

Results

(CLINICAL PATH - URINALYS	IS	
MEDI WHEEL FULL BODY HEALTH CHECK	UP BELOW 40 MALE		
PHYSICAL EXAMINATION, URINE			
COLOR	Yellow		
APPEARANCE	Clear		
CHEMICAL EXAMINATION, URINE			
PH METHOD : REFLECTANCE SPECTROPHOTOMETRY	5.0	4.7 - 7.5	
SPECIFIC GRAVITY METHOD : REFLECTANCE SPECTROPHOTOMETRY	1.020	1.003 - 1.035	
PROTEIN METHOD : REFLECTANCE SPECTROPHOTOMETRY	NOT DETECTED	NEGATIVE	
GLUCOSE METHOD : REFLECTANCE SPECTROPHOTOMETRY	NOT DETECTED	NEGATIVE	
KETONES METHOD : REFLECTANCE SPECTROPHOTOMETRY	NOT DETECTED	NOT DETECTED	
BLOOD METHOD : REFLECTANCE SPECTROPHOTOMETRY	NOT DETECTED	NEGATIVE	
BILIRUBIN METHOD : REFLECTANCE SPECTROPHOTOMETRY	NOT DETECTED	NOT DETECTED	
UROBILINOGEN METHOD : REFLECTANCE SPECTROPHOTOMETRY	NORMAL	NORMAL	
NITRITE	NOT DETECTED	NOT DETECTED	
METHOD : REFLECTANCE SPECTROPHOTOMETRY LEUKOCYTE ESTERASE METHOD : REFLECTANCE SPECTROPHOTOMETRY	NOT DETECTED	NOT DETECTED	

MICROSCOPIC EXAMINATION, URINE

RED BLOOD CELLS	NOT DETECTED	NOT DETECTED	/HPF
METHOD : MICROSCOPIC EXAMINATION PUS CELL (WBC'S)	NOT DETECTED	0-5	/HPF
METHOD : MICROSCOPIC EXAMINATION EPITHELIAL CELLS	0-1	0-5	/HPF

Dr.Miral Gajera Consultant Pathologist









PATIENT NAME : ABDULMAJID QURESHI	REF. DOCTOR :	SELF
CODE/NAME & ADDRESS : C000138364 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL	ACCESSION NO : 0321XB001092	AGE/SEX : 36 Years Male
F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI	PATIENT ID : ABDUM110188321 CLIENT PATIENT ID:	DRAWN : RECEIVED : 10/02/2024 09:48:06
NEW DELHI 110030	ABHA NO :	REPORTED :16/02/2024 13:13:53
8800465156		
Test Report Status <u>Final</u>	Results Biological	Reference Interval Units

METHOD : MICROSCOPIC EXAMINATION		
CASTS	NOT DETECTED	
METHOD : MICROSCOPIC EXAMINATION		
CRYSTALS	NOT DETECTED	
METHOD : MICROSCOPIC EXAMINATION		
BACTERIA	NOT DETECTED	NOT DETECTED
METHOD : MICROSCOPIC EXAMINATION		
YEAST	NOT DETECTED	NOT DETECTED
METHOD : MICROSCOPIC EXAMINATION		
REMARKS		
	MICROSCOPIC EXAMINATION OF URINE IS CARRIED OUT ON CENTRIFUGED URINARY SEDIMENT.	

Interpretation(s)

The following table describes the probable conditions, in which the analytes are present in urine

Presence of	Conditions
Proteins	Inflammation or immune illnesses
Pus (White Blood Cells)	Urinary tract infection, urinary tract or kidney stone, tumors or any kind of kidney impairment
Glucose	Diabetes or kidney disease
Ketones	Diabetic ketoacidosis (DKA), starvation or thirst
Urobilinogen	Liver disease such as hepatitis or cirrhosis
Blood	Renal or genital disorders/trauma
Bilirubin	Liver disease
Erythrocytes	Urological diseases (e.g. kidney and bladder cancer, urolithiasis), urinary tract infection and glomerular diseases
Leukocytes	Urinary tract infection, glomerulonephritis, interstitial nephritis either acute or chronic, polycystic kidney disease, urolithiasis, contamination by genital secretions
Epithelial cells	Urolithiasis, bladder carcinoma or hydronephrosis, ureteric stents or bladder catheters for prolonged periods of time
Granular Casts	Low intratubular pH, high urine osmolality and sodium concentration, interaction with Bence-Jones protein
Hyaline casts	Physical stress, fever, dehydration, acute congestive heart failure, renal diseases

Dr.Miral Gajera Consultant Pathologist

Page 22 Of 25





View Details



PERFORMED AT : Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India Tel : 079-48912999,079-48913999,079-48914999 Email : customercare.ahmedabad@agilus.in



PATIENT NAME : ABDULMAJID QURESHI	REF. DOCTOR :	SELF
CODE/NAME & ADDRESS : C000138364	ACCESSION NO : 0321XB001092	AGE/SEX : 36 Years Male
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL	PATIENT ID : ABDUM110188321	DRAWN :
F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI	CLIENT PATIENT ID:	RECEIVED : 10/02/2024 09:48:06
NEW DELHI 110030	ABHA NO :	REPORTED :16/02/2024 13:13:53
8800465156		
<hr/>	1	1

Test Report Status	<u>Final</u>	Results Biological Reference Interval	Units
Test Report Status	<u>rınaı</u>		Units

Calcium oxalate	Metabolic stone disease, primary or secondary hyperoxaluria, intravenous infusion of large doses of vitamin C, the use of vasodilator naftidrofuryl oxalate or the gastrointestinal lipase inhibitor orlistat, ingestion of ethylene glycol or of star fruit (Averrhoa carambola) or its juice
Uric acid	arthritis
Bacteria	Urinary infectionwhen present in significant numbers & with pus cells.
Trichomonas vaginalis	Vaginitis, cervicitis or salpingitis

ejen

Dr.Miral Gajera Consultant Pathologist

PERFORMED AT : Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India Tel : 079-48912999,079-48913999,079-48914999 Email : customercare.ahmedabad@agilus.in Page 23 Of 25









PATIENT NAME : ABDULMAJID QURESHI	REF. DOCTOR :	SELF
CODE/NAME & ADDRESS : C000138364 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156	ACCESSION NO : 0321XB001092 PATIENT ID : ABDUM110188321 CLIENT PATIENT ID: ABHA NO :	AGE/SEX :36 Years Male DRAWN : RECEIVED :10/02/2024 09:48:06 REPORTED :16/02/2024 13:13:53
Test Report Status <u>Final</u>	Results Biological	Reference Interval Units

	SPECIALISED CHEMISTRY - H	IORMONE	
MEDI WHEEL FULL BODY HEALTH CH	IECK UP BELOW 40 MALE		
THYROID PANEL, SERUM			
T3 METHOD : ECLIA	162.50	80.0 - 200.0	ng/dL
T4 METHOD : ECLIA	10.55	5.10 - 14.10	µg/dL
TSH (ULTRASENSITIVE) METHOD : ECLIA	1.710	0.270 - 4.200	µIU/mL

Interpretation(s)

Triiodothyronine T3, Thyroxine T4, and Thyroid Stimulating Hormone TSH are thyroid hormones which affect almost every physiological process in the body, including growth, development, metabolism, body temperature, and heart rate.

Production of T3 and its prohormone thyroxine (T4) is activated by thyroid-stimulating hormone (TSH), which is released from the pituitary gland. Elevated concentrations of T3, and T4 in the blood inhibit the production of TSH.

Excessive secretion of thyroxine in the body is hyperthyroidism, and deficient secretion is called hypothyroidism.

In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hyperthyroidism, TSH levels are low. Below mentioned are the guidelines for Pregnancy related reference ranges for Total T4, TSH & Total T3. Measurement of the serum TT3 level is a more sensitive test for the diagnosis of hyperthyroidism, and measurement of TT4 is more useful in the diagnosis of hypothyroidism. Most of the thyroid hormone in blood is bound to transport proteins. Only a very small fraction of the circulating hormone is free and biologically active. It is advisable to detect Free T3, Free T4 along with TSH, instead of testing for albumin bound Total T3, Total T4.

Sr. No.	TSH	Total T4	FT4	Total T3	Possible Conditions
1	High	Low	Low	Low	(1) Primary Hypothyroidism (2) Chronic autoimmune Thyroiditis (3)
					Post Thyroidectomy (4) Post Radio-Iodine treatment
2	High	Normal	Normal	Normal	(1)Subclinical Hypothyroidism (2) Patient with insufficient thyroid
					hormone replacement therapy (3) In cases of Autoimmune/Hashimoto
					thyroiditis (4). Isolated increase in TSH levels can be due to Subclinical
					inflammation, drugs like amphetamines, Iodine containing drug and
					dopamine antagonist e.g. domperidone and other physiological reasons.
3	Normal/Low	Low	Low	Low	(1) Secondary and Tertiary Hypothyroidism
4	Low	High	High	High	(1) Primary Hyperthyroidism (Graves Disease) (2) Multinodular Goitre
		_	_	_	(3)Toxic Nodular Goitre (4) Thyroiditis (5) Over treatment of thyroid
					hormone (6) Drug effect e.g. Glucocorticoids, dopamine, T4
					replacement therapy (7) First trimester of Pregnancy
5	Low	Normal	Normal	Normal	(1) Subclinical Hyperthyroidism

Dr.Miral Gajera Consultant Pathologist



Page 24 Of 25

View Report



PERFORMED AT : Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office, Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India Tel: 079-48912999,079-48913999,079-48914999 Email : customercare.ahmedabad@agilus.in



PATIENT NAME : ABDULMAJID QURESHI	REF. DOCTOR : S	SELF
	ACCESSION NO : 0321XB001092	AGE/SEX : 36 Years Male
	PATIENT ID : ABDUM110188321	DRAWN :
F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI	CLIENT PATIENT ID:	RECEIVED : 10/02/2024 09:48:06
NEW DELHI 110030	ABHA NO :	REPORTED :16/02/2024 13:13:53
8800465156		

Test Repo	rt Status	<u>Final</u>
-----------	-----------	--------------

Results

Biological Reference Interval Units

6	High	High	High	High	(1) TSH secreting pituitary adenoma (2) TRH secreting tumor
7	Low	Low	Low	Low	(1) Central Hypothyroidism (2) Euthyroid sick syndrome (3) Recent
					treatment for Hyperthyroidism
8	Normal/Low	Normal	Normal	High	(1) T3 thyrotoxicosis (2) Non-Thyroidal illness
9	Low	High	High	Normal	(1) T4 Ingestion (2) Thyroiditis (3) Interfering Anti TPO antibodies

REF: 1. TIETZ Fundamentals of Clinical chemistry 2. Guidlines of the American Thyroid association during pregnancy and Postpartum, 2011. NOTE: It is advisable to detect Free T3, FreeT4 along with TSH, instead of testing for albumin bound Total T3, Total T4.TSH is not affected by variation in thyroid - binding protein. TSH has a diurnal rhythm, with peaks at 2:00 - 4:00 a.m. And troughs at 5:00 - 6:00 p.m. With ultradian variations.

> **End Of Report** Please visit www.agilusdiagnostics.com for related Test Information for this accession

CONDITIONS OF LABORATORY TESTING & REPORTING

1. It is presumed that the test sample belongs to the patient named or identified in the test requisition form. performed or assayed with highest quality standards, 2. All tests are performed and reported as per the clinical safety & technical integrity. 6. Laboratory results should not be interpreted in turnaround time stated in the AGILUS Directory of Services. 3. Result delays could occur due to unforeseen circumstances such as non-availability of kits / equipment breakdown / natural calamities / technical downtime or any determine final diagnosis. other unforeseen event. 7. Test results may vary based on time of collection, 4. A requested test might not be performed if: i. Specimen received is insufficient or inappropriate ii. Specimen quality is unsatisfactory

iii. Incorrect specimen type

iv. Discrepancy between identification on specimen container label and test requisition form

5. AGILUS Diagnostics confirms that all tests have been

isolation; it must be correlated with clinical information and be interpreted by registered medical practitioners only to

physiological condition of the patient, current medication or nutritional and dietary changes. Please consult your doctor or call us for any clarification.

8. Test results cannot be used for Medico legal purposes. In case of queries please call customer care 9

(91115 91115) within 48 hours of the report.

Agilus Diagnostics Ltd

Fortis Hospital, Sector 62, Phase VIII, Mohali 160062

Dr.Miral Gajera Consultant Pathologist





View Report

Page 25 Of 25



PERFORMED AT: Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office, Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India Tel : 079-48912999,079-48913999,079-48914999 Email : customercare.ahmedabad@agilus.in