PID No.
 : MED121765399
 Register On
 : 28/03/2023 9:28 AM

 SID No.
 : 522304777
 Collection On
 : 28/03/2023 10:07 AM

 Age / Sex
 : 38 Year(s) / Female
 Report On
 : 28/03/2023 4:49 PM

Printed On : 28/03/2023 4:49 PM : 01/04/2023 12:23 PM

Ref. Dr : MediWheel

: OP

Type



| Investigation HAEMATOLOGY | Observed Value | <u>Unit</u> | <u>Biological</u> Reference Interval |
|---|-------------------|-------------|---|
| | | | |
| Complete Blood Count With - ESR | | | |
| Haemoglobin (EDTA Blood/Spectrophotometry) | 12.8 | g/dL | 12.5 - 16.0 |
| Packed Cell Volume(PCV)/Haematocrit (EDTA Blood) | 38.9 | % | 37 - 47 |
| RBC Count (EDTA Blood) | 4.49 | mill/cu.mm | 4.2 - 5.4 |
| Mean Corpuscular Volume(MCV) (EDTA Blood) | 86.6 | fL | 78 - 100 |
| Mean Corpuscular Haemoglobin(MCH) (EDTA Blood) | 28.4 | pg | 27 - 32 |
| Mean Corpuscular Haemoglobin concentration(MCHC) (EDTA Blood) | 32.8 | g/dL | 32 - 36 |
| RDW-CV | 14.7 | % | 11.5 - 16.0 |
| RDW-SD | 44.56 | fL | 39 - 46 |
| Total Leukocyte Count (TC) (EDTA Blood) | 8800 | cells/cu.mm | 4000 - 11000 |
| Neutrophils (Blood) | 66.6 | % | 40 - 75 |
| Lymphocytes (Blood) | 24.4 | % | 20 - 45 |
| Eosinophils (Blood) | 1.0 | % | 01 - 06 |
| Monocytes (Blood) | 7.4 | % | 01 - 10 |





PID No. : MED121765399 Register On : 28/03/2023 9:28 AM : 522304777 SID No. **Collection On** : 28/03/2023 10:07 AM Age / Sex : 38 Year(s) / Female

Report On : 28/03/2023 4:49 PM

: 01/04/2023 12:23 PM Printed On

Ref. Dr : MediWheel

: OP

Type



| Investigation | <u>Observed</u> <u>Value</u> | <u>Unit</u> | <u>Biological</u> <u>Reference Interval</u> |
|---|---------------------------------|----------------------|--|
| Basophils (Blood) | 0.6 | % | 00 - 02 |
| INTERPRETATION: Tests done on Automated Five | Part cell counter. All | abnormal results are | reviewed and confirmed microscopically. |
| Absolute Neutrophil count (EDTA Blood) | 5.86 | 10^3 / μl | 1.5 - 6.6 |
| Absolute Lymphocyte Count (EDTA Blood) | 2.15 | 10^3 / μl | 1.5 - 3.5 |
| Absolute Eosinophil Count (AEC) (EDTA Blood) | 0.09 | 10^3 / μl | 0.04 - 0.44 |
| Absolute Monocyte Count (EDTA Blood) | 0.65 | 10^3 / μl | < 1.0 |
| Absolute Basophil count (EDTA Blood) | 0.05 | 10^3 / μl | < 0.2 |
| Platelet Count (EDTA Blood) | 332 | 10^3 / μl | 150 - 450 |
| MPV (Blood) | 7.5 | fL | 8.0 - 13.3 |
| PCT (Automated Blood cell Counter) | 0.25 | % | 0.18 - 0.28 |
| ESR (Erythrocyte Sedimentation Rate) (Citrated Blood) | 8 | mm/hr | < 20 |





Age / Sex : 38 Year(s) / Female

: OP

PID No. : MED121765399 Register On : 28/03/2023 9:28 AM : 522304777 SID No. **Collection On** : 28/03/2023 10:07 AM

Report On : 28/03/2023 4:49 PM

: 01/04/2023 12:23 PM Printed On

Ref. Dr : MediWheel

Type



| Investigation | Observed Value | <u>Unit</u> | <u>Biological</u> Reference Interval |
|--|-------------------|-------------|---|
| BIOCHEMISTRY | | | |
| Liver Function Test | | | |
| Bilirubin(Total) (Serum/DCA with ATCS) | 0.45 | mg/dL | 0.1 - 1.2 |
| Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid) | 0.23 | mg/dL | 0.0 - 0.3 |
| Bilirubin(Indirect) (Serum/Derived) | 0.22 | mg/dL | 0.1 - 1.0 |
| SGOT/AST (Aspartate Aminotransferase) (Serum/Modified IFCC) | 10.07 | U/L | 5 - 40 |
| SGPT/ALT (Alanine Aminotransferase) (Serum/Modified IFCC) | 11.59 | U/L | 5 - 41 |
| GGT(Gamma Glutamyl Transpeptidase) (Serum/IFCC / Kinetic) | 18.30 | U/L | < 38 |
| Alkaline Phosphatase (SAP) (Serum/Modified IFCC) | 49.3 | U/L | 42 - 98 |
| Total Protein (Serum/Biuret) | 7.00 | gm/dl | 6.0 - 8.0 |
| Albumin (Serum/Bromocresol green) | 4.03 | gm/dl | 3.5 - 5.2 |
| Globulin (Serum/ <i>Derived</i>) | 2.97 | gm/dL | 2.3 - 3.6 |
| A : G RATIO (Serum/Derived) | 1.36 | | 1.1 - 2.2 |





PID No. : MED121765399 Register On : 28/03/2023 9:28 AM

Printed On

Type : OP

Ref. Dr : MediWheel



| Investigation | Observed <u>Value</u> | <u>Unit</u> | <u>Biological</u> <u>Reference Interval</u> |
|---|--------------------------|-------------|---|
| <u>Lipid Profile</u> | | | |
| Cholesterol Total (Serum/CHOD-PAP with ATCS) | 153.47 | mg/dL | Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240 |
| Triglycerides (Serum/GPO-PAP with ATCS) | 333.46 | mg/dL | Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500 |

: 01/04/2023 12:23 PM

INTERPRETATION: The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the `usual_circulating level of triglycerides during most part of the day.

| HDL Cholesterol (Serum/Immunoinhibition) | 41.77 | mg/dL | Optimal(Negative Risk Factor): >= 60 Borderline: 50 - 59 High Risk: < 50 |
|--|-------|-------|--|
| LDL Cholesterol (Serum/Calculated) | 45 | mg/dL | Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190 |
| VLDL Cholesterol (Serum/Calculated) | 66.7 | mg/dL | < 30 |
| Non HDL Cholesterol (Serum/Calculated) | 111.7 | mg/dL | Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220 |

INTERPRETATION: 1.Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol. 2.It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.





PID No. : MED121765399 : 522304777

Age / Sex : 38 Year(s) / Female

Type : OP

SID No.

Ref. Dr : MediWheel Register On : 28/03/2023 9:28 AM

Collection On : 28/03/2023 10:07 AM

Report On : 28/03/2023 4:49 PM

: 01/04/2023 12:23 PM **Printed On**



| Investigation | Observed <u>Value</u> | <u>Unit</u> | <u>Biological</u> <u>Reference Interval</u> |
|--|--------------------------|-------------|--|
| Total Cholesterol/HDL Cholesterol Ratio (Serum/Calculated) | 3.7 | | Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0 |
| Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/Calculated) | 8 | | Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0 |
| LDL/HDL Cholesterol Ratio (Serum/Calculated) | 1.1 | | Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0 |





PID No. : MED121765399 Register On : 28/03/2023 9:28 AM

Printed On

Type : OP

Ref. Dr : MediWheel



| <u>Investigation</u> | <u>Observed</u> <u>Value</u> | <u>Unit</u> | <u>Biological</u> <u>Reference Interval</u> |
|--------------------------------------|---------------------------------|-------------|--|
| Glycosylated Haemoglobin (HbA1c) | | | |
| HbA1C (Whole Blood/ <i>HPLC</i>) | 6.1 | % | Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 |

: 01/04/2023 12:23 PM

INTERPRETATION: If Diabetes - Good control: 6.1 - 7.0 %, Fair control: 7.1 - 8.0 %, Poor control >= 8.1 %

Estimated Average Glucose 128.37 mg/dL

(Whole Blood)

INTERPRETATION: Comments

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency,

hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbAlC values.

Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbAlc.





Diabetic: \geq 6.5

PID No. : MED121765399 Register On : 28/03/2023 9:28 AM

Printed On

Type : OP

Ref. Dr : MediWheel



| Investigation | Observed | <u>Unit</u> | Biological |
|---------------|----------|-------------|--------------------|
| | Value | | Reference Interval |

: 01/04/2023 12:23 PM

IMMUNOASSAY

THYROID PROFILE / TFT

T3 (Triiodothyronine) - Total 1.22 ng/ml 0.7 - 2.04

(Serum/ECLIA)

INTERPRETATION:

Comment:

Total T3 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T3 is recommended as it is Metabolically active.

T4 (Tyroxine) - Total 5.79 $\mu g/dl$ 4.2 - 12.0

(Serum/ECLIA)

INTERPRETATION:

Comment:

Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active.

TSH (Thyroid Stimulating Hormone) 1.61 µIU/mL 0.35 - 5.50

(Serum/ECLIA)

INTERPRETATION:

Reference range for cord blood - upto 20

1 st trimester: 0.1-2.5 2 nd trimester 0.2-3.0 3 rd trimester : 0.3-3.0

(Indian Thyroid Society Guidelines)

Comment:

- 1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI.
- 2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM. The variation can be of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations.
- 3. Values&lt,0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.





 PID No.
 : MED121765399
 Register On
 : 28/03/2023 9:28 AM

 SID No.
 : 522304777
 Collection On
 : 28/03/2023 10:07 AM

 Age / Sex
 : 38 Year(s) / Female
 Report On
 : 28/03/2023 4:49 PM

1 1

Type: OP **Printed On**: 01/04/2023 12:23 PM

Ref. Dr : MediWheel

| <u>Investigation</u> | <u>Observed</u> | <u>Unit</u> | <u>Biological</u> |
|----------------------|-----------------|-------------|--------------------|
| - | <u>Value</u> | | Reference Interval |

CLINICAL PATHOLOGY

PHYSICAL EXAMINATION (URINE COMPLETE)

| Colour | Yellow | Yellow to Amber |
|--------|--------|-----------------|

(Urine)

Appearance Clear Clear

(Urine)

Volume(CLU) 25

(Urine)

CHEMICAL EXAMINATION (URINE

COMPLETE)

pH 6.5 4.5 - 8.0

(Urine)

Specific Gravity 1.017 1.002 - 1.035

(Urine)

Ketone Negative Negative

(Urine)

Urobilinogen Normal Normal

(Urine)

Blood Negative Negative

(Urine)

Nitrite Negative Negative

(Urine)

Bilirubin Negative Negative

(Urine)

Protein Negative Negative

(Urine)

Glucose Negative Negative

(Urine/GOD - POD)





PID No. : MED121765399 Register On : 28/03/2023 9:28 AM : 522304777 SID No. Collection On : 28/03/2023 10:07 AM

Age / Sex : 38 Year(s) / Female Report On 28/03/2023 4:49 PM Type : OP

Ref. Dr : MediWheel **Printed On** : 01/04/2023 12:23 PM



| Investigation | <u>Observed</u> <u>Value</u> | <u>Unit</u> | <u>Biological</u> <u>Reference Interval</u> |
|--|---------------------------------|-------------|--|
| Leukocytes(CP) (Urine) | Negative | | |
| MICROSCOPIC EXAMINATION (URINE COMPLETE) | | | |
| Pus Cells (Urine) | 0-1 | /hpf | NIL |
| Epithelial Cells (Urine) | 1-3 | /hpf | NIL |
| RBCs (Urine) | NIL | /HPF | NIL |
| Others (Urine) | NIL | | |

INTERPRETATION: Note: Done with Automated Urine Analyser & Automated urine sedimentation analyser. All abnormal reports are reviewed and confirmed microscopically.





 $\textbf{Age / Sex} \quad \textbf{:} \quad 38 \ \text{Year(s) / Female} \qquad \qquad \textbf{Report On} \qquad \textbf{:} \quad 28/03/2023 \ 4:49 \ \text{PM}$

Type : OP

PID No.

Ref. Dr : MediWheel



InvestigationObservedUnitBiologicalValueReference Interval

: 01/04/2023 12:23 PM

IMMUNOHAEMATOLOGY

BLOOD GROUPING AND Rh TYPING 'A' 'Positive'

(EDTA Blood/Agglutination)

INTERPRETATION: Note: Slide method is screening method. Kindly confirm with Tube method for transfusion.

Printed On





Printed On

Type : OP

Ref. Dr : MediWheel



| Investigation | Observed Value | <u>Unit</u> | <u>Biological</u> <u>Reference Interval</u> |
|--|-------------------|-------------|--|
| BIOCHEMISTRY | | | |
| BUN / Creatinine Ratio | 9.75 | | 6.0 - 22.0 |
| Blood Urea Nitrogen (BUN) (Serum/Urease UV / derived) | 8.1 | mg/dL | 7.0 - 21 |
| Creatinine (Serum/Modified Jaffe) | 0.83 | mg/dL | 0.6 - 1.1 |

: 01/04/2023 12:23 PM

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin ,cefazolin, ACE inhibitors ,angiotensin II receptor antagonists,N-acetylcyteine , chemotherapeutic agent such as flucytosine etc.

Uric Acid 5.23 mg/dL 2.6 - 6.0

(Serum/Enzymatic)





APPROVED BY

-- End of Report --



| Name | MRS.HAMSAVEENA B | ID | MED121765399 |
|-----------------|------------------|------------|--------------|
| Age & Gender | 38/FEMALE | Visit Date | 28/03/2023 |
| Ref Doctor Name | MediWheel | | |

ABDOMINO-PELVIC ULTRASONOGRAPHY

LIVER is normal in shape, size (15.2cms) **and has increased echogenicity.** No evidence of focal lesion or intrahepatic biliary ductal dilatation. Hepatic and portal vein radicals are normal.

GALL BLADDER shows normal shape and has clear contents. Wall is of normal thickness. CBD is of normal calibre.

PANCREAS has normal shape, size and uniform echopattern. No evidence of ductal dilatation or calcification.

SPLEEN show normal shape, size and echopattern.

BOTH KIDNEYS

Right kidney: Normal in shape, size and echopattern. Cortico-medullary differentiation is well madeout. No evidence of calculus or hydronephrosis.

Left kidney: Normal in shape, size and echopattern. Cortico-medullary differentiation is well madeout. No evidence of calculus or hydronephrosis.

The kidney measures as follows:

| | Bipolar length (cms) | Parenchymal thickness (cms) |
|--------------|----------------------|-----------------------------|
| Right Kidney | 10.3 | 1.6 |
| Left Kidney | 10.6 | 1.7 |

URINARY BLADDER show normal shape and wall thickness. It has clear contents. No evidence of diverticula.

UTERUS is anteverted and mildly bulky and heterogeneous.

Endometrial echo is of normal thickness - 7.1mm.

Uterus measures LS: 7.3cms AP: 4.2cms TS: 6.7cms.

OVARIES are normal in size, shape and echotexture

Right ovary measures 2.6 x 1.7cms. Left ovary measures 2.5 x 1.6cms.

POD & adnexa are free.

No evidence of ascites.

REPORT DISCLAIMER

- 1. This is only a radiologincal imperssion. Like other investigations, radiological investication also have limitation. Therefore radiologincal reports should be interpreted in correlation with clinical and pathological findings.
- 2. The results reported here in are subject to interpretation by qualified medical professionals only.
- 3. Customer identities are accepted provided by the customer or their representative.
- 4.information about the customer's condition at the time of sample collection such as fasting, food consumption, medication, etc are accepted as provided by the customer or representative and shall not be investigated for its truthfulness.
- 5.If any specimen/sample is received from any others laboratory/hospital,its is presumed that the sample belongs to the patient identified or named.
- 6.Test results should be interpreted in context of clinical and other findings if any. In case of any clarification /doubt, the refrering doctor/patient can contact the respective section head of the laboratory.
- 7. Results of the test are influenced by the various factors such as sensitivity, specificity of the procedures of the tests, quality of the samples and drug interactions etc.,
- 8.If the test results are found not to be correlating clinically can contact the lab in charge for clarification or retesting where practicable within 24 hours from the time of issue of results.
- 9.Liability is limited to the extend of amount billed.
- $10. \\ Reports are subject to interpretation in their entirety, partial or selective interpretation may lead to false opinion.$
- 11.Disputes, if any , with regard to the report findings are subject to the exclusive jurisdiction of the competent courts chennai only.



| Name | MRS.HAMSAVEENA B | ID | MED121765399 |
|-----------------|------------------|------------|--------------|
| Age & Gender | 38/FEMALE | Visit Date | 28/03/2023 |
| Ref Doctor Name | MediWheel | | |

IMPRESSION:

- Grade I fatty infiltration of liver.
- Mildly bulky and heterogeneous uterus.

O .un.

DR. HEMANANDINI V.N CONSULTANT RADIOLOGIST Hn/Lr

REPORT DISCLAIMER

^{1.}This is only a radiologincal imperssion.Like other investigations, radiological investication also have limitation. Therefore radiologincal reports should be interpreted in correlation with clinical and pathological findings.

^{2.} The results reported here in are subject to interpretation by qualified medical professionals only.

^{3.} Customer identities are accepted provided by the customer or their representative.

^{4.}information about the customer's condition at the time of sample collection such as fasting, food consumption, medication, etc are accepted as provided by the customer or representative and shall not be investigated for its truthfulness.

^{5.}If any specimen/sample is received from any others laboratory/hospital,its is presumed that the sample belongs to the patient identified or named.

^{6.}Test results should be interpreted in context of clinical and other findings if any.In case of any clarification /doubt , the refrering doctor/patient can contact the respective section head of the laboratory.

^{7.}Results of the test are influenced by the various factors such as sensitivity, specificity of the procedures of the tests, quality of the samples and drug interactions etc.,

^{8.}If the test results are found not to be correlating clinically can contact the lab in charge for clarification or retesting where practicable within 24 hours from the time of issue of results.

^{9.}Liability is limited to the extend of amount billed.

^{10.}Reports are subject to interpretation in their entirety.partial or selective interpretation may lead to false opinion.

^{11.}Disputes,if any , with regard to the report findings are subject to the exclusive jurisdiction of the competent courts chennai only.