SUBURBAN DIAGNOSTICS - KANDIVALI EAST


SUBURBAN DIAGNOSTICS

PRECISE TESTING - HEALTHIER LIVING

Patient Name: AMRESH KUMAR

Patient ID: 2207614826

Date and Time: 17th Mar 22 10:34 AM



Age 52 NA 4 years months days

Gender Male

Heart Rate 50bpm

Patient Vitals

BP: NA
Weight: NA
Height: NA
Pulse: NA
Spo2: NA
Resp: NA
Others:

Measurements

QSRD: 96ms
QT: 384ms
QTc: 350ms
PR: 174ms
P-R-T: 50° 8° 28°

ECG Within Normal Limits: Sinus Bradycardia. Please correlate clinically.

REPORTED BY

DR AKHIL PARULEKAR MBBS.MD. MEDICINE, DNB Cardiology Cardiologist 2012082483

Disclaimer: 1) Analysis in this report is based on ECG alone and should be used as an adjunct to clinical history, symptoms, and results of other invasive and non-invasive tests and must be interpreted by a qualified physician. 2) Patient vitals are as entered by the clinician and not derived from the ECG.



Name : Mr AMRESH KUMAR

Age / Sex : 52 Years/Male

Ref. Dr :

Reg. Location : Kandivali East Main Centre

 \mathbf{E}

R

 \mathbf{T}

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

: 17-Mar-2022 / 10:43

: 17-Mar-2022 / 10:44

USG WHOLE ABDOMEN

Reg. Date

Reported

LIVER:

The liver is normal in size, shape and smooth margins. It shows normal parenchymal echo pattern. The intra hepatic biliary and portal radical appear normal. No evidence of any intra hepatic cystic or solid lesion seen. The main portal vein and CBD appears normal.

GALL BLADDER:

The gall bladder is physiologically distended and appears normal. No evidence of gall stones or mass lesions seen

PANCREAS:

The pancreas is well visualised and appears normal. No evidence of solid or cystic mass lesion.

KIDNEYS:

Both the kidneys are normal in size shape and echotexture.

No evidence of any calculus, hydronephrosis or mass lesion seen.

Right kidney measures 9.0 x 3.5 cm. Left kidney measures 10.0 x 4.5 cm.

SPLEEN:

The spleen is normal in size and echotexture. No evidence of focal lesion is noted.

There is no evidence of any lymphadenopathy or ascites.

URINARY BLADDER:

The urinary bladder is well distended and reveal no intraluminal abnormality.

PROSTATE:

The prostate is normal in size and volume is 22 cc.

Click here to view images

http://202.143.96.162/Suburban/Viewer?ViewerType=3&AccessionNo=2022031709240495

Page 1of 2



Name : Mr AMRESH KUMAR

: 52 Years/Male Age / Sex

Ref. Dr

Reg. Location : Kandivali East Main Centre

Application To Scan the Code Reg. Date

: 17-Mar-2022 / 10:43

Authenticity Check

Reported : 17-Mar-2022 / 10:44

Use a QR Code Scanner

R

R

 \mathbf{E}

IMPRESSION:

No significant abnormality is seen.

Note: Investigations have their limitations. Solitary radiological investigations never confirm the final diagnosis. They only help in diagnosing the disease in correlation to clinical symptoms and other related tests. USG is known to have inter-observer variations. Further / Follow-up imaging may be needed in some cases for confirmation / exclusion of diagnosis. Patient was explained in detail verbally about the USG findings, USG measurements and its limitations. In case of any typographical error in the report, patient is requested to immediately contact the centre for rectification. Please interpret accordingly. All safety precautions were taken before, during and after the USG examination in view of the ongoing Covid 19 pandemic.

-----End of Report------

This report is prepared and physically checked by DR. FAIZUR KHILJI before dispatch.

Dr.FAIZUR KHILJI MBBS, RADIO DIAGNOSIS Reg No-74850 Consultant Radiologist

Click here to view images

http://202.143.96.162/Suburban/Viewer?ViewerType=3&AccessionNo=2022031709240495



Name : Mr AMRESH KUMAR

Age / Sex : 52 Years/Male

Ref. Dr :

Reg. Location : Kandivali East Main Centre

 \mathbf{E}

R

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

: 17-Mar-2022 / 09:51

: 17-Mar-2022 / 13:37

X-RAY CHEST PA VIEW

Reg. Date

Reported

Both lung fields are clear.

Both costo-phrenic angles are clear.

The cardiac size and shape are within normal limits.

The domes of diaphragm are normal in position and outlines.

The skeleton under review appears normal.

IMPRESSION:

NO SIGNIFICANT ABNORMALITY IS DETECTED.

End of Report

This report is prepared and physically checked by DR. FAIZUR KHILJI before dispatch.

KLIM FRA

Dr.FAIZUR KHILJI MBBS,RADIO DIAGNOSIS Reg No-74850 Consultant Radiologist

Click here to view images

http://202.143.96.162/Suburban/Viewer?ViewerType=3&AccessionNo=2022031709240487

Page 1of



Name : MR.AMRESH KUMAR

Age / Gender : 52 Years / Male

Consulting Dr. : -

Reg. Location : Kandivali East (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected

Reported

:17-Mar-2022 / 09:22

:17-Mar-2022 / 13:57

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO

CBC (Complete Blood Count), Blood				
<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>	
RBC PARAMETERS				
Haemoglobin	13.1	13.0-17.0 g/dL	Spectrophotometric	
RBC	4.13	4.5-5.5 mil/cmm	Elect. Impedance	
PCV	40.1	40-50 %	Measured	
MCV	97	80-100 fl	Calculated	
MCH	31.8	27-32 pg	Calculated	
MCHC	32.7	31.5-34.5 g/dL	Calculated	
RDW	14.7	11.6-14.0 %	Calculated	
WBC PARAMETERS				
WBC Total Count	5100	4000-10000 /cmm	Elect. Impedance	
WBC DIFFERENTIAL AND ABSO	LUTE COUNTS			
Lymphocytes	35.3	20-40 %		
Absolute Lymphocytes	1800.3	1000-3000 /cmm	Calculated	
Monocytes	8.7	2-10 %		
Absolute Monocytes	443.7	200-1000 /cmm	Calculated	
Neutrophils	44.3	40-80 %		
Absolute Neutrophils	2259.3	2000-7000 /cmm	Calculated	
Eosinophils	11.2	1-6 %		
Absolute Eosinophils	571.2	20-500 /cmm	Calculated	
Basophils	0.5	0.1-2 %		
Absolute Basophils	25.5	20-100 /cmm	Calculated	
Immature Leukocytes	-			

WBC Differential Count by Absorbance & Impedance method/Microscopy.

PLATELET PARAMETERS

Platelet Count	173000	150000-400000 /cmm	Elect. Impedance
MPV	12.0	6-11 fl	Calculated
PDW	26.6	11-18 %	Calculated

RBC MORPHOLOGY

Hypochromia	-
Microcytosis	-

Page 1 of 11

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053



Name : MR.AMRESH KUMAR

:52 Years / Male Age / Gender

Consulting Dr.

: Kandivali East (Main Centre) Reg. Location



Authenticity Check

Use a OR Code Scanner Application To Scan the Code

Collected : 17-Mar-2022 / 09:22

Reported

:17-Mar-2022 / 11:42

Macrocytosis

Anisocytosis

Poikilocytosis

Polychromasia

Target Cells

Basophilic Stippling

Normoblasts

Others Normocytic, Normochromic

WBC MORPHOLOGY

PLATELET MORPHOLOGY Megaplatelets seen on smear

COMMENT Eosinophilia

Specimen: EDTA Whole Blood

ESR, EDTA WB 10 2-20 mm at 1 hr. Westergren

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report ***



over the page or visit our website.





Dr.MILLU JAIN M.D.(PATH) **Pathologist**

Page 2 of 11

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343



Name : MR.AMRESH KUMAR

Age / Gender :52 Years / Male

Consulting Dr.

Reg. Location

: Kandivali East (Main Centre)

Authenticity Check

Use a OR Code Scanner Application To Scan the Code

: 17-Mar-2022 / 13:14 :17-Mar-2022 / 17:43

Hexokinase

Hexokinase

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO

PARAMETER RESULTS BIOLOGICAL REF RANGE METHOD

GLUCOSE (SUGAR) FASTING. 92.8 Non-Diabetic: < 100 mg/dl Fluoride Plasma Impaired Fasting Glucose:

100-125 mg/dl

Diabetic: >/= 126 mg/dl

Collected

Reported

Non-Diabetic: < 140 mg/dl

GLUCOSE (SUGAR) PP, Fluoride 85.3 Plasma PP/R

Impaired Glucose Tolerance:

140-199 mg/dl

Diabetic: >/= 200 mg/dl

Urine Sugar (Fasting) Absent Absent Urine Ketones (Fasting) Absent **Absent**

Urine Sugar (PP) Absent Absent Urine Ketones (PP) Absent Absent

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report ***







Anoto **Dr.ANUPA DIXIT** M.D.(PATH) **Consultant Pathologist & Lab** Director

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343



Name : MR.AMRESH KUMAR

Age / Gender : 52 Years / Male

Consulting Dr. : -

Reg. Location: Kandivali East (Main Centre)



Use a QR Code Scanner Application To Scan the Code

Application To Scan the Code: 17-Mar-2022 / 09:22

Collected

Reported :17-Mar-2022 / 14:43

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO GLYCOSYLATED HEMOGLOBIN (HbA1c)

PARAMETERRESULTSBIOLOGICAL REF RANGEMETHODGlycosylated Hemoglobin4.8Non-Diabetic Level: < 5.7 %</td>HPLC

(HbA1c), EDTA WB - CC

Prediabetic Level: 5.7-6.4 %
Diabetic Level: >/= 6.5 %

Estimated Average Glucose 91.1 mg/dl Calculated

(eAG), EDTA WB - CC

Intended use:

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- · In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West
*** End Of Report ***







Dr.JYOT THAKKER
M.D. (PATH), DPB
Pathologist & AVP(Medical
Services)

ADDRESS: 2" Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 4 of 11



Name : MR.AMRESH KUMAR

Age / Gender :52 Years / Male

Consulting Dr. : -

: Kandivali East (Main Centre) Reg. Location



Authenticity Check

Use a OR Code Scanner Application To Scan the Code

Collected

Reported

0.03-3.5 ng/ml

: 17-Mar-2022 / 09:22 :17-Mar-2022 / 13:39

ECLIA

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO PROSTATE SPECIFIC ANTIGEN (PSA)

BIOLOGICAL REF RANGE PARAMETER RESULTS METHOD

Clinical Significance:

TOTAL PSA, Serum

PSA is detected in the serum of males with normal, benign hyper-plastic, and malignant prostate tissue.

0.645

- Monitoring patients with a history of prostate cancer as an early indicator of recurrence and response to treatment.
- Prostate cancer screening 4.The percentage of Free PSA (FPSA) in serum is described as being significantly higher in patients with BPH than in patients with prostate cancer. 5. Calculation of % free PSA (ie. FPSA/TPSA x 100), has been suggested as way of improving the differentiation of BPH and Prostate cancer.

Increased In- Prostate diseases, Cancer, Prostatitis, Benign prostatic hyperplasia, Prostatic ischemia, Acute urinary retention, Manipulations like Prostatic massage, Cystoscopy, Needle biopsy, Transurethral resection, Digital rectal examination, Radiation therapy, Indwelling catheter, Vigorous bicycle exercise, Drugs (e.g., testosterone), Physiologic fluctuations. Also found in small amounts in other cancers (sweat and salivary glands, breast, colon, lung, ovary) and in Skene glands of female urethra and in term placenta, Acute renal failure, Acute myocardial

Decreased In- Ejaculation within 24-48 hours, Castration, Antiandrogen drugs (e.g., finasteride), Radiation therapy, Prostatectomy, PSA falls 17% in 3 days after lying in hospital, Artifactual (e.g., improper specimen collection; very high PSA levels). Finasteride (5-α reductase inhibitor) reduces PSA by 50% after 6 months in men without cancer.

Reflex Tests: % FREE PSA, USG Prostate

Limitations:

tPSA values determined on patient samples by different testing procedures cannot be directly compared with one another and could be the cause of erroneous medical interpretations. If there is a change in the tPSA assay procedure used while monitoring therapy, then the tPSA values obtained upon changing over to the new procedure must be confirmed by parallelmeasurements with both methods. Immediate PSA testing following digital rectal examination, ejaculation, prostatic massage, indwelling catheterization, ultrasonography and needle biopsy of prostate is not recommended as they falsely elevate levels.

Reference:

- Wallach's Interpretation of diagnostic tests, 10th Edition
- Pack insert

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report ***







Annha **Dr.ANUPA DIXIT** M.D.(PATH) **Consultant Pathologist & Lab** Director

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 5 of 11



Name : MR.AMRESH KUMAR

Age / Gender :52 Years / Male

Consulting Dr.

Reg. Location : Kandivali East (Main Centre)



Use a OR Code Scanner

Application To Scan the Code

Collected : 17-Mar-2022 / 09:22 Reported :17-Mar-2022 / 16:07

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO **URINE EXAMINATION REPORT**

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
PHYSICAL EXAMINATION			
Color	Pale yellow	Pale Yellow	-
Reaction (pH)	7.0	4.5 - 8.0	Chemical Indicator
Specific Gravity	1.010	1.001-1.030	Chemical Indicator
Transparency	Clear	Clear	-
Volume (ml)	30	-	-
CHEMICAL EXAMINATION			
Proteins	Absent	Absent	pH Indicator
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
MICROSCOPIC EXAMINATION			
Leukocytes(Pus cells)/hpf	2-3	0-5/hpf	
Red Blood Cells / hpf	Absent	0-2/hpf	

Epithelial Cells / hpf 1-2

Casts Absent Absent Crystals **Absent Absent** Amorphous debris Absent Absent

Bacteria / hpf 3-4 Less than 20/hpf

Others







M. Jain **Dr.MILLU JAIN** M.D.(PATH) **Pathologist**

Page 6 of 11

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report **



Name : MR.AMRESH KUMAR

Age / Gender : 52 Years / Male

Consulting Dr. : -

Reg. Location: Kandivali East (Main Centre)



Use a QR Code Scanner Application To Scan the Code

Collected

Application To Scan the Code: 17-Mar-2022 / 09:22

Reported :17-Mar-2022 / 14:31

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO BLOOD GROUPING & Rh TYPING

PARAMETER RESULTS

ABO GROUP B

Rh TYPING POSITIVE

NOTE: Test performed by automated column agglutination technology (CAT) which is more sensitive than conventional methods.

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

Limitations:

- · ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- · Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

Refernces:

- 1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
- 2. AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West
*** End Of Report ***







Dr.JYOT THAKKER M.D. (PATH), DPB Pathologist & AVP(Medical Services)

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 7 of 11



Name : MR.AMRESH KUMAR

Age / Gender : 52 Years / Male

Consulting Dr. : -

Reg. Location : Kandivali East (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected : 17-Mar-2022 / 09:22

Reported :17-Mar-2022 / 14:25

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO LIPID PROFILE

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
CHOLESTEROL, Serum	132.5	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	Enzymatic
TRIGLYCERIDES, Serum	70.7	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	Enzymatic
HDL CHOLESTEROL, Serum	43.5	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Enzymatic
NON HDL CHOLESTEROL, Serum	89	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/d High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated l
LDL CHOLESTEROL, Serum	75.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	14.0	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	3.1	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	1.7	0-3.5 Ratio	Calculated

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report ***







Dr.JYOT THAKKER M.D. (PATH), DPB Pathologist & AVP(Medical Services)

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 8 of 11



Name : MR.AMRESH KUMAR

Age / Gender : 52 Years / Male

Consulting Dr. : -

Reg. Location

: Kandivali East (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Application To Scan the Code : 17-Mar-2022 / 09:22

Reported :17-Mar-2022 / 14:27

Collected

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO KIDNEY FUNCTION TESTS

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
BLOOD UREA, Serum	15.8	12.8-42.8 mg/dl	Kinetic
BUN, Serum	7.4	6-20 mg/dl	Calculated
CREATININE, Serum	0.96	0.67-1.17 mg/dl	Enzymatic
eGFR, Serum	87	>60 ml/min/1.73sqm	Calculated
TOTAL PROTEINS, Serum	6.8	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.3	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.5	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.7	1 - 2	Calculated
URIC ACID, Serum	5.0	3.5-7.2 mg/dl	Enzymatic
PHOSPHORUS, Serum	2.7	2.7-4.5 mg/dl	Molybdate UV
CALCIUM, Serum	8.9	8.6-10.0 mg/dl	N-BAPTA
SODIUM, Serum	133	135-148 mmol/l	ISE
POTASSIUM, Serum	4.2	3.5-5.3 mmol/l	ISE
CHLORIDE, Serum	98	98-107 mmol/l	ISE

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West
*** End Of Report ***







Dr.JYOT THAKKER M.D. (PATH), DPB Pathologist & AVP(Medical Services)

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343



Name : MR.AMRESH KUMAR

Age / Gender : 52 Years / Male

Consulting Dr. : - Collected : 17-Mar-2022 / 09:22

Reg. Location : Kandivali East (Main Centre) Reported :17-Mar-2022 / 13:39

Authenticity Check

Use a QR Code Scanner

Application To Scan the Code

-Mar-2022 / 09:22 -Mar-2022 / 13:39 **T**

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO THYROID FUNCTION TESTS

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
Free T3, Serum	5.4	3.5-6.5 pmol/L	ECLIA
Free T4, Serum	15.2	11.5-22.7 pmol/L	ECLIA
sensitiveTSH, Serum	2.64	0.35-5.5 microIU/ml	ECLIA

Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

- 1)TSH Values between 5.5 to 15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors can give falsely high TSH.
- 2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections, liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3/T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

Diurnal Variation:TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7%(with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid , TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations: Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.

Reference:

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3. Tietz , Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4.Biological Variation:From principles to Practice-Callum G Fraser (AACC Press)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West
*** End Of Report ***







Dr.ANUPA DIXIT
M.D.(PATH)
Consultant Pathologist & Lab
Director

ADDRESS: 2" Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 10 of 11



Name : MR.AMRESH KUMAR

Age / Gender : 52 Years / Male

Consulting Dr. : -

Reg. Location

: Kandivali East (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

:17-Mar-2022 / 09:22

Collected

Reported

:17-Mar-2022 / 13:39

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO LIVER FUNCTION TESTS

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
BILIRUBIN (TOTAL), Serum	0.62	0.1-1.2 mg/dl	Colorimetric
BILIRUBIN (DIRECT), Serum	0.26	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.36	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	6.8	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.3	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.5	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.7	1 - 2	Calculated
SGOT (AST), Serum	23.7	5-40 U/L	NADH (w/o P-5-P)
SGPT (ALT), Serum	26.3	5-45 U/L	NADH (w/o P-5-P)
GAMMA GT, Serum	22.1	3-60 U/L	Enzymatic
ALKALINE PHOSPHATASE, Serum	98.2	40-130 U/L	Colorimetric

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West
*** End Of Report ***







Dr.ANUPA DIXIT
M.D.(PATH)
Consultant Pathologist & Lab
Director

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 11 of 11