





: Mr.XAVIER JOSEPH

Age/Gender

: 43 Y 1 M 23 D/M

UHID/MR No Visit ID : CWAN.0000127060 : CWANOPV226571

Ref Doctor

: Dr.SELF

Emp/Auth/TPA ID

: 749523152978

Collected
Certificate No: MR668ived

: 16/Feb/2024 09:30AM

: 16/Feb/2024 11:28AM

Reported

: 16/Feb/2024 11:51AM

Status

: Final Report

Sponsor Name : AF

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF HAEMATOLOGY

PERIPHERAL SMEAR, WHOLE BLOOD EDTA

RBC's are Normocytic Normochromic WBC's are normal in number and morphology Platelets are Adequate No Abnormal cells/hemoparasite seen.

Page 1 of 15



Dr Sneha Shah MBBS, MD (Pathology) Consultant Pathologist

SIN No:BED240039584









: Mr.XAVIER JOSEPH

Age/Gender

: 43 Y 1 M 23 D/M

UHID/MR No Visit ID

: CWAN.0000127060

: CWANOPV226571

Ref Doctor Emp/Auth/TPA ID : Dr.SELF

: 749523152978

Certificate No:

: 16/Feb/2024 09:30AM

: 16/Feb/2024 11:51AM

MRééêïved : 16/Feb/2024 11:28AM

Reported Status

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF HAEMATOLOGY

ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS ABOVE 50Y MALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Range	Method
HEMOGRAM , WHOLE BLOOD EDTA				
HAEMOGLOBIN	16.3	g/dL	13-17	Spectrophotometer
PCV	46.90	%	40-50	Electronic pulse & Calculation
RBC COUNT	5.11	Million/cu.mm	4.5-5.5	Electrical Impedence
MCV	91.8	fL	83-101	Calculated
MCH	32	pg	27-32	Calculated
MCHC	34.8	g/dL	31.5-34.5	Calculated
R.D.W	13.9	%	11.6-14	Calculated
TOTAL LEUCOCYTE COUNT (TLC)	7,970	cells/cu.mm	4000-10000	Electrical Impedance
DIFFERENTIAL LEUCOCYTIC COUNT (I	DLC)		XI.	
NEUTROPHILS	49	%	40-80	Electrical Impedance
LYMPHOCYTES	39.3	%	20-40	Electrical Impedance
EOSINOPHILS	4.1	%	1-6	Electrical Impedance
MONOCYTES	7	%	2-10	Electrical Impedance
BASOPHILS	0.6	%	<1-2	Electrical Impedance
ABSOLUTE LEUCOCYTE COUNT				
NEUTROPHILS	3905.3	Cells/cu.mm	2000-7000	Calculated
LYMPHOCYTES	3132.21	Cells/cu.mm	1000-3000	Calculated
EOSINOPHILS	326.77	Cells/cu.mm	20-500	Calculated
MONOCYTES	557.9	Cells/cu.mm	200-1000	Calculated
BASOPHILS	47.82	Cells/cu.mm	0-100	Calculated
Neutrophil lymphocyte ratio (NLR)	1.25		0.78- 3.53	Calculated
PLATELET COUNT	453000	cells/cu.mm	150000-410000	Electrical impedence
ERYTHROCYTE SEDIMENTATION RATE (ESR)	2	mm at the end of 1 hour	0-15	Modified Westergren
PERIPHERAL SMEAR				

RBC's are Normocytic Normochromic

WBC's are normal in number and morphology

Platelets are Adequate

Page 2 of 15



Dr Sneha Shah MBBS, MD (Pathology) Consultant Pathologist

SIN No:BED240039584









: Mr.XAVIER JOSEPH

Age/Gender

: 43 Y 1 M 23 D/M

UHID/MR No Visit ID : CWAN.0000127060 : CWANOPV226571

Ref Doctor

: Dr.SELF

Emp/Auth/TPA ID

: 749523152978

Collected
Certificate No: MR668ived

: 16/Feb/2024 09:30AM

: 16/Feb/2024 11:28AM

Reported

: 16/Feb/2024 11:51AM

Status

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF HAEMATOLOGY

ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS ABOVE 50Y MALE - 2D ECHO - PAN INDIA - FY2324

No Abnormal cells/hemoparasite seen.

Page 3 of 15



Dr Sneha Shah MBBS, MD (Pathology) Consultant Pathologist

SIN No:BED240039584







: Mr.XAVIER JOSEPH

Age/Gender

: 43 Y 1 M 23 D/M

UHID/MR No Visit ID

: CWAN.0000127060 : CWANOPV226571

Ref Doctor

: Dr.SELF Emp/Auth/TPA ID : 749523152978 Collected

: 16/Feb/2024 09:30AM

: 16/Feb/2024 11:28AM

Certificate No: MReceived Reported : 16/Feb/2024 12:53PM

> Status : Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF HAEMATOLOGY

ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS ABOVE 50Y MALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Range	Method
BLOOD GROUP ABO AND RH FAC	TOR , WHOLE BLOOD EDTA			
BLOOD GROUP TYPE	A			Microplate Hemagglutination
Rh TYPE	Positive			Microplate Hemagglutination

Page 4 of 15



Dr Sneha Shah MBBS MD (Pathology) Consultant Pathologist

SIN No:BED240039584







: Mr.XAVIER JOSEPH

Age/Gender

: 43 Y 1 M 23 D/M

UHID/MR No Visit ID : CWAN.0000127060 : CWANOPV226571

Ref Doctor

: Dr.SELF

Emp/Auth/TPA ID : 749523152978

Certificate No: NReeerved

: 16/Feb/2024 09:30AM

: 16/Feb/2024 12:19PM

Reported

: 16/Feb/2024 12:54PM

Status

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS ABOVE 50Y MALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Range	Method
GLUCOSE, FASTING , NAF PLASMA	88	mg/dL	70-100	HEXOKINASE

Comment:

As per American Diabetes Guidelines, 2023

Fasting Glucose Values in mg/dL	Interpretation
70-100 mg/dL	Normal
100-125 mg/dL	Prediabetes
≥126 mg/dL	Diabetes
<70 mg/dL	Hypoglycemia

Note:

1. The diagnosis of Diabetes requires a fasting plasma glucose of > or = 126 mg/dL and/or a random / 2 hr post glucose value of > or = 200 mg/dL on at least 2 occasions.

2. Very high glucose levels (>450 mg/dL in adults) may result in Diabetic Ketoacidosis & is considered critical.

Page 5 of 15





SIN No:PLF02106899







Patient Name

: Mr.XAVIER JOSEPH

Age/Gender

: 43 Y 1 M 23 D/M

UHID/MR No Visit ID

: CWAN.0000127060 : CWANOPV226571

Ref Doctor

Emp/Auth/TPA ID

: Dr.SELF : 749523152978 Collected

: 16/Feb/2024 09:30AM

: 16/Feb/2024 11:28AM

Reported

MRééeived

: 16/Feb/2024 02:06PM

Status : Final Report Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS ABOVE 50Y MALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Range	Method
GLUCOSE, POST PRANDIAL (PP), 2 HOURS, SODIUM FLUORIDE PLASMA (2 HR)	102	mg/dL	70-140	HEXOKINASE

Comment:

It is recommended that FBS and PPBS should be interpreted with respect to their Biological reference ranges and not with each

Conditions which may lead to lower postprandial glucose levels as compared to fasting glucose levels may be due to reactive hypoglycemia, dietary meal content, duration or timing of sampling after food digestion and absorption, medications such as insulin preparations, sulfonylureas, amylin analogues, or conditions such as overproduction of insulin.

Test Name	Result	Unit	Bio. Ref. Range	Method
HBA1C (GLYCATED HEMOGLOBIN) , V	VHOLE BLOOD EDTA			
HBA1C, GLYCATED HEMOGLOBIN	5.4	%		HPLC
ESTIMATED AVERAGE GLUCOSE (eAG)	108	mg/dL		Calculated

Comment:

Reference Range as per American Diabetes Association (ADA) 2023 Guidelines:

REFERENCE GROUP	HBA1C %
NON DIABETIC	<5.7
PREDIABETES	5.7 – 6.4
DIABETES	≥ 6.5
DIABETICS	
EXCELLENT CONTROL	6 – 7
FAIR TO GOOD CONTROL	7 – 8
UNSATISFACTORY CONTROL	8 – 10
POOR CONTROL	>10

Note: Dietary preparation or fasting is not required.

- 1. HbA1C is recommended by American Diabetes Association for Diagnosing Diabetes and monitoring Glycemic Control by American Diabetes Association guidelines 2023.
- 2. Trends in HbA1C values is a better indicator of Glycemic control than a single test.
- 3. Low HbA1C in Non-Diabetic patients are associated with Anemia (Iron Deficiency/Hemolytic), Liver Disorders, Chronic Kidney Disease. Clinical Correlation is advised in interpretation of low Values.

Page 6 of 15



DR.Sanjay Ingle M.B.B.S,M.D(Pathology) Consultant Pathologist

SIN No:EDT240017333







Patient Name

: Mr.XAVIER JOSEPH

Age/Gender

: 43 Y 1 M 23 D/M

UHID/MR No Visit ID : CWAN.0000127060 : CWANOPV226571

Ref Doctor

: Dr.SELF

Emp/Auth/TPA ID

: 749523152978

Collected

: 16/Feb/2024 09:30AM

: 16/Feb/2024 11:28AM

MRé6êived Reported

: 16/Feb/2024 02:06PM

Status

: Final Report

Sponsor Name : AF

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS ABOVE 50Y MALE - 2D ECHO - PAN INDIA - FY2324

- 4. Falsely low HbA1c (below 4%) may be observed in patients with clinical conditions that shorten erythrocyte life span or decrease mean erythrocyte age. HbA1c may not accurately reflect glycemic control when clinical conditions that affect erythrocyte survival are present.
- $5.\ In\ cases\ of\ Interference\ of\ Hemoglobin\ variants\ in\ HbA1C,\ alternative\ methods\ (Fructosamine)\ estimation\ is\ recommended\ for\ Glycemic\ Control$

A: HbF >25%

B: Homozygous Hemoglobinopathy.

(Hb Electrophoresis is recommended method for detection of Hemoglobinopathy)

Page 7 of 15



DR.Sanjay Ingle M.B.B.S,M.D(Pathology) Consultant Pathologist

SIN No:EDT240017333







Patient Name

: Mr.XAVIER JOSEPH

Age/Gender

: 43 Y 1 M 23 D/M

UHID/MR No Visit ID : CWAN.0000127060 : CWANOPV226571

Ref Doctor

: Dr.SELF

Emp/Auth/TPA ID

: 749523152978

Collected

: 16/Feb/2024 09:30AM

: 16/Feb/2024 12:19PM

Reported : 16/Feb/2024 01:23PM

Status

MRééeived

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS ABOVE 50Y MALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Range	Method				
LIPID PROFILE , SERUM								
TOTAL CHOLESTEROL	220	mg/dL	<200	CHO-POD				
TRIGLYCERIDES	164	mg/dL	<150	GPO-POD				
HDL CHOLESTEROL	45	mg/dL	40-60	Enzymatic Immunoinhibition				
NON-HDL CHOLESTEROL	174	mg/dL	<130	Calculated				
LDL CHOLESTEROL	141.78	mg/dL	<100	Calculated				
VLDL CHOLESTEROL	32.71	mg/dL	<30	Calculated				
CHOL / HDL RATIO	4.86		0-4.97	Calculated				

Comment:

Reference Interval as per National Cholesterol Education Program (NCEP) Adult Treatment Panel III Report.

	Desirable	Borderline High	High	Very High
TOTAL CHOLESTEROL	< 200	200 - 239	≥ 240	
TRIGLYCERIDES	<150	150 - 199	200 - 499	≥ 500
LDL	Optimal < 100 Near Optimal 100-129	130 - 159	160 - 189	≥ 190
HDL	≥ 60			
NON-HDL CHOLESTEROL	Optimal <130; Above Optimal 130-159	160-189	190-219	>220

- 1. Measurements in the same patient on different days can show physiological and analytical variations.
- 2. NCEP ATP III identifies non-HDL cholesterol as a secondary target of therapy in persons with high triglycerides.
- 3. Primary prevention algorithm now includes absolute risk estimation and lower LDL Cholesterol target levels to determine eligibility of drug therapy.
- **4.** Low HDL levels are associated with Coronary Heart Disease due to insufficient HDL being available to participate in reverse cholesterol transport, the process by which cholesterol is eliminated from peripheral tissues.
- 5. As per NCEP guidelines, all adults above the age of 20 years should be screened for lipid status. Selective screening of children above the age of 2 years with a family history of premature cardiovascular disease or those with at least one parent with high total cholesterol is recommended.
- 6. VLDL, LDL Cholesterol Non HDL Cholesterol, CHOL/HDL RATIO, LDL/HDL RATIO are calculated parameters when Triglycerides are below 400 mg/dL. When Triglycerides are more than 400 mg/dL LDL cholesterol is a direct measurement.

Page 8 of 15



Dr Sneha Shah MBBS, MD (Pathology) Consultant Pathologist

SIN No:SE04630986







Patient Name

: Mr.XAVIER JOSEPH

Age/Gender

: 43 Y 1 M 23 D/M

UHID/MR No Visit ID : CWAN.0000127060 : CWANOPV226571

Ref Doctor

: Dr.SELF

Emp/Auth/TPA ID

: 749523152978

Collected

: 16/Feb/2024 09:30AM

: 16/Feb/2024 12:19PM

Reported Status

MRééeived

: 16/Feb/2024 01:23PM : Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS ABOVE 50Y MALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Range	Method		
LIVER FUNCTION TEST (LFT), SERUM						
BILIRUBIN, TOTAL	0.54	mg/dL	0.3–1.2	DPD		
BILIRUBIN CONJUGATED (DIRECT)	0.11	mg/dL	<0.2	DPD		
BILIRUBIN (INDIRECT)	0.43	mg/dL	0.0-1.1	Dual Wavelength		
ALANINE AMINOTRANSFERASE (ALT/SGPT)	38.86	U/L	<50	IFCC		
ASPARTATE AMINOTRANSFERASE (AST/SGOT)	29.7	U/L	<50	IFCC		
ALKALINE PHOSPHATASE	51.91	U/L	30-120	IFCC		
PROTEIN, TOTAL	7.89	g/dL	6.6-8.3	Biuret		
ALBUMIN	4.85	g/dL	3.5-5.2	BROMO CRESOL GREEN		
GLOBULIN	3.04	g/dL	2.0-3.5	Calculated		
A/G RATIO	1.6		0.9-2.0	Calculated		

Comment:

LFT results reflect different aspects of the health of the liver, i.e., hepatocyte integrity (AST & ALT), synthesis and secretion of bile (Bilirubin, ALP), cholestasis (ALP, GGT), protein synthesis (Albumin)

Common patterns seen:

1. Hepatocellular Injury:

- AST Elevated levels can be seen. However, it is not specific to liver and can be raised in cardiac and skeletal injuries.
- ALT Elevated levels indicate hepatocellular damage. It is considered to be most specific lab test for hepatocellular injury. Values also correlate well with increasing BMI .• Disproportionate increase in AST, ALT compared with ALP. Bilirubin may be elevated.
- AST: ALT (ratio) In case of hepatocellular injury AST: ALT > 1In Alcoholic Liver Disease AST: ALT usually >2. This ratio is also seen to be increased in NAFLD, Wilsons's diseases, Cirrhosis, but the increase is usually not >2.
- 2. Cholestatic Pattern:
- ALP Disproportionate increase in ALP compared with AST, ALT.
- Bilirubin may be elevated.• ALP elevation also seen in pregnancy, impacted by age and sex.
- To establish the hepatic origin correlation with GGT helps. If GGT elevated indicates hepatic cause of increased ALP.
- 3. Synthetic function impairment: Albumin- Liver disease reduces albumin levels. Correlation with PT (Prothrombin Time) helps.

Page 9 of 15



Dr Sneha Shah MBBS, MD (Pathology) Consultant Pathologist

SIN No:SE04630986







: Mr.XAVIER JOSEPH

Age/Gender

: 43 Y 1 M 23 D/M

UHID/MR No Visit ID : CWAN.0000127060 : CWANOPV226571

Ref Doctor

: Dr.SELF

Emp/Auth/TPA ID

: 749523152978

Collected
Certificate No: MR668ived

: 16/Feb/2024 09:30AM

: 16/Feb/2024 12:19PM

Reported

: 16/Feb/2024 01:23PM

Status Sponsor Name : Final Report : ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS ABOVE 50Y MALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Range	Method				
RENAL PROFILE/KIDNEY FUNCTION TEST (RFT/KFT), SERUM								
CREATININE	0.89	mg/dL	0.72 – 1.18	Modified Jaffe, Kinetic				
UREA	23.71	mg/dL	17-43	GLDH, Kinetic Assay				
BLOOD UREA NITROGEN	11.1	mg/dL	8.0 - 23.0	Calculated				
URIC ACID	5.04	mg/dL	3.5-7.2	Uricase PAP				
CALCIUM	9.38	mg/dL	8.8-10.6	Arsenazo III				
PHOSPHORUS, INORGANIC	3.03	mg/dL	2.5-4.5	Phosphomolybdate Complex				
SODIUM	142.24	mmol/L	136–146	ISE (Indirect)				
POTASSIUM	4.5	mmol/L	3.5–5.1	ISE (Indirect)				
CHLORIDE	103.54	mmol/L	101–109	ISE (Indirect)				

Page 10 of 15



Dr Sneha Shah MBBS, MD (Pathology) Consultant Pathologist

SIN No:SE04630986







: Mr.XAVIER JOSEPH

Age/Gender

: 43 Y 1 M 23 D/M

UHID/MR No Visit ID

: CWAN.0000127060

Ref Doctor

Emp/Auth/TPA ID

: Dr.SELF

: CWANOPV226571

: 749523152978

Collected Certificate No: MReceived

: 16/Feb/2024 09:30AM

: 16/Feb/2024 12:19PM

Reported

: 16/Feb/2024 01:23PM

Status

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS ABOVE 50Y MALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Range	Method
GAMMA GLUTAMYL TRANSPEPTIDASE (GGT) , SERUM	27.79	U/L	<55	IFCC

Page 11 of 15



Dr Sneha Shah MBBS MD (Pathology) Consultant Pathologist

SIN No:SE04630986









Patient Name

: Mr.XAVIER JOSEPH

Age/Gender

: 43 Y 1 M 23 D/M

UHID/MR No Visit ID : CWAN.0000127060 : CWANOPV226571

Ref Doctor

: Dr.SELF

Emp/Auth/TPA ID

: 749523152978

Collected

: 16/Feb/2024 09:30AM

: 16/Feb/2024 12:19PM

Reported

MRééêïved

: 16/Feb/2024 01:36PM

Status Sponsor Name : Final Report : ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF IMMUNOLOGY

ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS ABOVE 50Y MALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Range	Method
THYROID PROFILE TOTAL (T3, T4, TSH), SERUM	·		
TRI-IODOTHYRONINE (T3, TOTAL)	1.17	ng/mL	0.7-2.04	CLIA
THYROXINE (T4, TOTAL)	16.07	μg/dL	5.48-14.28	CLIA
THYROID STIMULATING HORMONE (TSH)	5.595	μIU/mL	0.34-5.60	CLIA

Comment:

For pregnant females	Bio Ref Range for TSH in uIU/ml (As per American Thyroid Association)
First trimester	0.1 - 2.5
Second trimester	0.2 - 3.0
Third trimester	0.3 – 3.0

- 1. TSH is a glycoprotein hormone secreted by the anterior pituitary. TSH activates production of T3 (Triiodothyronine) and its prohormone T4 (Thyroxine). Increased blood level of T3 and T4 inhibit production of TSH.
- **2.** TSH is elevated in primary hypothyroidism and will be low in primary hyperthyroidism. Elevated or low TSH in the context of normal free thyroxine is often referred to as sub-clinical hypo- or hyperthyroidism respectively.
- 3. Both T4 & T3 provides limited clinical information as both are highly bound to proteins in circulation and reflects mostly inactive hormone. Only a very small fraction of circulating hormone is free and biologically active.

4. Significant variations in TSH can occur with circadian rhythm, hormonal status, stress, sleep deprivation, medication & circulating antibodies.

TSH	Т3	T4	FT4	Conditions
High	Low	Low	Low	Primary Hypothyroidism, Post Thyroidectomy, Chronic Autoimmune Thyroiditis
High	N	N	N	Subclinical Hypothyroidism, Autoimmune Thyroiditis, Insufficient Hormone Replacement Therapy.
N/Low	Low	Low	Low	Secondary and Tertiary Hypothyroidism
Low	High	High	High	Primary Hyperthyroidism, Goitre, Thyroiditis, Drug effects, Early Pregnancy
Low	N	N	N	Subclinical Hyperthyroidism
Low	Low	Low	Low	Central Hypothyroidism, Treatment with Hyperthyroidism
Low	N	High	High	Thyroiditis, Interfering Antibodies
N/Low	High	N	N	T3 Thyrotoxicosis, Non thyroidal causes
High	High	High	High	Pituitary Adenoma; TSHoma/Thyrotropinoma

Page 12 of 15



Dr Sneha Shah MBBS, MD (Pathology) Consultant Pathologist

SIN No:SPL24025847









: Mr.XAVIER JOSEPH

Age/Gender

: 43 Y 1 M 23 D/M

UHID/MR No Visit ID : CWAN.0000127060 : CWANOPV226571

Ref Doctor

: Dr.SELF

Emp/Auth/TPA ID

: 749523152978

Collected
Certificate No: MR668ived

: 16/Feb/2024 09:30AM

: 16/Feb/2024 12:19PM

Reported

: 16/Feb/2024 01:13PM

Status Sponsor Name : Final Report

4000554

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF IMMUNOLOGY

ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS ABOVE 50Y MALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Range	Method
TOTAL PROSTATIC SPECIFIC ANTIGEN (tPSA), SERUM	0.820	ng/mL	0-4	CLIA

Page 13 of 15



Dr Sneha Shah MBBS, MD (Pathology) Consultant Pathologist

SIN No:SPL24025847









Patient Name

: Mr.XAVIER JOSEPH

Age/Gender

: 43 Y 1 M 23 D/M

UHID/MR No Visit ID

: CWAN.0000127060 : CWANOPV226571

Ref Doctor

: Dr.SELF

Emp/Auth/TPA ID

: 749523152978

Collected

: 16/Feb/2024 09:30AM

: 16/Feb/2024 03:52PM

MRééêived : 16/Feb/2024 04:05PM Reported

Status

Sponsor Name

: Final Report

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF CLINICAL PATHOLOGY

ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS ABOVE 50Y MALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Range	Method
COMPLETE URINE EXAMINATION (CUE) , URINE			
PHYSICAL EXAMINATION				
COLOUR	PALE YELLOW		PALE YELLOW	Visual
TRANSPARENCY	CLEAR		CLEAR	Visual
pH	5.5		5-7.5	DOUBLE INDICATOR
SP. GRAVITY	>1.025		1.002-1.030	Bromothymol Blue
BIOCHEMICAL EXAMINATION				
URINE PROTEIN	NEGATIVE		NEGATIVE	PROTEIN ERROR OF INDICATOR
GLUCOSE	NEGATIVE		NEGATIVE	GLUCOSE OXIDASE
URINE BILIRUBIN	NEGATIVE		NEGATIVE	AZO COUPLING REACTION
URINE KETONES (RANDOM)	NEGATIVE		NEGATIVE	SODIUM NITRO PRUSSIDE
UROBILINOGEN	NORMAL		NORMAL	MODIFED EHRLICH REACTION
BLOOD	NEGATIVE		NEGATIVE	Peroxidase
NITRITE	NEGATIVE		NEGATIVE	Diazotization
LEUCOCYTE ESTERASE	NEGATIVE		NEGATIVE	LEUCOCYTE ESTERASE
CENTRIFUGED SEDIMENT WET M	OUNT AND MICROSCOP	Y		
PUS CELLS	2 - 4	/hpf	0-5	Microscopy
EPITHELIAL CELLS	1 - 2	/hpf	<10	MICROSCOPY
RBC	NIL	/hpf	0-2	MICROSCOPY
CASTS	NIL		0-2 Hyaline Cast	MICROSCOPY
CRYSTALS	ABSENT		ABSENT	MICROSCOPY

Page 14 of 15



DR.Sanjay Ingle M.B.B.S,M.D(Pathology) Consultant Pathologist

SIN No:UR2283952







Patient Name

: Mr.XAVIER JOSEPH

Age/Gender UHID/MR No : 43 Y 1 M 23 D/M

Visit ID

: CWAN.0000127060 : CWANOPV226571

Ref Doctor

: Dr.SELF

Emp/Auth/TPA ID

: 749523152978

Collected

: 16/Feb/2024 09:30AM

: 16/Feb/2024 03:52PM

Reported

: 16/Feb/2024 04:14PM

Status Sponsor Name : Final Report

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF CLINICAL PATHOLOGY

ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS ABOVE 50Y MALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Range	Method
URINE GLUCOSE(POST PRANDIAL)	NEGATIVE		NEGATIVE	Dipstick
Test Name	Result	Unit	Bio. Ref. Range	Method

*** End Of Report ***

Dr Sneha Shah MBBS, MD (Pathology) Consultant Pathologist

SIN No:UF010593

This test has been performed at Apollo Health and Lifestyle ltd- Sadashiv Peth Pune, Diagnostics Lab



Page 15 of 15





: CWANOPV226571

: 16-02-2024 11:10

OP Visit No

Reported on

Specimen

Patient Name : Mr. XAVIER JOSEPH Age/Gender : 43 Y/M

UHID/MR No. : CWAN.0000127060

Sample Collected on :

LRN#

: RAD2238110

Ref Doctor : SELF

Emp/Auth/TPA ID : 749523152978

DEPARTMENT OF RADIOLOGY

ULTRASOUND - WHOLE ABDOMEN

Liver appears normal in size and echotexture. No focal lesion is seen. PV and CBD normal. No dilatation of the intrahepatic biliary radicals.

Gall bladder is distended. No evidence of calculus. Wall thickness appears normal. No evidence of periGB collection. No evidence of focal lesion.

Spleen appears normal. No focal lesion seen. Splenic vein appears normal.

Pancreas appears normal in echopattern. No focal mass lesion/calcification. No evidence of peripancreatic free fluid or collection. Pancreatic duct appears normal.

Both the kidneys appear normal in size, shape and echopattern. Cortical thickness and CM differentiation are maintained. No large calculus / hydronephrosis seen on either side.

Urinary Bladder is distended and appears normal. No evidence of any wall thickening or abnormality. No evidence of any intrinsic or extrinsic bladder abnormality.

Prostate is normal in size and echo texture. No evidence of necrosis/calcification.

No free fluid is detected in abdomen.

No retroperitoneal lymphadenopathy seen.

No obvious bowel mass detected.

IMPRESSION:

No significant abnormality detected.

Suggest – clinical correlation.

(The sonography findings should always be considered in correlation with the clinical and other investigation finding where applicable.) It is only a professional opinion, Not valid for medico legal purpose.



Patient Name : Mr. XAVIER JOSEPH Age/Gender : 43 Y/M

 $\begin{array}{c} \textbf{Dr. SHAAZ AHMED KHAN} \\ \underline{MBBS,DMRE} \\ \\ Radiology \end{array}$



Patient Name : Mr. XAVIER JOSEPH Age/Gender : 43 Y/M

UHID/MR No.

: CWAN.0000127060

Sample Collected on

: RAD2238110

Ref Doctor

LRN#

: SELF

Emp/Auth/TPA ID : 749523152978

OP Visit No

: CWANOPV226571

Reported on Specimen

: 16-02-2024 10:51

DEPARTMENT OF RADIOLOGY

X-RAY CHEST PA

Both lung fields and hila are normal.

No obvious active pleuro-parenchymal lesion seen .

Both costophrenic and cardiophrenic angles are clear.

Both diaphragms are normal in position and contour.

Thoracic wall and soft tissues appear normal.

CONCLUSION:

No obvious abnormality seen.

 $\frac{\text{Dr. SHAAZ AHMED KHAN}}{\text{MBBS,DMRE}}$ Radiology

Apollo Health and Lifestyle Limited