PID No.
 : MED111517934
 Register On
 : 25/02/2023 8:25 AM

 SID No.
 : 423010530
 Collection On
 : 25/02/2023 9:27 AM

 Age / Sex
 : 47 Year(s) / Female
 Report On
 : 25/02/2023 5:53 PM

 Type
 : OP
 Printed On
 : 27/02/2023 10:23 AM

Ref. Dr : MediWheel

Investigation HAEMATOLOGY	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Complete Blood Count With - ESR			
Haemoglobin (EDTA Blood/Spectrophotometry)	8.9	g/dL	12.5 - 16.0
Packed Cell Volume(PCV)/Haematocrit (EDTA Blood)	29.6	%	37 - 47
RBC Count (EDTA Blood)	4.57	mill/cu.mm	4.2 - 5.4
Mean Corpuscular Volume(MCV) (EDTA Blood)	64.8	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (EDTA Blood)	19.4	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (EDTA Blood)	30.0	g/dL	32 - 36
RDW-CV (EDTA Blood)	18.1	%	11.5 - 16.0
RDW-SD (EDTA Blood)	41.05	fL	39 - 46
Total Leukocyte Count (TC) (EDTA Blood)	7400	cells/cu.mm	4000 - 11000
Neutrophils (EDTA Blood)	59.1	%	40 - 75
Lymphocytes (EDTA Blood)	29.7	%	20 - 45
Eosinophils (EDTA Blood)	3.2	%	01 - 06
Monocytes (EDTA Blood)	7.7	%	01 - 10



 PID No.
 : MED111517934
 Register On
 : 25/02/2023 8:25 AM

 SID No.
 : 423010530
 Collection On
 : 25/02/2023 9:27 AM

 Age / Sex
 : 47 Year(s) / Female
 Report On
 : 25/02/2023 5:53 PM

 Type
 : OP
 Printed On
 : 27/02/2023 10:23 AM

Ref. Dr : MediWheel

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Basophils	0.3	%	00 - 02
(Blood)			
INTERPRETATION: Tests done on Automated Five P	art cell counter. All	abnormal results are	reviewed and confirmed microscopically.
Absolute Neutrophil count (EDTA Blood)	4.37	10^3 / μl	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood)	2.20	10^3 / μΙ	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood)	0.24	10^3 / μΙ	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood)	0.57	10^3 / μl	< 1.0
Absolute Basophil count (EDTA Blood)	0.02	10^3 / μΙ	< 0.2
Platelet Count (EDTA Blood)	303	10^3 / μl	150 - 450
MPV (EDTA Blood)	9.8	fL	8.0 - 13.3
PCT (EDTA Blood/Automated Blood cell Counter)	0.30	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Citrated Blood)	53	mm/hr	< 20



 PID No.
 : MED111517934
 Register On
 : 25/02/2023 8:25 AM

 SID No.
 : 423010530
 Collection On
 : 25/02/2023 9:27 AM

 Age / Sex
 : 47 Year(s) / Female
 Report On
 : 25/02/2023 5:53 PM

 Type
 : OP
 Printed On
 : 27/02/2023 10:23 AM

Ref. Dr : MediWheel

Investigation	Observed Value	<u>Unit</u>	<u>Biological</u> Reference Interval
BIOCHEMISTRY			
Liver Function Test			
Bilirubin(Total) (Serum/DCA with ATCS)	0.47	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.16	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.31	mg/dL	0.1 - 1.0
SGOT/AST (Aspartate Aminotransferase) (Serum/Modified IFCC)	9.59	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/Modified IFCC)	9.12	U/L	5 - 41
GGT(Gamma Glutamyl Transpeptidase) (Serum/IFCC / Kinetic)	10.56	U/L	< 38
Alkaline Phosphatase (SAP) (Serum/Modified IFCC)	95.5	U/L	42 - 98
Total Protein (Serum/Biuret)	6.89	gm/dl	6.0 - 8.0
Albumin (Serum/Bromocresol green)	3.90	gm/dl	3.5 - 5.2
Globulin (Serum/Derived)	2.99	gm/dL	2.3 - 3.6
A : G RATIO (Serum/Derived)	1.30		1.1 - 2.2



 PID No.
 : MED111517934
 Register On
 : 25/02/2023 8:25 AM

 SID No.
 : 423010530
 Collection On
 : 25/02/2023 9:27 AM

 Age / Sex
 : 47 Year(s) / Female
 Report On
 : 25/02/2023 5:53 PM

 Type
 : OP
 Printed On
 : 27/02/2023 10:23 AM

Ref. Dr : MediWheel

Investigation	Observed <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
<u>Lipid Profile</u>			
Cholesterol Total (Serum/CHOD-PAP with ATCS)	197.78	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/GPO-PAP with ATCS)	137.88	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

INTERPRETATION: The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the `usual_circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immunoinhibition)	40.68	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 50 - 59 High Risk: < 50
LDL Cholesterol (Serum/Calculated)	129.5	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >=190
VLDL Cholesterol (Serum/Calculated)	27.6	mg/dL	< 30
Non HDL Cholesterol (Serum/Calculated)	157.1	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220



 PID No.
 : MED111517934
 Register On
 : 25/02/2023 8:25 AM

 SID No.
 : 423010530
 Collection On
 : 25/02/2023 9:27 AM

 Age / Sex
 : 47 Year(s) / Female
 Report On
 : 25/02/2023 5:53 PM

 Type
 : OP
 Printed On
 : 27/02/2023 10:23 AM

Ref. Dr : MediWheel

<u>Investigation</u> <u>Observed Unit Biological</u>
<u>Value</u> <u>Reference Interval</u>

INTERPRETATION: 1. Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol. 2. It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.

Total Cholesterol/HDL Cholesterol Ratio
(Serum/Calculated)

4.9

Optimal: < 3.3

Low Risk: 3.4 - 4.4

Average Risk: 4.5 - 7.1

Moderate Risk: 7.2 - 11.0

High Risk: > 11.0

Triglyceride/HDL Cholesterol Ratio 3.4 Optimal: < 2.5 (TG/HDL) Mild to moderate risk: 2.5 - 5.0

(Serum/Calculated) High Risk: > 5.0

LDL/HDL Cholesterol Ratio
(Serum/Calculated)

3.2

Optimal: 0.5 - 3.0

Borderline: 3.1 - 6.0

High Risk: > 6.0



 PID No.
 : MED111517934
 Register On
 : 25/02/2023 8:25 AM

 SID No.
 : 423010530
 Collection On
 : 25/02/2023 9:27 AM

 Age / Sex
 : 47 Year(s) / Female
 Report On
 : 25/02/2023 5:53 PM

 Type
 : OP
 Printed On
 : 27/02/2023 10:23 AM

Ref. Dr : MediWheel

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Glycosylated Haemoglobin (HbA1c)			
HbA1C (Whole Blood/HPLC)	6.8	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5

INTERPRETATION: If Diabetes - Good control: 6.1 - 7.0 %, Fair control: 7.1 - 8.0 %, Poor control >= 8.1 %

Estimated Average Glucose 148.46 mg/dL

(Whole Blood)

INTERPRETATION: Comments

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency,

hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbAlC values.

Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbAlc.



 PID No.
 : MED111517934
 Register On
 : 25/02/2023 8:25 AM

 SID No.
 : 423010530
 Collection On
 : 25/02/2023 9:27 AM

 Age / Sex
 : 47 Year(s) / Female
 Report On
 : 25/02/2023 5:53 PM

Printed On

Ref. Dr : MediWheel

: OP

Type

InvestigationObservedUnitBiologicalValueReference Interval

: 27/02/2023 10:23 AM

IMMUNOASSAY

THYROID PROFILE / TFT

T3 (Triiodothyronine) - Total 1.48 ng/ml 0.7 - 2.04

(Serum/ECLIA)

INTERPRETATION:

Comment:

Total T3 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T3 is recommended as it is Metabolically active.

T4 (Tyroxine) - Total 9.77 µg/dl 4.2 - 12.0

(Serum/ECLIA)

INTERPRETATION:

Comment:

Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active.

TSH (Thyroid Stimulating Hormone) 4.76 µIU/mL 0.35 - 5.50

(Serum/ECLIA)

INTERPRETATION:

Reference range for cord blood - upto 20

1 st trimester: 0.1-2.5 2 nd trimester 0.2-3.0 3 rd trimester : 0.3-3.0

(Indian Thyroid Society Guidelines)

Comment:

- 1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI.
- 2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM. The variation can be of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations.
- 3. Values&lt 0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.



 PID No.
 : MED111517934
 Register On
 : 25/02/2023 8:25 AM

 SID No.
 : 423010530
 Collection On
 : 25/02/2023 9:27 AM

 Age / Sex
 : 47 Year(s) / Female
 Report On
 : 25/02/2023 5:53 PM

 Type
 : OP
 Printed On
 : 27/02/2023 10:23 AM

Ref. Dr : MediWheel

InvestigationObservedUnitBiologicalValueReference Interval

CLINICAL PATHOLOGY

PHYSICAL EXAMINATION (URINE COMPLETE)

Colour Pale yellow Yellow to Amber

(Urine)

Appearance Clear Clear

(Urine)

Volume(CLU) 25

(Urine)

CHEMICAL EXAMINATION (URINE

COMPLETE)

pH 5.0 4.5 - 8.0

(Urine)

Specific Gravity 1.004 1.002 - 1.035

(Urine)

Ketone Negative Negative

(Urine)

Urobilinogen Normal Normal

(Urine)

Blood Negative Negative

(Urine)

Nitrite Negative Negative

(Urine)

Bilirubin Negative Negative

(Urine)

Protein Negative Negative

(Urine)



PID No. : MED111517934 Register On : 25/02/2023 8:25 AM : 423010530 SID No. Collection On : 25/02/2023 9:27 AM Age / Sex : 47 Year(s) / Female Report On : 25/02/2023 5:53 PM : OP **Type Printed On** : 27/02/2023 10:23 AM

Ref. Dr : MediWheel

Investigation	<u>Observed</u> <u>Unit</u> <u>Value</u>	<u>Biological</u> <u>Reference Interval</u>
Glucose (Urine/GOD - POD)	Negative	Negative

Leukocytes(CP) Negative Negative

MICROSCOPIC EXAMINATION (URINE COMPLETE)

NIL 0-1 /hpf Pus Cells

(Urine)

NIL Epithelial Cells 1-3 /hpf

(Urine)

RBCs NIL /HPF **NIL**

(Urine)

NIL Others

(Urine)

INTERPRETATION: Note: Done with Automated Urine Analyser & Automated urine sedimentation analyser. All abnormal reports are reviewed and confirmed microscopically.

/hpf NIL Casts NIL

(Urine)

NIL /hpf NIL Crystals

(Urine)

Dr Anusha.K.S Sr.Consultant Pathologist Reg No: 100674 APPROVED BY

 PID No.
 : MED111517934
 Register On
 : 25/02/2023 8:25 AM

 SID No.
 : 423010530
 Collection On
 : 25/02/2023 9:27 AM

 SID No.
 : 423010530
 Collection On : 25/02/2023 9:27 AM

 Age / Sex
 : 47 Year(s) / Female
 Report On : 25/02/2023 5:53 PM

Printed On

Type : OP

Investigation

Ref. Dr : MediWheel

Observed Unit Biological Value Reference Interval

IMMUNOHAEMATOLOGY

BLOOD GROUPING AND Rh TYPING

(EDTA Blood/Agglutination)

'O' 'Positive'



APPROVED BY

: 27/02/2023 10:23 AM

 PID No.
 : MED111517934
 Register On
 : 25/02/2023 8:25 AM

 SID No.
 : 423010530
 Collection On
 : 25/02/2023 9:27 AM

 Age / Sex
 : 47 Year(s) / Female
 Report On
 : 25/02/2023 5:53 PM

 Type
 : OP
 Printed On
 : 27/02/2023 10:23 AM

Ref. Dr : MediWheel

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
BIOCHEMISTRY			
BUN / Creatinine Ratio	11.3		6.0 - 22.0
Glucose Fasting (FBS) (Plasma - F/GOD-PAP)	109.89	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose, Fasting (Urine)	Negative		Negative
(Urine - F/GOD - POD)			
Glucose Postprandial (PPBS)	120.26	mg/dL	70 - 140
(Dlagma DD/COD DAD)			

(Plasma - PP/GOD-PAP)

INTERPRETATION:

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Urine Glucose(PP-2 hours) (Urine - PP)	Negative		Negative
Blood Urea Nitrogen (BUN) (Serum/Urease UV / derived)	7.5	mg/dL	7.0 - 21
Creatinine (Serum/Modified Jaffe)	0.66	mg/dL	0.6 - 1.1

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin ,cefazolin, ACE inhibitors ,angiotensin II receptor antagonists,N-acetylcyteine , chemotherapeutic agent such as flucytosine etc.

Uric Acid 4.89 mg/dL 2.6 - 6.0

(Serum/Enzymatic)



-- End of Report --

CLUMAX DIAGNOSTICS





--- A MEDALL COMPANY ---CUSTOMER CHECKLIST

Date 25-Feb-2023 8:24 AM

Customer Name: MS.CHANDRAKALA V

DOB

:17 Nov 1975

Ref Dr Name : MediWheel

Age

:47Y/FEMALE

Customer Id : MED111517934

Visit ID :423010530

Phone

:9901943629

Email Id

Corp Name

: MediWheel


Address

Package Name: Mediwheel Full Body Health Checkup Female Above 40

S.No	Modality	Study	Accession No	Time	Seq	Signature
1	LAB	BLOOD UREA NITROGEN (BUN)				
2	LAB	CREATININE				
3	LAB	GLUCOSE - FASTING				
4	LAB	GLUCOSE - POSTPRANDIAL (2 HRS)				
5	LAB	GLYCOSYLATED HAEMOGLOBIN (HbA1c)				
6	LAB	URIC ACID				
7	LAB	LIPID PROFILE				
8	LAB	LIVER FUNCTION TEST (LFT)				
9	LAB	THYROID PROFILE/ TFT(T3, T4, TSH)				
10	LAB	URINE GLUCOSE - FASTING				
11	LAB	URINE GLUCOSE - POSTPRANDIAL (2 Hrs)				
12	LAB	COMPLETE BLOOD COUNT	Г			

13	LAB	STOOL ANALYSIS -				
		ROUTINE				
14	LAB	URINE ROUTINE				
15	LAB	PAP SMEAR BY LBC				
-		(LIQUID BASED				
		CYTOLOGY)				
16	LAB	BUN/CREATININE RATIO			Els Arc.	
17	LAB	BLOOD GROUP & RH TYPE				
		(Forward Reverse)		,		
18	ECG	ECG	IND13712591138	1		
19	OTHERS	Treadmill / 2D Echo	IND137125914690			
20	OTHERS	physical examination	IND137125915279			
21	US	ULTRASOUND ABDOMEN	IND137125915292			
22	OTHERS	Gynaecologist	IND137125915704			
		consultation				194
23	MAMMOGRAPHY	MAMOGRAPHY-BOTH	IND137125916054			
		BREASTS		Control of the Contro	PMATEURINGS:	water the second
24	OTHERS	Dental Consultation	IND137125916289			
25	OTHERS	EYE CHECKUP	IND137125917756	tool	Log	word
26	X-RAY	X RAY CHEST	IND137125918659			
27	OTHERS	Consultation Physician	IND137125918736			

Registerd By (HARI.O)



Name	MS.CHANDRAKALA V	ID	MED111517934
Age & Gender	47Y/FEMALE	Visit Date	25 Feb 2023
Ref Doctor Name	MediWheel		

2 D ECHOCARDIOGRAPHIC STUDY

M mode measurement:

AORTA : 3.1cms

LEFT ATRIUM : 3.1cms

AVS :----

LEFT VENTRICLE (DIASTOLE) : 4.0cms

(SYSTOLE) : 2.8cms

VENTRICULAR SEPTUM (DIASTOLE) : 0.8cms

(SYSTOLE) : 1.2cms

POSTERIOR WALL (DIASTOLE) : 0.8cms

(SYSTOLE) : 1.6cms

EDV : 71ml

ESV : 30ml

FRACTIONAL SHORTENING : 30%

EJECTION FRACTION : 60%

EPSS :---

RVID : 1.9cms

DOPPLER MEASUREMENTS:

MITRAL VALVE : E' 1.09 m/s A' 0.79 m/s NO MR

AORTIC VALVE : 1.33 m/s NO AR

TRICUSPID VALVE : E' - m/s A' - m/s NO TR

PULMONARY VALVE : 0.86 m/s NO PR

Name	MS.CHANDRAKALA V	ID	MED111517934
Age & Gender	47Y/FEMALE	Visit Date	25 Feb 2023
Ref Doctor Name	MediWheel		

2D ECHOCARDIOGRAPHY FINDINGS:

Left ventricle : Normal size, Normal systolic function.

No regional wall motion abnormalities.

Left Atrium : Normal.

Right Ventricle : Normal.

Right Atrium : Normal.

Mitral valve : Normal, No mitral valve prolapsed.

Aortic valve : Normal, Trileaflet.

Tricuspid valve : Normal.

Pulmonary valve : Normal.

IAS : Intact.

IVS : Intact.

Pericardium : No pericardial effusion.

IMPRESSION:

- > NORMAL SIZED CARDIAC CHAMBERS.
- > NORMAL LV SYSTOLIC FUNCTION. EF: 60%.
- > NO REGIONAL WALL MOTION ABNORMALITIES.
- > NORMAL VALVES.
- > NO CLOTS / PERICARDIAL EFFUSION / VEGETATION.

DR. K.S. SUBRAMANI. MBBS, MD, DM (CARDIOLOGY) FESC SENIOR CONSULTANT INTERVENTIONAL CARDIOLOGIST Kss/vp

Note:

^{*} Report to be interpreted by qualified medical professional.

Name	MS.CHANDRAKALA V	ID	MED111517934
Age & Gender	47Y/FEMALE	Visit Date	25 Feb 2023
Ref Doctor Name	MediWheel		

^{*} To be correlated with other clinical findings.

* Parameters may be subjected to inter and intra observer variations.

* Any discrepancy in reports due to typing errors should be corrected as soon as possible.

Name	MS.CHANDRAKALA V	ID	MED111517934
Age & Gender	47Y/FEMALE	Visit Date	25 Feb 2023
Ref Doctor Name	MediWheel		

ABDOMINO-PELVIC ULTRASONOGRAPHY

LIVER is normal in size and shows diffuse fatty changes. No evidence of focal lesion or intrahepatic biliary ductal dilatation. Hepatic and portal vein radicals are normal.

GALL BLADDER shows normal shape and has clear contents. Gall bladder wall is of normal thickness. CBD is of normal calibre.

PANCREAS has normal shape, size and uniform echopattern. No evidence of ductal dilatation or calcification.

SPLEEN shows normal shape, size and echopattern.

No demonstrable Para -aortic lymphadenopathy.

KIDNEYS move well with respiration and have normal shape, size and echopattern. Cortico- medullary differentiations are well madeout. No evidence of calculus or hydronephrosis.

The kidney measures as follows:

·	Bipolar length (cms)	Parenchymal thickness (cms)
Right Kidney	11.2	1.6
Left Kidney	12.6	1.5

URINARY BLADDER shows normal shape and wall thickness. It has clear contents. No evidence of diverticula.

UTERUS is anteverted and normal in size. Few intramural fibroids noted, largest measuring about 2.3 x 1.7cms in the anterior upper uterine segment. Endometrial thickness measures 6mm Uterus measures as follows: LS: 9.0cms AP: 4.3cms TS: 5.5cms.

OVARIES are normal in size, shape and echotexture. Left ovary shows a simple unilocular anechoic cyst measuring about 3.0 x 2.6cms. No mural nodule or increased vascularity is noted.

Ovaries measure as follows: Right ovary: 3.2 x 1.6cms

Left ovary: 3.7 x 3.0cms

POD & adnexae are free.

No evidence of ascites/pleural effusion.

Uncomplicated umbilical hernia noted with defect measuring about 15mm & omentum as contents.

IMPRESSION:

- > FATTY LIVER.
- > UTERINE FIBROIDS.
- > LEFT OVARIAN SIMPLE CYST.

Name	MS.CHANDRAKALA V	ID	MED111517934
Age & Gender	47Y/FEMALE	Visit Date	25 Feb 2023
Ref Doctor Name	MediWheel		

> UNCOMPLICATED UMBILICAL HERNIA.

DR. APARNA CONSULTANT RADIOLOGIST A/vp

Name	CHANDRAKALA V	Customer ID	MED111517934
Age & Gender	47Y/F	Visit Date	Feb 25 2023 8:24AM
Ref Doctor	MediWheel		

X - RAY CHEST PA VIEW

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

Impression:

No significant abnormality detected.

