

Name : MRS.MAHAJAN SHASHI BAJIRAO

Age / Gender :41 Years / Female

Consulting Dr. Collected :23-Sep-2023 / 09:19

Reported :23-Sep-2023 / 12:13 Reg. Location : Borivali West (Main Centre)



R

E

Use a QR Code Scanner Application To Scan the Code

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO

CBC (Complete Blood Count), Blood				
<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>	
RBC PARAMETERS				
Haemoglobin	12.1	12.0-15.0 g/dL	Spectrophotometric	
RBC	4.18	3.8-4.8 mil/cmm	Elect. Impedance	
PCV	37.4	36-46 %	Measured	
MCV	89	80-100 fl	Calculated	
MCH	29.0	27-32 pg	Calculated	
MCHC	32.5	31.5-34.5 g/dL	Calculated	
RDW	14.5	11.6-14.0 %	Calculated	
WBC PARAMETERS				
WBC Total Count	5080	4000-10000 /cmm	Elect. Impedance	
WBC DIFFERENTIAL AND ABS	OLUTE COUNTS			
Lymphocytes	40.7	20-40 %		
Absolute Lymphocytes	2067.6	1000-3000 /cmm	Calculated	
Monocytes	7.8	2-10 %		
Absolute Monocytes	396.2	200-1000 /cmm	Calculated	
Neutrophils	47.0	40-80 %		
Absolute Neutrophils	2387.6	2000-7000 /cmm	Calculated	
Eosinophils	4.4	1-6 %		
Absolute Eosinophils	223.5	20-500 /cmm	Calculated	
Basophils	0.1	0.1-2 %		
Absolute Basophils	5.1	20-100 /cmm	Calculated	
Immature Leukocytes	-			

WBC Differential Count by Absorbance & Impedance method/Microscopy.

PLATELET PARAMETERS

Platelet Count	200000	150000-400000 /cmm	Elect. Impedance
MPV	9.6	6-11 fl	Calculated
PDW	18.9	11-18 %	Calculated

RBC MORPHOLOGY

Hypochromia Microcytosis



Name : MRS.MAHAJAN SHASHI BAJIRAO

Age / Gender : 41 Years / Female

Consulting Dr. : - Collected : 23-Sep-2023 / 09:19
Reg. Location : Borivali West (Main Centre) Reported : 23-Sep-2023 / 12:06

,

Macrocytosis -

Anisocytosis -

Poikilocytosis -

Polychromasia -

Target Cells -

Basophilic Stippling -

Normoblasts -

Others Normocytic, Normochromic

WBC MORPHOLOGY -

PLATELET MORPHOLOGY -

COMMENT -

Specimen: EDTA Whole Blood


ESR, EDTA WB-ESR 37 2-20 mm at 1 hr. Sedimentation

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***









Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Page 2 of 13



Name : MRS.MAHAJAN SHASHI BAJIRAO

Age / Gender : 41 Years / Female

Consulting Dr.

Reg. Location : Borivali West (Main Centre)



Use a OR Code Scanner Application To Scan the Code

:23-Sep-2023 / 09:19

:23-Sep-2023 / 14:20

Hexokinase

Hexokinase

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO

PARAMETER RESULTS BIOLOGICAL REF RANGE METHOD

GLUCOSE (SUGAR) FASTING. 88.0 Non-Diabetic: < 100 mg/dl Fluoride Plasma Impaired Fasting Glucose: 100-125 mg/dl

Diabetic: >/= 126 mg/dl

Collected

Reported

GLUCOSE (SUGAR) PP, Fluoride 90.7 Non-Diabetic: < 140 mg/dl

Plasma PP/R Impaired Glucose Tolerance:

140-199 mg/dl


Diabetic: >/= 200 mg/dl

Urine Sugar (Fasting) Absent **Absent** Urine Ketones (Fasting) Absent Absent

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report ***









Name : MRS.MAHAJAN SHASHI BAJIRAO

Age / Gender : 41 Years / Female

Consulting Dr. : -

Reg. Location : Borivali West (Main Centre)



Use a QR Code Scanner Application To Scan the Code

Collected

Reported

Kidney failure:<15

:23-Sep-2023 / 09:19

:23-Sep-2023 / 14:28

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO KIDNEY FUNCTION TESTS

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE METHOL	<u>)</u>
BLOOD UREA, Serum	15.6	12.8-42.8 mg/dl Kinetic	
BUN, Serum	7.3	6-20 mg/dl Calculated	d
CREATININE, Serum	0.60	0.51-0.95 mg/dl Enzymation	2
eGFR, Serum	116	(ml/min/1.73sqm) Calculated Normal or High: Above 90 Mild decrease: 60-89 Mild to moderate decrease: 45- 59 Moderate to severe decrease: 30 -44	b
		Severe decrease: 15-29	

Note: eGFR estimation is calculated using 2021 CKD-EPI GFR equation w.e.f 16-08-2023

TOTAL PROTEINS, Serum	6.8	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.1	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.7	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.5	1 - 2	Calculated
URIC ACID, Serum	3.7	2.4-5.7 mg/dl	Enzymatic
PHOSPHORUS, Serum	2.4	2.7-4.5 mg/dl	Molybdate UV
CALCIUM, Serum	8.7	8.6-10.0 mg/dl	N-BAPTA
SODIUM, Serum	139	135-148 mmol/l	ISE
POTASSIUM, Serum	3.9	3.5-5.3 mmol/l	ISE
CHLORIDE, Serum	107	98-107 mmol/l	ISE

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***







Dr.KETAKI MHASKAR M.D. (PATH) Pathologist

Page 4 of 13



Name : MRS.MAHAJAN SHASHI BAJIRAO

Age / Gender : 41 Years / Female

Consulting Dr. : -Collected : 23-Sep-2023 / 09:19

Reported :23-Sep-2023 / 12:13 Reg. Location : Borivali West (Main Centre)

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO **GLYCOSYLATED HEMOGLOBIN (HbA1c)**

BIOLOGICAL REF RANGE PARAMETER RESULTS METHOD

Glycosylated Hemoglobin **HPLC** 5.4 Non-Diabetic Level: < 5.7 % (HbA1c), EDTA WB - CC

Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 %

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

Estimated Average Glucose 108.3 mg/dl Calculated

(eAG), EDTA WB - CC

Intended use:

In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year

In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly

For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.

The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report ***



Dr.KETAKI MHASKAR M.D. (PATH) **Pathologist**

BMhaskar

Page 5 of 13



Name : MRS.MAHAJAN SHASHI BAJIRAO

Age / Gender : 41 Years / Female

Consulting Dr. : -Collected :23-Sep-2023 / 09:26

:23-Sep-2023 / 13:41 Reg. Location : Borivali West (Main Centre)

Application To Scan the Code Reported

Authenticity Check

Use a OR Code Scanner

E

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO **EXAMINATION OF FAECES**

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE

PHYSICAL EXAMINATION

Colour Brown Brown Form and Consistency Semi Solid Semi Solid Mucus Absent Absent Blood Present **Absent**

CHEMICAL EXAMINATION

Reaction (pH) Acidic (5.0)

Occult Blood **Present** Absent

MICROSCOPIC EXAMINATION

Protozoa Absent Absent Flagellates Absent Absent Ciliates Absent Absent **Parasites** Absent Absent Macrophages Absent Absent Mucus Strands Absent Absent Fat Globules Absent Absent RBC/hpf 25-30 Absent WBC/hpf Absent Absent Yeast Cells Absent **Absent Undigested Particles** Present + Concentration Method (for ova) No ova detected Absent Reducing Substances Absent







BMhaskar Dr.KETAKI MHASKAR M.D. (PATH) **Pathologist**

Page 6 of 13

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report ***



Name : MRS.MAHAJAN SHASHI BAJIRAO

Age / Gender : 41 Years / Female

Consulting Dr. : - Collected :23-Sep-2023 / 09:19

Reg. Location : Borivali West (Main Centre) Reported :23-Sep-2023 / 14:55



Use a QR Code Scanner

Application To Scan the Code

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO URINE EXAMINATION REPORT

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
PHYSICAL EXAMINATION			
Color	Pale yellow	Pale Yellow	-
Reaction (pH)	5.0	4.5 - 8.0	Chemical Indicator
Specific Gravity	1.010	1.001-1.030	Chemical Indicator
Transparency	Clear	Clear	-
Volume (ml)	40	-	-
CHEMICAL EXAMINATION			
Proteins	Absent	Absent	pH Indicator
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
MICROSCOPIC EXAMINATIO	<u>N</u>		
Leukocytes(Pus cells)/hpf	1-2	0-5/hpf	
Red Blood Cells / hpf	Absent	0-2/hpf	
Epithelial Cells / hpf	8-10		
Casts	Absent	Absent	
Crystals	Absent	Absent	
Amorphous debris	Absent	Absent	
Bacteria / hpf	++	Less than 20/hpf	

Others Kindly rule out contamination

Interpretation: The concentration values of Chemical analytes corresponding to the grading given in the report are as follows:

- Protein (1+ = 25 mg/dl, 2+ =75 mg/dl, 3+ = 150 mg/dl, 4+ = 500 mg/dl)
- Glucose(1+ = 50 mg/dl , 2+ =100 mg/dl , 3+ =300 mg/dl ,4+ =1000 mg/dl)
- Ketone (1+ =5 mg/dl , 2+ = 15 mg/dl , 3+= 50 mg/dl , 4+ = 150 mg/dl)

Reference: Pack inert

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***







Dr.KETAKI MHASKAR M.D. (PATH) Pathologist

Page 7 of 13



Name : MRS.MAHAJAN SHASHI BAJIRAO

Age / Gender : 41 Years / Female

Consulting Dr. : -

Reg. Location: Borivali West (Main Centre)



Use a QR Code Scanner Application To Scan the Code

Collected

Reported

:23-Sep-2023 / 12:47

:26-Sep-2023 / 13:27

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO PAP SMEAR REPORT

<u>Specimen</u>: (G/SDC- 7898/23)

Received Ezi prep vial.

Adequacy:

Satisfactory for evaluation.

Endocervical and squamous metaplastic cells are present.

Microscopic:

Smear reveals mainly intermediate and fewer superficial squamous cells along with mild neutrophilic infiltrate and lactobacilli.

Reactive cellular changes associated with inflammation.

Interpretation:

Negative for intraepithelial lesion or malignancy.

Report as per "THE BETHESDA SYSTEM" for cervicovaginal reporting.

Note: : Pap test is a screening test for cervical cancer with inherent false negative results.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab
*** End Of Report ***





Dr.VRUNDA SHETH
MBBS., DNB(Path),
CHIEF OF HISTOPATHOLOGY &
CYTOPATHOLOGY

Page 8 of 13



Name : MRS.MAHAJAN SHASHI BAJIRAO

Age / Gender : 41 Years / Female

Consulting Dr. : -Collected :23-Sep-2023 / 09:19

Reported :23-Sep-2023 / 14:57 Reg. Location : Borivali West (Main Centre)

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO **BLOOD GROUPING & Rh TYPING**

RESULTS PARAMETER

ABO GROUP В

Rh TYPING Positive

NOTE: Test performed by automated Erythrocytes magnetized technology (EMT) which is more sensitive than conventional methods.

Specimen: EDTA Whole Blood and/or serum

ABO system is most important of all blood group in transfusion medicine

Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

Refernces:

- Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia 1.
- AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab *** End Of Report **





June Luncia Dr.VRUSHALI SHROFF M.D.(PATH) **Pathologist**

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

Page 9 of 13



Name : MRS.MAHAJAN SHASHI BAJIRAO

Age / Gender : 41 Years / Female

Consulting Dr. : -

Reg. Location : Borivali West (Main Centre)



Use a QR Code Scanner Application To Scan the Code

Collected

Reported

:23-Sep-2023 / 09:19

:23-Sep-2023 / 13:10

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO LIPID PROFILE

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
CHOLESTEROL, Serum	197.3	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	192.4	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	GPO-POD
HDL CHOLESTEROL, Serum	42.9	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Homogeneous enzymatic colorimetric assay
NON HDL CHOLESTEROL, Serum	154.4	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	116.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	38.4	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	4.6	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	2.7	0-3.5 Ratio	Calculated

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***







Page 10 of 13



Name : MRS.MAHAJAN SHASHI BAJIRAO

Age / Gender : 41 Years / Female

Consulting Dr. : -

Reg. Location: Borivali West (Main Centre)



Use a QR Code Scanner Application To Scan the Code

:23-Sep-2023 / 09:19

R

E

Reported :23-Sep-2023 / 15:12

Collected

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO THYROID FUNCTION TESTS

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
Free T3, Serum	5.0	3.5-6.5 pmol/L	ECLIA
Free T4, Serum	16.9	11.5-22.7 pmol/L First Trimester:9.0-24.7 Second Trimester:6.4-20.59 Third Trimester:6.4-20.59	ECLIA
sensitiveTSH, Serum	1.24	0.35-5.5 microIU/ml First Trimester:0.1-2.5 Second Trimester:0.2-3.0 Third Trimester:0.3-3.0	ECLIA



Name : MRS.MAHAJAN SHASHI BAJIRAO

Age / Gender : 41 Years / Female

Consulting Dr. : - Collected : 23-Sep-2023 / 09:19

Reg. Location : Borivali West (Main Centre) Reported :23-Sep-2023 / 15:12

Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

- 1)TSH Values between high abnormal upto15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors
- can give falsely high TSH.
- 2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections, liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3 / T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

Diurnal Variation:TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7%(with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid , TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations:

- 1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.
- 2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results. this assay is designed to minimize interference from heterophilic antibodies.

Reference:

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3. Tietz , Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4.Biological Variation:From principles to Practice-Callum G Fraser (AACC Press)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***







Dr.KETAKI MHASKAR M.D. (PATH) Pathologist

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

Page 12 of 13



Name : MRS.MAHAJAN SHASHI BAJIRAO

Age / Gender : 41 Years / Female

Consulting Dr. : - Collected : 23-Sep-2023 / 09:19

Reg. Location : Borivali West (Main Centre) Reported :23-Sep-2023 / 12:54

Use a QR Code Scanner Application To Scan the Code

Authenticity Check

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO LIVER FUNCTION TESTS

<u>PARAMETER</u>	RESULTS	BIOLOGICAL REF RANGE	<u>METHOD</u>
BILIRUBIN (TOTAL), Serum	0.37	0.1-1.2 mg/dl	Colorimetric
BILIRUBIN (DIRECT), Serum	0.14	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.23	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	6.8	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.1	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.7	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.5	1 - 2	Calculated
SGOT (AST), Serum	14.3	5-32 U/L	NADH (w/o P-5-P)
SGPT (ALT), Serum	8.7	5-33 U/L	NADH (w/o P-5-P)
GAMMA GT, Serum	10.3	3-40 U/L	Enzymatic
ALKALINE PHOSPHATASE, Serum	57.1	35-105 U/L	Colorimetric

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***








SUBURBAN STICS

SUBURBAN DIAGNOSTICS - BORIVALI WEST

Date and Time: 23rd Sep 23 10:53 AM

Patient Name: MAHAJAN SHASHI BAJIRAO Patient ID: 2326618622



ECG Within Normal Limits: Sinus Rhythm. NORMAL axis. Please correlate clinically.

Dr. Neim Soeavane M.B.B.S. AFLH, D.DIAB,D.CARD Consultant Cardiologist 87714

is he and am ECCs almost and also



Lab #:

Sex/Age 4/ 8

Date 28 9 23 ,

Name: Mrs. Shashi Maliajan

GYNAEC EXAMINATION REPORT

PERSONAL HISTORY

CHIEF COMPLAINTS

: IBS HO + Fusier on & off. Skin complaints Pastus. : Married televis

MARITAL STATUS

MENSTURAL HISTORY

(1) MENARCHE

(2) PRESENT MENSTRUAL HISTORY |3:|9| 23. Man 18 way |29-28 days

(3) PAST MENSTRUAL HISTORY : The way 2 and days then

OBSTETRIC HISTORY Go for the Little of Standard Standar

PAST HISTORY

PREVIOUS SURGERIES | LSCC

ALLERGIES WO.

FAMILY HISTORY WILL

DRUG HISTROY MO

BOWELHABITS Yenderry Constraction + IBS + Fusilie,
BLADDER HABITS & grow :



Lab # :

Name: My. Shashi Ueligan

Date 23 9 23

GYNAEC EXAMINATION REPORT

GENERAL EXAMINATION

TEMPERATURE

RS

PULSE

CVS

BP

Breasts

Per Abdomen

Per vaginal

Both breast 7UAN

RECOMMENDATIONS

ADVISE

DR. MONALI SHAH CONSULTING HOMOEOPATH REG. NO. 57282 DIETITIAN & NUTRITIONIST



Authenticity Check <<QRCode>>

CID

: 2326618622

Name

: Mrs MAHAJAN SHASHI BAJIRAO

Age / Sex

: 41 Years/Female

Use a QR Code Scanner Application To Scan the Cod®

Ref. Dr

Reg. Date

: 23-Sep-2023

Reg. Location

: Borivali West

Reported

: 23-Sept-2023 / 12:40

MAMMOGRAPHY

Bilateral mammograms have been obtained a low radiation dose film screen technique in the cranio-caudal and oblique projections. Film markers are in the axillary / lateral portions of the breasts.

Bilateral breasts are symmetrical with mixed fibroglandular pattern is noted.

No obvious evidence of focal spiculated suspicious mass lesion / clusters of microcalcification is seen.

No architectural distortion is seen.

No abnormal skin thickening is seen.

Skin and nipple shadows are normal.

Sonomammography of both breasts show normal parenchymal echotexture.

No obvious focal area of altered echoes seen on both sides.

Opinion:

No significant abnormality detected in mammography and sonomammography of both breasts at present scan.

BOTH BREASTS- ACR BIRADS CATEGORY I.

Suggest: Follow up mammography after one year is suggested. Please bring all the films for comparison.

ACR BIRADS CATEGORY

[American college of radiology breast imaging reporting and data system].

Negative

IV Suspicious (Indeterminate).

II Benign finding

V Highly suggestive of malignancy.

III Probably benign finding.

Investigations have their limitations. They only help in diagnosing the disease in correlation to clinical symptoms and other related tests. Please interpret accordingly.

Disclaimer:-

Not all breast abnormalities show up on mammography. The false negative rate of mammography is approximately 10%. The management of palpable abnormality must be based on clinical grounds. If you detect a lump or any other change in your breast before your next screening mammogram consult your doctor immediately.

-----End of Report-----

DR.SUDHANSHU SAXENA Consultant Radiologist M.B.B.S DMRE (RadioDiagnosis) RegNo .MMC 2016061376.

Click here to view images << ImageLink>>



CID NO: 2326618622	
PATIENT'S NAME: MRS SHASHI MAHAJAN	AGE/SEX: 41 Y/F
REF BY:	DATE: 23/9/2023

2-D ECHOCARDIOGRAPHY

- 1. RA, LA RV is Normal Size.
- 2. No LV Hypertrophy.
- 3. Normal LV systolic function. LVEF 60 % by bi-plane
- 4. No RWMA at rest.
- 5. Aortic, Pulmonary, Mitral, Tricuspid valves normal.
- 6. Great arteries: Aorta: Normal
 - a. No mitral valve prolaps.
- 7. Inter-ventricular septum is intact and normal.
- 8. Intra Atrial Septum intact.
- 9. Pulmonary vein, IVC, hepatic are normal.
- 10. No LV clot.
- 11. No Pericardial Effusion
- 12. No Diastolic disfunction. No Doppler evidence of raised LVEDP.



PATIENT'S NAME: MRS SHASHI MAHAJAN	Age/Sex: 41 Y/F
REF BY:	Date: 23/9/2023
1 AO root diameter 2.9 cm	

1.	AO root diameter	2.9 cm
2.	IVSd	1.1 cm
3.	LVIDd	4.2 cm
4.	LVIDs	1.8 cm
5.	LVPWd	1.1 cm
6.	LA dimension	3.6 cm
	RA dimension	3.6 cm
8.	RV dimension	2.9 cm
9.	Pulmonary flow vel:	0.9 m/s
	Pulmonary Gradient	2.9 m/s
	Tricuspid flow vel	1.3 m/s
	Tricuspid Gradient	8 m/s
	. PASP by TR Jet	18 mm Hg
	. TAPSE	3.0 cm
	. Aortic flow vel	1.2 m/s
	. Aortic Gradient	6 m/s
	. MV:E	0.9 m/s
	. A vel	0.7 m/s
	. IVC	16 mm
). E/E'	10

Impression:

Normal 2d echo study.

Disclaimer

Echo may have inter/Intra observer variations in measurements as the study is observer dependent and changes with Pt's hemodynamics. Please co-relate findings with patients clinical status.

End of Report

DR. S. NITIN Consultant Cardiologist Reg. No. 87714



E

0

Date:-

Name: Mahajan. Shashi Sex/Age: 41/ F

EYE CHECK UP

Chief complaints:

Systemic Diseases:

Past history:

Unaided Vision:

Aided Vision:

Refraction:

6/6 6/6

HG H16

(Right Eve)

(Left Eye)

	13						WOOTE	Vn
	Sph	Cyl	Axis	Vn	Sph	Cyl	Axis	VII
Distance								
Near								

Colour Vision: Normal / Abnormal

Remark:

Subtrities Discounter (DPvt Ltd.



Authenticity Check



CID : 2326618622

Name : Mrs MAHAJAN SHASHI BAJIRAO

Age / Sex : 41 Years/Female

Ref. Dr

Reg. Location : Borivali West

Use a QR Code Scanner Application To Scan the Code Reg. Date : 23-Sep-2023

Reported : 23-Sept-2023 / 13:07

X-RAY CHEST PA VIEW

Both lung fields are clear.

Both costo-phrenic angles are clear.

The cardiac size and shape are within normal limits.

The domes of diaphragm are normal in position and outlines.

The skeleton under review appears normal.

IMPRESSION: NO SIGNIFICANT ABNORMALITY IS DETECTED.

Note: Investigations have their limitations. Solitary radiological investigations never confirm the final diagnosis. They only help in diagnosing the disease in correlation to clinical symptoms and other related tests. X ray is known to have inter-observer variations. Further / follow-up imaging may be needed in some cases for confirmation / exclusion of diagnosis. Please interpret accordingly. In case of any typographical error / spelling error in the report, patient is requested to immediately contact the centre within 7 days post which the center will not be responsible for any rectification.

-----End of Report-----

DR.SUDHANSHU SAXENA Consultant Radiologist M.B.B.S DMRE (RadioDiagnosis) RegNo .MMC 2016061376.

Click here to view images http://3.111.232.119/iRISViewer/NeoradViewer? Acces

sionNo=2023092309092320



Authenticity Check



CID

: 2326618622

Name

: Mrs MAHAJAN SHASHI BAJIRAO

Age / Sex

: 41 Years/Female

Ref. Dr

Reg. Location

: Borivali West

Reg. Date

: 23-Sep-2023

Reported

: 23-Sept-2023 / 10:14

Application To Scan the Code

USG WHOLE ABDOMEN

LIVER:

Liver is normal in size with mild generalized increase in parenchymal echotexture it measures 12.9 cm. There is no intra-hepatic biliary radical dilatation. No evidence of any focal lesion.

GALL BLADDER: Gall bladder is distended and appears normal. No obvious wall thickening is noted. There is no evidence of any calculus.

PORTAL VEIN: Portal vein is norma 8.0 mm. CBD: CBD is normal 3.1 cm.

PANCREAS:

The pancreas is well visualised and appears normal. No evidence of solid or cystic mass lesion.

KIDNEYS:

Both the kidneys are normal in size shape and echotexture.

No evidence of any calculus, hydronephrosis or mass lesion seen.

Right kidney measures 9.6 x 4.5 cm and Left kidney measures 9.9 x 3.8 cm.

SPLEEN:

The spleen is normal in size and echotexture it measures 11.6 cm . No evidence of focal lesion is noted. There is no evidence of any lymphadenopathy or ascites.

URINARY BLADDER:

The urinary bladder is well distended and reveal no intraluminal abnormality.

The uterus is anteverted and appears normal. It measures 5.4 x 3.6 x 4.6 in size. The endometrial thickness is 5 mm.

OVARIES:

Both the ovaries are well visualised and appears normal. There is no evidence of any ovarian or adnexal mass seen. Right ovary = $1.6 \times 1.2 \text{ cm}$ and Left ovary = $2.1 \times 1.4 \text{ cm}$

Click here to view images http://3.111.232.119/iRISViewer/NeoradViewer?AccessionNo=2023092309092253

E

0

T



CID

: 2326618622

Name

: Mrs MAHAJAN SHASHI BAJIRAO

Age / Sex

: 41 Years/Female

Ref. Dr

Reg. Location

: Borivali West

Authenticity Check



Use a QR Code Scanner Application To Sean the Code

Reg. Date

: 23-Sep-2023

Reported

: 23-Sept-2023 / 10:14

IMPRESSION:-

Grade I fatty infiltration of liver .

For clinical correlation and follow up.

Note: Investigations have their limitations. Solitary radiological investigations never confirm the final diagnosis. They only help in diagnosing the disease in correlation to clinical symptoms and other related tests. USG is known to have inter-observer variations. Further / Follow-up imaging may be needed in some cases for confirmation / exclusion of diagnosis. Patient was explained in detail verbally about the USG findings, USG measurements and its limitations. In case of any typographical error in the report, patient is requested to immediately contact the center for rectification within 7 days post which the center will not be responsible for any rectification. Please interpret accordingly.

-----End of Report-----

DR.SUDHANSHU SAXENA Consultant Radiologist M.B.B.S DMRE (RadioDiagnosis) RegNo .MMC 2016061376.

Click here to view images http://3.111.232.119/iRISViewer/NeoradViewer?AccessionNo=2023092309092253