

# SUBURBAN DIAGNOSTICS - SWARGATE, PUNE

Patient Name: BHOSALE VIKAS KESHAV

Date and Time: 8th Oct 22 11:48 AM

Patient ID: 2228119961

Age **52** **2** **16**  
years months days

Gender **Male**

Heart Rate **73bpm**

### Patient Vitals

BP: NA

Weight: NA

Height: NA

Pulse: NA

Spo2: NA

Resp: NA

Others: \_\_\_\_\_

### Measurements


QRSD: 90ms

QT: 358ms

QTc: 394ms

PR: 156ms

P-R-T: 44° 70° 64°



Sinus Rhythm, Normal Axis. Within Normal limit except inverted T in AVL. Please correlate clinically.

REPORTED BY

DR ISHWARLAL BAMB  
M.B.B.S MD (MEDICINE)  
cardiologist  
39452



CID : 2228119961  
Name : MR.BHOSALE VIKAS KESHAV  
Age / Gender : 52 Years / Male  
Consulting Dr. : -  
Reg. Location : Swargate, Pune (Main Centre)

Collected : 08-Oct-2022 / 09:43  
Reported : 08-Oct-2022 / 12:15

Use a QR Code Scanner  
Application To Scan the Code

## MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO

### CBC (Complete Blood Count), Blood

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
<b><u>RBC PARAMETERS</u></b>			
Haemoglobin	13.7	13.0-17.0 g/dL	Spectrophotometric
RBC	4.95	4.5-5.5 mil/cmm	Elect. Impedance
PCV	40.4	40-50 %	Calculated
MCV	82	80-100 fl	Calculated
MCH	27.7	27-32 pg	Calculated
MCHC	33.9	31.5-34.5 g/dL	Calculated
RDW	14.0	11.6-14.0 %	Calculated
<b><u>WBC PARAMETERS</u></b>			
WBC Total Count	6500	4000-10000 /cmm	Elect. Impedance
<b><u>WBC DIFFERENTIAL AND ABSOLUTE COUNTS</u></b>			
Lymphocytes	35.7	20-40 %	
Absolute Lymphocytes	2320.5	1000-3000 /cmm	Calculated
Monocytes	4.9	2-10 %	
Absolute Monocytes	318.5	200-1000 /cmm	Calculated
Neutrophils	54.6	40-80 %	
Absolute Neutrophils	3549.0	2000-7000 /cmm	Calculated
Eosinophils	4.8	1-6 %	
Absolute Eosinophils	312.0	20-500 /cmm	Calculated
Basophils	0.0	0.1-2 %	
Absolute Basophils	0.0	20-100 /cmm	Calculated
Immature Leukocytes	-		
WBC Differential Count by Absorbance & Impedance method/Microscopy.			
<b><u>PLATELET PARAMETERS</u></b>			
Platelet Count	268000	150000-400000 /cmm	Elect. Impedance
MPV	8.3	6-11 fl	Calculated
PDW	14.3	11-18 %	Calculated



Use a QR Code Scanner  
Application To Scan the Code

CID : 2228119961  
Name : MR.BHOSALE VIKAS KESHAV  
Age / Gender : 52 Years / Male  
Consulting Dr. : -  
Reg. Location : Swargate, Pune (Main Centre)

Collected : 08-Oct-2022 / 09:43  
Reported : 08-Oct-2022 / 12:39

**RBC MORPHOLOGY**

Hypochromia -  
Microcytosis -  
Macrocytosis -  
Anisocytosis -  
Poikilocytosis -  
Polychromasia -  
Target Cells -  
Basophilic Stippling -  
Normoblasts -  
Others Normocytic, Normochromic  
WBC MORPHOLOGY -  
PLATELET MORPHOLOGY -  
COMMENT -

Specimen: EDTA Whole Blood

ESR, EDTA WB 18 2-20 mm at 1 hr. Westergren

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Pune Lab, Pune Swargate  
\*\*\* End Of Report \*\*\*



Dr.SHRUTI RAMTEKE  
M.B.B.S, DCP (PATH)  
Pathologist



CID : 2228119961  
Name : MR.BHOSALE VIKAS KESHAV  
Age / Gender : 52 Years / Male  
Consulting Dr. : -  
Reg. Location : Swargate, Pune (Main Centre)

Use a QR Code Scanner Application To Scan the Code  
Collected : 08-Oct-2022 / 12:25  
Reported : 08-Oct-2022 / 15:44

**MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO**

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
GLUCOSE (SUGAR) FASTING, Fluoride Plasma	86.8	Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >/= 126 mg/dl	Hexokinase
GLUCOSE (SUGAR) PP, Fluoride Plasma PP/R	99.7	Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance: 140-199 mg/dl Diabetic: >/= 200 mg/dl	Hexokinase
Urine Sugar (Fasting)	Absent	Absent	
Urine Ketones (Fasting)	Absent	Absent	
Urine Sugar (PP)	Absent	Absent	
Urine Ketones (PP)	Absent	Absent	

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Pune Lab, Pune Swargate  
\*\*\* End Of Report \*\*\*



MC-2463

*Shamla Kulkarni*  
**Dr.SHAMLA KULKARNI**  
**M.D.(PATH)**  
**Pathologist**





CID : 2228119961  
Name : MR.BHOSALE VIKAS KESHAV  
Age / Gender : 52 Years / Male  
Consulting Dr. : -  
Reg. Location : Swargate, Pune (Main Centre)

Collected : 08-Oct-2022 / 09:43  
Reported : 08-Oct-2022 / 12:15

Use a QR Code Scanner  
Application To Scan the Code

**MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO**  
**KIDNEY FUNCTION TESTS**

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
BLOOD UREA, Serum	26.5	12.8-42.8 mg/dl	Kinetic
BUN, Serum	12.4	6-20 mg/dl	Calculated
CREATININE, Serum	<b>1.24</b>	0.67-1.17 mg/dl	Enzymatic
eGFR, Serum	65	>60 ml/min/1.73sqm	Calculated
TOTAL PROTEINS, Serum	7.8	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.9	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.9	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.7	1 - 2	Calculated
URIC ACID, Serum	7.2	3.5-7.2 mg/dl	Enzymatic
PHOSPHORUS, Serum	3.2	2.7-4.5 mg/dl	Molybdate UV
CALCIUM, Serum	9.7	8.6-10.0 mg/dl	N-BAPTA
SODIUM, Serum	135	135-148 mmol/l	ISE
POTASSIUM, Serum	4.6	3.5-5.3 mmol/l	ISE
CHLORIDE, Serum	98	98-107 mmol/l	ISE

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Pune Lab, Pune Swargate  
\*\*\* End Of Report \*\*\*



MC-2463

*Shruti Ramteke*

**Dr.SHRUTI RAMTEKE**  
**M.B.B.S, DCP (PATH)**  
**Pathologist**



CID : 2228119961  
Name : MR.BHOSALE VIKAS KESHAV  
Age / Gender : 52 Years / Male  
Consulting Dr. : -  
Reg. Location : Swargate, Pune (Main Centre)

Collected : 08-Oct-2022 / 09:43  
Reported : 08-Oct-2022 / 14:12

Use a QR Code Scanner  
Application To Scan the Code

**MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO**  
**GLYCOSYLATED HEMOGLOBIN (HbA1c)**

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
Glycosylated Hemoglobin (HbA1c), EDTA WB - CC	6.2	Non-Diabetic Level: < 5.7 % Prediabetic Level: 5.7-6.4 % Diabetic Level: >= 6.5 %	HPLC
Estimated Average Glucose (eAG), EDTA WB - CC	131.2	mg/dl	Calculated

**Intended use:**

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1c goal for non pregnant adults in general is Less than 7%.

**Clinical Significance:**

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

**Test Interpretation:**

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

**Factors affecting HbA1c results:**

**Increased in:** High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

**Decreased in:** Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

**Reflex tests:** Blood glucose levels, CGM (Continuous Glucose monitoring)

**References:** ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Pune Lab, Pune Swargate

\*\*\* End Of Report \*\*\*



MC-2463

*Shruti Ramteke*

**Dr.SHRUTI RAMTEKE**  
M.B.B.S, DCP (PATH)  
Pathologist



CID : 2228119961  
 Name : MR.BHOSALE VIKAS KESHAV  
 Age / Gender : 52 Years / Male  
 Consulting Dr. : -  
 Reg. Location : Swargate, Pune (Main Centre)

Use a QR Code Scanner  
 Application To Scan the Code  
 Collected : 08-Oct-2022 / 09:43  
 Reported : 08-Oct-2022 / 11:21

**MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO**  
**PROSTATE SPECIFIC ANTIGEN (PSA)**

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
TOTAL PSA, Serum	0.746	0.03-3.5 ng/ml	ECLIA



Use a QR Code Scanner  
Application To Scan the Code

**CID** : 2228119961  
**Name** : MR.BHOSALE VIKAS KESHAV  
**Age / Gender** : 52 Years / Male  
**Consulting Dr.** : -  
**Reg. Location** : Swargate, Pune (Main Centre)

**Collected** : 08-Oct-2022 / 09:43  
**Reported** : 08-Oct-2022 / 11:21

**Clinical Significance:**

- PSA is detected in the serum of males with normal, benign hyper-plastic, and malignant prostate tissue.
- Monitoring patients with a history of prostate cancer as an early indicator of recurrence and response to treatment.
- Prostate cancer screening 4.The percentage of Free PSA (FPSA) in serum is described as being significantly higher in patients with BPH than in patients with prostate cancer. 5.Calculation of % free PSA (ie. FPSA/TPSA x 100 ), has been suggested as way of improving the differentiation of BPH and Prostate cancer.

**Interpretation:**

**Increased In-** Prostate diseases,Cancer,Prostatitis, Benign prostatic hyperplasia, Prostatic ischemia, Acute urinary retention, Manipulations like Prostatic massage, Cystoscopy, Needle biopsy, Transurethral resection,Digital rectal examination, Radiation therapy, Indwelling catheter, Vigorous bicycle exercise, Drugs (e.g., testosterone), Physiologic fluctuations. Also found in small amounts in other cancers (sweat and salivary glands, breast, colon, lung, ovary) and in Skene glands of female urethra and in term placenta ,Acute renal failure, Acute myocardial infarction,

**Decreased In-** Ejaculation within 24-48 hours, Castration, Antiandrogen drugs (e.g., finasteride), Radiation therapy, Prostatectomy, PSA falls 17% in 3 days after lying in hospital, Artfactual (e.g., improper specimen collection; very high PSA levels).Finasteride (5- $\alpha$ -reductase inhibitor) reduces PSA by 50% after 6 months in men without cancer.

**Reflex Tests:** % FREE PSA , USG Prostate

**Limitations:**

- tPSA values determined on patient samples by different testing procedures cannot be directly compared with one another and could be the cause of erroneous medical interpretations. If there is a change in the tPSA assay procedure used while monitoring therapy, then the tPSA values obtained upon changing over to the new procedure must be confirmed by parallelmeasurements with both methods. Immediate PSA testing following digital rectal examination, ejaculation, prostatic massage, indwelling catheterization, ultrasonography and needle biopsy of prostate is not recommended as they falsely elevate levels.
- Patients who have been regularly exposed to animals or have received immunotherapy or diagnostic procedures utilizing immunoglobulins or immunoglobulin fragments may produce antibodies, e.g. HAMA, that interferes with immunoassays.
- PSA results should be interpreted in light of the total clinical presentation of the patient, including: symptoms, clinical history, data from additional tests, and other appropriate information.
- Serum PSA concentrations should not be interpreted as absolute evidence for the presence or absence of prostate cancer.

**Reference:**

- Wallach's Interpretation of diagnostic tests
- Total PSA Pack insert

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Pune Lab, Pune Swargate

\*\*\* End Of Report \*\*\*



*Dr. Shamla Kulkarni*  
**Dr.SHAMLA KULKARNI**  
**M.D.(PATH)**  
**Pathologist**





CID : 2228119961  
Name : MR.BHOSALE VIKAS KESHAV  
Age / Gender : 52 Years / Male  
Consulting Dr. : -  
Reg. Location : Swargate, Pune (Main Centre)

Collected : 08-Oct-2022 / 09:43  
Reported : 08-Oct-2022 / 15:45

Use a QR Code Scanner  
Application To Scan the Code

**MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO  
URINE EXAMINATION REPORT**

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
<b><u>PHYSICAL EXAMINATION</u></b>			
Color	Yellow	Pale Yellow	-
Reaction (pH)	Acidic (5.0)	4.5 - 8.0	Chemical Indicator
Specific Gravity	1.010	1.001-1.030	Chemical Indicator
Transparency	Clear	Clear	-
Volume (ml)	50	-	-
<b><u>CHEMICAL EXAMINATION</u></b>			
Proteins	Absent	Absent	pH Indicator
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
<b><u>MICROSCOPIC EXAMINATION</u></b>			
Leukocytes(Pus cells)/hpf	1-2	0-5/hpf	
Red Blood Cells / hpf	Absent	0-2/hpf	
Epithelial Cells / hpf	1-2		
Casts	Absent	Absent	
Crystals	Absent	Absent	
Amorphous debris	Absent	Absent	
Bacteria / hpf	3-4	Less than 20/hpf	

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Pune Lab, Pune Swargate  
\*\*\* End Of Report \*\*\*



MC-2463

*Shamla Kulkarni*

**Dr.SHAMLA KULKARNI**  
**MD (PATH)**  
**Consultant Pathologist**



Use a QR Code Scanner  
Application To Scan the Code

CID : 2228119961  
Name : MR.BHOSALE VIKAS KESHAV  
Age / Gender : 52 Years / Male  
Consulting Dr. : -  
Reg. Location : Swargate, Pune (Main Centre)

Collected : 08-Oct-2022 / 09:43  
Reported : 08-Oct-2022 / 12:15

**MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO**  
**BLOOD GROUPING & Rh TYPING**

<u>PARAMETER</u>	<u>RESULTS</u>
ABO GROUP	O
Rh TYPING	Positive

NOTE: Test performed by Semi- automated column agglutination technology (CAT)

This sample has been tested for Bombay group/Bombay phenotype/OH using anti-H Lectin.

Specimen: EDTA Whole Blood and/or serum

**Clinical significance:**

ABO system is most important of all blood group in transfusion medicine

**Limitations:**

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

**References:**

1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
2. AABB technical manual

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Pune Lab, Pune Swargate

\*\*\* End Of Report \*\*\*



MC-2463

*Shruti Ramteke*

**Dr.SHRUTI RAMTEKE**  
**M.B.B.S, DCP (PATH)**  
**Pathologist**



CID : 2228119961  
Name : MR.BHOSALE VIKAS KESHAV  
Age / Gender : 52 Years / Male  
Consulting Dr. : -  
Reg. Location : Swargate, Pune (Main Centre)

Collected : 08-Oct-2022 / 09:43  
Reported : 08-Oct-2022 / 12:15

Use a QR Code Scanner  
Application To Scan the Code

**MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO**  
**LIPID PROFILE**

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
CHOLESTEROL, Serum	210.5	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	131.1	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	GPO-POD
HDL CHOLESTEROL, Serum	41.9	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Homogeneous enzymatic colorimetric assay
NON HDL CHOLESTEROL, Serum	168.6	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	143.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	25.6	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	5.0	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	3.4	0-3.5 Ratio	Calculated

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Pune Lab, Pune Swargate  
\*\*\* End Of Report \*\*\*



MC-2463

*Shruti Ramteke*

Dr.SHRUTI RAMTEKE  
M.B.B.S, DCP (PATH)  
Pathologist



CID : 2228119961  
 Name : MR.BHOSALE VIKAS KESHAV  
 Age / Gender : 52 Years / Male  
 Consulting Dr. : -  
 Reg. Location : Swargate, Pune (Main Centre)

Collected : 08-Oct-2022 / 09:43  
 Reported : 08-Oct-2022 / 11:51

Use a QR Code Scanner  
 Application To Scan the Code

**MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO**  
**THYROID FUNCTION TESTS**

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
Free T3, Serum	4.8	2.6-5.7 pmol/L	CMIA
Kindly note change in reference range and method w.e.f. 16/08/2019			
Free T4, Serum	12.8	9-19 pmol/L	CMIA
Kindly note change in reference range and method w.e.f. 16/08/2019			
sensitiveTSH, Serum	3.19	0.35-4.94 microIU/ml	CMIA

Kindly note change in reference range and method w.e.f. 16/08/2019. NOTE: 1) TSH values between 5.5 to 15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors can give falsely high TSH. 2) TSH values may be transiently altered because of non thyroidal illness like severe infections, liver disease, renal & heart failure, severe burns, trauma & surgery etc.





Use a QR Code Scanner  
Application To Scan the Code

**CID** : 2228119961  
**Name** : MR.BHOSALE VIKAS KESHAV  
**Age / Gender** : 52 Years / Male  
**Consulting Dr.** : -  
**Reg. Location** : Swargate, Pune (Main Centre)

**Collected** : 08-Oct-2022 / 09:43  
**Reported** : 08-Oct-2022 / 11:51

**Interpretation:**

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

**Clinical Significance:**

- 1)TSH Values between high abnormal upto15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors can give falsely high TSH.
- 2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections,liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3 / T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

**Diurnal Variation:**TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am , and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7%(with in subject variation)

**Reflex Tests:**Anti thyroid Antibodies,USG Thyroid ,TSH receptor Antibody. Thyroglobulin, Calcitonin

**Limitations:**

1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.
2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results. this assay is designed to minimize interference from heterophilic antibodies.

**Reference:**

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3.Tietz ,Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4.Biological Variation:From principles to Practice-Callum G Fraser (AACC Press)

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Pune Lab, Pune Swargate

\*\*\* End Of Report \*\*\*



MC-2463

**Dr.SHAMLA KULKARNI**  
**M.D.(PATH)**  
**Pathologist**



CID : 2228119961  
Name : MR.BHOSALE VIKAS KESHAV  
Age / Gender : 52 Years / Male  
Consulting Dr. : -  
Reg. Location : Swargate, Pune (Main Centre)

Collected : 08-Oct-2022 / 09:43  
Reported : 08-Oct-2022 / 12:15

Use a QR Code Scanner  
Application To Scan the Code

**MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO  
LIVER FUNCTION TESTS**

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
BILIRUBIN (TOTAL), Serum	0.32	0.1-1.2 mg/dl	Colorimetric
BILIRUBIN (DIRECT), Serum	0.16	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.16	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	7.8	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.9	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.9	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.7	1 - 2	Calculated
SGOT (AST), Serum	16.5	5-40 U/L	NADH (w/o P-5-P)
SGPT (ALT), Serum	21.9	5-45 U/L	NADH (w/o P-5-P)
GAMMA GT, Serum	29.6	3-60 U/L	Enzymatic
ALKALINE PHOSPHATASE, Serum	103.2	40-130 U/L	Colorimetric

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Pune Lab, Pune Swargate  
\*\*\* End Of Report \*\*\*



MC-2463

*Shruti Ramteke*

Dr.SHRUTI RAMTEKE  
M.B.B.S, DCP (PATH)  
Pathologist

CID#	: 2228119961	SID#	: 177805507368
Name	: MR.BHOSALE VIKAS KESHAV	Registered	: 08-Oct-2022 / 09:27
Age / Gender	: 52 Years/Male	Collected	: 08-Oct-2022 / 09:27
Consulting Dr.	: -	Reported	: 08-Oct-2022 / 11:08
Reg.Location	: Swargate, Pune (Main Centre)	Printed	: 08-Oct-2022 / 11:10

### **USG WHOLE ABDOMEN (SCREENING-Only Corporates)**

**LIVER:** Normal in size ( measures 14.0 cms) and **shows generalised increased echogenicity.** No IHBR dilatation. Hepatic veins appear normal. Portal vein and common bile duct show normal caliber.

**GALL BLADDER :** Partially distended. No evidence of any pericholecystic collection.

**PANCREAS :** Normal in size and echotexture. Pancreatic duct is normal.

**SPLEEN :** Normal in size and echopattern. No focal lesion. Splenic vein is normal.

**RIGHT KIDNEY :** Measures 10.2 x 4.3 cm. Normal in size and echogenicity. No calculus or hydronephrosis. Corticomedullary differentiation is maintained.

**LEFT KIDNEY :** Measures 10.0 x 4.6 cm. Normal in size and echogenicity. No calculus or hydronephrosis. Corticomedullary differentiation is maintained.

**Retroperitoneum,paraaortic and flanks obscured due to excessive bowel gas.**

Paraaortic and paracaval region appears to be normal.

No evidence of lymphnodes noted.

No free fluid in abdomen.

**URINARY BLADDER :** Well distended. No calculi. Wall thickness is normal.


**PROSTATE :** Normal in size and shows normal echotexture.

It measures 3.1 x 3.0 x 3.0 cm (volume 15.5 cc)

**IMPRESSION :** Normal size liver with grade I fatty changes.

Clinical correlation is indicated.

\*\*\* End Of Report \*\*\*



CID# : **2228119961**  
Name : MR.BHOSALE VIKAS KESHAV  
Age / Gender : 52 Years/Male  
Consulting Dr. : -  
Reg.Location : Swargate, Pune (Main Centre)

SID# : 177805507368  
Registered : 08-Oct-2022 / 09:27  
Collected : 08-Oct-2022 / 09:27  
Reported : 08-Oct-2022 / 11:08  
Printed : 08-Oct-2022 / 11:10

**Dr.NIKHIL JOSHI**  
**MBBS , DMRE**  
**CONSULTANT RADIOLOGIST**

**CENTRAL PROCESSING LAB:** 2<sup>nd</sup> Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

**HEALTHLINE - MUMBAI:** 022-6170-0000 | **OTHER CITIES:** 1800-266-4343

**For Feedback -** [customerservice@suburbandiagnosics.com](mailto:customerservice@suburbandiagnosics.com) | [www.suburbandiagnosics.com](http://www.suburbandiagnosics.com)



CID#	: 2228119961	SID#	: 177805507368
Name	: MR.BHOSALE VIKAS KESHAV	Registered	: 08-Oct-2022 / 09:27
Age / Gender	: 52 Years/Male	Collected	: 08-Oct-2022 / 09:27
Consulting Dr.	: -	Reported	: 08-Oct-2022 / 12:17
Reg.Location	: Swargate, Pune (Main Centre)	Printed	: 08-Oct-2022 / 12:21

### **X-RAY CHEST PA VIEW**

The lung fields are clear with no parenchymal lesion.

The cardiothoracic ratio is maintained and the cardiac outline is normal.

The domes of the diaphragm are normal.


The cardio and costophrenic angles are clear.

Bony thorax is normal.

**IMPRESSION** : Essentially normal X-ray of the chest.

Clinical corelation is indicated.

\*\*\* End Of Report \*\*\*



**Dr.NIKHIL JOSHI**  
**MBBS , DMRE**  
**CONSULTANT RADIOLOGIST**

CID#	: 2228119961	SID#	: 177805507368
Name	: MR.BHOSALE VIKAS KESHAV	Registered	: 08-Oct-2022 / 09:27
Age / Gender	: 52 Years/Male	Collected	: 08-Oct-2022 / 09:27
Consulting Dr.	: -	Reported	: 08-Oct-2022 / 15:32
Reg.Location	: Swargate, Pune (Main Centre)	Printed	: 08-Oct-2022 / 15:36

## **PHYSICAL EXAMINATION REPORT**

### **History and Complaints:**

H/O Weakness Burny eyes H/O HTN

### **EXAMINATION FINDINGS:**

<b>Height (cms):</b>	169cm	<b>Weight (kg):</b>	79kg
<b>Temp (0c):</b>	Afebrile	<b>Skin:</b>	Normal
<b>Blood Pressure (mm/hg):</b>	150/94mmHg	<b>Nails:</b>	Healthy
<b>Pulse:</b>	76/min	<b>Lymph Node:</b>	Not Palpable

### **Systems**

**Cardiovascular:** S1 S2 Normal No Murmurs  
**Respiratory:** Normal  
**Genitourinary:** Normal  
**GI System:** Soft non tender no Organomegaly  
**CNS:** Normal

### **IMPRESSION:**

### **ADVICE:**

### **CHIEF COMPLAINTS:**

- |                             |    |
|-----------------------------|----|
| 1) <b>Hypertension:</b>     | NO |
| 2) <b>IHD</b>               | NO |
| 3) <b>Arrhythmia</b>        | NO |
| 4) <b>Diabetes Mellitus</b> | NO |
| 5) <b>Tuberculosis</b>      | NO |

**CENTRAL PROCESSING LAB:** 2<sup>nd</sup> Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

**HEALTHLINE - MUMBAI:** 022-6170-0000 | **OTHER CITIES:** 1800-266-4343

**For Feedback -** customerservice@suburbandiagnositics.com | **www.suburbandiagnositics.com**

CID# : 2228119961  
Name : MR.BHOSALE VIKAS KESHAV  
Age / Gender : 52 Years/Male  
Consulting Dr. : -  
Reg.Location : Swargate, Pune (Main Centre)


SID# : 177805507368  
Registered : 08-Oct-2022 / 09:27  
Collected : 08-Oct-2022 / 09:27  
Reported : 08-Oct-2022 / 15:32  
Printed : 08-Oct-2022 / 15:36

- |  |    |
|--|----|
| 6) Asthama                               | NO |
| 7) Pulmonary Disease                     | NO |
| 8) Thyroid/ Endocrine disorders          | NO |
| 9) Nervous disorders                     | NO |
| 10) GI system                            | NO |
| 11) Genital urinary disorder             | NO |
| 12) Rheumatic joint diseases or symptoms | NO |
| 13) Blood disease or disorder            | NO |
| 14) Cancer/lump growth/cyst              | NO |
| 15) Congenital disease                   | NO |
| 16) Surgeries                            | NO |
| 17) Musculoskeletal System               | NO |

**PERSONAL HISTORY:**

- |               |       |
|---------------|-------|
| 1) Alcohol    | NO    |
| 2) Smoking    | NO    |
| 3) Diet       | Mixed |
| 4) Medication | HTN   |

\*\*\* End Of Report \*\*\*



**Dr.I U BAMB**