



Name : Ms. GUPTA DOLLY

PID No. : MED120924677

SID No. : 522212711

Age / Sex : 33 Year(s) / Female

Type : OP

Ref. Dr : MediWheel

Register On : 26/03/2022 9:37 AM


Collection On : 26/03/2022 10:59 AM

Report On : 26/03/2022 8:42 PM

Printed On : 07/04/2022 11:02 AM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
Monocytes (Blood/Impedance Variation & Flow Cytometry)	9.5	%	01 - 10
Basophils (Blood/Impedance Variation & Flow Cytometry)	0.3	%	00 - 02
Absolute Neutrophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	3.0	10 <sup>3</sup> / $\mu$ l	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	2.1	10 <sup>3</sup> / $\mu$ l	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood/Impedance Variation & Flow Cytometry)	0.20	10 <sup>3</sup> / $\mu$ l	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.6	10 <sup>3</sup> / $\mu$ l	< 1.0
Absolute Basophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.0	10 <sup>3</sup> / $\mu$ l	< 0.2
Platelet Count (EDTA Blood/Impedance Variation)	195	10 <sup>3</sup> / $\mu$ l	150 - 450
MPV (Blood/Derived from Impedance)	11.8	fL	8.0 - 13.3
PCT (Automated Blood cell Counter)	0.230	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Citrated Blood/Modified Westergren)	19	mm/hr	< 20

  
DR. VANITHA R. SWAMY MD  
Consultant Pathologist  
Reg No : 99049  
VERIFIED BY

  
DR SHAMIM JAVED  
MD PATHOLOGY  
KMC 88902  
APPROVED BY



Name : Ms. GUPTA DOLLY  
PID No. : MED120924677  
SID No. : 522212711  
Age / Sex : 33 Year(s) / Female  
Type : OP  
Ref. Dr : MediWheel

Register On : 26/03/2022 9:37 AM  
Collection On : 26/03/2022 10:59 AM  
Report On : 26/03/2022 8:42 PM  
Printed On : 07/04/2022 11:02 AM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
<b><u>Lipid Profile</u></b>			
Cholesterol Total (Serum/Cholesterol oxidase/Peroxidase)	211	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/Glycerol phosphate oxidase / peroxidase)	83	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500


**INTERPRETATION:** The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the "usual" circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immunoinhibition)	61	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 50 - 59 High Risk: < 50
LDL Cholesterol (Serum/Calculated)	133.4	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL Cholesterol (Serum/Calculated)	16.6	mg/dL	< 30
Non HDL Cholesterol (Serum/Calculated)	150.0	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220



Dr SURAJ JAIN  
Consultant Pathologist  
Reg No : 80423

VERIFIED BY



DR SHAMIM JAVED  
MD PATHOLOGY  
KMC 88902

APPROVED BY

Name : Ms. GUPTA DOLLY  
PID No. : MED120924677  
SID No. : 522212711  
Age / Sex : 33 Year(s) / Female  
Type : OP  
Ref. Dr : MediWheel

Register On : 26/03/2022 9:37 AM  
Collection On : 26/03/2022 10:59 AM  
Report On : 26/03/2022 8:42 PM  
Printed On : 07/04/2022 11:02 AM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

**INTERPRETATION:** 1.Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol.  
2.It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.

Total Cholesterol/HDL Cholesterol Ratio (Serum/Calculated)	3.5		Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
---	-----	--	--


Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/Calculated)	1.4		Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
--	-----	--	--

LDL/HDL Cholesterol Ratio (Serum/Calculated)	2.2		Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0
---	-----	--	---



Dr SURAJ JAEN  
Consultant Pathologist  
Reg No : 80423

VERIFIED BY



DR SHAMIM JAVED  
MD PATHOLOGY  
KMC 88902

APPROVED BY

Name : Ms. GUPTA DOLLY

PID No. : MED120924677

SID No. : 522212711

Age / Sex : 33 Year(s) / Female

Type : OP

Ref. Dr : MediWheel

Register On : 26/03/2022 9:37 AM

Collection On : 26/03/2022 10:59 AM

Report On : 26/03/2022 8:42 PM

Printed On : 07/04/2022 11:02 AM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
<b><u>Glycosylated Haemoglobin (HbA1c)</u></b>			
HbA1C (Whole Blood/HPLC)	5.6	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5

**INTERPRETATION:** If Diabetes - Good control : 6.1 - 7.0 % , Fair control : 7.1 - 8.0 % , Poor control >= 8.1 %

Estimated Average Glucose 114.02 mg/dL  
(Whole Blood)

**INTERPRETATION: Comments**


HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycaemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency, hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbA1C values.

Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.



VERIFIED BY



APPROVED BY

Name : Ms. GUPTA DOLLY  
PID No. : MED120924677  
SID No. : 522212711  
Age / Sex : 33 Year(s) / Female  
Type : OP  
Ref. Dr : MediWheel

Register On : 26/03/2022 9:37 AM  
Collection On : 26/03/2022 10:59 AM  
Report On : 26/03/2022 8:42 PM  
Printed On : 07/04/2022 11:02 AM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

## IMMUNOASSAY

### THYROID PROFILE / TFT

T3 (Triiodothyronine) - Total (Serum/CMIA)	1.33	ng/mL	0.7 - 2.04
---	------	-------	------------

#### **INTERPRETATION:**

##### **Comment :**

Total T3 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T3 is recommended as it is Metabolically active.

T4 (Thyroxine) - Total (Serum/CMIA)	9.40	µg/dL	4.2 - 12.0
--	------	-------	------------

#### **INTERPRETATION:**

##### **Comment :**

Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active.

TSH (Thyroid Stimulating Hormone) (Serum/Chemiluminescent Microparticle Immunoassay(CMIA))	2.66	µIU/mL	0.35 - 5.50
--	------	--------	-------------

#### **INTERPRETATION:**

Reference range for cord blood - upto 20

1 st trimester: 0.1-2.5

2 nd trimester 0.2-3.0

3 rd trimester : 0.3-3.0

(Indian Thyroid Society Guidelines)

##### **Comment :**

1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI.

2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM.The variation can be of the order of 50%,hence time of the day has influence on the measured serum TSH concentrations.

3.Values<math>\leq 0.03 \mu\text{IU/mL}</math> need to be clinically correlated due to presence of rare TSH variant in some individuals.

DR SHAMIM JAVED  
MD PATHOLOGY  
KMC 88902

APPROVED BY

Name : Ms. GUPTA DOLLY  
PID No. : MED120924677  
SID No. : 522212711  
Age / Sex : 33 Year(s) / Female  
Type : OP  
Ref. Dr : MediWheel

Register On : 26/03/2022 9:37 AM  
Collection On : 26/03/2022 10:59 AM  
Report On : 26/03/2022 8:42 PM  
Printed On : 07/04/2022 11:02 AM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

## CLINICAL PATHOLOGY

### PHYSICAL EXAMINATION

Colour (Urine)	Pale Yellow		
Appearance (Urine)	Clear		Clear
Volume (Urine)	20	mL	


### CHEMICAL EXAMINATION(Automated-Urineanalyser)

pH (Urine/AUTOMATED URINANALYSER)	6.0		4.5 - 8.0
Specific Gravity (Urine)	1.025		1.002 - 1.035
Ketones (Urine)	Negative		Negative
Urobilinogen (Urine/AUTOMATED URINANALYSER)	0.2		0.2 - 1.0
Blood (Urine/AUTOMATED URINANALYSER)	Negative		Negative
Nitrite (Urine/AUTOMATED URINANALYSER)	Negative		Negative
Bilirubin (Urine/AUTOMATED URINANALYSER)	Negative		Negative
Protein (Urine)	Negative		Negative



Dr SURAJ JAEN  
Consultant Pathologist  
Reg No : 80423

VERIFIED BY



DR SHAMIM JAVED  
MD PATHOLOGY  
KMC 88902

APPROVED BY



Name : Ms. GUPTA DOLLY

PID No. : MED120924677

SID No. : 522212711

Age / Sex : 33 Year(s) / Female

Type : OP

Ref. Dr : MediWheel

Register On : 26/03/2022 9:37 AM

Collection On : 26/03/2022 10:59 AM

Report On : 26/03/2022 8:42 PM

Printed On : 07/04/2022 11:02 AM




<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
Glucose (Urine)	Negative		Negative
Leukocytes (Urine)	Negative	leuco/uL	Negative
<b><u>MICROSCOPY(URINE DEPOSITS)</u></b>			
Pus Cells (Urine/Flow cytometry)	2-4	/hpf	3-5
Epithelial Cells (Urine)	2-4	/hpf	1-2
RBCs (Urine/Flow cytometry)	Nil	/hpf	NIL
Others (Urine)	Nil		Nil



Dr SURAJ JAIN  
Consultant Pathologist  
Reg No : 80423

VERIFIED BY



DR SHAMIM JAVED  
MD PATHOLOGY  
KMC 88902

APPROVED BY

Name : Ms. GUPTA DOLLY

PID No. : MED120924677

SID No. : 522212711

Age / Sex : 33 Year(s) / Female

Type : OP

Ref. Dr : MediWheel

Register On : 26/03/2022 9:37 AM

Collection On : 26/03/2022 10:59 AM

Report On : 26/03/2022 8:42 PM

Printed On : 07/04/2022 11:02 AM



Investigation

Observed  
Value

Unit

Biological  
Reference Interval

**IMMUNOHAEMATOLOGY**

BLOOD GROUPING AND Rh TYPING  
(EDTA Blood/Agglutination)

'B' Positive'

**INTERPRETATION:**Note: Slide method is screening method. Kindly confirm with Tube method for transfusion.

Dr. Arjun C.P  
MBBS, MD Pathology  
Reg No: KMC 89655

VERIFIED BY

DR SHAMIM JAVED  
MD PATHOLOGY  
KMC 88902

APPROVED BY

Name : Ms. GUPTA DOLLY  
PID No. : MED120924677  
SID No. : 522212711  
Age / Sex : 33 Year(s) / Female  
Type : OP  
Ref. Dr : MediWheel

Register On : 26/03/2022 9:37 AM  
Collection On : 26/03/2022 10:59 AM  
Report On : 26/03/2022 8:42 PM  
Printed On : 07/04/2022 11:02 AM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
<b><u>BIOCHEMISTRY</u></b>			
BUN / Creatinine Ratio	12.85		6 - 22
Glucose Fasting (FBS) (Plasma - F/GOD - POD)	84	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

**INTERPRETATION:** Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose Fasting - Urine (Urine - F)	Negative		Negative
Glucose Postprandial (PPBS) (Plasma - PP/GOD - POD)	104	mg/dL	70 - 140

**INTERPRETATION:**

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti-diabetic medication during treatment for Diabetes.


Glucose Postprandial - Urine (Urine - PP)	Negative		Negative
Blood Urea Nitrogen (BUN) (Serum/Urease-GLDH)	9	mg/dL	7.0 - 21
Creatinine (Serum/Jaffe Kinetic)	0.7	mg/dL	0.6 - 1.1

**INTERPRETATION:** Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin, cefazolin, ACE inhibitors, angiotensin II receptor antagonists, N-acetylcysteine, chemotherapeutic agent such as flucytosine etc.

Uric Acid (Serum/Uricase/Peroxidase)	4.2	mg/dL	2.6 - 6.0
---	-----	-------	-----------



VERIFIED BY



APPROVED BY

-- End of Report --

Name	GUPTA DOLLY	ID	MED120924677
Age & Gender	33/FeMale	Visit Date	26-03-2022 00:00:00
Ref Doctor Name	MediWheel		

### ABDOMINO-PELVIC ULTRASONOGRAPHY

**LIVER** is normal in shape, size (12.6 cms) and has uniform echopattern. No evidence of focal lesion or intrahepatic biliary ductal dilatation. Hepatic and portal vein radicals are normal.

**GALL BLADDER** show normal shape and has clear contents. Wall is of normal thickness. CBD is of normal calibre.

**PANCREAS** has normal shape, size and uniform echopattern. No evidence of ductal dilatation or calcification.

**SPLEEN** show normal shape, size (8.0 cms) and echopattern.

No demonstrable Para-aortic lymphadenopathy.

#### **KIDNEYS**

**Right kidney:** Normal in shape, size and echopattern. Cortico-medullary differentiation is well madeout. No evidence of calculus or hydronephrosis.

**Left kidney:** Normal in shape, size and echopattern. Cortico-medullary differentiation is well madeout. No evidence of calculus or hydronephrosis.

The kidney measures as follows:

	Bipolar length (cm)	Parenchymal thickness (cm)
Right Kidney	10.0	1.8
Left Kidney	10.1	1.9

**URINARY BLADDER** show normal shape and wall thickness. It has clear contents. No evidence of diverticula.

**UTERUS** is retropositioned and has normal shape and size. It has uniform myometrial echopattern. Endometrial echo is of normal thickness - 12 mm.

Uterus measures LS: 6.8 cm      AP: 4.0 cm      TS: 4.7 cm.

**OVARIES** are normal in size, shape and echotexture

Right ovary measures 3.4 x 1.9 cms.      Left ovary measures 3.4 x 2.0 cms.

POD & adnexa are free.

No evidence of ascites.

#### **IMPRESSION:**

- **No significant abnormality detected.**

Name	GUPTA DOLLY	ID	MED120924677
Age & Gender	33/FeMale	Visit Date	26-03-2022 00:00:00
Ref Doctor Name	MediWheel		

**DR. H.K. ANAND    DR. C.R RAMACHANDRA    DR. LOHITH H.P    DR. VARSHA KALE**  
**CONSULTANT RADIOLOGISTS**

Lh/Ss

Name	GUPTA DOLLY	ID	MED120924677
Age & Gender	33/FeMale	Visit Date	26-03-2022 00:00:00
Ref Doctor Name	MediWheel		

TMT DONE

Name	GUPTA DOLLY	Customer ID	MED120924677
Age & Gender	33Y/F	Visit Date	Mar 26 2022 9:36AM
Ref Doctor	MediWheel		

### X - RAY CHEST PA VIEW

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

#### IMPRESSION:

- **No significant abnormality detected.**

DR. H.K. ANAND

DR. C.R. RAMACHANDRA

DR. VARSHA KALE

  
DR. LOHITH H.P

CONSULTANT RADIOLOGISTS

Name	GUPTA DOLLY	ID	MED120924677
Age & Gender	33/FeMale	Visit Date	26-03-2022 00:00:00
Ref Doctor Name	MediWheel		

TEST COMPLETED