

Name	BALASUBRAMANIAN VIZHIARASAN NATHAMPALAYAM KARU	ID	MED111293035
Age & Gender	34Year(s)/MALE	Visit Date	9/10/2022 12:00:00 AM
Ref Doctor Name	MediWheel		

2 D ECHOCARDIOGRAPHIC STUDY

M mode measurement:

AORTA	:	3.0cms
LEFT ATRIUM	:	3.2cms
AVS	:	----
LEFT VENTRICLE (DIASTOLE)	:	4.6cms
(SYSTOLE)	:	3.1cms
VENTRICULAR SEPTUM (DIASTOLE)	:	1.0cms
(SYSTOLE)	:	1.2cms
POSTERIOR WALL (DIASTOLE)	:	1.0cms
(SYSTOLE)	:	1.2cms
EDV	:	96ml
ESV	:	39ml
FRACTIONAL SHORTENING	:	32%
EJECTION FRACTION	:	60%
EPSS	:	---
RVID	:	1.8cms

DOPPLER MEASUREMENTS:

MITRAL VALVE	:	E' 0.67 m/s	A' 0.50 m/s	NO MR
AORTIC VALVE	:	0.90 m/s		NO AR
TRICUSPID VALVE	:	E' 1.66 m/s	A' - m/s	NO TR
PULMONARY VALVE	:	0.67 m/s		NO PR

Name	BALASUBRAMANIAN VIZHIARASAN NATHAMPALAYAM KARU	ID	MED111293035
Age & Gender	34Year(s)/MALE	Visit Date	9/10/2022 12:00:00 AM
Ref Doctor Name	MediWheel		

2D ECHOCARDIOGRAPHY FINDINGS:

Left ventricle : Normal size, Normal systolic function.
No regional wall motion abnormalities.

Left Atrium : Normal.

Right Ventricle : Normal.

Right Atrium : Normal.

Mitral valve : Normal, No mitral valve prolapsed.

Aortic valve : Normal, Trileaflet.

Tricuspid valve : Normal.

Pulmonary valve : Normal.

IAS : Intact.

IVS : Intact.

Pericardium : No pericardial effusion.

IMPRESSION:

- **NORMAL SIZED CARDIAC CHAMBERS.**
- **NORMAL LV SYSTOLIC FUNCTION. EF: 60%.**
- **NO REGIONAL WALL MOTION ABNORMALITIES.**
- **NORMAL VALVES.**
- **NO CLOTS / PERICARDIAL EFFUSION / VEGETATION.**

DR. K.S. SUBRAMANI. MBBS, MD, DM (CARDIOLOGY) FESC
SENIOR CONSULTANT INTERVENTIONAL CARDIOLOGIST
Kss/vp

Note:

Name	BALASUBRAMANIAN VIZHIARASAN NATHAMPALAYAM KARU	ID	MED111293035
Age & Gender	34Year(s)/MALE	Visit Date	9/10/2022 12:00:00 AM
Ref Doctor Name	MediWheel		

- * **Report to be interpreted by qualified medical professional.**
- * **To be correlated with other clinical findings.**
- * **Parameters may be subjected to inter and intra observer variations.**

CLUMAX DIAGNOSTICS



--- A MEDALL COMPANY ---

Date 10-Sep-2022 9:23 AM

Customer Name : **MR. BALASUBRAMANIAN VIZHIARASAN**
NATHAMPALAYAM KARU

DOB : **11 Jun 1988**

Ref Dr Name : **MediWheel**

Age : **34Y/MALE**

Customer Id : **MED111293035**

Visit ID : **422066203**

Email Id :

Phone No : **9513214539**

Corp Name : **MediWheel**

Address :

Handwritten: 2/15-16/2022

Handwritten: H-172
wt-76.9
B.P-127/99
Puls-73

Package Name : **Mediwheel Full Body Health Checkup Male Below 40**

S.No	Modality	Study	Accession No	Time	Seq	Signature
1	LAB	BLOOD UREA NITROGEN (BUN)				
2	LAB	CREATININE				
3	LAB	GLUCOSE - FASTING				
4	LAB	GLUCOSE - POSTPRANDIAL (2 HRS)				
5	LAB	GLYCOSYLATED HAEMOGLOBIN (HbA1c)				
6	LAB	URIC ACID				
7	LAB	LIPID PROFILE				
8	LAB	LIVER FUNCTION TEST (LFT)				
9	LAB	THYROID PROFILE/ TFT(T3, T4, TSH)				
10	LAB	URINE GLUCOSE - FASTING				
11	LAB	URINE GLUCOSE - POSTPRANDIAL (2 Hrs)				
12	LAB	COMPLETE BLOOD COUNT WITH ESR				
13	LAB	STOOL ANALYSIS - ROUTINE				
14	LAB	URINE ROUTINE				
15	LAB	BUN/CREATININE RATIO				
16	LAB	BLOOD GROUP & RH TYPE (Forward Reverse)				


34 Years

Male

QRS : 86 ms
QT / QTcBaz : 386 / 401 ms
PR : 110 ms
P : 88 ms
RR / PP : 916 / 923 ms
P / QRS / T : 47 / 64 / 77 degrees

Kunal Fey

M



GE MAC2000 1 1 12SL™ V241

25 mm/s 10 mm/mV

ADS 0.56-20 Hz 50 Hz

2x5x6 25 R1

Unconfirmed

34 Years
Male


10 09 2022 14 02 42
CLUMAX DIAGNOSTICS
THIPPASANDRA
BANGALORE

QRS : 86 ms
QT / QTcBaz : 386 / 401 ms
PR : 110 ms
P : 88 ms
RR / PP : 916 / 923 ms
P / QRS / T : 47 / 64 / 77 degrees

Kunal Fey

M

65 bpm
-- / -- mmHg



GE MAC2000 1 1 12SL™ V241 25 mm/s 10 mm/mV ADS 0.56-20 Hz 50 Hz 2x5x6 25 R1

Unconfirmed

Name	BALASUBRAMANIAN VIZHIARASAN NATHAMPALAYAM KARU	ID	MED111293035
Age & Gender	34Year(s)/MALE	Visit Date	9/10/2022 12:00:00 AM
Ref Doctor Name	MediWheel		

ABDOMINO-PELVIC ULTRASONOGRAPHY

LIVER is normal in shape, size and has uniform echopattern. No evidence of focal lesion or intrahepatic biliary ductal dilatation. Hepatic and portal vein radicals are normal.

GALL BLADDER shows normal shape and has clear contents. Gall bladder wall is of normal thickness. CBD is of normal calibre.

PANCREAS has normal shape, size and uniform echopattern. No evidence of ductal dilatation or calcification.

SPLEEN shows normal shape, size and echopattern. Spleen measures 11.4cms in long axis and 4.7cms in short axis.

No demonstrable Para -aortic lymphadenopathy.

KIDNEYS move well with respiration and have normal shape, size and echopattern. Cortico- medullary differentiations are well madeout. **No evidence of calculus or hydronephrosis on either side.**

The kidney measures as follows:

	Bipolar length (cms)	Parenchymal thickness (cms)
Right Kidney	9.9	1.4
Left Kidney	12.0	1.4

URINARY BLADDER is minimally distended.

PROSTATE shows normal shape, size and echopattern. It measures 3.7 x 3.3 x 3.1cms (Vol:20cc).

No evidence of ascites / pleural effusion.

IMPRESSION:

➤ **NO SIGNIFICANT ABNORMALITY.**

DR. MEERA S
CONSULTANT RADIOLOGIST
MS/vp

Name	BALASUBRAMANIAN VIZHIARASAN NATHAMPALAYAM KARU	ID	MED111293035
Age & Gender	34Year(s)/MALE	Visit Date	9/10/2022 12:00:00 AM
Ref Doctor Name	MediWheel		

Name	BALASUBRAMANIAN VIZHIARASAN NATHAMPALAYAM KARU	Customer ID	MED111293035
Age & Gender	34Y/M	Visit Date	Sep 10 2022 9:23AM
Ref Doctor	MediWheel		

X - RAY CHEST PA VIEW

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

IMPRESSION:

No significant abnormality detected.



DR. APARNA

CONSULTANT RADIOLOGIST

Name : Mr. BALASUBRAMANIAN
VIZHIARASAN
NATHAMPALAYAM KARU

PID No. : MED111293035

Register On : 10/09/2022 9:24 AM

SID No. : 422066203

Collection On : 10/09/2022 9:35 AM

Age / Sex : 34 Year(s) / Male

Report On : 11/09/2022 11:02 AM

Type : OP

Printed On : 14/09/2022 4:48 PM


Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------


HAEMATOLOGY

Complete Blood Count With - ESR

Haemoglobin (EDTA Blood/Spectrophotometry)	16.6	g/dL	13.5 - 18.0
Packed Cell Volume(PCV)/Haematocrit (EDTA Blood)	49.9	%	42 - 52
RBC Count (EDTA Blood)	5.45	mill/cu.mm	4.7 - 6.0
Mean Corpuscular Volume(MCV) (EDTA Blood)	91.5	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (EDTA Blood)	30.4	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (EDTA Blood)	33.2	g/dL	32 - 36
RDW-CV (EDTA Blood)	13.2	%	11.5 - 16.0
RDW-SD (EDTA Blood)	42.27	fL	39 - 46
Total Leukocyte Count (TC) (EDTA Blood)	6900	cells/cu.mm	4000 - 11000
Neutrophils (EDTA Blood)	61.9	%	40 - 75
Lymphocytes (EDTA Blood)	27.8	%	20 - 45
Eosinophils (EDTA Blood)	2.3	%	01 - 06



VERIFIED BY



APPROVED BY

Name : Mr. BALASUBRAMANIAN
VIZHIARASAN
NATHAMPALAYAM KARU

PID No. : MED111293035

Register On : 10/09/2022 9:24 AM

SID No. : 422066203

Collection On : 10/09/2022 9:35 AM

Age / Sex : 34 Year(s) / Male


Report On : 11/09/2022 11:02 AM

Type : OP


Printed On : 14/09/2022 4:48 PM

Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
Monocytes (EDTA Blood)	7.5	%	01 - 10
Basophils (Blood)	0.5	%	00 - 02
INTERPRETATION: Tests done on Automated Five Part cell counter. All abnormal results are reviewed and confirmed microscopically.			
Absolute Neutrophil count (EDTA Blood)	4.27	10 ³ / μ l	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood)	1.92	10 ³ / μ l	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood)	0.16	10 ³ / μ l	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood)	0.52	10 ³ / μ l	< 1.0
Absolute Basophil count (EDTA Blood)	0.03	10 ³ / μ l	< 0.2
Platelet Count (EDTA Blood)	238	10 ³ / μ l	150 - 450
MPV (EDTA Blood)	7.4	fL	7.9 - 13.7
PCT (EDTA Blood/Automated Blood cell Counter)	0.18	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Citratd Blood)	2	mm/hr	< 15


Dr. Arjun C.P
MBBS, MD Pathology
Reg No: KMC 89655

VERIFIED BY


DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902

APPROVED BY

Name : Mr. BALASUBRAMANIAN
VIZHIARASAN
NATHAMPALAYAM KARU

PID No. : MED111293035

Register On : 10/09/2022 9:24 AM

SID No. : 422066203

Collection On : 10/09/2022 9:35 AM

Age / Sex : 34 Year(s) / Male

Report On : 11/09/2022 11:02 AM

Type : OP

Printed On : 14/09/2022 4:48 PM


Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

BIOCHEMISTRY

Liver Function Test

Bilirubin(Total) (Serum/DCA with ATCS)	0.81	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.27	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.54	mg/dL	0.1 - 1.0
SGOT/AST (Aspartate Aminotransferase) (Serum/Modified IFCC)	15.85	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/Modified IFCC)	11.88	U/L	5 - 41
GGT(Gamma Glutamyl Transpeptidase) (Serum/IFCC / Kinetic)	18.37	U/L	< 55
Alkaline Phosphatase (SAP) (Serum/Modified IFCC)	69.3	U/L	53 - 128
Total Protein (Serum/Biuret)	7.14	gm/dl	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.36	gm/dl	3.5 - 5.2
Globulin (Serum/Derived)	2.78	gm/dL	2.3 - 3.6
A : G RATIO (Serum/Derived)	1.57		1.1 - 2.2



VERIFIED BY



APPROVED BY

Name : Mr. BALASUBRAMANIAN
VIZHIARASAN
NATHAMPALAYAM KARU

PID No. : MED111293035

Register On : 10/09/2022 9:24 AM

SID No. : 422066203

Collection On : 10/09/2022 9:35 AM

Age / Sex : 34 Year(s) / Male

Report On : 11/09/2022 11:02 AM

Type : OP


Printed On : 14/09/2022 4:48 PM

Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
<u>Lipid Profile</u>			
Cholesterol Total (Serum/CHOD-PAP with ATCS)	121.70	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/GPO-PAP with ATCS)	122.29	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500


INTERPRETATION: The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the usual circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immunoinhibition)	31.03	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 40 - 59 High Risk: < 40
LDL Cholesterol (Serum/Calculated)	66.2	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL Cholesterol (Serum/Calculated)	24.5	mg/dL	< 30
Non HDL Cholesterol (Serum/Calculated)	90.7	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220



Dr. Arjun C.P
MBBS, MD Pathology
Reg No: KMC 89655

VERIFIED BY



DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902

APPROVED BY

Name : Mr. BALASUBRAMANIAN
VIZHIARASAN
NATHAMPALAYAM KARU

PID No. : MED111293035

Register On : 10/09/2022 9:24 AM

SID No. : 422066203

Collection On : 10/09/2022 9:35 AM

Age / Sex : 34 Year(s) / Male

Report On : 11/09/2022 11:02 AM

Type : OP

Printed On : 14/09/2022 4:48 PM

Ref. Dr : MediWheel


<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

INTERPRETATION: 1.Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol.
2.It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.

Total Cholesterol/HDL Cholesterol Ratio (Serum/Calculated)	3.9		Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
---	-----	--	--


Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/Calculated)	3.9		Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
--	-----	--	--

LDL/HDL Cholesterol Ratio (Serum/Calculated)	2.1		Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0
---	-----	--	---



Dr. Arjun C.P
MBBS, MD Pathology
Reg No/KMC 89655

VERIFIED BY



DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902

APPROVED BY

Name : Mr. BALASUBRAMANIAN
VIZHIARASAN
NATHAMPALAYAM KARU

PID No. : MED111293035

Register On : 10/09/2022 9:24 AM

SID No. : 422066203

Collection On : 10/09/2022 9:35 AM

Age / Sex : 34 Year(s) / Male

Report On : 11/09/2022 11:02 AM

Type : OP

Printed On : 14/09/2022 4:48 PM

Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
<u>Glycosylated Haemoglobin (HbA1c)</u>			
HbA1C (Whole Blood/HPLC)	5.0	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5

INTERPRETATION: If Diabetes - Good control : 6.1 - 7.0 % , Fair control : 7.1 - 8.0 % , Poor control >= 8.1 %


Estimated Average Glucose 96.8 mg/dL
(Whole Blood)

INTERPRETATION: Comments

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycaemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency, hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbA1C values.

Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.



VERIFIED BY



APPROVED BY

Name : Mr. BALASUBRAMANIAN
VIZHIARASAN
NATHAMPALAYAM KARU

PID No. : MED111293035

Register On : 10/09/2022 9:24 AM

SID No. : 422066203

Collection On : 10/09/2022 9:35 AM

Age / Sex : 34 Year(s) / Male

Report On : 11/09/2022 11:02 AM

Type : OP

Printed On : 14/09/2022 4:48 PM

Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

IMMUNOASSAY

THYROID PROFILE / TFT

T3 (Triiodothyronine) - Total (Serum/ECLIA)	1.54	ng/ml	0.7 - 2.04
--	------	-------	------------

INTERPRETATION:

Comment :

Total T3 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T3 is recommended as it is Metabolically active.

T4 (Tyroxine) - Total (Serum/ECLIA)	10.35	µg/dl	4.2 - 12.0
--	-------	-------	------------

INTERPRETATION:

Comment :

Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active.

TSH (Thyroid Stimulating Hormone) (Serum/ECLIA)	0.906	µIU/mL	0.35 - 5.50
--	-------	--------	-------------

INTERPRETATION:

Reference range for cord blood - upto 20

1 st trimester: 0.1-2.5

2 nd trimester 0.2-3.0

3 rd trimester : 0.3-3.0


(Indian Thyroid Society Guidelines)

Comment :

1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI.


2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM.The variation can be of the order of 50%,hence time of the day has influence on the measured serum TSH concentrations.

3.Values&lt;0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.



Dr. Arjun C.P
MBBS, MD Pathology
Reg No:KMC 89655

VERIFIED BY



DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902

APPROVED BY

Name : Mr. BALASUBRAMANIAN
VIZHIARASAN
NATHAMPALAYAM KARU

PID No. : MED111293035

Register On : 10/09/2022 9:24 AM

SID No. : 422066203

Collection On : 10/09/2022 9:35 AM

Age / Sex : 34 Year(s) / Male

Report On : 11/09/2022 11:02 AM

Type : OP

Printed On : 14/09/2022 4:48 PM

Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

CLINICAL PATHOLOGY

PHYSICAL EXAMINATION (URINE COMPLETE)


Colour (Urine)	Yellow		Yellow to Amber
Appearance (Urine)	Clear		Clear
Volume(CLU) (Urine)	15		

CHEMICAL EXAMINATION (URINE COMPLETE)

pH (Urine)	6.5		4.5 - 8.0
Specific Gravity (Urine)	1.023		1.002 - 1.035
Ketone (Urine)	Negative		Negative
Urobilinogen (Urine)	Normal		Normal
Blood (Urine)	Negative		Negative
Nitrite (Urine)	Negative		Negative
Bilirubin (Urine)	Negative		Negative



Dr RAVIKUMAR R
MBBS, MD BIOCHEMISTRY
CONSULTANT BIOCHEMIST
Reg No : 78771
VERIFIED BY



DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902
APPROVED BY

Name : Mr. BALASUBRAMANIAN
VIZHIARASAN
NATHAMPALAYAM KARU

PID No. : MED111293035

Register On : 10/09/2022 9:24 AM

SID No. : 422066203

Collection On : 10/09/2022 9:35 AM

Age / Sex : 34 Year(s) / Male

Report On : 11/09/2022 11:02 AM

Type : OP

Printed On : 14/09/2022 4:48 PM

Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
Protein (Urine)	Negative		Negative
Glucose (Urine/GOD - POD)	Negative		Negative
Leukocytes(CP) (Urine)	Negative		Negative

MICROSCOPIC EXAMINATION
(URINE COMPLETE)

Pus Cells (Urine)	0-2	/hpf	NIL
Epithelial Cells (Urine)	0-1	/hpf	NIL
RBCs (Urine)	NIL	/hpf	NIL
Others (Urine)	NIL		

INTERPRETATION:Note: Done with Automated Urine Analyser & Automated urine sedimentation analyser. All abnormal reports are reviewed and confirmed microscopically.

Casts (Urine)	NIL	/hpf	NIL
Crystals (Urine)	NIL	/hpf	NIL


Dr RAVIKUMAR R
MBBS, MD BIOCHEMISTRY
CONSULTANT BIOCHEMIST
Reg No : 78771
VERIFIED BY


DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902
APPROVED BY

Name : Mr. BALASUBRAMANIAN
VIZHIARASAN
NATHAMPALAYAM KARU

PID No. : MED111293035

Register On : 10/09/2022 9:24 AM

SID No. : 422066203

Collection On : 10/09/2022 9:35 AM

Age / Sex : 34 Year(s) / Male

Report On : 11/09/2022 11:02 AM

Type : OP

Printed On : 14/09/2022 4:48 PM

Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

PHYSICAL EXAMINATION(STOOL COMPLETE)


Mucus (Stool)	Absent		Absent
Consistency (Stool)	Semi Solid		Semi Solid to Solid
Colour (Stool)	Brownish		Brown
Blood (Stool)	Absent		Absent

MICROSCOPIC EXAMINATION(STOOL COMPLETE)

Ova (Stool)	NIL		NIL
Cysts (Stool)	NIL		NIL
Trophozoites (Stool)	NIL		NIL
RBCs (Stool)	NIL	/hpf	Nil
Pus Cells (Stool)	1-2	/hpf	NIL
Others (Stool)	NIL		

CHEMICAL EXAMINATION(STOOL ROUTINE)


Dr RAVIKUMAR R
MBBS, MD BIOCHEMISTRY
CONSULTANT BIOCHEMIST
Reg No : 78771
VERIFIED BY


DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902

APPROVED BY

Name : Mr. BALASUBRAMANIAN
VIZHIARASAN
NATHAMPALAYAM KARU

PID No. : MED111293035

Register On : 10/09/2022 9:24 AM

SID No. : 422066203

Collection On : 10/09/2022 9:35 AM

Age / Sex : 34 Year(s) / Male

Report On : 11/09/2022 11:02 AM

Type : OP

Printed On : 14/09/2022 4:48 PM

Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
Reaction (Stool)	Acidic		Alkaline
Reducing Substances (Stool/Benedict's)	Negative		Negative


Dr RAVIKUMAR R
MBBS, MD BIOCHEMISTRY
CONSULTANT BIOCHEMIST
Reg No : 78771
VERIFIED BY


DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902

APPROVED BY

Name : Mr. BALASUBRAMANIAN
VIZHIARASAN
NATHAMPALAYAM KARU

PID No. : MED111293035

Register On : 10/09/2022 9:24 AM

SID No. : 422066203

Collection On : 10/09/2022 9:35 AM

Age / Sex : 34 Year(s) / Male

Report On : 11/09/2022 11:02 AM

Type : OP

Printed On : 14/09/2022 4:48 PM

Ref. Dr : MediWheel

Investigation

Observed
Value

Unit

Biological
Reference Interval


IMMUNOHAEMATOLOGY

BLOOD GROUPING AND Rh TYPING
(EDTA Blood/Agglutination)

'AB' 'Positive'


Dr Anusha.K.S
Sr.Consultant Pathologist
Reg No : 100674

VERIFIED BY


DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902

APPROVED BY

Name : Mr. BALASUBRAMANIAN
VIZHIARASAN
NATHAMPALAYAM KARU

PID No. : MED111293035

Register On : 10/09/2022 9:24 AM

SID No. : 422066203

Collection On : 10/09/2022 9:35 AM

Age / Sex : 34 Year(s) / Male

Report On : 11/09/2022 11:02 AM

Type : OP

Printed On : 14/09/2022 4:48 PM

Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
<u>BIOCHEMISTRY</u>			
BUN / Creatinine Ratio	8.3		6.0 - 22.0
Glucose Fasting (FBS) (Plasma - F/GOD-PAP)	82.62	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose, Fasting (Urine) (Urine - F/GOD - POD)	Negative		Negative
---	----------	--	----------

Glucose Postprandial (PPBS) (Plasma - PP/GOD-PAP)	85.12	mg/dL	70 - 140
--	-------	-------	----------

INTERPRETATION:

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti-diabetic medication during treatment for Diabetes.


Urine Glucose(PP-2 hours) (Urine - PP)	Negative		Negative
---	----------	--	----------

Blood Urea Nitrogen (BUN) (Serum/Urease UV / derived)	9.4	mg/dL	7.0 - 21
--	-----	-------	----------


Creatinine (Serum/Modified Jaffe)	1.13	mg/dL	0.9 - 1.3
--------------------------------------	------	-------	-----------

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin ,cefazolin, ACE inhibitors ,angiotensin II receptor antagonists,N-acetylcyteine , chemotherapeutic agent such as flucytosine etc.

Uric Acid (Serum/Enzymatic)	7.17	mg/dL	3.5 - 7.2
--------------------------------	------	-------	-----------



VERIFIED BY



APPROVED BY

-- End of Report --