

PATIENT NAME : RAJENDER KUMAR	REF. DOCTOR : S	SELF
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI		AGE/SEX :44 Years Male DRAWN : RECEIVED :25/11/2023 09:46:48 REPORTED :28/11/2023 15:56:32
Test Report Status <u>Final</u>	Results Biological	Reference Interval Units

MEDI WHEEL FULL BODY HEALTH CHECK UP ABOVE 40 MALE

XRA	Y-CHE	ST

»»	BOTH THE LUNG FIELDS	S ARE CLEAR		
»»	BOTH THE COSTOPHREN	BOTH THE COSTOPHRENIC AND CARIOPHRENIC ANGELS ARE CLEAR		
»»	BOTH THE HILA ARE NO	RMAL		
»»	CARDIAC AND AORTIC S	SHADOWS APPEAR NORMAL		
»»	BOTH THE DOMES OF TH	HE DIAPHRAM ARE NORMAL		
»»	VISUALIZED BONY THO	RAX IS NORMAL		
IMPRESSION	NORMAL			
ECG				
ECG	WITHIN NORMAL LIMITS	5		
MEDICAL HISTORY				
RELEVANT PRESENT HISTORY	DIABETES-5 YRS	DIABETES-5 YRS		
RELEVANT PAST HISTORY	NOT SIGNIFICANT			
RELEVANT PERSONAL HISTORY	MARRIED, 2 CHILDREN, NON VEG, ALCOHOL-OCCASIONALLY.			
RELEVANT FAMILY HISTORY	MOTHER- DIABETES			
OCCUPATIONAL HISTORY	BANKING			
HISTORY OF MEDICATIONS	SUGAR MEDICINE			
ANTHROPOMETRIC DATA & BMI				
HEIGHT IN METERS	1.62	mts		
WEIGHT IN KGS.	71.75	Kgs		
BMI	27	BMI & Weight Status as follows/sqmts Below 18.5: Underweight 18.5 - 24.9: Normal 25.0 - 29.9: Overweight 30.0 and Above: Obese		
GENERAL EXAMINATION				
MENTAL / EMOTIONAL STATE	NORMAL			

NORMAL

HEALTHY

AVERAGE

NORMAL

NORMAL

MENTAL / EMOTIONAL STATE PHYSICAL ATTITUDE GENERAL APPEARANCE / NUTRITIONAL STATUS BUILT / SKELETAL FRAMEWORK FACIAL APPEARANCE SKIN

K. 1 100

Dr. Kamlesh I Prajapati Consultant Pathologist

PERFORMED AT : Agilus Diagnostics Ltd. Plot No.160,Pocket D-11 Sector 8, Rohini

New Delhi, 110085 New Delhi, India Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956 Page 1 Of 21

View Report





Test Report Status

<u>Final</u>



Biological Reference Interval Units

PATIENT NAME : RAJENDER KUMAR REF. DOCTOR : SELF CODE/NAME & ADDRESS : C000138376 ACCESSION NO : 0062WK001695 AGE/SEX :44 Years Male ARCOFEMI HEALTHCARE LTD (MEDIWHEEL PATIENT ID DRAWN : RAJEM08117962 : F-703, LADO SARAI, MEHRAULISOUTH WEST CLIENT PATIENT ID: RECEIVED : 25/11/2023 09:46:48 DELHI ABHA NO REPORTED :28/11/2023 15:56:32 : NEW DELHI 110030 8800465156

Results

UPPER LIMB	NORMAL	
LOWER LIMB	NORMAL	
NECK	NORMAL	
NECK LYMPHATICS / SALIVARY GLANDS	NOT ENLARGED OR TENDER	
THYROID GLAND	NOT ENLARGED	
CAROTID PULSATION	NORMAL	
BREAST (FOR FEMALES)	NORMAL	
TEMPERATURE	NORMAL	
PULSE	88/MINUTE REGULAR, ALL PERIPHERAL PULSES WELL FEL BRUIT	T, NO CAROTID
RESPIRATORY RATE	NORMAL	
CARDIOVASCULAR SYSTEM		
ВР	155/102MM HG (SITTING)	mm/Hg
PERICARDIUM	NORMAL	
APEX BEAT	NORMAL	
HEART SOUNDS	S1, S2 HEARD NORMALLY	
MURMURS	ABSENT	
RESPIRATORY SYSTEM		
SIZE AND SHAPE OF CHEST	NORMAL	
MOVEMENTS OF CHEST	SYMMETRICAL	
BREATH SOUNDS INTENSITY	NORMAL	
BREATH SOUNDS QUALITY	VESICULAR (NORMAL)	
ADDED SOUNDS	ABSENT	
PER ABDOMEN		
APPEARANCE	NORMAL	
VENOUS PROMINENCE	ABSENT	
LIVER	NOT PALPABLE	
SPLEEN	NOT PALPABLE	
HERNIA	ABSENT	
ANY OTHER COMMENTS	NIL	
CENTRAL NERVOUS SYSTEM		
HIGHER FUNCTIONS	NORMAL	

K.I. frely

Dr. Kamlesh I Prajapati Consultant Pathologist

PERFORMED AT : Agilus Diagnostics Ltd. Plot No.160,Pocket D-11 Sector 8, Rohini

New Delhi, 110085 New Delhi, India Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956 Page 2 Of 21

View Report







PATIENT NAME : RAJENDER KUMAR	REF. DOCTOR : SELF		
CODE/NAME & ADDRESS : C000138376 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL	ACCESSION NO : 0062WK001695		
F-703, LADO SARAI, MEHRAULISOUTH WEST	PATIENT ID : RAJEM08117962	DRAWN :	
DELHI	CLIENT PATIENT ID: ABHA NO :	RECEIVED : 25/11/2023 09:46:48 REPORTED :28/11/2023 15:56:32	
NEW DELHI 110030 8800465156			
Test Report Status <u>Final</u>	Results Biolo	gical Reference Interval Units	
CRANIAL NERVES	NORMAL		
CEREBELLAR FUNCTIONS	NORMAL		
SENSORY SYSTEM	NORMAL		
MOTOR SYSTEM	NORMAL		
REFLEXES	NORMAL		
MUSCULOSKELETAL SYSTEM			
SPINE	NORMAL		
JOINTS	NORMAL		
BASIC EYE EXAMINATION			
CONJUNCTIVA	NORMAL		
EYELIDS	NORMAL		
EYE MOVEMENTS	NORMAL		
CORNEA	NORMAL		
DISTANT VISION RIGHT EYE WITHOUT GLASSES	6/6		
DISTANT VISION LEFT EYE WITHOUT GLASSES	6/12		
NEAR VISION RIGHT EYE WITHOUT GLASSES	N/6		
NEAR VISION LEFT EYE WITHOUT GLASSES	N/8		
COLOUR VISION	PARTIAL COLOUR BLIND		
BASIC ENT EXAMINATION			
EXTERNAL EAR CANAL	NORMAL		
TYMPANIC MEMBRANE	NORMAL		
NOSE	NO ABNORMALITY DETECTED		
SINUSES	NORMAL		
THROAT	NORMAL		
TONSILS	NOT ENLARGED		
BASIC DENTAL EXAMINATION			
TEETH	NORMAL		
GUMS	HEALTHY		
ANY OTHER COMMENTS SUMMARY	NIL		
RELEVANT HISTORY	NOT SIGNIFICANT		

K.I. Repati

Dr. Kamlesh I Prajapati Consultant Pathologist

PERFORMED AT : Agilus Diagnostics Ltd. Plot No.160,Pocket D-11 Sector 8, Rohini

New Delhi, 110085 New Delhi, India Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956









PATIENT NAME : RAJENDER KUMAR	REF. DOCTOR :	SELF
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI	ACCESSION NO: 0062WK001695 PATIENT ID : RAJEM08117962 CLIENT PATIENT ID: ABHA NO :	AGE/SEX :44 Years Male DRAWN : RECEIVED :25/11/2023 09:46:48 REPORTED :28/11/2023 15:56:32
Test Report Status <u>Final</u>	Results Biological	Reference Interval Units

RELEVANT GP EXAMINATION FINDINGS

NOT SIGNIFICANT

RELEVANT LAB INVESTIGATIONS	HBA1C, EAG, PL. GL., LIPID PROFILE- ABOVE NORMAL LIMITS URINE - PRESENCE OF GL +
RELEVANT NON PATHOLOGY DIAGNOSTICS	NO ABNORMALITIES DETECTED
REMARKS / RECOMMENDATIONS	CURTAIL WEIGHT, SUGAR INTAKE CEASE ALCOHOL INTAKE
FITNESS STATUS	
FITNESS STATUS	FIT (WITH MEDICAL ADVICE) (AS PER REQUESTED PANEL OF TESTS)

K.I. Freit

Dr. Kamlesh I Prajapati **Consultant Pathologist**

PERFORMED AT : Agilus Diagnostics Ltd. Plot No.160, Pocket D-11 Sector 8, Rohini

New Delhi, 110085 New Delhi, India Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956 Page 4 Of 21





View Report





REF. DOCTOR : SELF PATIENT NAME : RAJENDER KUMAR CODE/NAME & ADDRESS : C000138376 ACCESSION NO : 0062WK001695 AGE/SEX :44 Years Male ARCOFEMI HEALTHCARE LTD (MEDIWHEEL PATIENT ID : RAJEM08117962 DRAWN : F-703, LADO SARAI, MEHRAULISOUTH WEST CLIENT PATIENT ID: RECEIVED : 25/11/2023 09:46:48 DELHI REPORTED :28/11/2023 15:56:32 ABHA NO **NEW DELHI 110030** : 8800465156

Test Report Status Final

Results

Units

MEDI WHEEL FULL BODY HEALTH CHECK UP ABOVE 40 MALE

ULTRASOUND ABDOMEN

ULTRASOUND ABDOMEN

REPORT ENCLOSED

TMT OR ECHO

CLINICAL PROFILE

NEGATIVE

Interpretation(s)

FITNESS STATUS-Conclusion on an individual's Fitness, which is commented upon mainly for Pre employment cases, is based on multi factorial findings and does not depend on any one single parameter. The final Fitness assigned to a candidate will depend on the Physician's findings and overall judgement on a case to case basis, details of the candidate's past and personal history as well as the comprehensiveness of the diagnostic panel which has been requested for .These are then further correlated with details of the job under consideration to eventually fit the right man to the right job.

of the job under consideration to eventually fit the right man to the right job. Basis the above, Agilus diagnostic classifies a candidate's Fitness Status into one of the following categories:

• Fit (As per requested panel of tests) – AGILUS Limited gives the individual a clean chit to join the organization, on the basis of the General Physical Examination and the specific test panel requested for.

Fit (with medical advice) (As per requested panel of tests) - This indicates that although the candidate can be declared as FIT to join the job, minimal problems have been detected during the Pre- employment examination. Examples of conditions which could fall in this category could be cases of mild reversible medical abnormalities such as height weight disproportions, borderline raised Blood Pressure readings, mildly raised Blood sugar and Blood Lipid levels, Hematuria, etc. Most of these relate to sedentary lifestyles and come under the broad category of life style disorders. The idea is to caution an individual to bring about certain lifestyle changes as well as seek a Physician"""s consultation and counseling in order to bring back to normal the mildly deranged parameters. For all purposes the individual is FIT to join the job.
 Fitness on Hold (Temporary Unfit) (As per requested panel of tests) - Candidate's reports are kept on hold when either the diagnostic tests or the physical findings reveal

 Fitness on Hold (Temporary Unfit) (As per requested panel of tests) - Candidate's reports are kept on hold when either the diagnostic tests or the physical findings reveal the presence of a medical condition which warrants further tests, counseling and/or specialist opinion, on the basis of which a candidate can either be placed into Fit, Fit (With Medical Advice), or Unfit category. Conditions which may fall into this category could be high blood pressure, abnormal ECG, heart murmurs, abnormal vision, grossly elevated blood sugars, etc.

elevated blood sugars, etc. • Unfit (As per requested panel of tests) - An unfit report by Agilus diagnostic Limited clearly indicates that the individual is not suitable for the respective job profile e.g. total color blindness in color related jobs.

K. 1 10

Dr. Kamlesh I Prajapati Consultant Pathologist

PERFORMED AT : Agilus Diagnostics Ltd. Plot No.160,Pocket D-11 Sector 8, Rohini

New Delhi, 110085 New Delhi, India Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956



View Report









PATIENT NAME : RAJENDER KUMAR	REF. DOCTOR	: SELF
CODE/NAME & ADDRESS : C000138376 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL	ACCESSION NO : 0062WK001695	AGE/SEX :44 Years Male
F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI	PATIENT ID : RAJEM08117962 CLIENT PATIENT ID:	DRAWN : RECEIVED : 25/11/2023 09:46:48
NEW DELHI 110030 8800465156	ABHA NO :	REPORTED :28/11/2023 15:56:32
Test Report Status <u>Final</u>	Results Biologic	cal Reference Interval Units

HAEMATOLOGY - CBC			
MEDI WHEEL FULL BODY HEALTH CHECK UP AB	OVE 40 MALE		
BLOOD COUNTS, EDTA WHOLE BLOOD			
HEMOGLOBIN (HB) METHOD : CYANMETHEMOGLOBIN METHOD	15.7	13.0 - 17.0	g/dL
RED BLOOD CELL (RBC) COUNT METHOD : IMPEDANCE	5.72 High	4.5 - 5.5	mil/µL
WHITE BLOOD CELL (WBC) COUNT METHOD : IMPEDANCE	8.57	4.0 - 10.0	thou/µL
PLATELET COUNT METHOD : IMPEDANCE	160	150 - 410	thou/µL
RBC AND PLATELET INDICES			
HEMATOCRIT (PCV) METHOD : CALCULATED	51.3 High	40 - 50	%
MEAN CORPUSCULAR VOLUME (MCV) METHOD : CELL COUNTER	89.7	83 - 101	fL
MEAN CORPUSCULAR HEMOGLOBIN (MCH) METHOD : CALCULATED PARAMETER	27.4	27.0 - 32.0	pg
MEAN CORPUSCULAR HEMOGLOBIN CONCENTRATION (MCHC) METHOD : CALCULATED PARAMETER	30.6 Low	31.5 - 34.5	g/dL
RED CELL DISTRIBUTION WIDTH (RDW) METHOD : CALCULATED	13.0	11.6 - 14.0	%
MENTZER INDEX METHOD : CALCULATED PARAMETER	15.7		
MEAN PLATELET VOLUME (MPV) METHOD : CALCULATED PARAMETER	13.5 High	6.8 - 10.9	fL
WBC DIFFERENTIAL COUNT			
NEUTROPHILS METHOD : IMPEDANCE / MICROSCOPY	59	40 - 80	%
LYMPHOCYTES METHOD : IMPEDANCE / MICROSCOPY	34	20 - 40	%
MONOCYTES METHOD : IMPEDANCE / MICROSCOPY	5	2 - 10	%
EOSINOPHILS	2	1 - 6	%

K.I. Freir

Dr. Kamlesh I Prajapati Consultant Pathologist

PERFORMED AT : Agilus Diagnostics Ltd. Plot No.160, Pocket D-11 Sector 8, Rohini

New Delhi, 110085 New Delhi, India Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956



View Report









PATIENT NAME : RAJENDER KUMAR	REF. DOCTOR : SELF		
CODE/NAME & ADDRESS : C000138376 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156	ACCESSION NO: 006 PATIENT ID : RAJ CLIENT PATIENT ID: ABHA NO :	EM08117962 DRA REC	E/SEX :44 Years Male AWN : CEIVED :25/11/2023 09:46:48 PORTED :28/11/2023 15:56:32
Test Report Status <u>Final</u>	Results	Biological Ref	erence Interval Units
METHOD : IMPEDANCE / MICROSCOPY BASOPHILS METHOD : MICROSCOPIC EXAMINATION	0	0 - 2	%
ABSOLUTE NEUTROPHIL COUNT METHOD : CALCULATED PARAMETER	5.06	2.0 - 7.0	thou/µL
ABSOLUTE LYMPHOCYTE COUNT METHOD : CALCULATED PARAMETER	2.91	1 - 3	thou/µL
ABSOLUTE MONOCYTE COUNT METHOD : CALCULATED PARAMETER	0.43	0.20 - 1.00	thou/µL
ABSOLUTE EOSINOPHIL COUNT METHOD : CALCULATED PARAMETER	0.17	0.02 - 0.50	thou/µL
ABSOLUTE BASOPHIL COUNT METHOD : CALCULATED PARAMETER	0 Low	0.02 - 0.10	thou/µL
NEUTROPHIL LYMPHOCYTE RATIO (NLR)	1.7		

METHOD : CALCULATED PARAMETER

Interpretation(s) BLOOD COUNTS,EDTA WHOLE BLOOD-The cell morphology is well preserved for 24hrs. However after 24-48 hrs a progressive increase in MCV and HCT is observed leading to a decrease in MCHC. A direct smear is recommended for an accurate differential count and for examination of RBC morphology. RBC AND PLATELET INDICES-Mentzer index (MCV/RBC) is an automated cell-counter based calculated screen tool to differentiate cases of Iron deficiency anaemia(>13) from Beta thalassaemia trait

(<13) in patients with microcytic anaemia. This needs to be interpreted in line with clinical correlation and suspicion. Estimation of HbA2 remains the gold standard for diagnosing a case of beta thalassaemia trait.

WBC DIFFERENTIAL COUNT-The optimal threshold of 3.3 for NLR showed a prognostic possibility of clinical symptoms to change from mild to severe in COVID positive 3.3, COVID-19 patients tend to show mild disease. (Reference to - The diagnostic and predictive role of NLR, d-NLR and PLR in COVID-19 patients A.-P. Yang, et al. International Immunopharmacology 84 (2020) 106504 This ratio element is a calculated parameter and out of NABL scope.

K.I. free

Dr. Kamlesh I Prajapati **Consultant Pathologist**

PERFORMED AT : Agilus Diagnostics Ltd. Plot No.160, Pocket D-11 Sector 8, Rohini

New Delhi, 110085 New Delhi, India Tel: 9111591115, Fax: CIN - U74899PB1995PLC045956 Page 7 Of 21





View Report







PATIENT NAME : RAJENDER KUMAR	REF. DOCTOR : S	SELF
CODE/NAME & ADDRESS : C000138376	ACCESSION NO : 0062WK001695	AGE/SEX : 44 Years Male
	PATIENT ID : RAJEM08117962	DRAWN :
F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI	CLIENT PATIENT ID:	RECEIVED : 25/11/2023 09:46:48
NEW DELHI 110030	ABHA NO :	REPORTED :28/11/2023 15:56:32
8800465156		

Test	Report	Status	Final

Results

Biological Reference Interval Units

r			
	HAEMATOLOGY		
MEDI WHEEL FULL BODY HEALTH CHECK UP	ABOVE 40 MALE		
ERYTHROCYTE SEDIMENTATION RATE (ESR) BLOOD),EDTA		
E.S.R METHOD : WESTERGREN METHOD	13	0 - 14	mm at 1 hr
GLYCOSYLATED HEMOGLOBIN(HBA1C), EDT BLOOD	A WHOLE		
HBA1C	10.6 High	Non-diabetic Adult < 5.7 Pre-diabetes 5.7 - 6.4	%
		Diabetes diagnosis: > or = Therapeutic goals: < 7.0 Action suggested : > 8.0 (ADA Guideline 2021)	• 6.5
METHOD : HPLC			
ESTIMATED AVERAGE GLUCOSE(EAG)	257.5 High	< 116.0	mg/dL

Interpretation(s)

ERYTHROCYTE SEDIMENTATION RATE (ESR), EDTA BLOOD-**TEST DESCRIPTION** :-Erythrocyte sedimentation rate (ESR) is a test that indirectly measures the degree of inflammation present in the body. The test actually measures the rate of fall (sedimentation) of erythrocytes in a sample of blood that has been placed into a tall, thin, vertical tube. Results are reported as the millimetres of clear fluid (plasma) that are present at the top portion of the tube after one hour. Nowadays fully automated instruments are available to measure ESR.

ESR is not diagnostic it is a non-specific test that may be elevated in a number of different conditions. It provides general information about the presence of an inflammatory condition.CRP is superior to ESR because it is more sensitive and reflects a more rapid change. TEST INTERPRETATION

Increase in: Infections, Vasculities, Inflammatory arthritis, Renal disease, Anemia, Malignancies and plasma cell dyscrasias, Acute allergy Tissue injury, Pregnancy,

Estrogen medication, Aging. Finding a very accelerated ESR(>100 mm/hour) in patients with ill-defined symptoms directs the physician to search for a systemic disease (Paraproteinemias,

Disseminated malignancies, connective tissue disease, severe infections such as bacterial endocarditis). In pregnancy BRI in first trimester is 0-48 mm/hr(62 if anemic) and in second trimester (0-70 mm /hr(95 if anemic). ESR returns to normal 4th week post partum. **Decreased** in: Polycythermia vera, Sickle cell anemia

LIMITATIONS

False elevated ESR : Increased fibrinogen, Drugs(Vitamin A, Dextran etc), Hypercholesterolemia False Decreased : Poikilocytosis, (SickleCells, spherocytes), Microcytosis, Low fibrinogen, Very high WBC counts, Drugs (Quinine,

salicylates)

REFERENCE :

1. Nathan and Oski's Haematology of Infancy and Childhood, 5th edition 2. Paediatric reference intervals. AACC Press, 7th edition. Edited by S. Soldin 3. The reference for the adult reference range is "Practical Haematology by Dacie and Lewis,10th edition. GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE BLOOD-**Used For**:

1. Evaluating the long-term control of blood glucose concentrations in diabetic patients.

Diagnosing diabetes.
 Identifying patients at increased risk for diabetes (prediabetes).

Dr. Kamlesh I Prajapati **Consultant Pathologist**

PERFORMED AT : Agilus Diagnostics Ltd. Plot No.160, Pocket D-11 Sector 8, Rohini

New Delhi, 110085 New Delhi, India Tel: 9111591115, Fax: CIN - U74899PB1995PLC045956











PATIENT NAME : RAJENDER KUMAR	REF. DOCTOR :	SELF
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI	ACCESSION NO : 0062WK001695 PATIENT ID : RAJEM08117962 CLIENT PATIENT ID: ABHA NO :	AGE/SEX :44 Years Male DRAWN : RECEIVED :25/11/2023 09:46:48 REPORTED :28/11/2023 15:56:32
8800465156 Test Report Status Final	Results Biological	Reference Interval Units

The ADA recommends measurement of HbA1c (typically 3-4 times per year for type 1 and poorly controlled type 2 diabetic patients, and 2 times per year for well-controlled type 2 diabetic patients) to determine whether a patients metabolic control has remained continuously within the target range. 1. eAG (Estimated average glucose) converts percentage HbA1c to md/dl, to compare blood glucose levels. 2. eAG gives an evaluation of blood glucose levels for the last couple of months. 3. eAG is calculated as eAG (mg/dl) = 28.7 * HbA1c - 46.7

HbA1c Estimation can get affected due to :

1. Shortened Erythrocyte survival : Any condition that shortens erythrocyte survival or decreases mean erythrocyte age (e.g. recovery from acute blood loss, hemolytic anemia) will falsely lower HbA1c test results. Fructosamine is recommended in these patients which indicates diabetes control over 15 days.
2.Vitamin C & E are reported to falsely lower test results. (possibly by inhibiting glycation of hemoglobin.
3. Iron deficiency anemia is reported to increase test results. Hypertriglyceridemia, uremia, hyperbilirubinemia, chronic alcoholism, chronic ingestion of salicylates & opiates

addiction are reported to interfere with some assay methods, falsely increasing results. 4. Interference of hemoglobinopathies in HbA1c estimation is seen in

a) Homozygous hemoglobinopathy. Fructosamine is recommended for testing of HbA1c.b) Heterozygous state detected (D10 is corrected for HbS & HbC trait.)

c) HDF > 25% on alternate pattform (Boronate affinity chromatography) is recommended for testing of HbA1c.Abnormal Hemoglobin electrophoresis (HPLC method) is recommended for detecting a hemoglobinopathy

K. 1 10

Dr. Kamlesh I Prajapati **Consultant Pathologist**

PERFORMED AT : Agilus Diagnostics Ltd. Plot No.160, Pocket D-11 Sector 8, Rohini

New Delhi, 110085 New Delhi, India Tel: 9111591115, Fax: CIN - U74899PB1995PLC045956







View Report





PATIENT NAME : RAJENDER KUMAR	REF. DOCTOR : S	SELF
CODE/NAME & ADDRESS : C000138376	ACCESSION NO : 0062WK001695	AGE/SEX : 44 Years Male
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST	PATIENT ID : RAJEM08117962	DRAWN :
DELHI	CLIENT PATIENT ID:	RECEIVED : 25/11/2023 09:46:48
NEW DELHI 110030	ABHA NO :	REPORTED :28/11/2023 15:56:32
8800465156		

Test Report Status <u>Final</u> Results

Biological Reference Interval Units

IMMUNOHAEMATOLOGY MEDI WHEEL FULL BODY HEALTH CHECK UP ABOVE 40 MALE ABO GROUP & RH TYPE, EDTA WHOLE BLOOD ABO GROUP TYPE B METHOD : TUBE AGGLUTINATION POSITIVE RH TYPE METHOD : TUBE AGGLUTINATION

Interpretation(s) ABO GROUP & RH TYPE, EDTA WHOLE BLOOD-Blood group is identified by antigens and antibodies present in the blood. Antigens are protein molecules found on the surface of red blood cells. Antibodies are found in plasma. To determine blood group, red cells are mixed with different antibody solutions to give A,B,O or AB.

Disclaimer: "Please note, as the results of previous ABO and Rh group (Blood Group) for pregnant women are not available, please check with the patient records for availability of the same."

The test is performed by both forward as well as reverse grouping methods.

K. 1 10

Dr. Kamlesh I Prajapati **Consultant Pathologist**

PERFORMED AT : Agilus Diagnostics Ltd. Plot No.160, Pocket D-11 Sector 8, Rohini

New Delhi, 110085 New Delhi, India Tel: 9111591115, Fax: CIN - U74899PB1995PLC045956 Page 10 Of 21

Vie<u>w Report</u>



Details







PATIENT NAME : RAJENDER KUMAR	REF. DOCTOR : S	SELF
	ACCESSION NO : 0062WK001695	AGE/SEX :44 Years Male
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST	PATIENT ID : RAJEM08117962	DRAWN :
DELHI		RECEIVED : 25/11/2023 09:46:48
NEW DELHI 110030	ABHA NO :	REPORTED :28/11/2023 15:56:32
8800465156		

Test Report Status <u>Final</u> Results

Biological Reference Interval Units

[BIOCHEMISTRY			
MEDI WHEEL FULL BODY HEALTH CHECK UP ABOVE 40 MALE				
GLUCOSE FASTING, FLUORIDE PLASMA				
FBS (FASTING BLOOD SUGAR)	227 High	Normal <100 Impaired fasting glucose:10 125 Diabetes mellitus: > = 126 more than 1 occassion) (ADA guidelines 2021)		
GLUCOSE, POST-PRANDIAL, PLASMA		70 440	<i>,</i>	
PPBS(POST PRANDIAL BLOOD SUGAR)	328 High	70 - 140	mg/dL	
LIPID PROFILE WITH CALCULATED LDL				
CHOLESTEROL, TOTAL	178	< 200 Desirable 200 - 239 Borderline High >/= 240 High	mg/dL	
METHOD : CHOLESTEROL OXIDASE, ESTERASE, PEROXIDASE				
TRIGLYCERIDES	201 High	< 150 Normal 150 - 199 Borderline High 200 - 499 High >/=500 Very High	mg/dL	
METHOD : ENZYMATIC, END POINT				
HDL CHOLESTEROL	37 Low	< 40 Low >/=60 High	mg/dL	
METHOD : DIRECT MEASURE POLYMER-POLYANION				
CHOLESTEROL LDL	101 High	< 100 Optimal 100 - 129 Near optimal/ above optima 130 - 159 Borderline High 160 - 189 High >/= 190 Very High	mg/dL 1	
NON HDL CHOLESTEROL	141 High	Desirable-Less than 130 Above Desirable-130-159 Borderline High-160-189 High-190-219 Very High- >or =220	mg/dL	

K.I. Tre

Dr. Kamlesh I Prajapati Consultant Pathologist

PERFORMED AT : Agilus Diagnostics Ltd. Plot No.160, Pocket D-11 Sector 8, Rohini

New Delhi, 110085 New Delhi, India Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956 Page 11 Of 21









PATIENT NAME : RAJENDER KUMAR REF. DOCTOR : SELF CODE/NAME & ADDRESS : C000138376 ACCESSION NO : 0062WK001695 AGE/SEX :44 Years Male ARCOFEMI HEALTHCARE LTD (MEDIWHEEL PATIENT ID DRAWN : RAJEM08117962 ÷ F-703, LADO SARAI, MEHRAULISOUTH WEST CLIENT PATIENT ID: RECEIVED : 25/11/2023 09:46:48 DELHI ABHA NO REPORTED :28/11/2023 15:56:32 : NEW DELHI 110030 8800465156 **Test Report Status** Results Biological Reference Interval Units <u>Final</u> ma/di VERY LOW DENSITY LIPOPROTEIN 10 2

VERY LOW DENSITY LIPOPROTEIN	40.2	rig/aL
CHOL/HDL RATIO	4.8 High	3.3 - 4.4: Low Risk
		4.5 - 7.0: Average Risk
		7.1 - 11.0: Moderate Risk
		>11.0: High Risk
LDL/HDL RATIO	2.7	0.5 - 3.0 Desirable/Low Risk
		3.1 - 6.0 Borderline/Moderate
		Risk
		>6.0 High Risk

Interpretation(s)

Serum lipid profile is measured for cardiovascular risk prediction. Lipid Association of India recommends LDL-C as primary target and Non HDL-C as co-primary treatment target. Risk Stratification for ASCVD (Atherosclerotic cardiovascular disease) by Lipid Association of India

Risk Category			
Extreme risk group	A.CAD with > 1 feature of high risk group		
	B. CAD with > 1 feature of Very high risk	group or recurrent ACS (within 1 year) despite LDL-C < or =	
	50 mg/dl or polyvascular disease		
Very High Risk	1. Established ASCVD 2. Diabetes with 2	major risk factors or evidence of end organ damage 3.	
	Familial Homozygous Hypercholesterolem	ia	
High Risk	1. Three major ASCVD risk factors. 2. Diabetes with 1 major risk factor or no evidence of end organ		
	damage. 3. CKD stage 3B or 4. 4. LDL >190 mg/dl 5. Extreme of a single risk factor. 6. Coronary		
	Artery Calcium - CAC >300 AU. 7. Lipoprotein a >/= 50mg/dl 8. Non stenotic carotid plaque		
Moderate Risk	2 major ASCVD risk factors		
Low Risk	0-1 major ASCVD risk factors		
Major ASCVD (Ath	erosclerotic cardiovascular disease) Risk F	actors	
		3. Current Cigarette smoking or tobacco use	
		4. High blood pressure	
5. Low HDL			

Newer treatment goals and statin initiation thresholds based on the risk categories proposed by LAI in 2020.

Risk Group	Treatment Goals		Consider Drug Therapy	
	LDL-C (mg/dl)	Non-HDL (mg/dl)	LDL-C (mg/dl)	Non-HDL (mg/dl)
Extreme Risk Group Category A	<50 (Optional goal	< 80 (Optional goal	>OR = 50	>OR = 80
	< OR = 30)	<or 60)<="" =="" td=""><td></td><td></td></or>		
Extreme Risk Group Category B	<or 30<="" =="" td=""><td><or 60<="" =="" td=""><td>> 30</td><td>>60</td></or></td></or>	<or 60<="" =="" td=""><td>> 30</td><td>>60</td></or>	> 30	>60
Very High Risk	<50	<80	>OR= 50	>OR= 80
High Risk	<70	<100	>OR= 70	>OR=100
Moderate Risk	<100	<130	>OR=100	>OR=130
Low Risk	<100	<130	>OR=130*	>OR=160

*After an adequate non-pharmacological intervention for at least 3 months.

References: Management of Dyslipidaemia for the Prevention of Stroke: Clinical Practice Recommendations from the Lipid Association of India. Current Vascular Pharmacology, 2022, 20, 134-155.

K.1 (

Dr. Kamlesh I Prajapati Consultant Pathologist

PERFORMED AT : Agilus Diagnostics Ltd. Plot No.160,Pocket D-11 Sector 8, Rohini

New Delhi, 110085 New Delhi, India Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956 Page 12 Of 21

View Report







0.7 - 1.2

3.4 - 7.0

5.00 - 15.00



PATIENT NAME : RAJENDER KUMAR		REF. DOCTOR : SELF	
CODE/NAME & ADDRESS :C000138376 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156	ACCESSION NO : OO PATIENT ID : RAJ CLIENT PATIENT ID: ABHA NO :	EM08117962 DRAWN : RECEIVED :	44 Years Male 25/11/2023 09:46:48 28/11/2023 15:56:32
Test Report Status <u>Final</u>	Results	Biological Reference	Interval Units
LIVER FUNCTION PROFILE, SERUM			
BILIRUBIN, TOTAL METHOD : DIAZONIUM ION, BLANKED (ROCHE)	0.45	Upto 1.2	mg/dL
BILIRUBIN, DIRECT METHOD : DIAZONIUM ION, BLANKED (ROCHE)	0.17	Upto 0.2	mg/dL
BILIRUBIN, INDIRECT METHOD : CALCULATED PARAMETER	0.28	0.00 - 0.90	mg/dL
TOTAL PROTEIN	8.0	6.4 - 8.3	g/dL
ALBUMIN METHOD : BROMOCRESOL PURPLE	4.6	3.97 - 4.94	g/dL
GLOBULIN METHOD : CALCULATED PARAMETER	3.4	2.0 - 4.0	g/dL
ALBUMIN/GLOBULIN RATIO METHOD : CALCULATED PARAMETER	1.4	1.0 - 2.0	RATIO
ASPARTATE AMINOTRANSFERASE(AST/SGOT) METHOD : IFCC WITH PYRIDOXAL 5 PHOSPHATE	33	0 - 40	U/L
ALANINE AMINOTRANSFERASE (ALT/SGPT) METHOD : UV WITH P5P-IFCC	68 High	0 - 41	U/L
ALKALINE PHOSPHATASE METHOD : PNPP, AMP BUFFER-IFCC	146 High	40 - 129	U/L
GAMMA GLUTAMYL TRANSFERASE (GGT) METHOD : G-GLUTAMYL-CARBOXY-NITROANILIDE-IFCC	53	8 - 61	U/L
LACTATE DEHYDROGENASE METHOD : L TO P, IFCC	163	135 - 225	U/L
BLOOD UREA NITROGEN (BUN), SERUM			
BLOOD UREA NITROGEN	19	6 - 20	mg/dL

0.88

5.2

21.59 High

K.1	Prelipati
1001101	1

Dr. Kamlesh I Prajapati Consultant Pathologist

METHOD : UREASE - UV
CREATININE, SERUM

METHOD : ALKALINE PICRATE BUN/CREAT RATIO BUN/CREAT RATIO

URIC ACID, SERUM

METHOD : URICASE, COLORIMETRIC

CREATININE

URIC ACID

PERFORMED AT : Agilus Diagnostics Ltd. Plot No.160,Pocket D-11 Sector 8, Rohini

New Delhi, 110085 New Delhi, India Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956





mg/dL

mg/dL

View Details View Report







PATIENT NAME : RAJENDER KUMAR		REF. DOCTOR : SELF	F	
CODE/NAME & ADDRESS : C000138376 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156	ACCESSION NO : OC PATIENT ID : RA CLIENT PATIENT ID: ABHA NO :	JEM08117962 DR RE	E/SEX :44 Years AWN : CEIVED :25/11/2023 PORTED :28/11/2023	
Test Report Status <u>Final</u>	Results	Biological Ref	ference Interval U	Inits
TOTAL PROTEIN, SERUM				
TOTAL PROTEIN METHOD : BIURET	8.0	6.4 - 8.3	g/d	L
ALBUMIN, SERUM				
ALBUMIN METHOD : BROMOCRESOL PURPLE (BCP) DYE-BINDING	4.6	3.97 - 4.94	g/d	L

METHOD : BROMOCRESOL PURPLE (BCP) DYE-BINDING			
GLOBULIN			
GLOBULIN	3.4	2.0 - 4.0	g/dL
METHOD : CALCULATED PARAMETER			
ELECTROLYTES (NA/K/CL), SERUM			
SODIUM, SERUM	138	136 - 145	mmol/L
METHOD : ISE INDIRECT			
POTASSIUM, SERUM	5.14 High	3.3 - 5.1	mmol/L
METHOD : ISE DIRECT			
CHLORIDE, SERUM	96 Low	98 - 106	mmol/L

METHOD : ISE INDIRECT Interpretation(s)

Sodium	Potassium	Chioride
Decreased In:CCF, cirrhosis, vomiting, diarrhea, excessive sweating, salt-losing nephropathy, adrenal insufficiency, nephrotic syndrome, water intoxication, SIADH. Drugs: thiazides, diuretics, ACE inhibitors, chlorpropamide, carbamazepine, anti depressants (SSRI), antipsychotics.	Decreased in: Low potassium intake,prolonged vomiting or diarrhea, RTA types I and II, hyperaldosteronism, Cushing's syndrome,osmotic diuresis (e.g., hyperglycemia),alkalosis, familial periodic paralysis,trauma (transient).Drugs: Adrenergic agents, diuretics.	Decreased in: Voniting, diarrhea, renal failure combined with salt deprivation, over-treatment with diuretics, chronic respiratory acidosis, diabetic ketoacidosis, excessive sweating, SIADH, salt-losing nephropathy, porphyria, expansion of extracellular fluid volume, adrenalinsufficiency, hyperaldosteronism, metabolic alkalosis. Drugs: chronic laxative, corticosteroids, diuretics.
Increased in: Dehydration (excessivesweating, severe vomiting or diarrhea),diabetes mellitus, diabetesinsipidus, hyperaldosteronism, inadequate water intake. Drugs: steroids, licorice,oral contraceptives.	Increased in: Massive hemolysis, severe tissue damage, rhabdomyolysis, acidosis, dehydration,renal failure, Addison's disease, RTA type IV, hyperkalemic familial periodic paralysis. Drugs: potassium salts, potassium- sparing diuretics, NSAIDs, beta-blockers, ACE inhibitors, high- dose trimethoprim-sulfamethoxazole.	Increased in: Renal failure, nephrotic syndrome, RTA, dehydration, overtreatment with saline, hyperparathyroidism, diabetes insipidus, metabolic acidosis from diarrhea (Loss of HCO3-), respiratory alkalosis, hyperadrenocorticism. Drugs: acetazolamide, androgens, hydrochlorothiazide, salicylates.

K.I. frely

Dr. Kamlesh I Prajapati Consultant Pathologist

PERFORMED AT : Agilus Diagnostics Ltd. Plot No.160, Pocket D-11 Sector 8, Rohini

New Delhi, 110085 New Delhi, India Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956 Page 14 Of 21

View Report

t









PATIENT NAME : RAJENDER KUMAR	REF. DOCTOR : S	SELF
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI		AGE/SEX :44 Years Male DRAWN : RECEIVED :25/11/2023 09:46:48 REPORTED :28/11/2023 15:56:32
Test Report Status Final	Results Biological	Reference Interval Units

Interferences: Severe lipemia or hyperproteinemi, if sodium analysis involves a dilution step can cause spurious results. The serum sodium falls about 1.6 mEq/L for each 100	Interferences: Hemolysis of sample, delayed separation of serum, prolonged fist clenching during blood drawing, and prolonged tourniquet placement. Very high WBC/PLT counts	Interferences:Test is helpful in assessing normal and increased anion gap metabolic acidosis and in distinguishing hypercalcemia due to hyperparathyroidism (high serum
mg/dL increase in blood glucose.	may cause spurious. Plasma potassium levels are normal.	chloride) from that due to malignancy (Normal serum chloride)

Interpretation(s)

GLUCOSE FASTING, FLUORIDE PLASMA-TEST DESCRIPTION

Normally, the glucose concentration in extracellular fluid is closely regulated so that a source of energy is readily available to tissues and sothat no glucose is excreted in the urine

Increased in:Diabetes mellitus, Cushing's syndrome (10 – 15%), chronic pancreatitis (30%). Drugs:corticosteroids,phenytoin, estrogen, thiazides. Decreased in :Pancreatic islet cell disease with increased insulin,insulinoma,adrenocortical insufficiency,hypopituitarism,diffuse liver disease,

malignancy(adrenocortical,stomach,fibrosarcoma),infant of a diabetic mother,enzyme deficiency diseases(e.g.galactosemia),Drugs-insulin,ethanol,propranolol

sulfonylureas,tolbutamide,and other oral hypoglycemic agents. NOTE: While random serum glucose levels correlate with home glucose monitoring results (weekly mean capillary glucose values),there is wide fluctuation within

individuals. Thus, glycosylated hemoglobin(HbA1c) levels are favored to monitor glycemic control. High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glyosuria, Glycaemic

index & response to food consumed,Alimentary Hypoglycemia,Increased insulin response & sensitivity etc. GLUCOSE, POST-PRANDIAL, PLASMA-High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycemics & Insulin treatment, Renal Glyosuria, Glycemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc.Additional test HbA1c LIVER FUNCTION PROFILE, SERUM-Bilirubin is a yellowish pigment found in bile and is a breakdown product of normal heme catabolism. Bilirubin is excreted in bile and urine, and elevated levels may give

yellow discoloration in jaundice. Elevated levels results from increased bilirubin production (eg, hemolysis and ineffective erythropoiesis), decreased bilirubin excretion (eg, (undirect) bilirubin in Viral hepatitis), and abnormal bilirubin metabolism (eg, hereditary and neonatal jaundice). Conjugated (direct) bilirubin is elevated more than unconjugated (indirect) bilirubin in Viral hepatitis, Drug reactions, Alcoholic liver disease Conjugated (direct) bilirubin is also elevated more than unconjugated (indirect) bilirubin when there is some kind of blockage of the bile ducts like in Gallstones getting into the bile ducts, tumors &Scarring of the bile ducts. Increased unconjugated (indirect) bilirubin may be a result of Hemolytic or pernicious anemia, Transfusion reaction & a common metabolic condition termed Gilbert syndrome, due to low levels of the enzyme that attaches sugar molecules to bilirubin.

AST is an enzyme found in various parts of the body. AST is found in the liver, heart, skeletal muscle, kidneys, brain, and red blood cells, and it is commonly measured clinically as a marker for liver health. AST levels increase during chronic viral hepatitis, blockage of the bile duct, cirrhosis of the liver, liver cancer, kidney failure, hemolytic anemia, pancreatitis, hemochromatosis. AST levels may also increase after a heart attack or strenuous activity. ALT test measures the amount of this enzyme in the blood. ALT is found mainly in the liver, but also in smaller amounts in the kidneys, heart, muscles, and pancreas. It is commonly measured as a part of a diagnostic evaluation of hepatocellular injury, to determine liver health AST levels increase during acute hepatitis, sometimes due to a viral infection, ischemia to the liver, chronic hepatitis.obstruction of bile ducts.cirrhosis.

ALP is a protein found in almost all body tissues. Tissues with higher amounts of ALP include the liver, bile ducts and bone. Elevated ALP levels are seen in Biliary obstruction, Osteoblastic bone tumors, osteomalacia, hepatitis, Hyperparathyroidism, Leukemia, Lymphoma, Pagets disease, Rickets, Sarcoidosis etc. Lower-than-normal ALP levels seen in Hypophosphatasia, Malnutrition, Protein deficiency, Wilsons disease.

GGT is an enzyme found in cell membranes of many tissues mainly in the liver, kidney and pancreas. It is also found in other tissues including intestine, spleen, heart, brain and seminal vesicles. The highest concentration is in the kidney, but the liver is considered the source of normal enzyme activity. Serum GGT has been widely used as an index of liver dysfunction. Elevated serum GGT activity can be found in diseases of the liver, biliary system and pancreas. Conditions that increase serum GGT are obstructive liver disease, high alcohol consumption and use of enzyme-inducing drugs etc. Total Protein also known as total protein, is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and

globulin.Higher-than-normal levels may be due to:Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstroms

disease.Lower-than-normal levels may be due to: Agammaglobulinemia,Bleeding (hemorrhage),Burns,Glomerulonephritis,Liver disease, Malabsorption,Malnutrition,Nephrotic syndrome,Protein-losing enteropathy etc.

Albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular

permeability or decreased lymphatic clearance,malnutrition and wating etc. BLOOD UREA NITROGEN (BUN), SERUM-**Causes of Increased** levels include Pre renal (High protein diet, Increased protein catabolism, GI haemorrhage, Cortisol, Dehydration, CHF Renal), Renal Failure, Post Renal (Malignancy, Nephrolithiasis, Prostatism)

Causes of decreased level include Liver disease, SIADH. CREATININE, SERUM-Higher than normal level may be due to:

Blockage in the urinary tract, Kidney problems, such as kidney damage or failure, infection, or reduced blood flow, Loss of body fluid (dehydration), Muscle problems, such as breakdown of muscle fibers, Problems during pregnancy, such as seizures (eclampsia)), or high blood pressure caused by pregnancy (preeclampsia)
 Lower than normal level may be due to:• Myasthenia Gravis, Muscuophy
 URIC ACID, SERUM-Causes of Increased levels:-Dietary(High Protein Intake,Prolonged Fasting,Rapid weight loss),Gout,Lesch nyhan syndrome,Type 2 DM,Metabolic syndrome Causes of decreased levels:-Low Zinc intake,OCP,Multiple Sclerosis

TOTAL PROTEIN, SERUM-is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin.

Dr. Kamlesh I Prajapati **Consultant Pathologist**



Page 15 Of 21

View Report

Vi<u>ew Details</u>



PERFORMED AT : Agilus Diagnostics Ltd. Plot No.160, Pocket D-11 Sector 8, Rohini

New Delhi, 110085 New Delhi, India Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956





PATIENT NAME : RAJENDER KUMAR	REF. DOCTOR : S	SELF
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030	PATIENT ID : RAJEM08117962 CLIENT PATIENT ID:	AGE/SEX :44 Years Male DRAWN : RECEIVED :25/11/2023 09:46:48 REPORTED :28/11/2023 15:56:32
8800465156 Test Report Status Final	Results Biological	Reference Interval Units

Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstroms disease. Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc.

syndrome, Protein-losing enteropathy etc. ALBUMIN, SERUM-Human serum albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc.



Dr. Kamlesh I Prajapati Consultant Pathologist

PERFORMED AT : Agilus Diagnostics Ltd. Plot No.160,Pocket D-11 Sector 8, Rohini

New Delhi, 110085 New Delhi, India Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956 Page 16 Of 21





View Report







PATIENT NAME : RAJENDER KUMAR	REF. DOCTOR : S	SELF
CODE/NAME & ADDRESS : C000138376	ACCESSION NO : 0062WK001695	AGE/SEX : 44 Years Male
F-703, LADO SARAI, MEHRAULISOUTH WEST	10011/902	DRAWN :
DELHI		RECEIVED :25/11/2023 09:46:48 REPORTED :28/11/2023 15:56:32
8800465156		

Test Report Status <u>Final</u> Results

Biological Reference Interval Units

CLINICAL PATH - URINALYSIS			
MEDI WHEEL FULL BODY HEALTH CHECK UP A	BOVE 40 MALE		
PHYSICAL EXAMINATION, URINE			
COLOR	PALE YELLOW		
APPEARANCE	CLEAR		
CHEMICAL EXAMINATION, URINE			
PH	6.0	4.5 - 7.5	
SPECIFIC GRAVITY	1.025	1.005 - 1.030	
PROTEIN	DETECTED (TRACE)	NOT DETECTED	
GLUCOSE	DETECTED (+)	NOT DETECTED	
KETONES	NOT DETECTED	NOT DETECTED	
BLOOD	NOT DETECTED	NOT DETECTED	
BILIRUBIN	NOT DETECTED	NOT DETECTED	
UROBILINOGEN	NORMAL	NORMAL	
NITRITE	NOT DETECTED	NOT DETECTED	
LEUKOCYTE ESTERASE	NOT DETECTED	NOT DETECTED	
MICROSCOPIC EXAMINATION, URINE			
RED BLOOD CELLS	NOT DETECTED	NOT DETECTED	/HPF
PUS CELL (WBC'S)	0-1	0-5	/HPF
EPITHELIAL CELLS	0-1	0-5	/HPF
CASTS	NOT DETECTED		
CRYSTALS	NOT DETECTED		
BACTERIA	NOT DETECTED	NOT DETECTED	
YEAST	NOT DETECTED	NOT DETECTED	
REMARKS NOTE:- MICROSCOPIC EXAMINATION OF URINE IS PERFORMED BY CENTRIFUGE URINARY SEDIMENT.			

Interpretation(s)

The following table describes the probable conditions, in which the analytes are present in urine

Presence of	Conditions
Proteins	Inflammation or immune illnesses

K.I. fre

Dr. Kamlesh I Prajapati Consultant Pathologist

PERFORMED AT : Agilus Diagnostics Ltd. Plot No.160, Pocket D-11 Sector 8, Rohini

New Delhi, 110085 New Delhi, India Tel: 9111591115, Fax: CIN - U74899PB1995PLC045956 Page 17 Of 21









PATIENT NAME : RAJENDER KUMAR	REF. DOCTOR : S	SELF
	ACCESSION NO : 0062WK001695	AGE/SEX : 44 Years Male
	PATIENT ID : RAJEM08117962	DRAWN :
F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI	CLIENT PATIENT ID:	RECEIVED : 25/11/2023 09:46:48
NEW DELHI 110030	ABHA NO :	REPORTED :28/11/2023 15:56:32
8800465156		

Test Repo	ort Status	<u>Final</u>
-----------	------------	--------------

Results

Biological Reference Interval Units

Pus (White Blood Cells)	Urinary tract infection, urinary tract or kidney stone, tumors or any kind
Tab (milite block cells)	of kidney impairment
Glucose	Diabetes or kidney disease
Ketones	Diabetic ketoacidosis (DKA), starvation or thirst
Urobilinogen	Liver disease such as hepatitis or cirrhosis
Blood	Renal or genital disorders/trauma
Bilirubin	Liver disease
Erythrocytes	Urological diseases (e.g. kidney and bladder cancer, urolithiasis), urinary tract infection and glomerular diseases
Leukocytes	Urinary tract infection, glomerulonephritis, interstitial nephritis either acute or chronic, polycystic kidney disease, urolithiasis, contamination by genital secretions
Epithelial cells	Urolithiasis, bladder carcinoma or hydronephrosis, ureteric stents or bladder catheters for prolonged periods of time
Granular Casts	Low intratubular pH, high urine osmolality and sodium concentration, interaction with Bence-Jones protein
Hyaline casts	Physical stress, fever, dehydration, acute congestive heart failure, renal diseases
Calcium oxalate	Metabolic stone disease, primary or secondary hyperoxaluria, intravenous infusion of large doses of vitamin C, the use of vasodilator naftidrofuryl oxalate or the gastrointestinal lipase inhibitor orlistat, ingestion of ethylene glycol or of star fruit (Averrhoa carambola) or its juice
Uric acid	arthritis
Bacteria	Urinary infectionwhen present in significant numbers & with pus cells.
Trichomonas vaginalis	Vaginitis, cervicitis or salpingitis

K.I. frely

Dr. Kamlesh I Prajapati Consultant Pathologist

PERFORMED AT : Agilus Diagnostics Ltd. Plot No.160, Pocket D-11 Sector 8, Rohini

New Delhi, 110085 New Delhi, India Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956 Page 18 Of 21









PATIENT NAME : RAJENDER KUMAR	REF. DOCTOR : S	SELF
	ACCESSION NO : 0062WK001695	AGE/SEX :44 Years Male
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST	PATIENT ID : RAJEM08117962	DRAWN :
DELHI		RECEIVED : 25/11/2023 09:46:48
NEW DELHI 110030	ABHA NO :	REPORTED :28/11/2023 15:56:32
8800465156		

Test Report Status Final

Results

Biological Reference Interval Units

CLINICAL PATH - STOOL ANALYSIS

MEDI WHEEL FULL BODY HEALTH CHECK UP ABOVE 40 MALE

PHYSICAL EXAMINATION, STOOL

COLOUR

SAMPLE NOT RECEIVED

K. I. 100

Dr. Kamlesh I Prajapati Consultant Pathologist

PERFORMED AT : Agilus Diagnostics Ltd. Plot No.160,Pocket D-11 Sector 8, Rohini

New Delhi, 110085 New Delhi, India Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956 Page 19 Of 21





View Report





PATIENT NAME : RAJENDER KUMAR	REF. DOCTOR :	SELF
CODE/NAME & ADDRESS : C000138376	ACCESSION NO : 0062WK001695	AGE/SEX : 44 Years Male
	PATIENT ID : RAJEM08117962	DRAWN :
F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI	CLIENT PATIENT ID:	RECEIVED : 25/11/2023 09:46:48
NEW DELHI 110030	ABHA NO :	REPORTED :28/11/2023 15:56:32
8800465156		

Results

Test	Report	Status	<u>Final</u>
------	--------	--------	--------------

Biological Reference Interval Units

SPECIALISED CHEMISTRY - HORMONE							
MEDI WHEEL FULL BODY HEALTH CHECK UP ABOVE 40 MALE							
THYROID PANEL, SERUM							
ТЗ	132.90	80.0 - 200.0	ng/dL				
T4	9.66	5.10 - 14.10	µg/dL				
TSH (ULTRASENSITIVE)	1.760	0.270 - 4.200	µIU/mL				
Interpretation(s)							

Triiodothyronine T3 , Thyroxine T4, and Thyroid Stimulating Hormone TSH are thyroid hormones which affect almost every physiological process in the body, including growth, development, metabolism, body temperature, and heart rate.

Production of T3 and its prohormone thyroxine (T4) is activated by thyroid-stimulating hormone (TSH), which is released from the pituitary gland. Elevated concentrations of T3, and T4 in the blood inhibit the production of TSH.

Excessive secretion of thyroxine in the body is hyperthyroidism, and deficient secretion is called hypothyroidism.

In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hyperthyroidism, TSH levels are low. Below mentioned are the guidelines for Pregnancy related reference ranges for Total T4, TSH & Total T3.Measurement of the serum TT3 level is a more sensitive test for the diagnosis of hyperthyroidism, and measurement of TT4 is more useful in the diagnosis of hypothyroidism. Most of the thyroid hormone in blood is bound to transport proteins. Only a very small fraction of the circulating hormone is free and biologically active. It is advisable to detect Free T3, FreeT4 along with TSH, instead of testing for albumin bound Total T3, Total T4.

Sr. No.	TSH	Total T4	FT4	Total T3	Possible Conditions	
1	High	Low	Low	Low	(1) Primary Hypothyroidism (2) Chronic autoimmune Thyroiditis (3)	
	-				Post Thyroidectomy (4) Post Radio-Iodine treatment	
2	High	Normal	Normal	Normal	(1)Subclinical Hypothyroidism (2) Patient with insufficient thyroid	
					hormone replacement therapy (3) In cases of Autoimmune/Hashimoto	
					thyroiditis (4). Isolated increase in TSH levels can be due to Subclinical	
					inflammation, drugs like amphetamines, Iodine containing drug and	
					dopamine antagonist e.g. domperidone and other physiological reasons.	
3	Normal/Low	Low	Low	Low	(1) Secondary and Tertiary Hypothyroidism	
4	Low	High	High	High	(1) Primary Hyperthyroidism (Graves Disease) (2) Multinodular Goitre	
					(3)Toxic Nodular Goitre (4) Thyroiditis (5) Over treatment of thyroid	
					hormone (6) Drug effect e.g. Glucocorticoids, dopamine, T4	
					replacement therapy (7) First trimester of Pregnancy	
5	Low	Normal	Normal	Normal	(1) Subclinical Hyperthyroidism	
6	High	High	High	High	(1) TSH secreting pituitary adenoma (2) TRH secreting tumor	
7	Low	Low	Low	Low	(1) Central Hypothyroidism (2) Euthyroid sick syndrome (3) Recent	
					treatment for Hyperthyroidism	
8	Normal/Low	Normal	Normal	High	(1) T3 thyrotoxicosis (2) Non-Thyroidal illness	
9	Low	High	High	Normal	(1) T4 Ingestion (2) Thyroiditis (3) Interfering Anti TPO antibodies	

REF: 1. TIETZ Fundamentals of Clinical chemistry 2.Guidlines of the American Thyroid association duriing pregnancy and Postpartum, 2011.

Dr. Kamlesh I Prajapati **Consultant Pathologist**



View Report

View Details

Patient Ref. No. 775000005547900

PERFORMED AT : Agilus Diagnostics Ltd. Plot No.160, Pocket D-11 Sector 8, Rohini

New Delhi, 110085 New Delhi, India Tel: 9111591115, Fax: CIN - U74899PB1995PLC045956



PATIENT NAME : RAJENDER KUMAR	REF. DOCTOR : SELF		
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI	ACCESSION NO : 0062WK001695 PATIENT ID : RAJEM08117962 CLIENT PATIENT ID: ABHA NO :	AGE/SEX :44 Years Male DRAWN : RECEIVED :25/11/2023 09:46:48 REPORTED :28/11/2023 15:56:32	
Test Report Status Final	Results Biological	Reference Interval Units	

NOTE: It is advisable to detect Free T3, FreeT4 along with TSH, instead of testing for albumin bound Total T3, Total T4. TSH is not affected by variation in thyroid - binding protein. TSH has a diurnal rhythm, with peaks at 2:00 - 4:00 a.m. And troughs at 5:00 - 6:00 p.m. With ultradian variations.

End Of Report Please visit www.agilusdiagnostics.com for related Test Information for this accession

CONDITIONS OF LABORATORY TESTING & REPORTING

- It is presumed that the test sample belongs to the patient named or identified in the test requisition form.
 All tests are performed and reported as per the turnaround time stated in the AGILUS Directory of Services.
 Result delays could occur due to unforeseen circumstances such as non-availability of kits / equipment breakdown / natural calamities / technical downtime or any other unforeseen event.
 A requested test might not be performed if:
 - i. Specimen received is insufficient or inappropriate
 - ii. Specimen quality is unsatisfactory
 - iii. Incorrect specimen type
 - iv. Discrepancy between identification on specimen container label and test requisition form

5. AGILUS Diagnostics confirms that all tests have been performed or assayed with highest quality standards, clinical safety & technical integrity.

6. Laboratory results should not be interpreted in isolation; it must be correlated with clinical information and be interpreted by registered medical practitioners only to determine final diagnosis.

7. Test results may vary based on time of collection, physiological condition of the patient, current medication or nutritional and dietary changes. Please consult your doctor or call us for any clarification.

8. Test results cannot be used for Medico legal purposes.
 9. In case of queries please call customer care

(91115 91115) within 48 hours of the report.

Agilus Diagnostics Ltd

Fortis Hospital, Sector 62, Phase VIII, Mohali 160062

K. 1 10

Dr. Kamlesh I Prajapati Consultant Pathologist

PERFORMED AT : Agilus Diagnostics Ltd. Plot No.160,Pocket D-11 Sector 8, Rohini

New Delhi, 110085 New Delhi, India Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956 Page 21 Of 21

View Report



