

# PHYSICAL EXAMINATION REPORT

R

Е

Patient Name Uttirn Kumov Sex/Age M FG
Date 11312023 Location have

**History and Complaints** 

NIL

**EXAMINATION FINDINGS:** 

Height (cms):

Weight (kg):

Blood Pressure

Pulse

Temp (0c):

ACL

Nails:

Lymph Node:

Node:

Systems:

Cardiovascular:

Respiratory:

Genitourinary:

GI System:

CNS:


Impression:

Hb. Mecrorytosis.

UHDL:

2D EHO- LVH

USG- Cholelithiasis.





0 R

R

Date: 11/3/23

CID:

Name: Uttish /dunas. Sex/Age: 19-44

EYE CHECK UP

Chief complaints:

Rel

Systemic Diseases:

Past history:

13 12 6/6 NVBC NZG 13 12 6/6 NVBC NE.

Unaided Vision:

Aided Vision:

Refraction:

(Right Eye)

(Left Eye)

	Sph	СуІ	Axis	Vn	Sph	Cyl	Axis	Vn
Distance		TISE		Amaqa		91		
Vear		Landard and			-			

Colour Vision: Normal / Abnormal

Remark:

Use our Specks

MR. PRAKASH KUDVA



: 2307018401

Name

: MR. UTTIRN KUMAR

Age / Gender

: 44 Years / Male

Consulting Dr. Reg. Location

. .

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner

Collected Reported

:11-Mar-2023 / 08:53 :11-Mar-2023 / 13:23 R

E

P

0

# MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO

PARAMETER		te Blood Count), Blood	
THE RESERVE THE PROPERTY OF THE PARTY OF THE	RESULTS	BIOLOGICAL REF RANGE	METHOD
RBC PARAMETERS			
Haemoglobin	11.6	13.0-17.0 g/dL	Spectrophotometri
RBC	3.05	4.5-5.5 mil/cmm	Elect. Impedance
PCV	33.7	40-50 %	Measured
MCV	110.3	80-100 fl	Calculated
MCH	38.1	27-32 pg	Calculated
MCHC	34.5	31.5-34.5 g/dL	Calculated
RDW	15.3	11.6-14.0 %	Calculated
WBC PARAMETERS			Catculated
WBC Total Count	4630	4000-10000 /cmm	Elect. Impedance
WBC DIFFERENTIAL AND	ABSOLUTE COUNTS		ctect. Impedance
Lymphocytes	43.3	20-40 %	
Absolute Lymphocytes	2004.8	1000-3000 /cmm	Calculated
Monocytes	5.1	2-10 %	Calculated
Absolute Monocytes	236.1	200-1000 /cmm	Calada
Neutrophils	50.4	40-80 %	Calculated
Absolute Neutrophils	2333.5	2000-7000 /cmm	C-1-1-1-1
Eosinophils	1.1	1-6 %	Calculated
Absolute Eosinophils	50.9	20-500 /cmm	6-1-1-1
Basophils	0.1	0.1-2 %	Calculated
Absolute Basophils	4.6	20-100 /cmm	Colonia
Immature Leukocytes	•	20-100 / CIIIII	Calculated
ung nice			

WBC Differential Count by Absorbance & Impedance method/Microscopy.

PLATELET	PARAMETERS
----------	------------

Platelet Count	111000	150000-400000 /cmm	Elect. Impedance
MPV	11.7	6-11 fl	Calculated
PDW	21.2	11-18 %	Calculated
RBC MORPHOLOGY			Catculated

Page 1 of 19



: 2307018401

Name

: MR. UTTIRN KUMAR

Age / Gender

: 44 Years / Male

Consulting Dr.

Reg. Location

: G B Road, Thane West (Main Centre)



Authenticity Check

R

E

P

0

R

Use a QR Code Scanner Application To Scan the Code

Collected Reported

: 11-Mar-2023 / 08:53 :11-Mar-2023 / 12:01

Hypochromia

Microcytosis

Macrocytosis

Anisocytosis

Poikilocytosis

Polychromasia

**Target Cells** 

Basophilic Stippling

Normoblasts

Others

WBC MORPHOLOGY

PLATELET MORPHOLOGY

Megaplatelets seen on smear

COMMENT

Serum Vitamin B12 & Folic acid estimation, Reticulocyte count estimation

recommended.

Result rechecked.

Kindly correlate clinically.

Specimen: EDTA Whole Blood

ESR, EDTA WB-ESR

2-15 mm at 1 hr.

Sedimentation

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West \*\* End Of Report \*\*





Dr.IMRAN MUJAWAR M.D (Path) **Pathologist** 

Page 2 of 19



: 2307018401

Name

: MR. UTTIRN KUMAR

Age / Gender

: 44 Years / Male

Consulting Dr.

Reg. Location

: G B Road, Thane West (Main Centre)



R

E P

0

Use a QR Code Scanner Application To Scan the Code

Collected Reported

: 11-Mar-2023 / 11:22 :11-Mar-2023 / 15:26

Hexokinase

Hexokinase

# MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO

**PARAMETER** RESULTS **BIOLOGICAL REF RANGE** METHOD

GLUCOSE (SUGAR) FASTING,

Fluoride Plasma

93.4

Non-Diabetic: < 100 mg/dl

Impaired Fasting Glucose:

100-125 mg/dl

Diabetic: >/= 126 mg/dl

GLUCOSE (SUGAR) PP, Fluoride 114.9

Plasma PP/R

Non-Diabetic: < 140 mg/dl

Impaired Glucose Tolerance:

140-199 mg/dl

Diabetic: >/= 200 mg/dl


Urine Sugar (Fasting) Absent Absent Urine Ketones (Fasting) Absent Absent

Urine Sugar (PP) Absent Absent Urine Ketones (PP) Absent Absent

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West \*\*\* End Of Report \*\*\*







Dr.AMIT TAORI M.D (Path) Pathologist

Page 3 of 19



CID : 2307018401

Name : MR.UTTIRN KUMAR

Age / Gender

: 44 Years / Male

Consulting Dr.

: -

Reg. Location : G B Road, Thane West (Main Centre)



Use a QR Code Scanner Application To Scan the Code

Collected Reported

: 11-Mar-2023 / 08:53 :11-Mar-2023 / 12:30 R

E

P

# MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO KIDNEY FUNCTION TESTS

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
BLOOD UREA, Serum	15.6	12.8-42.8 mg/dl	Urease & GLDH
BUN, Serum	7.3	6-20 mg/dl	Calculated
CREATININE, Serum	0.91	0.67-1.17 mg/dl	Enzymatic
eGFR, Serum	96	>60 ml/min/1.73sqm	Calculated

Note: eGFR estimation is calculated using MDRD (Modification of diet in renal disease study group) equation

TOTAL PROTEINS		and an area or any group	p) equation
TOTAL PROTEINS, Serum	6.7	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.6	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.1	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	2.2	1 - 2	Calculated
URIC ACID, Serum	6.3	3.5-7.2 mg/dl	Uricase
PHOSPHORUS, Serum	2.4	2.7-4.5 mg/dl	Ammonium molybdate
CALCIUM, Serum	8.9	8.6-10.0 mg/dl	N-BAPTA
SODIUM, Serum	139	135-148 mmol/l	ISE
POTASSIUM, Serum	4.1	3.5-5.3 mmol/l	ISE
CHLORIDE, Serum	104	98-107 mmol/l	ISE

<sup>\*</sup>Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
\*\*\* End Of Report \*\*\*







Dr.IMRAN MUJAWAR
M.D (Path)
Pathologist

170-000

Page 4 of 19



: 2307018401

Name

: MR. UTTIRN KUMAR

Age / Gender

: 44 Years / Male

Consulting Dr.

. .

Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected Reported

: 11-Mar-2023 / 08:53 :11-Mar-2023 / 12:08

# MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO GLYCOSYLATED HEMOGLOBIN (HbA1c)

**PARAMETER** 

**RESULTS** 

BIOLOGICAL REF RANGE

METHOD

0

Glycosylated Hemoglobin (HbA1c), EDTA WB - CC

5.5

Non-Diabetic Level: < 5.7 % Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 %

HPLC

Estimated Average Glucose (eAG), EDTA WB - CC

111.1

mg/dl

Calculated

### Intended use:

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

### Clinical Significance:

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

### Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

### Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
\*\*\* End Of Report \*\*\*

0

Dr.IMRAN MUJAWAR M.D ( Path ) Pathologist

Mujawar

Page 5 of 19



: 2307018401

Name

: MR. UTTIRN KUMAR

Age / Gender

: 44 Years / Male

Consulting Dr.

Reg. Location

: G B Road, Thane West (Main Centre)

Use a QR Code Scanne Application To Scan the Code

Authenticity Check

Collected Reported

: 11-Mar-2023 / 08:53 :11-Mar-2023 / 12:22

### MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO PROSTATE SPECIFIC ANTIGEN (PSA)

PARAMETER

RESULTS

BIOLOGICAL REF RANGE METHOD

R

E

TOTAL PSA, Serum

0.503

<4.0 ng/ml

CLIA

Clinical Significance:

- PSA is detected in the serum of males with normal, benign hyper-plastic, and malignant prostate tissue.
- Monitoring patients with a history of prostate cancer as an early indicator of recurrence and response to treatment.
- Prostate cancer screening 4. The percentage of Free PSA (FPSA) in serum is described as being significantly higher in patients with BPH than in patients with prostate cancer. 5. Calculation of % free PSA (ie. FPSA/TPSA x 100 ), has been suggested as way of improving the differentiation of BPH and Prostate cancer.

Increased In- Prostate diseases, Cancer, Prostatitis, Benign prostatic hyperplasia, Prostatic ischemia, Acute urinary retention, Manipulations like Prostatic massage, Cystoscopy, Needle biopsy, Transurethral resection, Digital rectal examination, Radiation therapy, Indwelling catheter, Vigorous bicycle exercise, Drugs (e.g., testosterone), Physiologic fluctuations. Also found in small amounts in other cancers (sweat and salivary glands, breast, colon, lung, ovary) and in Skene glands of female urethra and in term placenta ,Acute renal failure, Acute myocardial

Decreased In- Ejaculation within 24-48 hours, Castration, Antiandrogen drugs (e.g., finasteride), Radiation therapy, Prostatectomy, PSA falls 17% in 3 days after lying in hospital, Artifactual (e.g., improper specimen collection; very high PSA levels). Finasteride (5-α reductase inhibitor) reduces PSA by 50% after 6 months in men without cancer.

Reflex Tests: % FREE PSA , USG Prostate

### Limitations:

tPSA values determined on patient samples by different testing procedures cannot be directly compared with one another and could be the cause of erroneous medical interpretations. If there is a change in the tPSA assay procedure used while monitoring therapy, then the tPSA values obtained upon changing over to the new procedure must be confirmed by parallelmeasurements with both methods. Immediate PSA testing following digital rectal examination, ejaculation, prostatic massage, indwelling catheterization, ultrasonography and needle biopsy of prostate is not recommended as they falsely elevate levels.

Patients who have been regularly exposed to animals or have received immunotherapy or diagnostic procedures utilizing immunoglobulins or immunoglobulin fragments may produce antibodies, e.g. HAMA, that interferes with immunoassays.

- PSA results should be interpreted in light of the total clinical presentation of the patient, including: symptoms, clinical history, data from additional tests, and other appropriate information.
- Serum PSA concentrations should not be interpreted as absolute evidence for the presence or absence of prostate cancer.

### Reference:

- Wallach's Interpretation of diagnostic tests
- Total PSA Pack insert





Dr.ANUPA DIXIT M.D.(PATH) Consultant Pathologist & Lab Director

Page 6 of 19



: 2307018401

Name

: MR. UTTIRN KUMAR

Age / Gender

: 44 Years / Male

Consulting Dr.

. .

Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected Reported

:11-Mar-2023 / 08:53 :11-Mar-2023 / 12:22 R

E

0

R

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab
\*\*\* End Of Report \*\*\*

Page 7 of 19



: 2307018401

Name

: MR. UTTIRN KUMAR

Age / Gender

: 44 Years / Male

Consulting Dr.

Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

R

E

P

Use a QR Code Scanner Application To Scan the Code

Collected Reported

: 11-Mar-2023 / 08:53 :11-Mar-2023 / 16:24

### MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO URINE EXAMINATION REPORT

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
PHYSICAL EXAMINATION			
Color	Pale yellow	Pale Yellow	
Reaction (pH)	5.0	4.5 - 8.0	Chaminally
Specific Gravity	1.010	1.001-1.030	Chemical Indicator
Transparency	Clear	Clear	Chemical Indicator
Volume (ml)	10	-	
CHEMICAL EXAMINATION			
Proteins	Absent	Absent	pld Indiantes
Glucose	Absent	Absent	pH Indicator
Ketones	Absent	Absent	GOD-POD
Blood	Trace	Absent	Legals Test
Bilirubin	Absent	Absent	Peroxidase
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Diazonium Salt
MICROSCOPIC EXAMINATION		Absent	Griess Test
Leukocytes(Pus cells)/hpf	1-2	0-5/hpf	
Red Blood Cells / hpf	Occasional	0-2/hpf	
Epithelial Cells / hpf	0-1	- 2p.	
Casts	Absent	Absent	
Crystals	Absent	Absent	
Amorphous debris	Absent	Absent	
Bacteria / hpf	2-3	Less than 20/hpf	
Others		cess than 20/11pi	

Interpretation: The concentration values of Chemical analytes corresponding to the grading given in the report are as follows:

- Protein:(1+ -25 mg/dl, 2+ -75 mg/dl, 3+ 150 mg/dl, 4+ 500 mg/dl)
- Glucose: (1+ 50 mg/dl, 2+ -100 mg/dl, 3+ -300 mg/dl, 4+ -1000 mg/dl)
- Ketone: (1+ -5 mg/dl, 2+ -15 mg/dl, 3+ 50 mg/dl, 4+ 150 mg/dl)

Reference: Pack insert

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab





Ser 6 Dr.TRUPTI SHETTY M. D. (PATH) Pathologist

Page 8 of 19



: 2307018401

Name

: MR. UTTIRN KUMAR

Age / Gender

: 44 Years / Male

Consulting Dr.

: -

Reg. Location

: G B Road, Thane West (Main Centre)



R

E

0

Use a QR Code Scanner Application To Scan the Code

Collected

Reported

\*\*\* End Of Report \*\*\*

Page 9 of 19



: 2307018401

Name

: MR. UTTIRN KUMAR

Age / Gender

: 44 Years / Male

Consulting Dr.

Reg. Location

: G B Road, Thane West (Main Centre)



R

E

O

Use a QR Code Scanner Application To Scan the Code

Collected

: 11-Mar-2023 / 08:53 Reported :11-Mar-2023 / 14:01

### MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO **BLOOD GROUPING & Rh TYPING**

**PARAMETER** 

RESULTS

**ABO GROUP** 

Rh TYPING

Positive

NOTE: Test performed by Semi- automated column agglutination technology (CAT)

Note: This Sample has also been tested for Bombay group/Bombay phenotype /Oh using anti H lectin

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

### Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

### Refernces:

- 1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
- 2. AABB technical manual

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West \*\* End Of Report \*\*





Mujawar Dr.IMRAN MUJAWAR M.D (Path) Pathologist

Page 10 of 19



: 2307018401

Name

: MR. UTTIRN KUMAR

Age / Gender

: 44 Years / Male

Consulting Dr.

Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

R

E

P

0

R

Use a QR Code Scanner Application To Scan the Code

Collected Reported

: 11-Mar-2023 / 08:53 :11-Mar-2023 / 12:30

### MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO LIPID PROFILE

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
CHOLESTEROL, Serum	109.0	Desirable: <200 mg/dl Borderline High: 200-239mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	111.2	High: >/=240 mg/dl Normal: <150 mg/dl Borderline-high: 150 - 199	GPO-POD
		mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	
HDL CHOLESTEROL, Serum	32.1	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Homogeneous enzymatic
NON HDL CHOLESTEROL, Serum	76.9	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	colorimetric assay Calculated
LDL CHOLESTEROL, Serum	55.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	21.9	Very High: >/= 190 mg/dl	
CHOL / HDL CHOL RATIO,	3.4	< /= 30 mg/dl	Calculated
Serum	3.4	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO,	1.7	0-3.5 Ratio	Calculated

<sup>\*</sup>Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West \*\*\* End Of Report \*\*\*





Mujawar Dr.IMRAN MUJAWAR

M.D (Path) Pathologist

Page 11 of 19



: 2307018401

Name

: MR. UTTIRN KUMAR

Age / Gender

: 44 Years / Male

Consulting Dr.

. .

Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

R

E

0

Use a QR Code Scanner Application To Scan the Code

Collected Reported

: 11-Mar-2023 / 08:53 : 11-Mar-2023 / 11:44

# MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO THYROID FUNCTION TESTS

		. OLICITOR ILDIS	
PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
Free T3, Serum	4.4	3.5-6.5 pmol/L	ECLIA
Free T4, Serum	12.8	11.5-22.7 pmol/L	ECLIA
sensitiveTSH, Serum	3.78	0.35-5 5 microll I/ml	ECLIA



: 2307018401

Name

: MR. UTTIRN KUMAR

Age / Gender

: 44 Years / Male

Consulting Dr.

Reg. Location

: G B Road, Thane West (Main Centre)



Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected Reported

:11-Mar-2023 / 08:53 :11-Mar-2023 / 11:44 R

E

O

Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

1)TSH Values between high abnormal upto 15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological

can give falsely high TSH.

2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections, liver disease, renal and heart severe burns. trauma and surgery etc.

TSH	FT4/T4	FT3/T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High		Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

Diurnal Variation:TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm The variation is on the order of 50 to 206%. Biological variation: 19.7% (with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid , TSH receptor Antibody. Thyroglobulin, Calcitonin

### Limitations:

1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.

2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results. this assay is designed to minimize interference from heterophilic antibodies.

### Reference:

1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)

2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357

3. Tietz , Text Book of Clinical Chemistry and Molecular Biology -5th Edition

4.Biological Variation:From principles to Practice-Callum G Fraser (AACC Press)

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West \*\*\* End Of Report \*\*\*





Amit Taan

Dr.AMIT TAORI M.D (Path) Pathologist

Page 13 of 19



: 2307018401

Name

: MR. UTTIRN KUMAR

Age / Gender

: 44 Years / Male

Consulting Dr.

. .

Reg. Location

: G B Road, Thane West (Main Centre)

**Authenticity Check** 

Use a QR Code Scanner Application To Scan the Code

Collected Reported :11-Mar-2023 / 08:53 :11-Mar-2023 / 12:30 R

E

P

0

# MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO LIVER FUNCTION TESTS

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
BILIRUBIN (TOTAL), Serum	0.6	0.1-1.2 mg/dl	Diazo
BILIRUBIN (DIRECT), Serum	0.26	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.34	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	6.7	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.6	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.1	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	2.2	1 - 2	Calculated
SGOT (AST), Serum	15.8	5-40 U/L	IFCC without pyridoxal phosphate activation
SGPT (ALT), Serum	12.3	5-45 U/L	IFCC without pyridoxal phosphate activation
GAMMA GT, Serum	12.9	3-60 U/L	IFCC
ALKALINE PHOSPHATASE, Serum	125.1	40-130 U/L	PNPP

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
\*\*\* End Of Report \*\*\*





Dr.IMRAN MUJAWAR

M.D ( Path ) Pathologist

Page 14 of 19



CID : 2307018401

Name : MR.UTTIRN KUMAR

Age / Gender : 44 Years / Male Consulting Dr. : -

Reg. Location : G B Road, Thane West (Main Centre)



R

E


P

0

R

T

Use a QR Code Scanner Application To Scan the Code



Page 15 of 19



: 2307018401

Name

: MR. UTTIRN KUMAR

Age / Gender

: 44 Years / Male

Consulting Dr.

: -

Reg. Location : G B Road, Thane West (Main Centre)



R

E


P

0

R

T

Use a QR Code Scanner Application To Scan the Code



Page 16 of 19



: 2307018401

Name

: MR. UTTIRN KUMAR

Age / Gender

: 44 Years / Male

Consulting Dr.

. .

Reg. Location : G

: G B Road, Thane West (Main Centre)



R


E


P


0

R


Use a QR Code Scanner Application To Scan the Code














Page 17 of 19



: 2307018401

Name

: MR. UTTIRN KUMAR

Age / Gender

: 44 Years / Male

Consulting Dr.

: -

Reg. Location : G B Road, Thane West (Main Centre)



R

E


P

0

R

Т

Use a QR Code Scanner Application To Scan the Code



Page 18 of 19



: 2307018401

Name

: MR. UTTIRN KUMAR

Age / Gender

: 44 Years / Male

Consulting Dr.

Reg. Location : G B Road, Thane West (Main Centre)



R


E

P

0

Т

Use a QR Code Scanner Application To Scan the Code



26-Mar-2022

11-Mar-2023

Page 19 of 19



Reg. No. : 2307018401		
Name : MR. UTTIRIN KUMAR	Sex : MALE	
Ref. By :	Age: 44 YRS	
ксі. Бу ;	Date: 11.03.2023	

# 2D ECHOCARDIOGRAPHY

### M - MODE FINDINGS:

LVIDD	46	mm
LVIDS	26	mm
LVEF	60	%
IVS	11	mm
PW	7	mm
AO	21	mm
A	33	mm

### 2D ECHO:

- All cardiac chambers are normal in size
- Left ventricular contractility: Normal
- Regional wall motion abnormality: Absent.
- Systolic thickening: Normal. LVEF = 60%
- Mitral, tricuspid, aortic, pulmonary valves are: Normal.
- · Great arteries: Aorta and pulmonary artery are: Normal.
- Inter artrial and inter ventricular septum are intact.
- Pulmonary veins, IVC, hepatic veins are normal.
- No pericardial effusion. No intracardiac clots or vegetation.

02226:70,000

R

E

0

R



PATIENT NAME: MR.UTTIRIN KUMAR

### **COLOR DOPPLER:**

- Mitral valve doppler E- 0.9 m/s, A- 0.5 m/s.
- Mild TR.
- No aortic / mitral regurgition. Aortic velocity 1.5 m/s, PG 9.6 mmHg
- No significant gradient across aortic valve.
- No diastolic dysfunction.

### IMPRESSION:

- MILD CONCENTRIC HYPERTROPHY OF LV
- NO REGIONAL WALL MOTION ABNORMALITY AT REST.
- NORMAL LV SYSTOLIC FUNCTION.

-End of the Report-----

DR.YOCESH KHARCHE

DNB(MEDICINE) DNB (CARDIOLOGY)

CONSULTANAT INTERVENTIONAL CARDIOLOGIST.

R

E

P

0

R



Reg. No.: 2307018401	Sex : MALE
Name: MR. UTTIRIN KUMAR	Age: 44 YRS
Ref. By :	Date: 11.03.2023

### **USG ABDOMEN AND PELVIS**

LIVER: Liver appears normal in size and echotexture. There is no intra-hepatic biliary radical dilatation. No evidence of any focal lesion.

GALL BLADDER: Gall bladder is distended . Wall thickness is within normal limits. A 10.4 x 4.0 mm sized gall bladder calculus is noted. No sludge/peri-cholecystic collection seen.

PORTAL VEIN: Portal vein is normal. CBD: CBD is normal.

PANCREAS: Pancreas appears normal in echotexture. There is no evidence of any focal lesion or calcification. Pancreatic duct is not dilated.

KIDNEYS: Right kidney measures 10.5 x 4.1 cm. Left kidney measures 10.0 x 4.6 cm. Both kidneys are normal in shape and echotexture. Corticomedullary differentiation is maintained. There is no evidence of any hydronephrosis, hydroureter or calculus.

SPLEEN: Spleen is normal in size, shape and echotexture. No focal lesion is seen.

URINARY BLADDER: Urinary bladder is distended and normal. Wall thickness is within normal limits.

PROSTATE: Prostate is normal in size and echotexture and measures 2.4 x 4.0 x 4.0 cm in dimension and 21.2 cc in volume. No evidence of any focal lesion. Median lobe does not show significant hypertrophy.

No free fluid or significant lymphadenopathy is seen.

R

E

0

R



Reg. No. : 2307018401	Sex : MALE
Name: MR. UTTIRIN KUMAR	Age: 44 YRS
Ref. By :	Date: 11.03.2023

### IMPRESSION:

# CHOLELITHIASIS WITHOUT CHOLECYSTITIS.

Note:Investigations have their limitations. Solitary radiological investigations never confirm the final diagnosis. They only help in diagnosing the disease in correlation to clinical symptoms and other related tests. USG is known to have inter-observer variations. Further/follow-up imaging may be needed in some cases for confirmation / exclusion of diagnosis.

Advice:Clinical co-relation and further evaluation.

DR.DEVENDRA PATIL
MD (RADIO DIAGNOSIS)
(CONSULTANT RADIOLOGIST)

R

E

0

T



: 2307018401

Name

: Mr UTTIRN KUMAR

Age / Sex

Reg. Location

: 44 Years/Male

Ref. Dr

:

: G B Road, Thane West Main Centre

Reg. Date

Reported

R

E

0

R

Use a QR Code Scanner Application To Scan the Code

: 11-Mar-2023

Authenticity Check

: 11-Mar-2023 / 13:42

### X-RAY CHEST PA VIEW

Both lung fields are clear.

Both costo-phrenic angles are clear.

The cardiac size and shape are within normal limits.

The domes of diaphragm are normal in position and outlines.

The skeleton under review appears normal.

### **IMPRESSION:**

NO SIGNIFICANT ABNORMALITY IS DETECTED.

-----End of Report-----

This report is prepared and physically checked by DR GAURI VARMA before dispatch.

GRocks

Dr Gauri Varma Consultant Radiologist MBBS / DMRE MMC- 2007/12/4113


Click here to view images http://3.111.232.119/iRISViewer/NeoradViewer?AccessionNo=2023031108411986

# SUBURBAN DI A G N O S T I C S

# SUBURBAN DIAGNOSTICS - G B ROAD, THANE WEST

Date and Time: 11th Mar 23 10:20 AM

Patient Name: UTTIRN KUMAR Patient ID: 2307018401



ECG Within Normal Limits: Sinus Rhythm. Please correlate clinically.

REPORTED BY

DR SHAILAJA PILLAJ MBBS, MD Physican MD Physican 49972

declaring: 1) Analysis in this report is based on ECG atone and should be used as an adjunct to climby suchin. 2) Patient offuls are as entered by the climbian and not derived from the ECG.