



 ${\bf Add:\ Mukut\ Complex,\ Rekabganj, Faizabad}$

Ph: 9235400973,

CIN: U85110DL2003PLC308206



Patient Name : Mrs.PRIYANKA VERMA Registered On : 27/Aug/2023 09:34:36 Age/Gender Collected : 27/Aug/2023 09:42:30 : 23 Y 7 M 21 D /F UHID/MR NO : 27/Aug/2023 10:08:11 : CHFD.0000259638 Received Visit ID : CHFD0282872324 Reported : 27/Aug/2023 14:31:56

Ref Doctor : Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD FZD - Status : Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group (ABO & Rh typing) *, Blood	od			
Blood Group	'AB'			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Rh (Anti-D)	POSITIVE			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Complete Blood Count (CBC) * , Whole	Blood			
Haemoglobin	11.90	g/dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl	
			0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl	
			Female- 12.0-15.5 g/dl	
TLC (WBC) <u>DLC</u>	7,200.00	/Cu mm	4000-10000	ELECTRONIC IMPEDANCE
Polymorphs (Neutrophils)	61.00	%	55-70	ELECTRONIC IMPEDANCE
Lymphocytes	36.00	%	25-40	ELECTRONIC IMPEDANCE
Monocytes	1.00	%	3-5	ELECTRONIC IMPEDANCE
Eosinophils	2.00	%	1-6	ELECTRONIC IMPEDANCE
Basophils ESR	0.00	%	<1	ELECTRONIC IMPEDANCE
Observed	18.00	Mm for 1st hr.		
Corrected	10.00	Mm for 1st hr.	< 20	
PCV (HCT)	35.40	%	40-54	
Platelet count	23.10	,,		
Platelet Count	3.04	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	16.40	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	27.40	%	35-60	ELECTRONIC IMPEDANCE









Ph: 9235400973,

CIN: U85110DL2003PLC308206



Patient Name : Mrs.PRIYANKA VERMA Registered On : 27/Aug/2023 09:34:36 Age/Gender : 23 Y 7 M 21 D /F Collected : 27/Aug/2023 09:42:30 UHID/MR NO Received : 27/Aug/2023 10:08:11 : CHFD.0000259638 Visit ID : CHFD0282872324 Reported : 27/Aug/2023 14:31:56

Ref Doctor : Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD FZD - Status : Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
PCT (Platelet Hematocrit)	0.30	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	10.10	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	3.23	Mill./cu mm	3.7-5.0	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	96.20	fΙ	80-100	CALCULATED PARAMETER
MCH	32.60	pg	28-35	CALCULATED PARAMETER
MCHC	33.60	%	30-38	CALCULATED PARAMETER
RDW-CV	16.10	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	66.60	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	4,392.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	144.00	/cu mm	40-440	









Ph: 9235400973,

CIN: U85110DL2003PLC308206



Patient Name : Mrs.PRIYANKA VERMA : 27/Aug/2023 09:34:37 Registered On Age/Gender : 23 Y 7 M 21 D /F Collected : 27/Aug/2023 09:42:30 UHID/MR NO : CHFD.0000259638 Received : 27/Aug/2023 10:16:39

Visit ID : CHFD0282872324 Reported : 27/Aug/2023 11:25:25

Dr. MEDIWHEEL ACROFEMI Ref Doctor Status : Final Report HEALTHCARE LTD FZD -

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	

GLUCOSE FASTING, Plasma

GOD POD Glucose Fasting 88.23 mg/dl < 100 Normal

100-125 Pre-diabetes ≥ 126 Diabetes

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.

b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.

c) I.G.T = Impared Glucose Tolerance.

mg/dl Glucose PP 131.03 **GOD POD** <140 Normal

Sample:Plasma After Meal 140-199 Pre-diabetes

>200 Diabetes

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.

b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.

c) I.G.T = Impared Glucose Tolerance.

GLYCOSYLATED HAEMOGLOBIN (HBA1C) * , EDTA BLOOD

Glycosylated Haemoglobin (HbA1c)	3.90	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	19.00	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	65	mg/dl	

Interpretation:

NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- · eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.









Ph: 9235400973,

HEALTHCARE LTD FZD

CIN: U85110DL2003PLC308206



Patient Name : 27/Aug/2023 09:34:37 : Mrs.PRIYANKA VERMA Registered On Collected Age/Gender : 23 Y 7 M 21 D /F : 27/Aug/2023 09:42:30 UHID/MR NO : CHFD.0000259638 Received : 27/Aug/2023 10:16:39 Visit ID : CHFD0282872324 Reported : 27/Aug/2023 11:25:25 Dr. MEDIWHEEL ACROFEMI Ref Doctor Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name Result Unit Bio. Ref. Interval Method	
---	--

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

^{*}High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

Clinical Implications:

- *Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.
- *With optimal control, the HbA 1c moves toward normal levels.
- *A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy
- c. Alcohol toxicity d. Lead toxicity
- *Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss
- *Pregnancy d. chronic renal failure. Interfering Factors:
- *Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen) Sample:Serum	8.52	mg/dL	7.0-23.0	CALCULATED
Creatinine Sample:Serum	0.75	mg/dl	Serum 0.5-1.2 Spot Urine-Male- 20-27 Female-20-320	MODIFIED JAFFES 5
Uric Acid Sample:Serum	4.40	mg/dl	2.5-6.0	URICASE





^{**}Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.





 ${\bf Add:\ Mukut\ Complex,\ Rekabganj, Faizabad}$

Ph: 9235400973,

CIN: U85110DL2003PLC308206



Patient Name : Mrs.PRIYANKA VERMA Registered On : 27/Aug/2023 09:34:37 Age/Gender Collected : 27/Aug/2023 09:42:30 : 23 Y 7 M 21 D /F UHID/MR NO : 27/Aug/2023 10:16:39 : CHFD.0000259638 Received Visit ID : CHFD0282872324 Reported : 27/Aug/2023 11:25:25

Ref Doctor : Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD FZD - Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result		Unit	Bio. Ref. Interva	l Method
LFT (WITH GAMMA GT) * , Serum					
SGOT / Aspartate Aminotransferase (AST)	39.38	U/L	< 35		IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	38.66	U/L	< 40		IFCC WITHOUT P5P
Gamma GT (GGT)	16.06	IU/L	11-50)	OPTIMIZED SZAZING
Protein	7.06	gm/dl	6.2-8		BIURET
Albumin	4.55	gm/dl	3.4-5		B.C.G.
Globulin	2.51	gm/dl	1.8-3		CALCULATED
A:G Ratio	1.81	91117 41	1.1-2		CALCULATED
Alkaline Phosphatase (Total)	147.33	U/L		165.0	IFCC METHOD
Bilirubin (Total)	1.01	mg/dl	0.3-1		JENDRASSIK & GROF
Bilirubin (Direct)	0.40	mg/dl	< 0.30		JENDRASSIK & GROF
Bilirubin (Indirect)	0.61	mg/dl	< 0.8		JENDRASSIK & GROF
LIPID PROFILE (MINI) *, Serum					
Cholesterol (Total)	156.86	mg/dl	200-2	Desirabl <mark>e</mark> 239 Borderline High High	CHOD-PAP
HDL Cholesterol (Good Cholesterol)	47.26	mg/dl	30-70	0	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	63	mg/dl	100-1	Optimal 29 Nr.	CALCULATED
VLDL Triglycerides	46.59 232.94	mg/dl mg/dl	130-160-17 160-17 17 17 17 17 17 17 17 17 17 17 17 17 1	mal/Above Optimal 159 Borderline High 189 High O Very High B Normal 199 Borderline High Very High	CALCULATED GPO-PAP









Test Name

 $Add: Mukut\ Complex,\ Rekabganj, Faizabad$

Ph: 9235400973,

CIN: U85110DL2003PLC308206



Method

Patient Name : Mrs.PRIYANKA VERMA Registered On : 27/Aug/2023 09:34:37 Age/Gender : 23 Y 7 M 21 D /F Collected : 27/Aug/2023 14:18:38 UHID/MR NO : 27/Aug/2023 15:37:15 : CHFD.0000259638 Received Visit ID : CHFD0282872324 Reported : 27/Aug/2023 17:36:11

DEPARTMENT OF CLINICAL PATHOLOGY

Result

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Unit

Rio Ref Interval

Test Name	Result	Unit	Bio. Ref. Interval	Method
URINE EXAMINATION, ROUTINE *	, Urine			
Color	CLEAR			
Specific Gravity	1.015			
Reaction PH	Acidic (5.0)			DIPSTICK
Protein	ABSENT	mg %	< 10 Absent	DIPSTICK
		, ,	10-40 (+)	
			40-200 (++)	
			200-500 (+++)	
Cugar	ADCENIT	ama 0//	> 500 (++++)	DIDCTICK
Sugar	ABSENT	gms%	< 0.5 (+) 0.5-1.0 (++)	DIPSTICK
			1-2 (+++)	
			> 2 (++++)	
Ketone	ABSENT	mg/dl	0.2-2.81	BIOCHEMISTRY
Bile Salts	ABSENT			
Bile P <mark>igmen</mark> ts	ABSENT			
Urobilinogen(1:20 dilution)	ABSENT			
Microscopic Examination:				
Epithelial cells	OCCASIONAL			MICROSCOPIC
- TO \$400 House				EXAMINATION
Pus cells .	ABSENT			
RBCs	ABSENT			MICROSCOPIC EXAMINATION
Cast	ABSENT			EXAMINATION
Crystals	ABSENT			MICROSCOPIC
or ystars	ABJENT			EXAMINATION
Others	ABSENT			
STOOL, ROUTINE EXAMINATION *	, Stool			
Color	BROWNISH			
Consistency	SEMI SOLID			
Reaction (PH)	Acidic (6.0)			
Mucus	ABSENT			
Blood	ABSENT			
Worm	ABSENT			
Pus cells	ABSENT			
RBCs	ABSENT			







Since 1991

CHANDAN DIAGNOSTIC CENTRE

Add: Mukut Complex, Rekabganj,Faizabad Ph: 9235400973,

CIN: U85110DL2003PLC308206



Patient Name Age/Gender : Mrs.PRIYANKA VERMA : 23 Y 7 M 21 D /F Registered On Collected : 27/Aug/2023 09:34:37 : 27/Aug/2023 14:18:38

UHID/MR NO Visit ID

: CHFD.0000259638 : CHFD0282872324

Received : 27/Aug/2023 15:37:15 Reported : 27/Aug/2023 17:36:11

Ref Doctor

: Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD FZD - : 27/Aug/2023 17:36:11 : Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Status

Test Name	Result	Unit	Bio. Ref. Interval	Method
Ova	ABSENT			
Cysts	ABSENT			
Others	ABSENT			
SUGAR, FASTING STAGE * , Urine				
Sugar, Fasting stage	ABSENT	, gms%		

Interpretation:

(+) < 0.5

(++) 0.5-1.0

(+++) 1-2

(++++) > 2

SUGAR, PP STAGE * , Urine

Sugar, PP Stage

ABSENT

Interpretation:

(+) < 0.5 gms%

(++) 0.5-1.0 gms%

(+++) 1-2 gms%

(++++) > 2 gms%









Ph: 9235400973,

CIN: U85110DL2003PLC308206



Patient Name : 27/Aug/2023 09:34:37 : Mrs.PRIYANKA VERMA Registered On Age/Gender Collected : 23 Y 7 M 21 D /F : 27/Aug/2023 09:42:30 UHID/MR NO : CHFD.0000259638 Received : 27/Aug/2023 10:49:08 Visit ID : 27/Aug/2023 11:56:22 : CHFD0282872324 Reported : Dr.MEDIWHEEL ACROFEMI

Ref Doctor : Dr.MEDIWHEEL ACROFEMI Status : Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
THYROID PROFILE - TOTAL * , Serum				
T3, Total (tri-iodothyronine)	85.90	ng/dl	84.61–201.7	CLIA
T4, Total (Thyroxine)	9.20	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	2.50	μIU/mL	0.27 - 5.5	CLIA
Interpretation:				
		0.3-4.5 μIU/m	L First Trimes	ter
		0.5-4.6 μIU/n	nL Second Trim	nester
		0.8-5.2 μIU/m	L Third Trimes	ster
		0.5-8.9 μIU/m	nL Adults	55-87 Years
		0.7-27 μIU/m	nL Premature	28-36 Week
		2.3-13.2 μIU/m	L Cord Blood	> 37Week
		0.7-64 μIU/m	nL Child(21 wk	- 20 Yrs.)
		1-39 μΙU/		0-4 Days
		1.7-9.1 μIU/n		2-20 Week

- 1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.
- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- **4)** Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- **5**) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.
- **6)** In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- **8)** Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.





CHANDAN DIAGNOSTIC CENTRE



Add: Mukut Complex, Rekabganj, Faizabad

Ph: 9235400973,

CIN: U85110DL2003PLC308206



Patient Name : Mrs.PRIYANKA VERMA Registered On : 27/Aug/2023 09:34:39

 Age/Gender
 : 23 Y 7 M 21 D /F
 Collected
 : N/A

 UHID/MR NO
 : CHFD.0000259638
 Received
 : N/A

Visit ID : CHFD0282872324 Reported : 27/Aug/2023 10:27:10

Ref Doctor : Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD FZD - Status : Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) *

WHOLE ABDOMEN ULTRASONOGRAPHY REPORT

LIVER

• The liver is normal in size in longitudinal span and has a normal homogenous echotexture. No focal lesion is seen.

PORTAL SYSTEM

- The intra hepatic portal channels are normal.
- The portal vein is not dilated.
- Porta hepatis is normal.

BILIARY SYSTEM

- The intra-hepatic biliary radicles are normal.
- Common duct is not dilated.
- The gall bladder is normal in size. GB Wall thickness is normal.

PANCREAS

• The pancreas is normal in size and shape and has a normal homogenous echotexture. Pancreatic duct is not dilated.

GREAT VESSELS

• Great vessels are normal.

KIDNEYS

- Both the kidneys are normal in size and cortical echotexture.
- The collecting system of both the kidneys is normal and cortico-medullary demarcation is clear.

SPLEEN

• The spleen is normal in size and has a normal homogenous echo-texture.

LYMPH NODES

• No pre- or para - aortic lymph node mass is seen.

RETROPERITONEUM

• Retroperitoneum is free.

ILIAC FOSSAE & PERITONEUM

• Scan over the iliac fossae does not reveal any fluid collection or mass.



Home Sample Collection 1800-419-0002





Ph: 9235400973,

CIN: U85110DL2003PLC308206



: 27/Aug/2023 09:34:39

Patient Name : Mrs.PRIYANKA VERMA Registered On

 Age/Gender
 : 23 Y 7 M 21 D /F
 Collected
 : N/A

 UHID/MR NO
 : CHFD.0000259638
 Received
 : N/A

Visit ID : CHFD0282872324 Reported : 27/Aug/2023 10:27:10

Ref Doctor : Dr.MEDIWHEEL ACROFEMI Status : Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

• No free fluid is noted in peritoneal cavity.

URETERS

- The upper parts of both the ureters are normal.
- Thevesico ureteric junctions are normal.

URINARY BLADDER

• The urinary bladder is normal. Bladder wall is normal in thickness and is regular.

UTERUS

- The uterus is anteverted and normal in size.
- It has a homogenous myometrial echotexture.
- The endometrium is seen in midline.
- Cervix is normal.

ADNEXA & OVARIES

• Bilateral Adnexa and ovaries are normal.

FINAL IMPRESSION:-

• No significant abnormality is seen in present study.

Adv: Clinico-pathological correlation and follow-up.

*** End Of Report ***

Result/s to Follow:

ECG / EKG, X-RAY DIGITAL CHEST PA



Dr. R. B. Varshney Ultrasonologist

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing *

*Facilities Available at Select Location





