




(A Unit of Vijayalakshmi Diagnostics Pvt. Ltd.)

Diagnostics & Speciality Centre

NAME	: Mr. GOPI MUNIRAJU	MR NO.	: 21071519
AGE/SEX	: 52 Yrs / Male	VISIT NO.	: 137533
REFERRED BY :		DATE OF COLLECTION	: 21-07-2021 at 11:45 AM
		DATE OF REPORT	: 21-07-2021 at 03:22 PM
REF CENTER	: MEDIWHEEL		

TEST PARAMETER	RESULT	REFERENCE RANGE	SPECIMEN
----------------	--------	-----------------	----------


HAEMATOLOGY

COMPLETE BLOOD COUNT (CBC) WITH ESR


HAEMOGLOBIN <i>Colorimetric Method</i>	17.1 gm/dL	13 - 18 gm/dL
HEMATOCRIT (PCV) <i>Calculated</i>	49.6 %	40 - 54 %
RED BLOOD CELL (RBC) COUNT <i>Electrical Impedance</i>	5.2 million/cu.mm	4.5 - 5.9 million/cu.mm
PLATELET COUNT <i>Electrical Impedance</i>	2.7 Lakhs/cumm	1.5 - 4.5 Lakhs/cumm
MEAN CELL VOLUME (MCV) <i>Calculated</i>	95.5 fl	80 - 100 fl
MEAN CORPUSCULAR HEMOGLOBIN (MCH) <i>Calculated</i>	32.9 pg	26 - 34 pg
MEAN CORPUSCULAR HEMOGLOBIN CONCENTRATION (MCHC) <i>Calculated</i>	34.4 %	31 - 35 %
TOTAL WBC COUNT (TC) <i>Electrical Impedance</i>	5200 cells/cumm	4000 - 11000 cells/cumm

DIFFERENTIAL COUNT

NEUTROPHILS <i>VCS Technology/Microscopic</i>	54 %	40 - 75 %
LYMPHOCYTES <i>VCS Technology/Microscopic</i>	30 %	25 - 40 %
EOSINOPHILS <i>VCS Technology/Microscopic</i>	07 %	0 - 7 %
MONOCYTES <i>VCS Technology/Microscopic</i>	09 %	1 - 8 %
BASOPHILS <i>Electrical Impedance</i>	00 %	
ESR <i>Westergren Method</i>	22 mm/hr	0 - 15 mm/hr







Dr. KRISHNA MURTHY

MD
BIOCHEMIST

Lab Seal

Dr. VAMSEEDHAR.A

D.C.P, M.D
CONSULTANT PATHOLOGIST

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

NAME	: Mr. GOPI MUNIRAJU	MR NO.	: 21071519
AGE/SEX	: 52 Yrs / Male	VISIT NO.	: 137533
REFERRED BY	:	DATE OF COLLECTION	: 21-07-2021 at 11:45 AM
REF CENTER	: MEDIWHEEL	DATE OF REPORT	: 21-07-2021 at 03:22 PM



TEST PARAMETER	RESULT	REFERENCE RANGE	SPECIMEN
----------------	--------	-----------------	----------

BLOOD GROUP & Rh TYPING
Tube Agglutination (Forward and Reverse)

"B" Positive

GLYCATED HAEMOGLOBIN (HbA1C)
HPLC

5.5 %

American Diabetic Association (ADA) recommendations:

Non diabetic adults : <5.7 %

At risk (Pre diabetic): 5.7 – 6.4%

Diabetic : \geq 6.5%

Therapeutic goal for glycemic control :

Goal for therapy: < 7.0%

Action suggested: > 8.0%


ESTIMATED AVERAGE GLUCOSE (eAG)
Calculation

111.15 mg/dL

Comments:

This assay is useful for diagnosing Diabetes and evaluating long term control of blood glucose concentrations in diabetic patients. It reflects the mean glucose concentration over the previous period of 8 to 12 weeks and is a better indicator of long term glycemic control as compared with blood and urine glucose measurements. This provides a additional criterion for assessing glucose control because glycated hemoglobin values are free of day-to-day glucose fluctuation and are unaffected by exercise or food ingestion.

After a sudden alteration in blood glucose concentration, the rate of change of HbA1c is rapid during initial 2 months, followed by more gradual change approaching steady state 3 months later.




Dr. KRISHNA MURTHY

MD
BIOCHEMIST

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.



Lab Seal



Dr. VAMSEEDHAR.A


D.C.P, M.D
CONSULTANT PATHOLOGIST



(A Unit of Vijayalakshmi Diagnostics Pvt. Ltd.)

Diagnostics & Speciality Centre

NAME	: Mr. GOPI MUNIRAJU	MR NO.	: 21071519
AGE/SEX	: 52 Yrs / Male	VISIT NO.	: 137533
REFERRED BY :		DATE OF COLLECTION	: 21-07-2021 at 11:45 AM
REF CENTER	: MEDIWHEEL	DATE OF REPORT	: 21-07-2021 at 03:22 PM



TEST PARAMETER

RESULT

REFERENCE RANGE

SPECIMEN

CLINICAL BIOCHEMISTRY

CREATININE

Jaffe Method

0.84 mg/dL

0.8 - 1.4 mg/dL

Dr. KRISHNA MURTHY

MD
BIOCHEMIST

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.



Lab Seal

Dr. VAMSEEDHAR.A

D.C.P, M.D
CONSULTANT PATHOLOGIST

NAME	: Mr. GOPI MUNIRAJU	MR NO.	: 21071519
AGE/SEX	: 52 Yrs / Male	VISIT NO.	: 137533
REFERRED BY	:	DATE OF COLLECTION	: 21-07-2021 at 11:45 AM
REF CENTER	: MEDIWHEEL	DATE OF REPORT	: 21-07-2021 at 03:22 PM



TEST PARAMETER	RESULT	REFERENCE RANGE	SPECIMEN
----------------	--------	-----------------	----------

LIPID PROFILE TEST

TOTAL CHOLESTEROL
Cholesterol Oxidase-Peroxidase (CHOD-POD)

182 mg/dL

up to 200 mg/dL
Border Line: 200 – 240 mg/dL
High: > 240 mg/dL

TRIGLYCERIDES
Glycerol Peroxidase-Peroxidase (GPO-POD)

181.4 mg/dL

up to 150 mg/dL
Desirable: <150 mg/dL
Border Line: 150 – 200 mg/dL
High: >200 – 500 mg/dL
Very High: > 500 mg/dL

HDL CHOLESTEROL - DIRECT
PEG-Cholesterol Esterase

41.1 mg/dl

40 - 60 mg/dl
>= 60mg/dL - Excellent (protects against heart disease)
40-59 mg/dL - Higher the better
<40 mg/dL - Lower than desired (major risk for heart disease)

LDL CHOLESTEROL - DIRECT
Cholesterol Esterase-Cholesterol Oxidase


104.6 mg/dL

up to 100 mg/dL
100-129 mg/dL- Near optimal/above optimal
130-159 mg/dL- Borderline High
160-189 mg/dL- High
190->190 mg/dL - Very High

VLDL CHOLESTEROL
Calculation

36.3 mg/dL

2 - 30 mg/dL




Dr. KRISHNA MURTHY

MD
BIOCHEMIST

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.



Lab Seal



Dr. VAMSEEDHAR.A

D.C.P, M.D
CONSULTANT PATHOLOGIST

NAME	: Mr. GOPI MUNIRAJU	MR NO.	: 21071519
AGE/SEX	: 52 Yrs / Male	VISIT NO.	: 137533
REFERRED BY	:	DATE OF COLLECTION	: 21-07-2021 at 11:45 AM
REF CENTER	: MEDIWHEEL	DATE OF REPORT	: 21-07-2021 at 03:22 PM



TEST PARAMETER	RESULT	REFERENCE RANGE	SPECIMEN
TOTAL CHOLESTROL/HDL RATIO <i>Calculation</i>	4.4	up to 3.5 3.5-5.0 - Moderate >5.0 - High	
LDL/HDL RATIO <i>Calculation</i>	2.5	up to 2.5 2.5-3.3 - Moderate >3.3 - High	
<u>LIVER FUNCTION TEST (LFT)</u>			
TOTAL BILIRUBIN <i>Colorimetric Diazo Method</i>	0.63 mg/dL	0.2 - 1.2 mg/dL	
DIRECT BILIRUBIN <i>Colorimetric Diazo Method</i>	0.26 mg/dL	0 - 0.4 mg/dL	
INDIRECT BILIRUBIN <i>Calculation</i>	0.37 mg/dl		
S G O T (AST) <i>IFCC Without Pyridoxal Phosphates</i>	23.1 U/L	up to 35 U/L	
S G P T (ALT) <i>IFCC Without Pyridoxal Phosphates</i>	25.1 U/L	up to 50 U/L	
ALKALINE PHOSPHATASE <i>p-Nitrophenyl Phosphate</i>	85 U/L	36 - 113 U/L	
SERUM GAMMA GLUTAMYLTRANSFERASE (GGT) <i>GCNA-IFCC</i>	48.3 U/L	15 - 85 U/L	
TOTAL PROTEIN <i>Biuret Colorimetric</i>	7.21 g/dl	6.2 - 8 g/dl	
S.ALBUMIN <i>Bromocresol Green (BCG)</i>	4.11 g/dl	3.5 - 5.2 g/dl	
S.GLOBULIN <i>Calculation</i>	3.1 g/dl	2.5 - 3.8 g/dl	
A/G RATIO <i>Calculation</i>	1.3	1 - 1.5	

Krishna M. u.



A. Vamseedhar

Dr. KRISHNA MURTHY

MD
BIOCHEMIST

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

Lab Seal

Dr. VAMSEEDHAR.A

D.C.P, M.D
CONSULTANT PATHOLOGIST

NAME : **Mr. GOPI MUNIRAJU** MR NO. : 21071519
AGE/SEX : 52 Yrs / Male VISIT NO. : 137533
REFERRED BY : DATE OF COLLECTION : 21-07-2021 at 11:45 AM
DATE OF REPORT : 21-07-2021 at 03:22 PM
REF CENTER : MEDIWHEEL



TEST PARAMETER	RESULT	REFERENCE RANGE	SPECIMEN
BLOOD UREA <i>UREASE-GLUTAMATE DEHYDROGENASE (GLDH)</i>	15.4 mg/dL	15 - 50 mg/dL	
CREATININE <i>Jaffe Kinetic</i>	0.84 mg/dL	0.4 - 1.4 mg/dL	
URIC ACID <i>Uricase-Peroxidase</i>	6.9 mg/dL	3 - 7.2 mg/dL	
SERUM ELECTROLYTES			
SODIUM <i>Ion Selective Electrode (ISE)</i>	139 mmol/L	136 - 145 mmol/L	
POTASSIUM <i>Ion Selective Electrode (ISE)</i>	4.3 mmol/L	3.5 - 5.2 mmol/L	
CHLORIDE <i>Ion Selective Electrode (ISE)</i>	102 mmol/L	97 - 111 mmol/L	
FASTING BLOOD SUGAR <i>Hexokinase</i>	101.2 mg/dl	70 - 110 mg/dl	
POST PRANDIAL BLOOD SUGAR <i>Hexokinase</i>	148.5 mg/dl	80 - 150 mg/dl	

CLINICAL PATHOLOGY

URINE ROUTINE & MICROSCOPIC

PHYSICAL EXAMINATION

Colour <i>Visual Method</i>	Pale Yellow	Pale yellow- yellow
Appearance <i>Visual Method</i>	Clear	Clear/Transparent
Specific Gravity <i>Strips Method</i>	1.015	1.005-1.035
pH	6.0	4.6-8.5

CHEMICAL EXAMINATION (DIPSTICK)

Krishna M.



A. Vamseedhar

Dr. KRISHNA MURTHY

MD
BIOCHEMIST

Lab Seal

Dr. VAMSEEDHAR.A

D.C.P, M.D
CONSULTANT PATHOLOGIST

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.



(A Unit of Vijayalakshmi Diagnostics Pvt. Ltd.)

Diagnostics & Speciality Centre

NAME : **Mr. GOPI MUNIRAJU** MR NO. : 21071519
AGE/SEX : 52 Yrs / Male VISIT NO. : 137533
REFERRED BY : DATE OF COLLECTION : 21-07-2021 at 11:45 AM
DATE OF REPORT : 21-07-2021 at 03:22 PM
REF CENTER : MEDIWHEEL



TEST PARAMETER	RESULT	REFERENCE RANGE	SPECIMEN
Protein <i>Strips Method</i>	Nil	Nil -Trace	
Glucose <i>Strips Method</i>	Nil	Nil	
Blood <i>Strips Method</i>	Negative	Negative	
Ketone Bodies <i>Strips Method</i>	Absent	Negative	
Urobilinogen <i>Strips Method</i>	Normal	Normal	
Bile Salt <i>Strips Method</i>	Negative	Negative	
Bilirubin <i>Strips Method</i>	Negative	Negative	
Bile Pigments	Negative	NIL	
MICROSCOPY			
Pus Cells (WBC) <i>Light Microscopic</i>	3 - 4 /hpf	0-5/hpf	
Epithelial Cells <i>Light Microscopic</i>	1 - 2 /hpf	0-4/hpf	
RBC <i>Light Microscopic</i>	Not Seen /hpf	0-2/hpf	
Cast <i>Light Microscopic</i>	NIL	NIL	
Crystal <i>Light Microscopic</i>	NIL	Nil	
FASTING URINE SUGAR (FUS)	NIL	NIL	

Krishna M. Murthy

Dr. KRISHNA MURTHY

MD
BIOCHEMIST

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.



Lab Seal

A. Vamseedhar

Dr. VAMSEEDHAR.A


D.C.P, M.D
CONSULTANT PATHOLOGIST



(A Unit of Vijayalakshmi Diagnostics Pvt. Ltd.)

Diagnostics & Speciality Centre

NAME	: Mr. GOPI MUNIRAJU	MR NO.	: 21071519
AGE/SEX	: 52 Yrs / Male	VISIT NO.	: 137533
REFERRED BY	:	DATE OF COLLECTION	: 21-07-2021 at 11:45 AM
REF CENTER	: MEDIWHEEL	DATE OF REPORT	: 21-07-2021 at 03:22 PM



TEST PARAMETER	RESULT	REFERENCE RANGE	SPECIMEN
----------------	--------	-----------------	----------

IMMUNOASSAY

PROSTATIC SPECIFIC ANTIGEN (PSA)

PROSTATIC SPECIFIC ANTIGEN (PSA)
CMIA

0.36 ng/mL

Up to 4ng/mL: Normal
4-10 ng/mL Hypertrophy &
benign genito urinary
conditions.
>10 ng/mL Suspicious of
malignancy.

PSA is used for monitoring patients with a history of prostate cancer and as an early indicator of recurrence and response to treatment. The test is commonly used for Prostate cancer screening.

Dr. KRISHNA MURTHY

MD
BIOCHEMIST

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.



Lab Seal

Dr. VAMSEEDHAR.A

D.C.P, M.D
CONSULTANT PATHOLOGIST

NAME	: Mr. GOPI MUNIRAJU	MR NO.	: 21071519
AGE/SEX	: 52 Yrs / Male	VISIT NO.	: 137533
REFERRED BY	:	DATE OF COLLECTION	: 21-07-2021 at 11:45 AM
REF CENTER	: MEDIWHEEL	DATE OF REPORT	: 21-07-2021 at 03:22 PM



TEST PARAMETER	RESULT	REFERENCE RANGE	SPECIMEN
----------------	--------	-----------------	----------

THYROID PROFILE

TOTAL TRIIODOTHYRONINE (T3) <small>CMIA</small>	0.85 ng/mL	0.87 - 1.78 ng/mL	
TOTAL THYROXINE (T4) <small>CMIA</small>	6.23 µg/dL	6.09 - 12.23 µg/dL	
THYROID STIMULATING HORMONE (TSH) <small>CMIA</small>	8.00 µIU/mL	0.38 - 5.33 µIU/mL	
		1st Trimester: 0.05 - 3.70	
		2nd Trimester: 0.31 - 4.35	
		3rd Trimester: 0.41 - 5.18	

Note:

- TSH levels are subject to circadian variation, reaching peak levels between 2 - 4 a.m. and at a minimum between 6-10 pm. The variation is of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations.
- Recommended test for T3 and T4 is unbound fraction or free levels as it is metabolically active.
- Physiological rise in Total T3 / T4 levels is seen in pregnancy and in patients on steroid therapy.


Clinical Use:

- Primary Hypothyroidism
- Hyperthyroidism
- Hypothalamic - Pituitary hypothyroidism
- Inappropriate TSH secretion
- Nonthyroidal illness
- Autoimmune thyroid disease
- Pregnancy associated thyroid disorders
- Thyroid dysfunction in infancy and early childhood

Dispatched by: Sumalatha

**** End of Report ****

Printed on 21-07-2021 at 03:22 PM



Dr. KRISHNA MURTHY

MD
BIOCHEMIST

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.



Lab Seal



Dr. VAMSEEDHAR.A

D.C.P, M.D
CONSULTANT PATHOLOGIST

