

			LABORATORY REPORT	,		
Name	:	Mr. Dipak M Shete		Reg. No	:	301101178
Sex/Age	:	Male/50 Years		Reg. Date	:	28-Jan-2023 09:24 AM
Ref. By	:			Collected On	:	
Client Name	:	Mediwheel		Report Date	:	28-Jan-2023 02:56 PM

Medical Summary

GENERAL EXAMINATION

Height (cms): 168

Weight (kgs): 72.6

Blood Pressure: 120/84 mmHg

Pulse: 69/Min

No Clubbing/Cynosis/Pallor/Pedel Oedem

Systemic Examination:

Cardio vascular System - S1,S2 Normal, No Murmur

Respiratory system - AEBE

Central Nervous System - No FND

Abdomen - Soft, Non Tender, No Organomegaly


Epilepsy - N/A

This is an electronically authenticated report

Dr.Jay Soni

M.D, GENERAL MEDICINE

Page 3 of 4



LETTER OF APPROVAL / RECOMMENDATION

To,

The Coordinator,

Mediwheel (Arcofemi Healthcare Limited)

Helpline number: 011-41195959

Dear Sir / Madam,

Sub: Annual Health Checkup for the employees of Bank of Baroda

This is to inform you that the following employee wishes to avail the facility of Cashless Annual Health Checkup provided by you in terms of our agreement.

PARTICULARS	EMPLOYEE DETAILS
NAME	MR. M DIPAK SHETE
EC NO.	157045
DESIGNATION	RETAIL LIABILITY BACK OFFICE
PLACE OF WORK	GANDHINAGAR,GIFT CITY,NATIONAL
BIRTHDATE	21~10~1972
PROPOSED DATE OF HEALTH	28-01-2023
CHECKUP	
BOOKING REFERENCE NO.	22M157045100036346E

This letter of approval / recommendation is valid if submitted along with copy of the Bank of Baroda employee id card. This approval is valid from 10-01-2023 till 31-03-2023 The list of medical tests to be conducted is provided in the annexure to this letter. Please note that the said health checkup is a cashless facility as per our tie up arrangement. We request you to attend to the health checkup requirement of our employee and accord your top priority and best resources in this regard. The EC Number and the booking reference number as given in the above table shall be mentioned in the invoice, invariably.

We solicit your co-operation in this regard.

Yours faithfully,

Sd/-

Chief General Manager HRM Department Bank of Baroda

(Note: This is a computer generated letter, No Signature required, For any clarification, please contact Mediwheel (Arcofemi Healthcare Limited))



Programme and 1 " SOME CHEAK MACHEMAN SHETE

waterin ga w

157046

Employee Carde No.

The arrange

which whose manify Acabania



1000

WATER TO STREET Migrostore of Holder

2000 18300 33800 Donto 3770 1003

Dr. Jay Soni M.D. (Gegeral Medicine) Reg. No.: G-23899







Reg. No

: 301101178

Ref ld

Collected On

: 28-Jan-2023 09:24 AM

Name

: Mr. Dipak M Shete

Reg. Date

Unit

: 28-Jan-2023 09:24 AM

Age/Sex

: 50 Years

I Male Pass. No.

Results

Tele No.

: 9825023806

Ref. By

Parameter

.

Pass. No.

Dispatch At

. .

: EDTA Whole Blood

Location

: CHPL

Sample Type

Biological Ref. Interval

COMPLETE BLOOD COUNT (CBC) Specimen: EDTA blood

Hemoglobin	13.5	g/dL	13.0 - 18.0
Hematrocrit (Calculated)	L 39.20	%	47 - 52
RBC Count	L 4.57	million/cmm	4.7 ~ 6.0
MCV	85.9	II.	78 - 110
MCH (Calculated)	29.6	Рg	27 - 31
MCHC (Calculated)	34.5	%	31 - 35
RDW (Calculated)	L 11.0	%	11.5 ~ 14.0
WBC Count	8770	/cmm	4000 - 10500
MPV (Calculated)	8.7	ft.	7.4 - 10.4
No. 1 are the are the present a second of the second of th			

DIFFERENTIAL WBC COUNT	[%]		EXPECTED VALUES	[Abs]		EXPECTED VALUES	
Neutrophils (%)	65	%	42.0 - 75.2	5701	/cmm	2000 - 7000	
Lymphocytes (%)	28	%	20 - 45	2456	/cmm	1000 - 3000	
Eosinophils (%)	05	%	0 - 6	175	/cmm	200 - 1000	
Monocytes (%)	02	%	2 - 10	439	/cmm	20 - 500	
Basophils (%)	00	%	() - 1	0	/cmm	0 - 100	

PERIPHERAL SMEAR STUDY

RBC Morphology

Normocytic and Normochromic.

WBC Morphology

Normal

PLATELET COUNTS

Platelet Count (Volumetric Impedance)

236000

150000 - 450000

Platelets

Platelets are adequate with normal morphology.

/cmm

Parasites

Malarial parasite is not detected.

Comment

(Vicalcal (Ci)

This is an electronically authenticated report.

* This test has been out sourced

Approved By:

Dr.Keyur Patel

M.B.DCP

Generated On: 28-Jan-2023 05:45 PM

Approved On:

28-Jan-2023 04:17 PM

Page 1 of 12







: 301101178

Ref Id

Collected On

: 28-Jan-2023 09:24 AM

Reg. No Name

: Mr. Dipak M Shete

/ Male

Reg. Date

: 28-Jan-2023 09:24 AM

Age/Sex

: 50 Years

Pass. No.

Tele No.

: 9825023806

Ref. By

;

Dispatch At Sample Type

: EDTA Whole Blood

Location

Parameter

: CHPL

Result

Unit

Biological Ref. Interval

HEMATOLOGY

TEST REPORT

BLOOD GROUP & RH

Specimen: EDTA and Serum; Method: Forward Reverse Tube Agglutination

ABO

"O"

Rh (D)

Positive

Note

ERYTHROCYTE SEDIMANTATION RATE [ESR]

ESR 1 hour

Infra rod measurement

02

mm/hr

ESR AT 1 hour: 1-7

ERYTHRO SEDIMENTION RATE, BLOOD -

Erythrocyte sedimentation rate (ESR) is a non-specific phenomena and is clinically useful in the diagnosis and monitoring of disorders associated with an increased production of acute phase reactants. The ESR is increased in prenancy from about the 3rd month and returns to normal by the 4th week post partum. ESR is influenced by age, sex, menstrual cycle and drugs (eg. corticosteroids, contraceptives). It is especially low (o-1mm) in polycythaemia, hypofibrinogenemia or or congestive cardiac failure and when there are abnormalities or the red cells such as poikilocytosis, spherocytosis or sickle cells.

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr.Keyur Patel

M.B.DCP

Generated On: 28-Jan-2023 05:45 PM

Approved On:

28-Jan-2023 03:54 PM

Page 2 of 12







Ref Id

Collected On

: 28-Jan-2023 09:24 AM

Reg. No Name

: 301101178

Reg. Date

: 28-Jan-2023 09:24 AM

Age/Sex

: Mr. Dipak M Shete : 50 Years / Male

Pass. No.

Tele No.

: 9825023806

Ref. By

Parameter

Dispatch At

: Flouride F, Flouride PP

Location

: CHPL

Sample Type Unit

Biological Ref. Interval

Result

TEST REPORT

FASTING PLASMA GLUCOSE Specimen: Flouride plasma

Fasting Blood Sugar (FBS)

105.60

mg/dL

70 - 110

GOD-POD Method

Criteria for the diagnosis of diabetes

1. HbA1c >/≈ 6.5 *

Or.

2. Fasting plasma glucose >126 gm/dL. Fasting is defined as no caloric intake at least for 8 hrs.

- 3. Two hour plasma glucose >/= 200mg/dL during an oral glucose tolerence test by using a glucose load containing equivalent of 75 gm anhydrous glucose dissolved in water. Or
- 4. In a patient with classic symptoms of hyperglycemia or hyperglycemic crisis, a random plasma glucose >/= 200 mg/dl...
- *In the absence of unequivocal hyperglycemia, criteria 1-3 should be confirmed by repeat testing. American diabetes association. Standards of medical care in diabetes 2011. Diabetes care 2011;34;S11.

POST PRANDIAL PLASMA GLUCOSE

Specimen: Flouride plasma

Post Prandial Blood Sugar (PPBS)

120.4

mg/dL

70 - 140

GOD POD Mothod

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr.Keyur Patel

M.B.DCP

Generated On : 28-Jan-2023 05:45 PM

Approved On:

28-Jan-2023 03:53 PM

Page 3 of 12

CUROVIS HEALTHCARE PVT. LTD.







Reg. No

: 301101178

Ref Id

Collected On

: 28-Jan-2023 09:24 AM

Name Age/Sex : Mr. Dipak M Shete : 50 Years

/ Male

Reg. Date Tele No.

: 28-Jan-2023 09:24 AM : 9825023806

Ref. By

Pass. No. :

Dispatch At

Location : CHPL		Sample Type	: Serum
Parameter	Result	Unit	Biological Ref. Interval
	Lipid Profile		
Cholesterol	219.00	mg/dt.	Desirable: < 200 Boderline High: 200 ~ 239 High: ≥ 240
Enzymalic, colonnotiic method			
Triglyceride	86.30	mg/dl.	Normat: < 150 Boderline High: 150 - 199 High: 200 - 499 Very High: > 500
Enzymatic, coloningtic method			, ,,
HDL Cholesterol	48.00	mg/dL	High Risk : ≤ 40 Low Risk : ≈ 60
Accelerator selective detergent method			
LDL	153.74	mg/dL	Optimal : < 100.0 Near / above optimal : 100-129 Borderline High : 130- 159 High : 160-189 Very High : ≥190.0
Calculated			
VLDL Calculated	17.26	mg/dL	15 - 35
LDL / HDL RATIO Calculated	3.20		0 - 3.5
Cholesterol /HDL Ratio	4.56		0 - 5.0

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr.Keyur Patel

M.B DCP

Generated On: 28-Jan-2023 05:45 PM

Approved On:

28-Jan-2023 03:54 PM

Page 4 of 12







		TEST REPORT		
Reg. No	: 301101178	Ref ld :	Collected On	: 28-Jan-2023 09:24 AM
Name	: Mr. Dipak M Shete		Reg. Date	: 28-Jan-2023 09:24 AM
Age/Sex	: 50 Years / Male	Pass. No. :	Tele No.	: 9825023806
Ref. By	:		Dispatch At	1
Location	CHPL		Sample Type	: Serum
Parameter		Result	Unit	Biological Ref. Interval
		BIO - CHEMISTRY		
		LF	T WITH GGT	
Total Protein	1	7.01	gm/dL	6.3 ~ 8.2
Albumin By Bromocrasol G	roan	4.70	g/dL	0 ~ 4 days: 2.8 ~ 4.4 4 days - 14 yrs: 3.8 ~ 5.4 14 ~ 19 yrs: 3.2 ~ 4.5 20 ~ 60 yrs: 3.5 ~ 5.2 60 ~ 90 yrs: 3.2 ~ 4.6 > 90 yrs: 2.9 ~ 4.5
Globulin Calculated		2.31	g/dL	2.3 - 3.5
A/G Ratio Calculated		2.03		0.8 - 2.0
SGOT UV without P5P		30.80	U/L	0 - 40
SGPT UV without P5P		30.20	U/L.	0 - 40
Alakaline Ph		32.7	U/L	53 - 128
Total Bilirub Vanadalo Oxidation		0.54	mg/dL	0 ~ 1.2
Conjugated	Bilirubin	0.10	mg/dt.	0.0 - 0.4
Unconjugate Calculated	d Bilirubin	0.44	mg/dL	0.0 - 1.1
GGT SZASZ Method		19.00	mg/dL	15 - 73

This is an electronically authenticated report.

Generated On: 28-Jan-2023 05:45 PM

* This test has been out sourced.

Approved By:

Dr.Keyur Patel

M.B.DCP

Approved On:

28-Jan-2023 03:54 PM

Page 5 of 12







Reg. No

: 301101178

Ref Id

Collected On

: 28-Jan-2023 09:24 AM

Name

: Mr. Dipak M Shete : 50 Years

Reg. Date

: 28-Jan-2023 09:24 AM

Age/Sex

Location

: CHPL

/ Male

Pass. No.

Tele No.

: 9825023806

Ref. By

Dispatch At

Sample Type

: Serum

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr.Keyur Patel

M.B.DCP

Generated On: 28-Jan-2023 05:45 PM

Approved On:

28-Jan-2023 03:54 PM

Page 6 of 12







TEST REPORT
IEST KEPUKT

/ Male

Reg. No

: 301101178

Ref Id

Collected On

: 28-Jan-2023 09:24 AM

Name

: Mr. Dipak M Shete

Reg. Date

: 28-Jan-2023 09:24 AM

Age/Sex

: 50 Years

Pass. No. :

Tele No.

: 9825023806

Ref. By

Dispatch At

Location : CHPL		Sample Type	: Serum
Parameter	Result	Unit	Biological Ref. Interval
	BIO - CHEMISTRY		
Uric Acid Enzymatic, coloumotiic mothod	5.53	mg/dL	Adult : 3.5 - 8.5 Child : 2.5 - 5.5
Creatinine Enzymatic Mothod	0.82	mg/dL	Adult : 0.72 - 1.18 Child : 0.5 - 1.0
BUN UV Method	10.40	mg/dL	Adult : 7.0 - 20.0 Child : 5.0 - 18.0

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr.Keyur Patel

M.B.DCP

Generated On: 28-Jan-2023 05:45 PM

Approved On:

28-Jan-2023 03:54 PM

Page 7 of 12





Reg. No : 301101178

Name : Mr. Dipak M Shete

Age/Sex : 50 Years / Male

Ref. By

: CHPL

Ref ld

Pass. No.

Collected On

: 28-Jan-2023 09:24 AM

Reg. Date

: 28-Jan-2023 09:24 AM

Tele No.

: 9825023806

Dispatch At

Sample Type

: EDTA Whole Blood

Parameter Result Unit Biological Ref. Interval

HEMOGLOBIN A1 C ESTIMATION Specimen: Blood EDTA

*Hb A1C

Location

5.2

% of Total Hb Normal: < 5.7 %

Pre-Diabetes: 5.7 % -

6.4 %

Diabetes: 6.5 % or

higher

Boronato Affinity with Lluorascent Quenchina

Mean Blood Glucose

102.54

mg/dL

Calculated

Degree of Glucose Control Normal Range:

Poor Control > 7.0% *

Good Control 6.0 - 7.0 %**Non-diabetic level < 6.0 %

- * High risk of developing long term complication such as retinopathy, nephropathy, neuropathy, cardiopathy, etc.
- * Some danger of hypoglycemic reaction in Type I diabetics.
- * Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1c levels in this area.

EXPLANATION:-

- *Total haemoglobin A1 c is continuously synthesised in the red blood cell throught its 120 days life span. The concentration of HBA1c in the cell reflects the average blood glucose concentration it encounters.
- *The level of HBA1c increases proportionately in patients with uncontrolled diabetes. It reflects the average blood glucose concentration over an extended time period and remains unaffected by short-term fluctuations in blood alucose levels.
- *The measurement of HbA1c can serve as a convenient test for evaluating the adequacy of diabetic control and in preventing various diabetic complications. Because the average half life of a red blood cell is sixty days, HbA1c has been accepted as a measurnment which effects the mean daily blood glucose concentration, better than fasting blood glucose determination, and the degree of carbohydrate imbalance over the preceding two months.

'It may also provide a better index of control of the diabetic patient without resorting to glucose loading procedures HbA1c assay Interferences:

*Errneous values might be obtained from samples with abnormally elevated quantities of other Haemoglobins as a result of either their simultaneous elution with HbA1c(HbF) or differences in their glycation from that of HbA(HbS)

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr.Keyur Patel

М.В. ОСР

Approved On:

28-Jan-2023 04:41 PM

Page 8 of 12

Generated On: 28-Jan-2023 05:45 PM







: 301101178

TEST REPORT Ref Id

Collected On : 28-Jan-2023 09:24 AM

Name : Mr. Dipak M Shete

Reg. Date

: 28-Jan-2023 09:24 AM

Age/Sex : 50 Years / Male

Tele No.

: 9825023806

Ref. By

Pass. No.

Dispatch At

Sample Type : Urine Spot

Location

Reg. No

: CHPL

Test

Result

Unit

Biological Ref. Interval

URINE ROUTINE EXAMINATION

PHYSICAL EXAMINATION

Quantity

20 cc

Colour

Pale Yellow

Clarity

Clear

Clear

CHEMICAL EXAMINATION (BY REFLECTANCE PHOTOMETRIC)

4.6 - 8.0

Sp. Gravity

1.025

1.001 - 1.035

Protein

Nil

Nil

Glucose

Nil

Nil

Ketone Bodies

Nil

Nil Nil

Urobitinogen Bilirubin

Nil

Nil

Nitrite

Nil

Nil

Blood

Present (+)

Nil

MICROSCOPIC EXAMINATION (MANUAL BY MICROSCOPY)

Leucocytes (Pus Cells) Erythrocytes (Red Cells) **Epithelial Cells**

1 - 2/hpf 2 - 3/hpf Absent

Absent

1 - 2/hpf

Crystals

Absent

Absent

Absent

Casts Amorphous Material Absent

Absent

Bacteria

Absent

Absent

Remarks

Absent

Absent

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr.Keyur Patel

M B.DCP

Generated On: 28-Jan-2023 05:45 PM

Approved On:

28-Jan-2023 03:04 PM

Page 9 of 12





Reg. No : 301101178 Name

: CHPL

: Mr. Dipak M Shete

Age/Sex : 50 Years / Male

Pass. No.

Ref Id

Reg. Date

: 28-Jan-2023 09:24 AM : 28-Jan-2023 09:24 AM

Tele No.

: 9825023806

Dispatch At

Collected On

Sample Type

: Serum

Parameter

Ref. By

Location

Result

Biological Ref. Interval

IMMUNOLOGY

THYROID FUNCTION TEST

T3 (Triiodothyronine)

CHEMILUMINECENT MICROPARTICLE IMMUNOASSAY

0.95

na/mL

Unit

0.86 - 1.92

Triiodothyronine (T3) is a hormone synthesized and secreted by the thyroid gland in response to the pituitary hormone TSH (thyroid stimulating hormone) and is regulated by a negative feedback mechanism involving the thyroid gland, pituitary gland and hypothalamus.

In the circulation, 99.7% of T3 is reversibly bond to transport proteins, primarily thyroxine-binding globulin (TBG) and to a lesser extent albumin and prealbumin. The remaining unbound T3 is free in the circulation and is metabolically active.

In hypothyroidism and hyperthyroidism, F T3 (free T3) levels parallel changes in total T3 levels. Measuring F T3 is useful in certain conditions such as normal pregnancy and steroid therapy, when altered levels of total T3 occur due to changes in T3 binding proteins especially TBG.

T4 (Thyroxine)

CHEMILUMINECENT MICROPARTICLE IMMUNOASSAY

7.10

µg/dL

3.2 - 12.6

Thyroxin (T4) is a hormone synthesized and secreted by the thyroid gland in response to the pituitary hormone TSH (thyroid stimulating hormone) and is regulated by a negative feedback mechanism involving the thyroid gland, pituitary gland and hypothalamus. In the circulation, 99,95% of T4 is reversibly bond to transport proteins, primarily thyroxine-binding globulin (TBG) and to a lesser extent albumin and thyroxine-binding preafbumin. The remaining unbound T4 is free in the circulation and is both metabolically active and a precursor to triiodothyronine (T3).

In hypothyroidism and hyperthyroidism, F T4 (free T4) levels parallel changes in total T4 levels. Measuring FT4 is useful in certain conditions such as normal pregnancy and steroid therapy, when altered levels of total 14 occur due to changes in T4 binding proteins, especially TBG.

Limitations:

- 1. The anticonvulsant drug phenytoin may interfere with total and F T4 levels due to competition for TBG binding
- 2.F T4 values may be decreased in patients taking carbamazepine.

3. Thyroid autoantibodies in human serum may interfere and cause falsely elevated F T4 results.

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr.Keyur Patel

M.B.DCP

Generated On : 28-Jan-2023 05:45 PM

Approved On:

28-Jan-2023 03:53 PM

Page 10 of 1





Reg. No : 301101178 Ref Id

Collected On

: 28-Jan-2023 09:24 AM

Name

: Mr. Dipak M Shete

Reg. Date

: 28-Jan-2023 09:24 AM

Age/Sex

: 50 Years

Pass. No.

Tele No.

: 9825023806

Ref. By

/ Male

Dispatch At

Location

: CHPL

Sample Type

: Serum

TSH

μIU/ml

0.55 - 4.78

CHEMILUMINECENT MICROPARTICLE IMMUNOASSAY

Thyroid stimulating hormone (TSH) is synthesized and secreted by the anterior pituitary in response to a negative feedback mechanism involving concentrations of FT3 (free T3) and FT4 (free T4). Additionally, the hypothalamic tripeptide, thyrotropin-relasing hormone (TRH), directly stimulates TSH production. TSH stimulates thyroid cell production and hypertrophy, also stimulate the thyroid gland to synthesize and secrete T3 and T4. Quantification of TSH is significant to differentiate primary (thyroid) from secondary (pituitary) and tertiary (hypothalamus) hypothyroidism. In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hypothyroidism, TSH levels are low.

11.810

TSH levels During Pregnancy: First Trimester :0.1 to 2.5 µtU/mt. Second Trimester: 0.2 to 3.0 alU/mL Third trimester: 0.3 to 3.0 µIU/mL

Referance: Carl A.Burtis, Edward R.Ashwood, David E.Bruns. Tietz Textbook of Clinical Chemistry and Molecular

Diagnostics, 5th Eddition, Philadelphia; WB Sounders, 2012;2170

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr.Keyur Patel

M.B.DCP

Generated On: 28-Jan-2023 05:45 PM

Approved On:

28-Jan-2023 03:53 PM

Page 11 of 1





Name : Mr. Dipak M Shete

: 301101178

Age/Sex : 50 Years

: CHPL

Ref. By

Reg. No

Location

/ Male

Ref Id

Pass. No.

Collected On

: 28-Jan-2023 09:24 AM

Reg. Date

: 28-Jan-2023 09:24 AM

Tele No.

: 9825023806

Dispatch At

Sample Type : Serum

Parameter

Result

Unit

Biological Ref. Interval

IMMUNOLOGY

*TOTAL PROSTATE SPECIFIC ANTIGEN (PSA)

0.58

ng/mL

0 - 4

CHEMILUMINECENT MICROPARTICLE IMMUNOASSAY

Measurement of total PSA alone may not clearly distinguish between benign prostatic hyperplasia (BPH) from cancer, this is especially true for the total PSA values between 4-8 ng/mL.

Percentage of free PSA = free PSA/total PSA X 100

Percentage of free PSA: Patients with prostate cancer generally have a lower percentage of Free PSA than patients with benign prostatic hyperplasia. Percentage Free PSA of less than 25% is a high likelihood of prostatic cancer.

..... End Of Report

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr.Keyur Patel

M.B.DCP

Generated On : 28-Jan-2023 05:45 PM

Approved On:

28-Jan-2023 03:53 PM

Page 12 of 1



LABORATORY REPORT

Name ; Mr. Dipak M Shete

Sex/Age : Male/50 Years

Ref. By :

Client Name : Mediwheel

Reg. No : 301101178

Reg. Date

28-Jan-2023 09:24 AM

Collected On

Report Date : 28-Jan-2023 02:23 PM

Electrocardiogram

Findings

Normal Sinus Rhythm.

Within Normal Limit.

This is an electronically authenticated report

Dr.Jay Soni

M.D, GENERAL MEDICINE

Page 1 of 4

18 7%/mU 25 %m/s 2.25-			SHEIE SHEIE 32 32 168 cm / 73 kg
10		S is in	HR RR R
5F 585 28. 81. 2823 11. 42. 44.			9 x is: 9 x is: 9 x is: 9 x is: 9 6 4 4 4 4 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6
CURCUIS HEALTHCARE	CONTRACTOR	1. CD = 7. a U	



LABORATORY REPORT Name Mr. Dipak M Shete Reg. No 301101178 Sex/Age Male/50 Years Reg. Date 28-Jan-2023 09:24 AM Ref. By Collected On Client Name Mediwheel Report Date 28-Jan-2023 03:11 PM X RAY CHEST PA Both lung fields appear clear. No evidence of any active infiltrations or consolidation. Cardiac size appears within normal limits. Both costo-phrenic angles appear free of fluid. Both domes of diaphragm appear normal. COMMENT: No significant abnormality is detected. ----- End Of Report This is an electronically authenticated report

Page 2 of 2

DR DHAVAL PATELConsultant Radiologist

MB,DMRE Reg No:0494



			LABORATORY REPORT			
Name	:	Mr. Dipak M Shete		Reg. No	;	301101178
Sex/Age	:	Male/50 Years		Reg. Date	:	28-Jan-2023 09:24 AM
Ref. By	:			Collected On	;	
Client Name	:	Mediwheel		Report Date	•	28-Jan-2023 03:10 PM

USG ABDOMEN

Liver appears normal in size & echogenicity. No evidence of focal solid or cystic lesion seen. No evidence of dilatation of intra-hepatic billiary or portal radicals, PV is normal in caliber.

Gall bladder is normally distended. No evidence of calculus or mass seen. Gall bladder wall thickness appears normal.

Pancreas Visualized portion appears normal in size and echopattern. No evidence of focal lesions.

Spleen appears normal in size & echopattern. No evidence of focal lesions.

Both kidneys are normal in size, shape and position. C.M. differentiation on both sides is maintained. No evidence of hydronephrosis, calculus or solid mass on either side.

Urinary bladder is partially distended. No evidence of calculus or mass.

Prostate appears normal in size and echopattern. No evidence of focal lesions.

No evidence of free fluid in peritoneal cavity. No evidence of para aortic lymph adenopathy. No evidence of dilated small bowel loops.

COMMENTS:

NO SIGNIFICANT ABNORMALITY DETECTED.

This is an electronically authenticated report

Contract

DR DHAVAL PATEL
Consultant Radiologist
MB,DMRE
Reg No:0494

Page 1 of 2



LABORATORY REPORT

Name

Mr. Dipak M Shete

301101178

Sex/Age

Client Name

Male/50 Years

Mediwheel

Reg. Date

Reg. No

28-Jan-2023 09:24 AM

Ref. By

Collected On

Report Date

28-Jan-2023 03:05 PM

Eye Check - Up

No Eye Complaints

RIGHT EYE

SP: ±6.00

CY: -6.75

AX: 94

LEFT EYE

SP: ±5.50

CY: -5,50

AX:73

Anematical and the second	proposition consistence and a second	Januarian engana anamana anamana anamana da da
	Without Glasses	With Glasses
systephysophysophysicianly hybrid	CONTRACTOR AND ADDRESS OF THE PROPERTY OF THE	 Contraction of the Contraction of the
Right Eye	6/5	N.A
No transmission of the second	AND THE RESIDENCE OF THE PROPERTY OF THE PROPE	0.0000000000000000000000000000000000000
Left Eye	6/5	N.A

Near Vision: Right Eye - N/6, Left Eye - N/6

Fundus Examination - Within Normal Limits.

ColorVision: Normal

Comments: Normal

----- End Of Report -----

This is an electronically authenticated report

CUROVIS HEALTHCARE PVT. LTD.

Dr Kejal Patel MB,DO(Ophth)

Page 4 of 4




NAME: - DIPAK SHETE.


ID NO :-

AGE:- 50Y/ M

Date: 28/01/2023

AUDIOGRAM





MODE	Alr Cor	ulaction	Bone Co	unduction	i .
EAR	Masked	UnValked	Masked	imMasken	Code
169		X		>	fil a
RKUI	Δ	0	(==	<	Red

Threshold In dB	RIGHT	LEFT
AIR CONDUCTION	11.5	11,5
BONE CONDUCTION		
SPEECH	-	

Comments:-

Bilateral Hearing Sensitivity Within Normal Limits.

