PID No.
 : MED111034437
 Register On
 : 26/03/2022 8:48 AM

 SID No.
 : 922018288
 Collection On
 : 26/03/2022 10:27 AM

 Age / Sex
 : 31 Year(s) / Male
 Report On
 : 27/03/2022 12:03 PM



Ref. Dr : MediWheel

<u>Investigation</u>	Observed Value	<u>Unit</u>	<u>Biological</u> Reference Interval
HAEMATOLOGY			
Complete Blood Count With - ESR			
Haemoglobin (EDTA Blood/Spectrophotometry)	13.6	g/dL	13.5 - 18.0
Packed Cell Volume(PCV)/Haematocrit (EDTA Blood/Derived from Impedance)	41.8	%	42 - 52
RBC Count (EDTA Blood/Impedance Variation)	4.86	mill/cu.mm	4.7 - 6.0
Mean Corpuscular Volume(MCV) (EDTA Blood/Derived from Impedance)	86.0	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (EDTA Blood/Derived from Impedance)	28.0	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (EDTA Blood/Derived from Impedance)	32.6	g/dL	32 - 36
RDW-CV (EDTA Blood/Derived from Impedance)	15.4	%	11.5 - 16.0
RDW-SD (EDTA Blood/Derived from Impedance)	46.35	fL	39 - 46
Total Leukocyte Count (TC) (EDTA Blood/Impedance Variation)	5800	cells/cu.mm	4000 - 11000
Neutrophils (EDTA Blood/Impedance Variation & Flow Cytometry)	63.1	%	40 - 75
Lymphocytes (EDTA Blood/Impedance Variation & Flow Cytometry)	25.3	%	20 - 45
Eosinophils (EDTA Blood/Impedance Variation & Flow Cytometry)	2.4	%	01 - 06



 PID No.
 : MED111034437
 Register On
 : 26/03/2022 8:48 AM

 SID No.
 : 922018288
 Collection On
 : 26/03/2022 10:27 AM

 Age / Sex
 : 31 Year(s) / Male
 Report On
 : 27/03/2022 12:03 PM

M

Ref. Dr : MediWheel

Investigation	Observed <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Monocytes (EDTA Blood/Impedance Variation & Flow Cytometry)	8.9	%	01 - 10
Basophils (EDTA Blood/Impedance Variation & Flow Cytometry)	0.3	%	00 - 02
Absolute Neutrophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	3.66	10^3 / μl	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	1.47	10^3 / μl	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood/Impedance Variation & Flow Cytometry)	0.14	10^3 / μl	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.52	10^3 / μl	< 1.0
Absolute Basophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.02	10^3 / μl	< 0.2
Platelet Count (EDTA Blood/Impedance Variation)	216	10^3 / μ1	150 - 450
MPV (EDTA Blood/Derived from Impedance)	12.1	fL	7.9 - 13.7
PCT (EDTA Blood/Automated Blood cell Counter)	0.26	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (EDTA Blood/Modified Westergren)	11	mm/hr	< 15



 PID No.
 : MED111034437
 Register On
 : 26/03/2022 8:48 AM

 SID No.
 : 922018288
 Collection On
 : 26/03/2022 10:27 AM

 Age / Sex
 : 31 Year(s) / Male
 Report On
 : 27/03/2022 12:03 PM

MEDALL

Ref. Dr : MediWheel

Investigation	Observed Value	<u>Unit</u>	Biological Reference Interval
BIOCHEMISTRY			
Liver Function Test			
Bilirubin(Total) (Serum/Diazotized Sulfanilic Acid)	0.5	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.2	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.3	mg/dL	0.1 - 1.0
Total Protein (Serum/Biuret)	6.9	gm/dL	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.6	gm/dL	3.5 - 5.2
Globulin (Serum/Derived)	2.3	gm/dL	2.3 - 3.6
A : G Ratio (Serum/Derived)	2.0		1.1 - 2.2
SGOT/AST (Aspartate Aminotransferase) (Serum/IFCC Kinetic)	28	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/IFCC / Kinetic)	46	U/L	5 - 41
Alkaline Phosphatase (SAP) (Serum/IFCC Kinetic)	87	U/L	53 - 128
GGT(Gamma Glutamyl Transpeptidase) (Serum/SZASZ standarised IFCC)	18	U/L	< 55



VERIFIED BY



 PID No.
 : MED111034437
 Register On
 : 26/03/2022 8:48 AM

 SID No.
 : 922018288
 Collection On
 : 26/03/2022 10:27 AM

 Age / Sex
 : 31 Year(s) / Male
 Report On
 : 27/03/2022 12:03 PM

NM I

Type : OP Printed On : 29/03/2022 5:54 PM

Ref. Dr : MediWheel

Investigation	Observed <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
<u>Lipid Profile</u>			
Cholesterol Total (Serum/Cholesterol oxidase/Peroxidase)	302	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/Glycerol phosphate oxidase / peroxidase)	241	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >=500

INTERPRETATION: The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the "usual" circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immunoinhibition)	41	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 40 - 59 High Risk: < 40
LDL Cholesterol (Serum/Calculated)	212.8	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >=190
VLDL Cholesterol (Serum/Calculated)	48.2	mg/dL	< 30
Non HDL Cholesterol (Serum/Calculated)	261.0	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220

INTERPRETATION: 1. Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol. 2. It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.



VERIFIED BY



APPROVED BY

The results pertain to sample tested.

Page 4 of 11

 PID No.
 : MED111034437
 Register On
 : 26/03/2022 8:48 AM

 SID No.
 : 922018288
 Collection On
 : 26/03/2022 10:27 AM

 Age / Sex
 : 31 Year(s) / Male
 Report On
 : 27/03/2022 12:03 PM

MEDALL

Ref. Dr : MediWheel

Investigation	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Total Cholesterol/HDL Cholesterol Ratio (Serum/Calculated)	7.4		Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/Calculated)	5.9		Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
LDL/HDL Cholesterol Ratio (Serum/Calculated)	5.2		Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0



VERIFIED BY



PID No. : MED111034437 Register On : 26/03/2022 8:48 AM : 922018288 SID No. Collection On : 26/03/2022 10:27 AM Age / Sex : 31 Year(s) / Male

Report On : 27/03/2022 12:03 PM

: OP **Type Printed On** : 29/03/2022 5:54 PM

Ref. Dr : MediWheel



Investigation Glycosylated Haemoglobin (HbA1c)	Observed <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
HbA1C (Whole Blood/HPLC)	5.1	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5

INTERPRETATION: If Diabetes - Good control: 6.1 - 7.0 %, Fair control: 7.1 - 8.0 %, Poor control >= 8.1 %

Estimated Average Glucose 99.67 mg/dL

(Whole Blood)

INTERPRETATION: Comments

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency,

hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbA1C values. Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.



VERIFIED BY



PID No. : MED111034437 Register On : 26/03/2022 8:48 AM : 922018288 SID No. Collection On : 26/03/2022 10:27 AM Age / Sex : 31 Year(s) / Male Report On

: 27/03/2022 12:03 PM

: OP **Type** : 29/03/2022 5:54 PM **Printed On**

Ref. Dr : MediWheel



<u>Investigation</u>	<u>Observed</u>	<u>Unit</u>	<u>Biological</u>
	<u>Value</u>		Reference Interval

IMMUNOASSAY

THYROID PROFILE / TFT

T3 (Triiodothyronine) - Total 1.83 ng/mL 0.7 - 2.04

(Serum/CMIA)

INTERPRETATION:

Comment:

Total T3 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T3 is recommended as it is Metabolically active.

T4 (Thyroxine) - Total 4.2 - 12.011.41 μg/dL

(Serum/CMIA)

INTERPRETATION:

Comment:

Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active.

0.35 - 5.50TSH (Thyroid Stimulating Hormone) 1.33 μIU/mL

(Serum/Chemiluminescent Microparticle

Immunoassay(CMIA))

INTERPRETATION:

Reference range for cord blood - upto 20

1 st trimester: 0.1-2.5 2 nd trimester 0.2-3.0 3 rd trimester : 0.3-3.0

(Indian Thyroid Society Guidelines)

Comment:

- 1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI.
- 2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM. The variation can be of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations.
- 3. Values&lt 0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.



PID No. : MED111034437 Register On : 26/03/2022 8:48 AM : 922018288 SID No. Collection On : 26/03/2022 10:27 AM Age / Sex : 31 Year(s) / Male Report On : 27/03/2022 12:03 PM



Type : OP **Printed On** : 29/03/2022 5:54 PM

Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed</u>	<u>Unit</u>	<u>Biological</u>
	Value		Reference Interval

CLINICAL PATHOLOGY

PHYSICAL EXAMINATION

Colour (Urine)	Pale yellow		
Appearance (Urine)	Clear		Clear
Volume (Urine)	15	mL	
<u>CHEMICAL EXAMINATION(Automated-Urineanalyser)</u>			
pH (Urine/AUTOMATED URINANALYSER)	6.0		4.5 - 8.0
Specific Gravity (Urine)	1.020		1.002 - 1.035
Ketones	Negative		Negative

(Urine) Urobilinogen 0.2 0.2 - 1.0

(Urine/AUTOMATED URINANALYSER)

Blood

Negative Negative

(Urine/AUTOMATED URINANALYSER)

Nitrite Negative Negative

(Urine/AUTOMATED URINANALYSER)

Negative Negative Bilirubin

(Urine/AUTOMATED URINANALYSER)

Negative Negative Protein

(Urine)

Negative Negative Glucose

(Urine)





 PID No.
 : MED111034437
 Register On
 : 26/03/2022 8:48 AM

 SID No.
 : 922018288
 Collection On
 : 26/03/2022 10:27 AM

 Age / Sex
 : 31 Year(s) / Male
 Report On
 : 27/03/2022 12:03 PM



Ref. Dr : MediWheel

Investigation	Observed <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Leukocytes (Urine) MICROSCOPY(URINE DEPOSITS)	Negative	leuco/uL	Negative
Pus Cells (Urine/Flow cytometry)	2-4	/hpf	3-5
Epithelial Cells (Urine)	0-1	/hpf	1-2
RBCs (Urine/Flow cytometry)	Nil	/hpf	NIL
Others (Urine)	Nil		Nil
Casts (Urine/Flow cytometry)	Nil	/hpf	0 - 1
Crystals (Urine)	Nil		NIL





PID No. : MED111034437 Register On : 26/03/2022 8:48 AM : 922018288 SID No. Collection On : 26/03/2022 10:27 AM Age / Sex : 31 Year(s) / Male

Report On : 27/03/2022 12:03 PM

: OP **Type** 29/03/2022 5:54 PM **Printed On**

Ref. Dr : MediWheel



Investigation BIOCHEMISTRY	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
BUN / Creatinine Ratio	12.2		6 - 22
Glucose Fasting (FBS) (Plasma - F/GOD - POD)	89	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose Fasting - Urine	Negative		Negative
(Urine - F)			
Glucose Postprandial (PPBS)	84	mg/dL	70 - 140
(Plasma - PP/GOD - POD)			

INTERPRETATION:

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Glucose Postprandial - Urine (Urine - PP)	Negative		Negative
Blood Urea Nitrogen (BUN) (Serum/Urease-GLDH)	11	mg/dL	7.0 - 21
Creatinine (Serum/Jaffe Kinetic)	0.9	mg/dL	0.9 - 1.3

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin, cefazolin, ACE inhibitors, angiotensin II receptor antagonists, N-acetylcyteine, chemotherapeutic agent such as flucytosine etc.

3.5 - 7.2Uric Acid 6.4 mg/dL (Serum/*Uricase/Peroxidase*)



VERIFIED BY



 PID No.
 : MED111034437
 Register On
 : 26/03/2022 8:48 AM

 SID No.
 : 922018288
 Collection On
 : 26/03/2022 10:27 AM

 Age / Sex
 : 31 Year(s) / Male
 Report On
 : 27/03/2022 12:03 PM

Report On : 27/03/2022 12:03 PM **Printed On** : 29/03/2022 5:54 PM

Type : OP Printed On

Ref. Dr : MediWheel

(*) MEDALL

InvestigationObservedUnitBiologicalValueReference Interval

IMMUNOHAEMATOLOGY

BLOOD GROUPING AND Rh TYPING

 $(\hbox{EDTA Blood} Agglutination)$

'A' 'Positive'





APPROVED BY

-- End of Report --





Signature:

Sign-up & Health Assessment Form

To be filled by Customer					
ame: Mr	Ms/Mrs PATEEU				
ender:	O'Male O Female Age:	Z] years DOB: /			<u>l</u>
lobile:		Pincode:	*	in the second	
mail:					
		To be filled by	/ Customer	***************************************	NAME OF THE OWNER, OF THE OWNER, OF THE OWNER,
	8	Medical F	listory		
		Have you been previously diagnosed with?			*******************
	Bar code	Diabetes (Sugar)	O Yes	O No	
		Hypertension (BP) Cardiovascular Disease (Heart)	O Yes	O No	
•			O Yes	O No	
	Vitals	Asthma/Allergies (Dust, Pollen, Food, Animals, etc.) Neurological Problems (Nerve)	O Yes	O No	
	To be filled by Technician	Are you currently taking medications for?	O Yes	О №	***************************************
Height:	11.	Diabetes (Sugar)	<u> </u>		
		Hypertension (BP)	O Yes O Yes	O No	
Waist:	36 . I in.	Cardiovascular Disease (Heart)	O yes	O No O No	
Hip:	37 . in.	Liver Disease	O yes	O No	
Weight:	70.5 kg	Cancer	O Yes	O No	
W CIGITE.	7 0 . 5 kg	Tuberculosis (TB)	O Yes	O No	
Fat:	29.11%	Family His			***************************************
Visc. Fat:	10. %	Is there a history of below diseases in your family?			~~~~
RM:	1570-1	Diabetes (Sugar)	O Yes	O No	
KIVI.	115149 cal	Hypertension (BP)	O Yes	O No	
BMI:	25.6 kg/m²	Cardiovascular Disease (Heart)	O Yes	O No	
Body Age	: A A years	Cancer Lifestyl	O Yes	О но	*************************
		Do you exercise regularly?	O Yes	O No	***************************************
Sys. BP:	124 mmHg	Do you consume alcohol more than 2 times a week?	O Yes	O No	
Dia. BP:	93 mmHg	Do you smoke/chew tobacco?	O Yes	O No	
	100 -1-10	Are you vegetarian?	O Yes	O No	
	roo punk	Genera Do you see a doctor at least once in 6 months?	O Yes	A	~~~
		Do you undergo a health checkup every year?	O yes	O No O No	
		How would you rate your overall Health?	O res	O O	
		Excelle	ent Good Normal		*******************************
	70/2000	Women's He ls there a family history of Breast Cancer?	O Yes	O No	***************************************
	999999999999999999999999999999999999999	Is there a family history of Endometrial (Uterus) Cancer?	O Yes	O No	
		Is there a family history of Ovarian Cancer?	O Yes	O No	
		Do you have irregular periods?	O Yes	O No	
		Do you have heavy bleeding during periods?	O Yes	O No	
•)	*	Do you have scanty periods?	O Yes	O No	
		Have you attained Menopause?	O Yes	O No	
		Do you have children?	O Yes	O No	
		Was it a normal delivery?	O Yes	O No	
		Did you have diabetes/hypertension during delivery?	O vos	O No.	

6	Customer Name	Rojeer Rayan	Customer ID	111034437
A	ge & Gender	31. Male	Visit Date	26-03-2022

Eye Screening

With spectacles / without spectacles (strike out whichever is not applicable)


Observation / Comments:

Advilu Rej

other le worm a

2) au -

Dr. RAVI V. HALAKATTI
M.S. (OPHTH)
EYE SURGEON
Regd. No. 11801





Name	RAJEEV RANJAN	Customer ID	MED111034437
Age & Gender	31Y/M	Visit Date	Mar 26 2022 8:47AM
Ref Doctor	MediWheel	-	

X - RAY CHEST PA VIEW

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

Impression: Essentially normal study.

62

DR. H.K. ANAND

DR. SHWETHA S

DR. PRAJNA SHENOY

DR. MAHESH M S

CONSULTANT RADIOLOGISTS



Name	MR.RAJEEV RANJAN	ID	MED111034437
Age & Gender	31Y/MALE	Visit Date	26/03/2022
Ref Doctor	MediWheel		

ABDOMINO-PELVIC ULTRASONOGRAPHY

LIVER is normal in shape, size and has increased echopattern. No evidence of focal lesion or intrahepatic biliary ductal dilatation. Hepatic and portal vein radicals are normal.

GALL BLADDER show normal shape and has clear contents.

Gall bladder wall is of normal thickness. CBD is of normal calibre.

PANCREAS has normal shape, size and uniform echopattern. No evidence of ductal dilatation or calcification.

SPLEEN show normal shape, size and echopattern.

No demonstrable Para -aortic lymphadenopathy.

KIDNEYS move well with respiration and have normal shape, size and echopattern.

Cortico- medullary differentiations are well madeout.

No evidence of calculus or hydronephrosis.

The kidney measures as follows

	Bipolar length (cms)	Parenchymal thickness (cms)	
Right Kidney	9.9	1.7	
Left Kidney	9.3	1.8	

URINARY BLADDER show normal shape and wall thickness.

It has clear contents. No evidence of diverticula.

PROSTATE shows normal shape, size (wt – 13.9gms) and echopattern.

No evidence of ascites.

Impression: Increased hepatic echopattern suggestive of fatty infiltration.

CONSULTANT RADIOLOGISTS:

DR. H. K. ANAND DR. PRAJNA SHENOY

DD MAUECH M C

DR. RADHA KRISHNA. A.

DR. HIMA BINDU.P Ms/pu





Name	MR.RAJEEV RANJAN	ID .	MED111034437
Age & Gender	31Y/MALE	Visit Date	26/03/2022
Ref Doctor	MediWheel		1 N N N N N N N N N N N N N N N N N N N

2D ECHOCARDIOGRAPHIC STUDY

M mode measurement:

AORTA : 3.14 cms

LEFT ATRIUM : 2.90 cms

AVS : 1.55 cms

LEFT VENTRICLE (DIASTOLE) : 3.80 cms

(SYSTOLE) : 2.53 cms

VENTRICULAR SEPTUM (DIASTOLE) : 0.90 cms

(SYSTOLE) : 1.80 cms

POSTERIOR WALL (DIASTOLE) : 1.02 cms

(SYSTOLE) : 2.12 cms

EDV : 62 ml

ESV : 23 ml

FRACTIONAL SHORTENING : 33 %

EJECTION FRACTION : 62 %

EPSS : cms

RVID : 2.08 cms

DOPPLER MEASUREMENTS

MITRAL VALVE : 'E' -0.79m/s 'A' -0.55m/s NO MR

AORTIC VALVE :1.08 m/s NO AR.

TRICUSPID VALVE : 'E' -0.68m/s 'A' - m/s NO TR

PULMONARY VALVE :0.84 m/s NO PR



Name	MR.RAJEEV RANJAN	ID	MED111034437
Age & Gender	31Y/MALE	Visit Date	26/03/2022
Ref Doctor	MediWheel		¥ 10

:2:

2D ECHOCARDIOGRAPHY FINDINGS:

Left Ventricle : Normal size, Normal systolic function.

No regional wall motion abnormalities

Left Atrium : Normal

Right Ventricle : Normal

Right Atrium : Normal.

Mitral valve : Normal, No mitral valve prolapse.

Aortic valve : Normal, Trileaflet

Tricuspid valve : Normal.

Pulmonary valve : Normal.

IAS : Intact.

IVS : Intact.

Pericardium : No Pericardial effusion.

IMPRESSION:

> NORMAL SIZED CARDIAC CHAMBERS.

NORMAL LV SYSTOLIC FUNCTION. EF: 62 %

- NO REGIONAL WALL MOTION ABNORMALITIES.
- > NORMAL VALVES.
- NO CLOTS / PERICARDIAL EFFUSION / VEGETATION.

(KINDLY CORRELATE CLINICALLY AND WITH ECG)

DR.SRIDHAR.L MD,DM,FICC. CONSULTANT CARDIOLOGIST Ls/ml

Dr. SRIDHAR .L MD,(Med), DM(Cardio), FICC Interventional Cardiologist K.M.C. No.: 32248

